



CAPSTONE PROJECT REPORT

Software Requirement Specification

Table of Contents

I. Software Requirement Specification	8
1. Product Overview	8
2.1 Overview	10
2.2 Authentication	24
2.3 Notifications	29
2.4 Tour Accessing	35
2.5 Tour Processing.....	41
2.6 Ticket Accessing	46
2.7 Ticket Processing.....	48
2.8 Review Accessing	51
2.9 Booking Processing	53
2.10 Discounts Accessing	58
2.11 AI Support	59
2.12 Refund Management	60
2.13 Profile Management	62
2.14 Original Tour Management.....	67
2.15 Subsidiary Tour Management.....	74
2.16 Total Subsidiary Tour Management.....	81
2.17 Review Management	83
2.18 Account Management.....	86
2.19 Discount Management.....	104
2.20 Ticket Check-in Processing.....	111
2.21 Revenue Management.....	113
2.22 Trash Management	116
2.23 Ticket Management	122
3. Functional Requirements.....	127
3.1 System Functional Overview.....	127
3.2 Authentication	150
3.3 Notifications.....	165
3.4 Tour Accessing	174
3.5 Tour Processing.....	184
3.6 Ticket Accessing	191
3.7 Ticket Processing.....	194
3.8 Review Accessing	202
3.9 Booking Processing	206

3.10 Discounts Accessing	219
3.11 AI Support	220
3.12 Refund Management	221
3.5 Profile Management	223
3.14 Original Tour Management.....	231
3.15 Subsidiary Tour Management.....	246
3.16 Total Subsidiary Tour Management.....	256
3.17 Review Management	271
3.18 Account Management.....	275
3.19 Discount Management.....	312
3.20 Ticket Check-in Processing.....	322
3.21 Revenue Management.....	324
3.22 Trash Management	328
3.23 Ticket Management	336
4. Non-Functional Requirements.....	340
4.1 External Interfaces	340
4.2 Quality Attributes.....	341
5. Requirement Appendix	342
5.1 Business Rules	342
5.2 Application Messages List	344

Table of Figure

Figure 1. Data Flow Diagram.....	9
Figure 2. Use Case Diagram Of Guest Actor.....	10
Figure 3. Use Case Diagram Of Customer Actor (1).....	11
Figure 4. Use Case Diagram Of Customer Actor (2).....	12
Figure 5. Use Case Diagram Of Admin Actor (1).....	13
Figure 6. Use Case Diagram Of Admin Actor (2)	14
Figure 7. Use Case Diagram (3)	15
Figure 8. Use Case Diagram Of Admin Actor (4)	16
Figure 9. Use Case Diagram Of Admin Actor (5)	17
Figure 10. Use Case Diagram Of Super Admin Actor	18
Figure 11. Use Case Diagram Of Guide Actor	18
Figure 12. Screen Flow Diagram For Customer Actor On Mobile	127
Figure 13. Screen Flow Diagram For Super Admin Actor On Web	128
Figure 14. Screen Flow Diagram For Admin Actor On Web.....	129
Figure 15. Screen Flow Diagram For Guide Actor On Web.....	130
Figure 16. Entity Relationship Diagram.....	144
Figure 17. Customer Register (1)	151
Figure 18. Customer Register (2)	152

Figure 19. Customer Register (3)	153
Figure 20. Customer Register (4)	154
Figure 21. Customer Login	156
Figure 22. Admin, Super Admin, Guide Login	156
Figure 23. Customer Forgot Password (1)	158
Figure 24. Customer Forgot Password (2)	159
Figure 25. Customer Forgot Password (3)	160
Figure 26. Customer Forgot Password (4)	161
Figure 27. Admin, Super Admin, Guide Forgot Password (2)	161
Figure 28. Admin, Super Admin, Guide Forgot Password (3)	162
Figure 29. Admin, Super Admin, Guide Forgot Password (4)	162
Figure 30. Customer Logout.....	164
Figure 31. Admin, Super Admin, Guide Logout.....	164
Figure 32. Customer View Notifications	166
Figure 33. Admin, Super Admin, Guide View Notifications (1).....	167
Figure 34. Admin, Super Admin, Guide View Notifications (2).....	167
Figure 35. View Notification Details.....	169
Figure 36. Setting Notification	170
Figure 37. Manage Notification	171
Figure 38. Overview Notification	172
Figure 39. Filter Notifications.....	173
Figure 40. View Tour's List	174
Figure 41. Filter & Search Tours (1)	175
Figure 42. Filter & Search Tours (2)	176
Figure 43. Filter & Search Tours (3)	177
Figure 44. Filter & Search Tours (4)	178
Figure 45. View Tour's Detail (1).....	179
Figure 46. View Tour's Detail (2).....	180
Figure 47. View Itinerary.....	181
Figure 48. View Itinerary.....	182
Figure 49. View Favorite Tours	183
Figure 50. View Cart Tours.....	184
Figure 51. Add Tour To Cart	185
Figure 52. Add Back To Cart	186
Figure 53. Add Tour To Wishlist (1).....	187
Figure 54. Add Tour To Wishlist (2).....	188
Figure 55. Remove Favorite Tours	189
Figure 56. Remove Cart Tours.....	190
Figure 57. View Tickets (1)	191
Figure 58. View Tickets (2)	192
Figure 59. View Tickets (3)	193
Figure 60. View Ticket Details	194
Figure 61. Review Tour (1)	195
Figure 62. Review Tour (2)	196
Figure 63. Update Review Tour.....	197
Figure 64. Send Refund Request (1).....	198
Figure 65. Send Refund Request (2).....	199
Figure 66. Send Refund Request (3).....	200

Figure 67. Send Refund Request (4).....	201
Figure 68. View Tour Reviews (1).....	203
Figure 69. View Tour Reviews (2).....	204
Figure 70. Filter Tour Reviews (1)	205
Figure 71. Filter Tour Reviews (2)	206
Figure 72. Book Tour (1).....	207
Figure 73. Book Tour (2).....	208
Figure 74. Book Tour (3).....	209
Figure 75. Book Tour (4).....	210
Figure 76. Book Tour (5).....	211
Figure 77. Book Tour (6).....	212
Figure 78. Book Again	214
Figure 79. Check Availability	215
Figure 80. Pay Online (1).....	216
Figure 81. Pay Online (2).....	217
Figure 82. Pay Online (3).....	218
Figure 83. View Discounts.....	219
Figure 84. Chat With Us	220
Figure 85. Manage Refund.....	221
Figure 86. Search & Filter Refund	223
Figure 87. Customer Update Profile (1)	224
Figure 88. Customer Update Profile (2)	225
Figure 89. Admin, Super Admin Update Profile.....	225
Figure 90. Customer Change Password	227
Figure 91. Admin, Super Admin Change Password.....	227
Figure 92. Customer View Profile (1)	229
Figure 93. Customer View Profile (2)	230
Figure 94. Admin, Super Admin View Profile.....	231
Figure 95. Manage Original Tour (1)	232
Figure 96. Manage Original Tour (2)	233
Figure 97. Manage Original Tour (3)	234
Figure 98. Manage Original Tour (4)	235
Figure 99. Manage Original Tour (5)	236
Figure 100. View All Original Tours.....	238
Figure 101. Filter & Search Original Tours (1).....	239
Figure 102. Filter & Search Original Tours (2).....	240
Figure 103. Sort Original Tours	241
Figure 104. View Original Tour Statistics	243
Figure 105. Export Original Tours Data To Excel (1)	245
Figure 106. Export Original Tours Data To Excel (2)	246
Figure 107. Manage Subsidiary Tour (1)	247
Figure 108. Manage Subsidiary Tour (2)	248
Figure 109. Manage Subsidiary Tour (3)	248
Figure 110. Manage Subsidiary Tour	249
Figure 111. Manage Subsidiary Tour	250
Figure 112. Manage Subsidiary Tour	251
Figure 113. View All Subsidiary Tours Of Original Tour (1).....	253
Figure 114. View All Subsidiary Tours Of Original Tour (2).....	254

Figure 115. Export Subsidiary Tours Data To Excel (1)	255
Figure 116. Export Subsidiary Tours Data To Excel (2)	256
Figure 117. Manage All Subsidiary Tours (1)	257
Figure 118. Manage All Subsidiary Tours (2)	258
Figure 119. Manage All Subsidiary Tours (3)	259
Figure 120. Manage All Subsidiary Tours (4)	260
Figure 121. Manage All Subsidiary Tours (5)	261
Figure 122. View All Subsidiary Tours	262
Figure 123. View Subsidiary Tour Statistics	263
Figure 124. Filter & Search Subsidiary Tour (1)	266
Figure 125. Filter & Search Subsidiary Tour (2)	267
Figure 126. Sort Subsidiary Tours	270
Figure 127. Manage Original Tour Reviews (1)	271
Figure 128. Manage Original Tour Reviews (2)	272
Figure 129. Manage Original Tour Reviews (3)	272
Figure 130. Manage Subsidiary Tour Reviews (1)	273
Figure 131. Manage Subsidiary Tour Reviews (2)	274
Figure 132. Manage Subsidiary Tour Reviews (3)	274
Figure 133. Manage Customer Accounts (1)	276
Figure 134. Manage Customer Accounts (2)	277
Figure 135. Manage Customer Accounts (3)	278
Figure 136. Manage Customer Accounts (4)	278
Figure 137. Manage Customer Accounts (5)	279
Figure 138. Manage Customer Accounts (6)	279
Figure 139. Manage Guide Accounts (1)	281
Figure 140. Manage Guide Accounts (2)	282
Figure 141. Manage Guide Accounts (3)	282
Figure 142. Manage Guide Accounts (4)	283
Figure 143. Manage Guide Accounts (5)	283
Figure 144. Manage Admin Accounts (1)	285
Figure 145. Manage Admin Accounts (2)	286
Figure 146. Manage Admin Accounts (3)	286
Figure 147. Manage Admin Accounts (4)	287
Figure 148. Manage Admin Accounts (5)	287
Figure 149. View Account Statistic (1)	289
Figure 150. View Account Statistic (2)	290
Figure 151. View Account Statistic (3)	291
Figure 152. Filter & Search Account (1)	294
Figure 153. Filter & Search Account (2)	295
Figure 154. Filter & Search Account (3)	295
Figure 155. Sort Account (1)	297
Figure 156. Sort Account (2)	298
Figure 157. Sort Account (3)	299
Figure 158. Export Account Data To Excel (1)	301
Figure 159. Export Account Data To Excel (2)	302
Figure 160. Export Account Data To Excel (3)	303
Figure 161. Export Account Data To Excel (4)	304
Figure 162. Export Account Data To Excel (5)	305

Figure 163. Export Account Data To Excel (6).....	306
Figure 164. View Guided Tour History	307
Figure 165. Manage Customer's Ticket Review (1).....	308
Figure 166. Manage Customer's Ticket Review (2).....	308
Figure 167. Manage Customer's Ticket Review (3).....	309
Figure 168. Manage Tickets Of Customer (1)	310
Figure 169. Manage Tickets Of Customer (2)	310
Figure 170. Manage Tickets Of Customer (3)	311
Figure 171. Manage Tickets Of Customer (4)	311
Figure 172. Manage Discount (1).....	312
Figure 173. Manage Discount (2).....	313
Figure 174. Manage Discount (3).....	313
Figure 175. View All Discount	315
Figure 176. Filter & Search Discount (1)	316
Figure 177. Filter & Search Discount (2)	317
Figure 178. Sort Discounts	318
Figure 179. View Discount Statistics (1).....	319
Figure 180. View Discount Statistics (2).....	320
Figure 181. View Guided Tours.....	322
Figure 182. Manage Tours Attendance.....	323
Figure 183. Manage Revenue	325
Figure 184. View Original Tour Revenue	326
Figure 185. View Total Revenue	327
Figure 186. Manage Trash.....	328
Figure 187. Search Trash (1)	329
Figure 188. Search Trash (2)	330
Figure 189. Sort Trashes (1)	331
Figure 190. Sort Trashes (2)	331
Figure 191. Restore (1).....	332
Figure 192. Restore (2).....	333
Figure 193. Hard Delete (1).....	334
Figure 194. Hard Delete (2).....	334
Figure 195. Filter Trash By Type.....	335
Figure 196. View All Tour Tickets.....	336
Figure 197. View Ticket Check-in Details	337
Figure 198. Search Tickets	339
Figure 199. Sort Tickets.....	340

Table of Table

Table 1. System Actor	19
Table 2. Use Case List.....	19
Table 3. Screen Descriptions	130
Table 4. Screen Authorization.....	133
Table 5. Non-Screen Functions	136
Table 6. Account Table.....	144
Table 7. Original Tour Table	145
Table 8. Subsidiary Tour table.....	146

Table 9. Booking Table	146
Table 10. Ticket Table	147
Table 11. Tour Review Table	147
Table 12. Review Table	147
Table 13. Used Discount Table.....	148
Table 14. Favorite Tour Table	148
Table 15. Cart Table	149
Table 16. Notification Table	149
Table 17. Refund Table	149
Table 18. Entities Description	149
Table 19. Business Rules	342
Table 20. Application Messages List	344

I. Software Requirement Specification

1. Product Overview

Travel Now is an advanced software platform that enables customers to easily search for and book tours to captivating destinations such as Da Lat, Sapa, and Bac Giang. Through the mobile application, customers can quickly search for and select tours based on criteria such as location, duration, and price. Notably, Travel Now's intelligent AI system helps customers discover tours through images or by combining various factors to suggest the most optimal options. The system also allows customers to check the availability of remaining slots, make reservations, and complete online payments quickly and conveniently.

Travel Now also provides a unique feature for tour guides, allowing them to use the web application to easily check in customers throughout the tour. This functionality enables tour guides to manage customers efficiently, ensuring a swift and convenient check-in process, thus enhancing the overall customer experience at the destination.

Administrators utilize the web application to manage their tours, schedules, and revenue. Through this platform, they can monitor bookings, analyze revenue, and create promotional codes to attract customers. Owners can also manage the catalog of tours and destinations, ensuring that all bookings are updated accurately and promptly. Administrators are also able to manage user accounts within the system, including creating and maintaining accounts, assisting customers, and overseeing activities and actions taken within the accounts.

Super administrators possess all the privileges of administrators and additionally have the authority to create and manage other admin accounts. With its user-friendly interface, diverse features, and robust security, Travel Now ensures a seamless, transparent, and secure experience, meeting the needs of both customers and service providers.




Figure 1. Context Diagram Of Travel Now¹

¹ [TravelNow_ContextDiagram.png](#)

2.1 Overview

a. Use Case Diagram




Figure 2. Use Case Diagram Of Guest Actor

² [UC_GuestActor.png](#)




Figure 3. Use Case Diagram Of Customer Actor (1)³

³ [UC_CustomerActor_1.png](#)




Figure 4. Use Case Diagram Of Customer Actor (2)⁴

⁴ [UC GuestActor 2.png](#)




Figure 5. Use Case Diagram Of Admin Actor (1)⁵

⁵ [UC AdminActor 1.png](#)




Figure 6. Use Case Diagram Of Admin Actor (2)⁶

⁶ [UC_AdminActor_2.png](#)




Figure 7. Use Case Diagram Of Admin Actor (3)⁷

⁷ [UC_AdminActor_3.png](#)




Figure 8. Use Case Diagram Of Admin Actor (4)⁸

⁸ [UC_AdminActor_4.png](#)




Figure 9. Use Case Diagram Of Admin Actor (5)⁹

⁹ [UC_AdminActor_5.png](#)




Figure 10. Use Case Diagram Of Super Admin Actor¹⁰




Figure 11. Use Case Diagram Of Guide Actor¹¹

¹⁰ [UC_SuperAdminActor.png](#)

¹¹ [UC_GuideActor.png](#)

b. System Actors

Table 1. System Actor

#	Actor	Description
1	Guest	A user who has not logged into the system but can browse tours, search for options, view details, and access certain limited functionalities like checking available booking times.
2	Customer	A registered and logged-in user who can perform tasks such as booking tours, adding tours to their wishlist or cart, making payments, and managing their booking history and profile.
3	Admin	A user with elevated permissions to manage operational tasks, including viewing and updating tours, accounts, revenues, and customer feedback.
4	Super Admin	A user with the highest level of access, responsible for administrative control over the entire system, including managing admin accounts, creating or deleting tours, and accessing overall statistics.
5	Guide	A user works as a staff of a company who can perform tasks such as guided tours, attendances for customers in travel.

c. Use Cases List

Table 2. Use Case List

ID	Use Case	Primary Actors	Secondary Actors
UC01	Register	Guest	
UC02	Login	Customer, Admin, Super Admin, Guide	
UC03	View Tickets	Customer	
UC04	Review Tour	Customer	
UC05	Send Refund Request	Customer	
UC06	Book Again	Customer	
UC07	View Ticket Detail	Customer	
UC08	Update Review	Customer	
UC09	View Profile	Customer, Admin, Super Admin	
UC10	Update Profile	Customer, Admin, Super Admin	
UC11	Forgot password	Customer, Admin, Super Admin, Guide	

UC11.1	Verification Email	Customer, Admin, Super Admin, Guide	
UC12	Change Password	Customer, Admin, Super Admin	
UC13	View Discount	Customer	
UC14	Log out	Customer, Admin, Super Admin, Guide	
UC15	Chat With Us	Guest, Customer	API Provider
UC16	View Tour's List	Guest, Customer	
UC17	Filter & Search Tours	Guest, Customer	
UC18	View Tour's Detail	Guest, Customer	
UC19	View Itinerary	Guest, Customer	
UC20	View Tour Reviews	Guest, Customer	
UC21	Filter Tour Reviews	Guest, Customer	
UC22	Add Tour To Wishlist	Customer	
UC23	Check Availability	Customer	
UC24	Add Tour To Cart	Customer	
UC25	Book Tour	Customer	
UC26	Pay Online	Customer	payOS
UC27	View Outstanding Tours	Guest, Customer	
UC28	View Favorite Tours	Customer	
UC29	Remove Favorite Tours	Customer	
UC30	View Cart Tours	Customer	
UC31	Add Back To Cart	Customer	
UC32	Remove Cart Tours	Customer	
UC33	View Notifications	Customer, Admin, Super Admin	
UC34	View Notification Details	Customer	
UC35	Setting Notification	Customer	
UC36	Manage Accounts	Admin, Super Admin	
UC37	Manage customer Accounts	Admin, Super Admin	
UC37.1	Create customer Account	Admin, Super Admin	
UC37.2	Update customer Account	Admin, Super Admin	
UC37.3	View customer Account Detail	Admin, Super Admin	
UC37.4	Soft Delete customer Account	Admin, Super Admin	
UC38	Manage Tickets Of Customer	Admin, Super Admin	

UC39	Manage Customer's Ticket Review	Admin, Super Admin	
UC40	View All Customer Accounts	Admin, Super Admin	
UC41	Manage Guide Account	Admin, Super Admin	
UC41.1	Create Guide Account	Admin, Super Admin	
UC41.2	Update Guide Account	Admin, Super Admin	
UC41.3	View Guide Account Detail	Admin, Super Admin	
UC41.4	Soft Delete Guide Account	Admin, Super Admin	
UC42	View All Guide Accounts	Admin, Super Admin	
UC43	View Guided Tour History	Admin, Super Admin	
UC44	Manage Admin Accounts	Super Admin	
UC44.1	Create Admin Account	Super Admin	
UC44.2	Update Admin Account	Super Admin	
UC44.3	View Admin Account Detail	Super Admin	
UC44.4	Soft Delete Admin Account	Super Admin	
UC45	View All Admin Accounts	Super Admin	
UC46	Filter & Search Accounts	Admin, Super Admin	
UC47	View Accounts Statistic	Admin, Super Admin	
UC48	Sort Accounts	Admin, Super Admin	
UC49	Export Accounts Data To Excel	Admin, Super Admin	
UC50	Manage Profile	Admin, Super Admin	
UC51	Manage Refund	Admin, Super Admin	
UC51.1	View Refund Detail	Admin, Super Admin	
UC51.2	View Refund List	Admin, Super Admin	
UC51.3	Update Refund Request	Admin, Super Admin	
UC52	Search & Filter Refund	Admin, Super Admin	

UC53	Manage Original Tours	Admin, Super Admin	
UC53.1	Create Original Tour	Admin, Super Admin	
UC53.2	View Original Tour Details	Admin, Super Admin	
UC53.3	Soft Delete Original Tours	Admin, Super Admin	
UC54	Filter & Search Original Tours	Admin, Super Admin	
UC55	Export Original Tours Data To Excel	Admin, Super Admin	
UC56	Sort Original Tours	Admin, Super Admin	
UC57	View All Original Tours	Admin, Super Admin	
UC58	Manage Original Tour Reviews	Admin, Super Admin	
UC59	View Original Tours Statistic	Admin, Super Admin	
UC60	Manage Subsidiary Tours	Admin, Super Admin	
UC60.1	Create Subsidiary Tour	Admin, Super Admin	
UC60.2	View Subsidiary Tour Details	Admin, Super Admin	
UC60.3	Soft Delete Subsidiary Tours	Admin, Super Admin	
UC61	View All Subsidiary Tours Of Original Tour	Admin, Super Admin	
UC62	Filter & Search Subsidiary Tours	Admin, Super Admin	
UC63	Sort Subsidiary Tours	Admin, Super Admin	
UC64	Manage All Subsidiary Tours	Admin, Super Admin	
UC65	View All Subsidiary Tours	Admin, Super Admin	
UC66	Manage Subsidiary Tour Reviews	Admin, Super Admin	
UC67	View All Tour Tickets	Admin, Super Admin	
UC68	Search Tickets	Admin, Super Admin	
UC69	Sort Tickets	Admin, Super Admin	

UC70	View Ticket Check-in Details	Admin, Super Admin	
UC71	Export Subsidiary Tours Data To Excel	Admin, Super Admin	
UC72	View Subsidiary Tour Statistic	Admin, Super Admin	
UC73	Manage Discount	Admin, Super Admin	
UC73.1	View Discount	Admin, Super Admin	
UC73.2	Create Discount	Admin, Super Admin	
UC73.3	Update Discount	Admin, Super Admin	
UC73.4	Soft Delete Discount	Admin, Super Admin	
UC74	Filter & Search Discounts	Admin, Super Admin	
UC75	Sort Discounts	Admin, Super Admin	
UC76	View Discount Statistic	Admin, Super Admin	
UC77	View Revenue	Admin, Super Admin	
UC78	View Total Revenue	Admin, Super Admin	
UC79	View Original Tour Revenue	Admin, Super Admin	
UC80	Manage Trash	Admin, Super Admin	
UC80.1	View All Trash	Admin, Super Admin	
UC81	Restore	Admin, Super Admin	
UC81.1	Restore Original Tours	Admin, Super Admin	
UC81.2	Restore Subsidiary Tours	Admin, Super Admin	
UC81.3	Restore Accounts	Admin, Super Admin	
UC81.4	Restore Discounts	Admin, Super Admin	
UC82	Hard Delete	Admin, Super Admin	
UC82.1	Hard Delete Original Tours	Admin, Super Admin	

UC82.2	Hard Delete Subsidiary Tours	Admin, Super Admin	
UC82.3	Hard Delete Accounts	Admin, Super Admin	
UC82.4	Hard Delete Discounts	Admin, Super Admin	
UC83	Search Trash	Admin, Super Admin	
UC84	Sort Trash	Admin, Super Admin	
UC85	Filter Trash Type	Admin, Super Admin	
UC86	Manage Notification	Admin, Super Admin	
UC86.1	Mark As Read	Admin, Super Admin	
UC87	Overview Notifications	Admin, Super Admin	
UC88	Filter Notifications	Admin, Super Admin	
UC89	View Guided Tours	Guide	
UC90	Manage Tours Attendance	Guide	
UC91	View All Discount	Admin, Super Admin	

2.2 Authentication

a. UC01 - Register

ID and Name:	UC01 - Register		
Created By:	HoaiNV	Date Created:	14/01/2025
Primary Actor	Guest	Secondary Actors:	N/A
Description:	This use case allows the user to register an account with a customer role.		
Trigger:	The user clicks the "Register" to navigate to the register screen.		
Preconditions:	N/A		
Postconditions:	POST-1. The user successfully registered an account into the system. POST-2. The user is redirected to the login screen.		

Normal Flow	1. The user navigates to the login screen. 2. The user clicks on the "Register" link. 3. The system redirects users to the register screen. 4. The user enters an email to validate and click continue button. 5. The system redirects users to the verify OTP screen. 6. The user enters OTP and clicks on the "Verify" button. 7. The system validates OTP. 8. The system redirects users to complete registration screen. 9. The user enters information for an account, including: username, first name, last name, phone, date of birth, password, gender. 10. The user clicks the "Register" button to submit. 11. The system validates the user's information. 12. The system will display a pop-up register successfully notification. 13. The user clicks on the "OK" button on the pop-up. 14. The system redirects the user to select the avatar screen.
Alternative Flows:	Step 2: The user clicks the "Continue with Google" button at the login screen 2.1. The system displays a pop-up for the user. 2.2. The user enters login information for a Google account. 2.3. The system redirects users to discover screens. Step 7: The OTP is invalid 7.1. Display failed message. 7.2. Return to Step 6. Step 11: The input field(s) is invalid 11.1. Display failed message. 11.2. Return to Step 9.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC02 - Login

ID and Name:	UC02 - Login
--------------	---------------------

Created By:	KhanhPN	Date Created:	14/01/2025
Primary Actor	Customer, Admin, Super Admin, Guide	Secondary Actors:	N/A
Description:	This use case allows the user to login the system.		
Trigger:	The user logged in as Customer: The user clicks the “Login or Register” button to navigate to the login screen. The user logged in as Admin, Super Admin, Guide: The system auto navigated to the Login page.		
Preconditions:	PRE-1. The user must have a registered account in the system.		
Postconditions:	POST-1. The user successfully logged in the system. POST-2. The user is navigated to the discover screen when logged in with customer role. POST-3. The user is navigated to the dashboard page when logged in with super admin, admin, guide role.		
Normal Flow	1. The user navigates to the login screen. 2. The user enters information to login, including email and password. 3. The user clicks the “Login Now” button to submit. 4. The system validates the user's information. The user logged in as Customer: 5. The user is navigated to the discover screen. The user logged in as Super Admin, Admin, Guide: 5. The user is navigated to the dashboard screen.		
Alternative Flows:	The user logged in as Customer: Step 1: The user clicks the “Continue with Google” button 1.1. The system displays a pop-up for the user. 1.2. The user chooses/enters login information for a Google account. 1.3. The system redirects users to the discover screen. The user logged in as Super Admin, Admin, Guide, Customer: Step 4: The submitted information is incorrect 4.1. Display failed message. 4.2. Return to step 2.		
Exceptions:	EX-01. Lost connection with the server on the internet.		
Priority:	High		
Frequency of	High		

Use:	
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

c. UC11 - Forgot password

ID and Name:	UC11 - Forgot password		
Created By:	DangPH	Date Created:	15/01/2025
Primary Actor:	Customer, Admin, Super Admin, Guide	Secondary Actors:	N/A
Description:	This use case allows users to reset password when they forget it.		
Trigger:	The user clicks the "Forgot Password?" link at login screen to navigate to forgot password screen.		
Preconditions:	PRE-1. The user must have a registered account in the system.		
Postconditions:	POST-1. The user successfully reset the password. POST-2. The user is redirected to login screen.		
Normal Flow	1. The user navigates to the login screen. 2. The user click on "Forgot password?" link. 3. The system redirect user to forgot password screen. 4. The user enters email and clicks "Continue" button. 5. The system verifies the email. 6. The system redirect user to OTP verify screen. 7. The system sends an OTP code via email. 8. The user enters the OTP code and clicks "Submit" button. 9. The system validates the OTP code. 10. The system redirects user to reset password screen. 11. The user enters a new password, re-enter new password. 12. The user clicks "Change Password" button. 13. The system validates the password. 14. The user redirected to login screen.		
Alternative Flows:	Step 5: The email is invalid 5.1. Display failed message.		

	5.2. Return to Step 4. Step 9: The OTP code is invalid 9.1. Display failed message. 9.2. Return to Step 8. Step 13: The input field are invalid 13.1. Display failed message. 13.2. Return to step 11.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

d. UC14 - Log out

ID and Name:	UC14 - Log out		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Customer, Admin, Super Admin, Guide	Secondary Actors:	N/A
Description:	This use case allows the user to log out the system.		
Trigger:	The user clicks the “Log out” button.		
Preconditions:	PRE-1. The user must have logged in.		
Postconditions:	POST-1. The user successfully log out the system. POST-2. The user is redirected to the discover screen if the user logged in as customer and login screen if the user logged in as admin or super admin.		
Normal Flow	The user logged in as Customer: 1. The user clicks on “Profile” button in bottom. 2. The system redirect user to the profile screen.		

	3. The user click on “Log out” button. 4. The system redirect user to discover screen. The user logged in as Super Admin, Admin, Guide: 1. The user clicks on “Log out” button. 2. The system redirect user to the login page.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.3 Notifications

a. UC33 - View Notifications

ID and Name:	UC33 - View Notifications		
Created By:	HoaiNV, MinhNTT	Date Created:	12/01/2025
Primary Actor	Customer, Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows the user to view all their notifications.		
Trigger:	The user logged in as customer role: The user clicks on the notification icon. The user logged in as admin, super admin role: - Option 1: The administrator clicks on “Notification” on the left sidebar and performs view all notifications action. - Option 2: The administrator clicks on the bell icon at the header bar and clicks “View all” and performs view all notifications action.		
Preconditions:	PRE-1. The user must have logged in.		

Postconditions:	POST-1. The user viewed all notifications they received.		
Normal Flow	The user logged in as customer role: 1. The user navigates to the profile screen. 2. The system shows all features of the screen. 3. The user clicks on the notification icon. 4. The system redirects the user to the notification screen and shows all notifications they received. The user logged in as admin, super admin role: 1. The administrator clicks on “Notification” on the left sidebar to navigate to the notification management page. 2. The system displays all notifications data in the notifications data table.		
Alternative Flows:	The user logged in as Admin, Super Admin role: Step 1: The administrator clicks on the bell icon at the header bar and clicks “View all” to navigate to the notification management page 1.1. Return to Step 2.		
Exceptions:	EX-01. Lost connection with the server on the internet.		
Priority:	Medium		
Frequency of Use:	High		
Business Rules:	N/A		
Other Information:	N/A		
Assumptions:	N/A		

b. UC34 - View Notification Details

ID and Name:	UC34 - View Notification Details		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actors:	N/A
Description:	This use case allows the user to view the details of a specific notification.		

Trigger:	The user clicks on a specific notification.
Preconditions:	PRE-1. The user must have logged in.
Postconditions:	POST-1. The user viewed the details of a notification they selected.
Normal Flow	1. The user navigates to the profile screen. 2. The system shows all features of the screen. 3. The user clicks on the notification icon. 4. The system redirects the user to the notification screen and shows all notifications of them. 5. The user clicks on a specific notification. 6. The system displays details of the notification.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

c. UC35 - Setting Notification

ID and Name:	UC35 - Setting Notification		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actors:	N/A
Description:	This use case allows the user to turn on or turn off the app's notifications.		
Trigger:	The user clicks the "Notification" button.		
Preconditions:	PRE-1. The user must have logged in.		

Postconditions:	POST-1. The user successfully sets the app's status.
Normal Flow	1. The user navigates to the profile screen. 2. The user clicks on the “Notification” button. 3. The system redirects the user to the notification setting screen. 4. The user clicks on the switch button to set the status of the app. 5. The system saves notification status of the app.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

d. UC86 - Manage Notification

ID and Name:	UC86 - Manage Notification		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to mark as read notification.		
Trigger:	The administrator clicks on the bell icon at the header bar and clicks “View all” and performs a mark as read action.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. Notification management actions are successfully executed.		
Normal Flow	1. The administrator clicks on “Notification” on the left sidebar to navigate to the notification management page. 2. The system displays all notifications categorized by customer and		

	Admin tabs. 3. The administrator clicks on the "Options" button at a specific unread notification. 4. The administrator clicks on the "Mark as read" option. 5. The system updates the notification status, removes the unread indicator and updates the UI.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

e. UC87 - Overview Notification

ID and Name:	UC87 - Overview Notification		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to overview unread notifications.		
Trigger:	The user clicks on the bell icon button on the header bar and performs overview notifications action.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. Overview unread notifications are successfully executed.		
Normal Flow	1. The administrator clicks on the bell icon button on the header bar. 2. The system displays an overview of all unread notifications.		
Alternative Flows:	N/A		

Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

f. UC88 - Filter Notifications

ID and Name:	UC88 - Filter Notifications		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to filter all notifications by status (All/Unread) and by user type (Admin/Customer).		
Trigger:	Filter notifications by status (All/Unread): The user clicks on the “All” or “Unread” button and performs filter notifications by status (All/Unread). Filter notifications by role (Admin/Customer): The user clicks on the “Admin” or “Customer” tab and performs filter notifications by type (Admin/Customer).		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. Filter notifications actions (filter by status and filter by user type) are successfully executed.		
Normal Flow	1. The administrator clicks on “Notification” on the left sidebar to navigate to the notification management page. - Option 1 - Filter by status (All/Unread): O1.1. The administrator clicks on the “All” button or “Unread” button. O1.2. The system displays all notifications based on the selected status. - Option 2 - Filter by user type (Admin/Customer): O2.1. The administrator clicks on the “Admin” or “Customer” tab. O2.2. The system displays all notifications based on the selected user		

	type.
Alternative Flows:	Step 1: The administrator clicks on the bell icon at the header bar and clicks “View all” to navigate to the notification management page 1.1. Return to option 1 or option 2.
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.4 Tour Accessing

a. UC16 - View Tour's List

ID and Name:	UC16 - View Tour's List		
Created By:	DangPH	Date Created:	14/01/2025
Primary Actor:	Guest, Customer	Secondary Actors:	N/A
Description:	This use case allows the users to access all original tours available in the system.		
Trigger:	The user clicks the “Discover” in the bottom tab.		
Preconditions:	N/A		
Postconditions:	POST-1. The user can view all available tours for booking.		
Normal Flow	1. The user navigates to the discover screen. 2. System displays all available tours for booking.		
Alternative Flows:	N/A		

Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC17 - Filter & Search Tours

ID and Name:	UC17 - Filter & Search Tours		
Created By:	DangPH	Date Created:	15/01/2025
Primary Actor	Customer, Guest	Secondary Actors:	N/A
Description:	This use case allows users to search and filter all tours.		
Trigger:	The user enters searching, filtering fields and clicks the "Apply" button.		
Preconditions:	N/A		
Postconditions:	POST-1. The user successfully searches and filters the list of all tours.		
Normal Flow	1. The user navigates to the discover screen. - Option 1 - The user performs a search tour by tour name: O1.1. The user clicks on the search bar. O1.2. The user enters a keyword related to the tour name. O1.3. The user clicks the "Search" button. O1.4. The system looks up all tours in the data and displays a list of tours that match the keyword. - Option 2 - The user performs a filter tour: O2.1. The user chose the filter by price, location, duration, date or a combination of filters or all filters. O2.2. The user applies the filter. O2.3. The system will filter all tours in the data. If a user have searched before, it will filter on the searched list.		

Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	Medium
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

c. UC18 - View Tour's Detail

ID and Name:	UC18 - View Tour's Detail		
Created By:	DangPH	Date Created:	15/01/2025
Primary Actor	Customer, Guest	Secondary Actors:	N/A
Description:	This use case allows users to view tour's detail.		
Trigger:	The user clicks on a specific tour.		
Preconditions:	N/A		
Postconditions:	POST-1. The user successfully views the tour's details.		
Normal Flow	1. The user navigates to the discover screen. 2. The user clicks on a specific tour. 3. The system redirects users to the tour details screen. 4. The system displays the details of the tour.		
Alternative Flows:	Step 1: The user clicks on a specific tour at Wishlist 1.1. The user navigates to the wishlist screen. 1.2. Return to step 2.		
Exceptions:	EX-01. Lost connection with the server on the internet.		
Priority:	High		

Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

d. UC19 - View Itinerary

ID and Name:	UC19 - View Itinerary		
Created By:	DangPH	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actor:	N/A
Description:	This use case allows users to view the tour's itinerary on a map.		
Trigger:	The user clicks on the "See itinerary" button in the tour detail		
Preconditions:	N/A		
Postconditions:	POST-1. The user views the tour's itinerary on a map.		
Normal Flow	1. The user clicks on a specific tour at the homepage. 2. The system redirects users to the selected tour's details screen. 3. The user clicks on the "See itinerary" button in the tour detail. 4. The system displays the tour's itinerary screen.		
Alternative Flows:	Step 1: The user clicks on a specific tour at the wishlist 1.1. The user navigates to the wishlist screen. 1.2. The system shows a list of favorite tours. 1.3. The user clicks on a specific tour. 1.4. Return to step 2.		
Exceptions:	EX-01. Lost connection with the server on the internet.		
Priority:	High		
Frequency of Use:	High		

Business Rules:	N/A
Other Information:	N/A
Assumptions	N/A

e. UC27 - View Outstanding Tours

ID and Name:	UC27 - View Outstanding Tours		
Created By:	DangPH	Date Created:	14/01/2025
Primary Actor:	Guest, Customer	Secondary Actors:	N/A
Description:	This use case allows the users to view the top 3 of outstanding tours.		
Trigger:	The user clicks the “Discover” in the bottom tab.		
Preconditions:	N/A		
Postconditions:	POST-1. The user can view the top 3 of outstanding tours.		
Normal Flow	1. The user navigates to the discover screen and scroll down. 2. System displays the top 3 of outstanding tours.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server on the internet.		
Priority:	High		
Frequency of Use:	High		
Business Rules:	N/A		
Other Information:	N/A		
Assumptions:	N/A		

f. UC28 - View Favorite Tours

ID and Name:	UC28 - View Favorite Tours		
Created By:	DangPH	Date Created:	14/01/2025
Primary Actor:	Customer	Secondary Actors:	N/A
Description:	This use case allows the users to view tours they have added to their favorites list.		
Trigger:	The user clicks the “Wishlist” in the bottom tab.		
Preconditions:	PRE-1. The user must be logged in.		
Postconditions:	POST-1. The user can view a list of favorite tours they have added.		
Normal Flow	1. The user navigates to the favorite screen. 2. System displays a list of favorite tours they have added.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server on the internet.		
Priority:	High		
Frequency of Use:	High		
Business Rules:	N/A		
Other Information:	N/A		
Assumptions:	N/A		

g. UC30 - View Cart Tours

ID and Name:	UC30 - View Cart Tours		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor:	Customer	Secondary Actors:	N/A

Description:	This use case allows the user to view the tours they have added to their cart.
Trigger:	The user clicks the “Cart” in the bottom tab.
Preconditions:	PRE-1. The user must have logged in.
Postconditions:	POST-1. The user can view a list of tours they have added to their cart.
Normal Flow	1. The user navigates to the cart screen. 2. The system displays a list of tours they have added to their cart.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.5 Tour Processing

a. UC24 - Add Tour To Cart

ID and Name:	UC24 - Add Tour To Cart		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actor:	N/A
Description:	This use case allows users to add tours to his/her cart.		
Trigger:	The user clicks on the “Add to cart” button.		
Preconditions:	PRE-1. The user must have logged in.		

Postconditions:	POST-1. The user adds the tour successfully to the cart.
Normal Flow	1. The user clicks on a specific tour at the discover screen. 2. The system redirects users to the selected tour details page. 3. The user clicks on the “Check availability” button. 4. The system redirects the user to the “Availability” screen. 5. The user selects the date and participants. 6. The user clicks on the “Add to cart” button. 7. The system redirects the user to the cart screen and shows items in the user’s cart.
Alternative Flows:	Step 1: The user clicks on a specific tour at the wishlist 1.1. The user navigates to the wishlist screen. 1.3. The system shows tours in the wishlist. 1.4. The user clicks on a specific tour. 1.5. Return to step 2.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC31 - Add Back To Cart

ID and Name:	UC31 - Add Back To Cart		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actor:	N/A
Description:	This use case allows users to add tours again to his/her cart.		
Trigger:	The user clicks on the “Add back to cart” button.		
Preconditions:	PRE-1. The user must have logged in. PRE-2. The time to hold a tour in the shopping cart has expired.		

Postconditions:	POST-1. The user adds the tour successfully again to the cart.
Normal Flow	1. The user navigates to the cart screen. 2. The system shows all tours in the cart, including holding and expired tours. 3. The user clicks on the “Add back to cart” button of a specific expired tour. 4. The system validates the availability of the tour and adds the tour to cart again.
Alternative Flows:	Step 4: The system validates the availability of the tour is not available 4.1. The system displays notification “Tour is not available” and deletes the tour from the cart. 4.2. The system redirects to the cart screen.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

c. UC22 - Add Tour To Wishlist

ID and Name:	UC22 - Add Tour To Wishlist		
Created By:	DangPH	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actor:	N/A
Description:	This use case allows users to add tours to their wishlist.		
Trigger:	The user clicks on the heart icon on the tour card or on the outstanding card or in tour detail.		
Preconditions:	PRE-1. The user must have logged in.		

Postconditions:	POST-1. The user successfully adds tours to their wishlist.
Normal Flow	1. The user navigates to the Discover screen. 2. The user clicks on the heart icon on the tour card. 3. The heart icon of the selected tour turns red and tour added to favorite list.
Alternative Flows:	Step 1: The user clicks on the heart icon at tour detail 1.1. The user clicks on the specific tour at the discover screen. 1.2. The system shows details of the selected tour. 1.3. The user clicks on the heart icon in the tour detail screen. 1.4. Return step 3. Step 1:The user clicks on the heart icon on the outstanding card 1.1. The user navigates to the Discover screen. 1.2. The user clicks on the heart icon on the outstanding card. 1.3. Return step 3.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

d. UC29 - Remove Favorite Tours

ID and Name:	UC29 - Remove Favorite Tours		
Created By:	DangPH	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actor:	N/A
Description:	This use case allows users to remove tours from their wishlist.		
Trigger:	The user clicks on the heart icon on a specific tour.		
Preconditions:	PRE-1. The user must have logged in. PRE-2. The user must have at least one tour in their wishlist.		

Postconditions:	POST-1. The user successfully adds tours to their wishlist.
Normal Flow	1. The user navigates to the Wishlist screen. 2. The system displays all tours in their wishlist. 3. The user clicks on the heart icon on the tour card. 4. The system displays a pop-up for the user confirm remove tour 5. The user clicks on the "REMOVE" button 6. The tour was removed from the wishlist.
Alternative Flows:	Step 5: The user clicks on the "CANCEL" button 5.1. The removal process is canceled.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

e. UC32 - Remove Cart Tours

ID and Name:	UC32 - Remove Cart Tours		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actor:	N/A
Description:	This use case allows users to remove a tour from their cart.		
Trigger:	The user clicks on the trash icon on a specific tour.		
Preconditions:	PRE-1. The user must have logged in. PRE-2. The user must have at least one tour in their cart.		
Postconditions:	POST-1. The user successfully removes the selected tour from their cart.		
Normal Flow	1. The user navigates to the cart screen. 2. The system displays all tours in their cart.		

	3. The user clicks on the trash icon on a specific tour. 4. The system displays a pop-up for the user to confirm the removal tour. 5. The user clicks on the “OK” button. 6. The system removes a selected tour from their cart.
Alternative Flows:	Step 5: The user clicks on the “CANCEL” button 5.1. The removal process is canceled.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.6 Ticket Accessing

a. UC03 - View Tickets

ID and Name:	UC03 - View Tickets		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actors:	N/A
Description:	This use case allows the user to view all their tickets.		
Trigger:	The user clicks on the “Booking” tab.		
Preconditions:	PRE-1. The user must have logged in.		
Postconditions:	POST-1. The user viewed all their tickets, including upcoming, completed, and refunded tickets.		
Normal Flow	1. The user navigates to the ticket screen. 2. The system shows all tickets of the user including upcoming, completed, and refunded tickets.		

Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC07 - View Ticket Details

ID and Name:	UC07 - View Ticket Details		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actors:	N/A
Description:	This use case allows the user to view a ticket's details.		
Trigger:	The user clicks on a specific ticket from the “Booking” tab.		
Preconditions:	PRE-1. The user must have logged in. PRE-2. The user must have at least one ticket.		
Postconditions:	POST-1. The user viewed details of their selected ticket, including upcoming, completed, and refunded tickets.		
Normal Flow	1. The user navigates to the ticket screen. 2. The system shows all tickets of the user including upcoming, completed, and refunded tickets. 3. The user clicks on the specific ticket. 4. The system shows ticket details.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server on the internet.		

Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.7 Ticket Processing

a. UC04 - Review Tour

ID and Name:	UC04 - Review Tour		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actors:	N/A
Description:	This use case allows users to send reviews based on transport, service, price quality and gives their feedback to a tour which they have completed.		
Trigger:	The user clicks on the "Review" button.		
Preconditions:	PRE-1. The user must have logged in. PRE-2. The user has booked and gone on at least 1 tour.		
Postconditions:	POST-1. The user successfully rate and feedback tour.		
Normal Flow	1. The user navigates to the ticket screen and selects the completed tab. 2. The system displays a list of all completed tours the user has attended. 3. The user clicks on the "Review" button for a specific tour. 4. The system displays a pop-up for user review. 5. The user rates the tour based on transport, service, and price quality, provides feedback, and clicks the "Submit" button. 6. The system saves the user's rating and feedback and displays for the user "Thanks for your feedback!" pop-up. 7. The user clicks on the "OK" button on pop-up. 8. The system shows about the average rate of their rating.		

Alternative Flows:	Step 5: The user clicks on close icon 5.1. The system closes the review pop-up and redirects to the ticket screen.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC08 - Update Review Tour

ID and Name:	UC08 - Update Review Tour		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actors:	N/A
Description:	This use case allows users to update reviews based on transport, service, price quality and gives their feedback to a tour which they have completed.		
Trigger:	The user clicks on the average rating on a specific tour.		
Preconditions:	PRE-1. The user must have logged in. PRE-2. The user has reviewed at least 1 tour.		
Postconditions:	POST-1. The user update successfully rate and feedback tour.		
Normal Flow	1. The user navigates to the ticket screen and selects the completed tab. 2. The system displays a list of all completed tours the user has attended. 3. The user clicks on the average rating for a specific tour. 4. The system displays a pop-up for user feedback. 5. The user updates the rating of the tour based on transport, service, and price quality, provides feedback, and clicks the "Submit" button. 6. The system saves the updated rating and feedback and displays a		

	“Thanks for your feedback!” pop-up to the user. 7. The user clicks on the “OK” button on pop-up. 8. The system displays the updated average rating based on their review.
Alternative Flows:	Step 5: The user clicks on close icon 5.1. The system closes the review pop-up and redirects to the ticket screen.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

c. UC05 - Send Refund Request

ID and Name:	UC05 - Send Refund Request		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actors:	N/A
Description:	This use case allows the user to request a refund for a tour that they have booked.		
Trigger:	The user clicks on the "Refund" button on a specific upcoming tour at the ticket screen.		
Preconditions:	PRE-1. The user must be logged. PRE-2. The user must book at least 1 tour. PRE-3. The booking time must not exceed 24 hours from the time of booking.		
Postconditions:	POST-1. The user sent a refund request successfully.		
Normal Flow	1. The user navigates to the ticket screen. 2. The system shows all their tickets, including upcoming, completed, refunded.		

	3. The user chooses the upcoming tab. 4. The system displays all the upcoming tickets. 5. The user clicks on the “Refund” button of a specific tour. 6. The system displays a pop-up for the user to enter their bank information. 7. After entering the bank information, the user clicks on the “Next” button. 8. The system displays a pop-up for the user to enter their refund reason. 9. After selecting the refund reason (except “Other” option), The user clicks on the “Submit” button. 10. The system records the user’s request under pending status and sends a refund request to the admin. 11. The system displays "Your refund request has been submitted and is pending approval." message.
Alternative Flows:	Step 7: The user clicks on the “Cancel” button 7.1. The system redirects to the ticket screen. Step 9: The user clicks on the “Back” button 9.1. Return to step 6. Step 9: The user selects the “Other” option 9.1. The system displays text input. 9.2. The user enters their refund reason and clicks on the “Submit” button. 9.3. Return to step 10.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.8 Review Accessing

a. UC20 - View Tour Reviews

ID and Name:	UC20 - View Tour Reviews
--------------	---------------------------------

Created By:	DangPH	Date Created:	15/01/2025
Primary Actor	Guest, Customer	Secondary Actor:	N/A
Description:	This use case allows users to view all reviews of specific tours.		
Trigger:	The user clicks on the "See all reviews" button in the tour detail		
Preconditions:	N/A		
Postconditions:	POST-1. The user views the list of all tour reviews in the review screen.		
Normal Flow	1. The user clicks on a specific tour at the homepage. 2. The system redirect user to the selected tour's details screen. 3. The user clicks on the "See all reviews" button in the tour detail. 4. The system displays the tour's review screen.		
Alternative Flows:	Step 1: The user clicks on a specific tour at the wishlist 1.1. The user navigates to the wishlist screen. 1.2. The system shows a list of favorite tours. 1.3. The user clicks on a specific tour. 1.4. Return to step 2.		
Exceptions:	EX-01. Lost connection with the server on the internet.		
Priority:	Medium		
Frequency of Use:	High		
Business Rules:	N/A		
Other Information:	N/A		
Assumptions:	N/A		

b. UC21 - Filter Tour Reviews

ID and Name:	UC21 - Filter Tour Reviews		
Created By:	DangPH	Date Created:	15/01/2025
Primary Actor	Guest, Customer	Secondary Actor:	N/A

Description:	This use case allows users to filter and sort all reviews of specific tours.		
Trigger:	The user selects the filter and sort options and clicks the “Apply” button.		
Preconditions:	N/A		
Postconditions:	POST-1. The user successfully filter and sort the list of tour’s review.		
Normal Flow	1. The user clicks on a specific tour at the discover screen. 2. The system redirect user to the selected tour’s details screen. 3. The user clicks on the “See all reviews” button in the tour detail. 4. The system redirect user to the tour’s review screen. 5. The user selects the filter and sort options and clicks the “Apply” button. 6. The system display list of tour’s review match the filter and sort.		
Alternative Flows:	Step 1: The user clicks on a specific tour at the wishlist 1.1. The user navigates to the wishlist screen. 1.2. The system shows a list of favorite tours. 1.3. The user clicks on a specific tour. 1.4. Return to step 2.		
Exceptions:	EX-01. Lost connection with the server on the internet.		
Priority:	Medium		
Frequency of Use:	High		
Business Rules:	N/A		
Other Information:	N/A		
Assumptions:	N/A		

2.9 Booking Processing

a. UC25 - Book Tour

ID and Name:	UC25 - Book Tour		
Created By:	HoaiNV	Date Created:	15/01/2025

Primary Actor	Customer	Secondary Actors:	N/A
Description:	This use case allows users to book a specific tour after refund.		
Trigger:	The user clicks on the "Book Now" button.		
Preconditions:	PRE-1. The user must be logged. PRE-2. The tour must be an available slot.		
Postconditions:	POST-1. The user books a tour successfully.		
Normal Flow	1. The user navigates to the discover screen. 2. The user clicks on a specific tour. 3. The system redirects users to the tour details screen. 4. The system displays the details of the tour. 5. The user clicks on the "Check availability" button. 6. The system redirects users to the availability screen. 7. The user selects the date and participants. 8. The user clicks on the "Book now" button. 9. The system redirects users to the payment progress screen. 10. Payment progress 1: 10.1. The user enters information for the payment process. 10.2. The system validates the user's information. 11. Payment progress 2: 11.1. The system displays all the confirmed information for the user, including price total, tour information. 12. The user clicks on the "QR Payment" button. 13. The system redirects users to the payment screen. 14. The user successfully made a payment. 15. The system displays a success payment notification and redirects the user to the ticket screen.		
Alternative Flows:	Step 1: The user clicks on a specific tour at Wishlist 1.1. The user navigates to the wishlist screen. 1.2. Return to step 2. Step 1: The user clicks on the "Go to checkout" button of a specific tour at the Cart 1.1. The user navigates to the cart screen. 1.2. The user selects a tour that they want to book. 1.2. The user clicks on the "Go to checkout" button. 1.3. Return to step 9. Step 10.2: The input field(s) is invalid 10.2.1. Display error message. 10.2.2. Return to step 10.1. Step 11: The user use discount 11.1. The user clicks on "Enter Discount Code".		

	11.2. The system displays all their active discounts. 11.3. The user selects a specific discount and clicks on the “Apply” button. 11.4. The system will display the applied discount and the final price after deducting the discount amount. 11.5. Return to step 12. Step 14: The user failed payment 14.1. The system redirects the user to a failed payment screen.
Exceptions:	EX-01. Lost connection with the server on the internet. EX-02. The bank used for payment is under maintenance.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC06 - Book Again

ID and Name:	UC06 - Book Again		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actors:	N/A
Description:	This use case allows users to book a specific tour again.		
Trigger:	The user clicks on the "Book Again" button.		
Preconditions:	PRE-1. The user must be logged. PRE-2. The user must be refunded successfully for at least a tour.		
Postconditions:	POST-1. The user successfully books a tour again.		
Normal Flow	1. The user navigates to the ticket screen. 2. The system shows all their tickets, including upcoming, completed and refunded tickets. 3. The user clicks on the “Refunded” tab. 4. The system shows all refunded tickets.		

	5. The user clicks on the “Book again” button for a specific ticket. 6. The system checks the availability of information on the ticket, including date and participation. 7. The system redirects to the payment progress screen.
Alternative Flows:	Step 6: Ticket information cannot be met 6.1. The system displays “This tour is not available for booking” and disables the “Book again” button. 6.2. The system redirects to the ticket screen.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

c. UC23 - Check Availability

ID and Name:	UC23 - Check Availability		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actor:	N/A
Description:	This use case allows users to check availability of a tour.		
Trigger:	The user clicks on the “Check availability” button.		
Preconditions:	PRE-1. The user must have logged in.		
Postconditions:	POST-1. The user checked the date and number of participants available for a tour.		
Normal Flow	1. The user clicks on a specific tour at the discover screen. 2. The system redirects the user to the selected tour details screen. 3. The user clicks on the “Check availability” button. 4. The system redirects the user to the availability screen. 5. The user checks the date and number of participants of the tour.		

Alternative Flows:	Step 1: The user clicks on a specific tour at the wishlist screen 1.1. The user navigates to the wishlist screen. 1.2. The system displays a list of tours. 1.3. The user clicks on a specific tour. 1.4. Return to step 2.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

d. UC26 - Pay Online

ID and Name:	UC26 - Pay Online		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actors:	payOS - payment operating system
Description:	This use case allows users to make payments for a tour.		
Trigger:	The user clicks the "QR Payment" button.		
Preconditions:	PRE-1. The user must have logged in.		
Postconditions:	POST-1. The user successfully processed the payment online for a tour.		
Normal Flow	1. The user clicks on the "QR Payment" button. 2. The system redirects users to the payment screen. 3. The user successfully made a payment. 4. The system displays a success payment notification and redirects the user to the ticket screen.		
Alternative Flows:	Step 4: The user failed payment 4.1. The system redirects the user to a failed payment screen.		

Exceptions:	EX-01. Lost connection with the server on the internet. EX-02. The bank used for payment is under maintenance.
Priority:	High
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.10 Discounts Accessing

a. UC13 - View Discounts

ID and Name:	UC13 - View Discounts		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer	Secondary Actors:	N/A
Description:	This use case allows the user to view all their discounts.		
Trigger:	The user clicks the “Discounts” button.		
Preconditions:	PRE-1. The user must have logged in.		
Postconditions:	POST-1. The user successfully viewed all their discount code.		
Normal Flow	1. The user navigates to the profile screen. 2. The system shows all features of the screen. 3. The user clicks on the “Discounts” button. 4. The system redirects the user to the discount screen and shows all their discounts, including active and expired discounts.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server on the internet.		
Priority:	High		

Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.11 AI Support

a. UC15 - Chat With Us

ID and Name:	UC015 - Chat With Us		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Customer, Guest	Secondary Actors:	API Provider
Description:	This use case allows the user to interact with an AI chatbot to get instant assistance, including booking help, travel recommendations, and FAQs.		
Trigger:	The user clicks the “Chat with us” button.		
Preconditions:	N/A		
Postconditions:	POST-1. The user receives relevant responses or guidance based on their query.		
Normal Flow	1. The user navigates to the profile screen. 2. The user clicks on the “Chat with us” button. 3. The system redirects the user to the chatbot screen. 4. The user enters their questions or chooses a faq question. 5. The system responds based on the user's questions.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server on the internet.		
Priority:	High		
Frequency of Use:	High		

Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.12 Refund Management

a. UC51 - Manage Refund

ID and Name:	UC51 - Manage Refund		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows the user to manage refund requests on the system, including viewing the refund list, viewing refund details, and updating refund requests.		
Trigger:	The user clicks the “Refund” button on the left sidebar.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. Refund request management actions (view, update refund) are successfully executed.		
Normal Flow	1. The user navigates to the refund management page. 2. View refund list: 2.1 The system shows a table including refund requests with status (pending, success, failed). - Option 1 - View refund details: O1.1. The user clicks on the “View Details” button at the success tab. O1.2. The system displays refund request details, including refund by, bank name, account number, account name, rejected date/approved date, proof image/failed reason. - Option 2 - Update refund request: O2.1. The user clicks on the “Approve” button at the pending tab. O2.2. The system displays a pop-up including bank information and proof of transfer image upload button. O2.3. The user uploads a photo of the successful transfer and clicks on the “Submit” button. O2.4. The system saves and updates the refund status to success.		
Alternative	Step O1.1 View refund detail at the failed tab		

Flows:	O1.1.1. The user clicks on the “View Details” button at the failed tab. O1.1.2. Return to option 1.2. Step O2.1 The user clicks on the “Approve” button at the failed tab O2.1.1. Return to option 2.2. Step O2.1 The user clicks on the “Reject” button at the pending tab O2.1.1. The system displays pop-up including reject reasons. O2.1.2. The user selects/enters their rejected reason and clicks on the “Submit” button. O2.1.3. The system saves and updates the refund status to failed. Step O2.3 The user clicks on the “Cancel” button O2.3.1. The system redirects to the refund management page.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC52 - Search & Filter Refund

ID and Name:	UC52 - Search & Filter Refund		
Created By:	HoaiNV	Date Created:	15/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows the user to filter refund requests on the system, including searching by keyword and sort by date.		
Trigger:	The user enters the keyword on the search bar or clicks on the sort by timeline button.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. The user successfully searches and filters the list of all refund requests.		
Normal Flow	1. The user navigates to the refund management page.		

	2. Search by keyword: 2.1. The user enters a keyword on the search bar. 2.2. The system displays filtered refund requests. 3. Sort by timeline: 3.1. The user clicks on the sort by timeline button to switch two status: newest first and oldest first. 3.2. The system displays filtered refund requests.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.13 Profile Management

a. UC50 - Manage Profile

ID and Name:	UC50 - Manage Profile		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to navigate to view, update and change password profiles.		
Trigger:	The user clicks on “Edit Profile” in left side bar to perform view, update and change password profiles.		
Preconditions:	PRE-1. The user must have logged in as a super admin or admin role.		
Postconditions:	POST-1. The user navigates successfully.		

Normal Flow	1. The administrator navigates to the admin dashboard. - Option 1 - The administrator perform view profile: O1.1. The administrator clicks on “ ” at the admin dashboard. O1.2. The administrator navigates to the view profile. - Option 2 - The administrator perform update profile: O2.1. The administrator clicks on “ ” at the admin dashboard. O2.2. The administrator navigates to the update profile. - Option 3 - The administrator perform change password: O3.1. The administrator clicks on “ ” at the admin dashboard. O3.2. The administrator navigates to the change password profile.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	High
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC10 - Update Profile

ID and Name:	UC10 - Update Profile		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Super Admin, Admin, Customer	Secondary Actor:	N/A
Description:	This use case allows users to update information of profile.		
Trigger:	The user logged in as Customer role: Customer clicks on the "Profile" button on the profile screen. The user logged in as Admin and Super Admin role: Admin/Super Admin click on the “Edit Profile” tab on the left sidebar.		
Preconditions:	PRE-1. The user must have logged in.		

Postconditions:	POST-1. The user successfully updates his/her profile.
Normal Flow	The user logged in as Customer role: 1. The customer navigates to the profile screen. 2. The customer clicks on the "Profile" button to navigate to the profile details screen. 3. The system prompts the customer to enter information that needs to be updated, including username, first name, last name, phone number and date of birth. 4. The customer clicks the "Save" button. 5. The system validates all input fields. 6. The system updates the customer's profile and displays an "Profile Update Successfully!" message. The user logged in as Admin and Super Admin role: 1. The administrator clicks on the "Edit Profile" tab on the left sidebar to navigate to the administrator profile page. 2. The system prompts the administrator to enter information that needs to be updated, including first name, last name, phone number and date of birth. 3. The administrator clicks on the "Save" button. 4. The system validates all input fields and updates the administrator's profile.
Alternative Flows:	The user logged in as customer role: Step 5: The input field(s) is invalid 5.1. Display failed message. 5.2. Return to Step 3. The user logged in as Admin and Super Admin role: Step 4: The input field(s) is invalid 4.1. Display failed message. 4.2. Return to Step 2.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

c. UC12 - Change Password

ID and Name:	UC12 - Change Password		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Super Admin, Admin, Customer	Secondary Actor:	N/A
Description:	This use case allows users to change his/her password.		
Trigger:	The user logged in as Customer role: Customer clicks on the "Change Password" button in the profile screen. The user logged in as Admin and Super Admin role: Admin and Super Admin clicks on the "Change password" tab in "Edit Profile" tab on the left sidebar.		
Preconditions:	PRE-1. The user must have logged in.		
Postconditions:	POST-1. The user successfully updates his/her password.		
Normal Flow	The user logged in as customer role: 1. The customer clicks on the "Profile" tab at the bottom navigation tab to navigate to the profile screen. 2. The customer clicks on the "Change Password" button. 3. The system prompts the customer to enter required information, including old password, new password and confirm new password. 4. The customer clicks the "Save" button. 5. The system validates all input fields. 6. The system displays "Password changed successfully" and clears data of all fields. The user logged in as Admin and Super Admin role: 1. They click on the "Edit Profile" tab on the left sidebar to navigate to the administrator profile page. 2. They click on the "Change Password" tab. 3. The system prompts the customer to enter required information, including old password, new password and confirm new password. 4. The system validates all input fields. 5. The system displays "Change password successful" and clears data of all fields.		
Alternative Flows:	The user logged in as Customer role: Step 5: The old password is not correct or the confirmed new password does not match with the new password 5.1. Display failed message.		

	5.2. Return to Step 3. The user logged in as Admin and Super Admin role: Step 4: The old password is not correct or the confirmed new password does not match with the new password 4.1. Display failed message. 4.2. Return to Step 3.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

d. UC09 - View Profile

ID and Name:	UC09 - View Profile		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Customer, Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows the user to view information of his/her profile.		
Trigger:	customer clicks on the "Profile" button. Admin and Super Admin click on the "Edit Profile" button on the left navigation bar.		
Preconditions:	PRE-1. The user must have logged in.		
Postconditions:	POST-1. The user successfully views his/her profile.		
Normal Flow	The user logged in as Customer role: 1. The user navigates to the profile screen. 2. The system shows all the features of the user.		

	3. The user clicks on the “Profile” button. 4. The system shows all the user's information. The user logged in as Admin and Super Admin role: 1. They click on the “Edit Profile” tab on the left sidebar to navigate to the administrator profile page. 2. The system shows all the user's information.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.14 Original Tour Management

a. UC53 - Manage Original Tours

ID and Name:	UC53 - Manage Original Tours		
Created By:	MinhNTT	Date Created:	15/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to create, view original tour details, and soft delete original tours.		
Trigger:	The user clicks on “View More” in “Total Original Tours” at the admin dashboard and performs create, view original tour details and soft delete actions.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. Original tours management actions (create, view original tour details and soft delete) are successfully executed.		

Normal Flow	1. The administrator clicks on “View More” in “Total Original Tours” at the admin dashboard to navigate to the original tour management page. 2. The system displays all original tours data in the original tour data table. - Option 1 - View original tour details: O1.1. The administrator clicks on the “Options” button of a specific original tour in the original tours data table and clicks on the “View details” option to navigate to the original tour details page. O1.2. The system displays the original tour details, including tour’s thumbnail, images, title, description, duration, places and journey’s locations. - Option 2 - Create original tour: O2.1. The administrator clicks on the plus icon button in the original tours data table. O2.2. The system prompts the administrator to enter original tour details, including tour’s thumbnail, images, title, description, duration, places and journey’s locations. O2.3. The administrator clicks on the “Save” button to submit the original tour’s information. O2.4. The system validates all input fields. O2.5. The system creates the new original tour. - Option 3 - Soft delete original tour: O3.1 The administrator checks the radio button of the original tour that they want to soft delete. O3.2. The administrator clicks on the trash icon button in the original tours data table. O3.3. The system prompts the administrator to confirm the deletion. O3.4. The administrator clicks on the “Delete” button, the data will be moved to trash and update the UI.
Alternative Flows:	Step O2.4: The input field(s) is invalid O2.4.1. Display failed message. O2.4.2. Return to Step O2.2. Step O3.3: The user clicks on the “Cancel” button O3.3.1. The system redirects the administrator to the original tour’s management page. Step O3.3: The original tour already has at least 1 subsidiary tour O3.3.1. Display failed message. O3.3.2. The system redirects the administrator to the original tour’s management page.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High

Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC57 - View All Original Tours

ID and Name:	UC57 - View All Original Tours		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to view all original tours.		
Trigger:	The user clicks on “View More” in “Total Original Tours” at the admin dashboard and performs view all original tours action.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. View all original tours action is successfully executed.		
Normal Flow	1. The administrator clicks on “View More” in “Total Original Tours” at the admin dashboard to navigate to the original tour management page. 2. The system displays all original tours data in the original tour data table.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server on the internet.		
Priority:	High		
Frequency of Use:	High		
Business Rules:	N/A		

Other Information:	N/A
Assumptions:	N/A

c. UC54 - Filter & Search Original Tours

ID and Name:	UC54 - Filter & Search Original Tours		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to filter & search original tours.		
Trigger:	The user interacts with the search bar or filter button in the "Tours Manage" section to search for tours by keyword or apply filters based on duration, creation date, and category.		
Preconditions:	PRE-1. The user must have logged in with super admin or admin role.		
Postconditions:	POST-1. The user successfully searches and/or filters the original tour list, and the table reflects the updated results based on the applied criteria.		
Normal Flow	1. The user clicks on "View More" in "Total Original Tours" at the admin dashboard. 2. The system displays all original tours data in the original tour data table. - Option 1 - User search for original tours: O1.1. The administrator enters a keyword into the search bar. O1.2. The system filters the current dataset based on the keyword. Matches are case-insensitive and checked against. - Option 2 - User filter for original tours: O2.1. The administrator clicks the "Filter" icon. O2.2. The system displays the filter modal with options for filtering. O2.3. The administrator enters filter criteria. O2.4. The administrator clicks the "Filter" button to submit the filter configuration. O2.5. The system processes the filters and the system updates the filter and closes the modal. 3. The system updates the subsidiary tour table to display the filtered		
Alternative Flows:	Step O2.4: Cancel Filter Modal O2.4.1. The administrator clicks the "Cancel" button. O2.4.2. The system closes the modal without applying any changes to		

	the current data.
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

d. UC56 - Sort Original Tours

ID and Name:	UC56 - Sort Original Tours		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to sort original tours.		
Trigger:	The user click on the column title in the original tour data table		
Preconditions:	PRE-1. The user must have logged in with super admin or admin role		
Postconditions:	POST-1. The original tour list is successfully sorted based on the selected column and order (ascending or descending). POST-2. The table updates to reflect the new order, with visual indicators (e.g., arrow up for ascending, arrow down for descending) displayed when sorting is applied via column titles.		
Normal Flow	1. The user clicks on “View More” in “Total Original Tours” at the admin dashboard. 2. The system displays all original tours data in the original tour data table. 3. The administrators click on the column title in the data table. 4. The system validates sort. 5. The system displays sorted results.		
Alternative	N/A		

Flows:	
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

e. UC59- View Original Tour Statistic

ID and Name:	UC59 - View Original Tour Statistic		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case describes how the user can filter and view data related to original tours through charts, including a Bar Chart displaying the number of completed tours over time and a Pie Chart showing the top 10 destinations by percentage. The user can select filters such as time periods, tour types, and specific date ranges to display the relevant data.		
Trigger:	The user clicks on “View More” in “Total Original Tours” at the admin dashboard and performs view original tour statistic action.		
Preconditions:	PRE-1. The user must have logged in with super admin or admin role		
Postconditions:	POST-1. The user successfully views original tour statistics.		
Normal Flow	1. The user clicks on “View More” in “Total Original Tours” at the admin dashboard. 2. The system displays all original tours data in the original tour data chart.		
Alternative Flows:	N/A		

Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

f. UC55 - Export Original Tours Data To Excel

ID and Name:	UC55 - Export Original Tours Data To Excel		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Admin, Super Admin	Secondary Actor:	N/A
Description:	This use case allows users to export original tours data to excel file.		
Trigger:	The user clicks on file icon in the data table.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. Excel files are successfully exported.		
Normal Flow	1. The administrator navigates to the admin dashboard. 2. The administrator clicks on "View more" in "Total Original Tours" at the admin dashboard to navigate to the original tours management page. 3. The administrator clicks on file icon in data table. 4. The system export data to excel file and save to the administrator local computer.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server or the internet.		
Priority:	High		

Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.15 Subsidiary Tour Management

a. UC60 - Manage Subsidiary Tours

ID and Name:	UC60 - Manage Subsidiary Tours		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to create, view subsidiary tour details, and soft delete subsidiary tours.		
Trigger:	The user clicks on the “View Subsidiary Tours” option to perform view subsidiary tour details and soft delete actions. The user clicks on plus icon button in the original tours data table to perform create actions.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. Subsidiary tours management actions (create, view subsidiary tour details and soft delete) are successfully executed.		
Normal Flow	1. The user clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour management page. - Option 1 - Create subsidiary tour: O1.1. The administrator clicks on the plus icon button in the tours data table. O1.2. The administrator clicks on the create type drop down and clicks on the “Replicate Original” option. O1.3. The system prompts the administrator to enter subsidiary tour details, including tour’s price, date start, language, total slots, start location and end location. O1.4. The administrator clicks on the “Save” button to submit the subsidiary tour’s information. O1.5. The system validates all input fields. O1.6. The system creates the new subsidiary tour.		

	- Option 2 - View subsidiary tour details: O2.1. The administrator clicks on the “Options” button of a specific original tour in the original tours data table and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours of the original tour management page. O2.2 The administrator clicks on the “Options” button of a specific subsidiary tour in the subsidiary tour data table and clicks on the “View details” option to view the subsidiary tour’s details, including tour’s thumbnail, images, title, description, duration, places, journey’s locations, price, date start, language, total slots, start location and end location. - Option 3 - Soft delete subsidiary tour: O3.1. The administrator clicks on the “Options” button of a specific original tour in the original tours data table and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours of the original tour management page. O3.2. The administrator checks the radio button of the subsidiary tour that they want to soft delete. O3.3. The administrator clicks on the trash icon button in the subsidiary tours data table. O3.4. The system prompts the administrator to confirm the deletion. O3.5. The administrator clicks on the “Delete” button, the data will be move to trash and update the UI.
Alternative Flows:	Step 1: The user clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard to navigate to the total subsidiary tour management page 1.1. Return to option 1, step O2.2 or step O3.2. Step O1.5: The input field(s) is invalid O1.5.1. Display failed message. O1.5.2. Return to Step O1.3. Step O3.4: The user clicks on the “Cancel” button O3.4.1. The system redirects the administrator to the subsidiary tour’s management page. Step O3.4: The subsidiary tour already has at least 1 booking or has earned revenue O3.4.1. The system redirects the administrator to the subsidiary tour’s management page.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High

Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC61 - View All Subsidiary Tours Of Original Tour

ID and Name:	UC61 - View All Subsidiary Tours Of A Original Tour		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to view all subsidiary tours of a original tour.		
Trigger:	The user clicks on the “View subsidiary tours” option and perform view all subsidiary tours of a original tour action.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. View all subsidiary tours of a original tour action is successfully executed.		
Normal Flow	1. The administrator clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour management page. 2. The administrator clicks on the “Options” button in the original tours data table and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours management page. 3. The system displays all subsidiary tours data in the subsidiary tour data table.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server on the internet.		
Priority:	High		
Frequency of Use:	High		
Business Rules:	N/A		

Other Information:	N/A
Assumptions:	N/A

c. UC62 - Filter & Search Subsidiary Tours

ID and Name:	UC62 - Filter & Search Subsidiary Tours		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to filter & search subsidiary tours.		
Trigger:	The user enters the keyword on search input or clicks on the filter icon then fills in information to perform the filter & search subsidiary tour.		
Preconditions:	PRE-1. The user must have logged in with a super admin or admin role.		
Postconditions:	POST-1. The user successfully searches and/or filters the subsidiary tour list, and the table displays the updated results based on the applied criteria.		
Normal Flow	Filter & Search Subsidiary Tours - The user clicks on "View more" in "Total Subsidiary Tours" at the admin dashboard and performs filter & search subsidiary tour action. - The system displays all subsidiary tours data in the subsidiary tour data table. - Option 1 - searches for subsidiary tours: - O1.1. The administrator enters a keyword into the search bar. - O1.2. The system filters the current dataset based on the keyword. Matches are case-insensitive and checked against. - Option 2 - filter for subsidiary tours: - O2.1. The administrator clicks the "Filter" icon. - O2.2. The system displays the filter modal with options for filtering. - O2.3. The administrator enters filter criteria. - O2.4. The administrator clicks the "Filter" button to submit the filter configuration. - O2.5. The system processes the filters and the system updates the filter and closes the modal. - The system updates the subsidiary tour table to display the filtered and/or searched results. - The system updates the subsidiary tour of an original tour table to display the filtered and/or searched results.		

Alternative Flows:	Step O2.4. : Cancel Filter Modal O2.4.1. The administrator clicks the "Cancel" button. O2.4.2. The system closes the modal without applying any changes to the current data. Step 1: The administrators click on “View more” in “Tour Original” at the admin dashboard to navigate to the Tour management page. 2. The administrators clicks on the “Options” button at a specific original tour in the original tours data table and clicks on “Total Subsidiary Tours” option and performs filter & search subsidiary Tour of an original tour action. 3. The system displays all subsidiary tours data in the subsidiary tour data table. 4. Return to option 1 or option 2.
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

d. UC63 - Sort Subsidiary Tours

ID and Name:	UC63 - Sort Subsidiary Tours		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to sort subsidiary tours.		
Trigger:	The user clicks on the column title in the subsidiary data table.		
Preconditions:	PRE-1. The user must have logged in with super admin or admin role		
Postconditions:	POST-1. The subsidiary tour list is successfully sorted based on the selected column and order (ascending or descending). POST-2. The table updates to reflect the new order, with visual		

	indicators (e.g., arrow up for ascending, arrow down for descending) displayed when sorting is applied via column titles.
Normal Flow	1. The user clicks on “View More” in “Total Subsidiary Tours” at the admin dashboard and perform sort subsidiary tour action. 2. The system displays all subsidiary tours data in the subsidiary tour data table. 3. The administrators click on the column title in the data table. 4. The system validates sort. 5. The system displaying sorted results.
Alternative Flows:	Step 1: The administrators clicks on “View more” in “Total Original Tours” at the admin dashboard. 2. The administrators click on “Options” in the table tour original and then click “View Subsidiary Tour” to navigate to the subsidiary tour management page.
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

e. UC72 - View Subsidiary Tour Statistic

ID and Name:	UC72 - View Subsidiary Tour Statistic		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case describes how the user can filter and view data related to subsidiary tours through charts, including a Bar Chart displaying the number of completed tours over time and a Pie Chart showing the top 10 destinations by percentage. The user can select filters such as time periods, tour types, and specific date ranges to display the relevant data.		

Trigger:	The user clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard and performs the view subsidiary tour statistic action.
Preconditions:	PRE-1. The user must have logged in with super admin or admin role
Postconditions:	POST-1. The user successfully views subsidiary tour statistics.
Normal Flow	1. - The user clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard and performs the view subsidiary tour statistic action. 2. The system displays all subsidiary tours data in the subsidiary tour data chart.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

a. UC71 - Export Subsidiary Tours Data To Excel

ID and Name:	UC71 - Export Subsidiary Tours Data To Excel		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Admin, Super Admin	Secondary Actor:	N/A
Description:	This use case allows users to export subsidiary tours data to excel file.		
Trigger:	The user clicks on file icon in the data table.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		

Postconditions:	POST-1. Excel files are successfully exported.		
Normal Flow	1. The administrator navigates to the admin dashboard. 2. The administrator clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tours management page. 3. The administrator clicks on the “Options” button in the original tours data table at a specific original tour and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours page management. 4. The administrator clicks on file icon in data table. 5. The system export data to excel file and save to the administrator local computer.		
Alternative Flows:	Step 2: The administrator clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard to navigate to the subsidiary tours management 2.1. Return to step 4.		
Exceptions:	EX-01. Lost connection with the server or the internet.		
Priority:	High		
Frequency of Use:	Medium		
Business Rules:	N/A		
Other Information:	N/A		
Assumptions:	N/A		

2.16 Total Subsidiary Tour Management

a. UC64 - Manage All Subsidiary Tours

ID and Name:	UC64 - Manage All Subsidiary Tours		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to view all subsidiary tours and manage subsidiary tours.		

Trigger:	The user clicks on “View More” in “Total Subsidiary Tours” at the admin dashboard and performs view all subsidiary tours and manage subsidiary tours action.
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.
Postconditions:	POST-1. View all subsidiary tours and manage subsidiary tours (create, view subsidiary tour details, soft delete) actions are successfully executed.
Normal Flow	1. The administrator clicks on “View More” in “Total Subsidiary Tours” at the admin dashboard to navigate to the total subsidiary tours management page. 2. The system displays all subsidiary tours data in the subsidiary tour data table for the user to view all subsidiary tours and manage subsidiary tours.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC65 - View All Subsidiary Tours

ID and Name:	UC65 - View All Subsidiary Tours		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to view all subsidiary tours from all original tours.		
Trigger:	The user clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard and perform view all subsidiary tours action.		

Preconditions:	PRE-1. The user must have logged in as admin or super admin role.
Postconditions:	POST-1. View all subsidiary tours action is successfully executed.
Normal Flow	1. The administrator clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard to navigate to the total subsidiary tours management page. 2. The system displays all subsidiary tours data in the subsidiary tour data table.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.17 Review Management

a. UC58 - Manage Original Tour Reviews

ID and Name:	UC58 - Manage Original Tour Reviews		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to view all tour reviews and update feedback.		
Trigger:	The user clicks on the “View reviews” button at a specific original tour in the original tours data table and performs view all reviews and update feedback.		
Preconditions:	PRE-1. The user must have logged in as super admin or admin role.		

Postconditions:	POST-1. Original tour reviews management actions (view all reviews and update feedback) are successfully executed.		
Normal Flow	1. The administrator clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour’s management page. 2. The administrator clicks on the “Options” button of a specific original tour in the original tours data table and clicks on the “View reviews” option to navigate to the original tour reviews management page. - Option 1 - View all reviews: O1.1. The system displays the original tour all reviews data in the review data table. - Option 2 - Update feedback: O2.1. The administrator checks the radio button of the review that they want to update. O2.2. The administrator clicks on the trash icon button in the review data table. O2.3. The system prompts the administrator to confirm the update. O2.4. The administrator clicks on the “Delete” button, the feedback will be updated to empty and update the UI.		
Alternative Flows:	Step O2.3: The administrator clicks on the “Cancel” button O2.3.1. The system redirects the administrator to the review management page.		
Exceptions:	EX-01. Lost connection with the server or the internet.		
Priority:	Medium		
Frequency of Use:	Medium		
Business Rules:	N/A		
Other Information:	N/A		
Assumptions:	N/A		

b. UC66 - Manage Subsidiary Tour Reviews

ID and Name:	UC66 - Manage Subsidiary Tour Reviews		
Created By:	MinhNTT	Date Created:	12/01/2025

Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to view all tour reviews and update feedback.		
Trigger:	The user clicks on the “View reviews” button at a specific subsidiary tour in the subsidiary tours data table and performs view all reviews and update feedback.		
Preconditions:	PRE-1. The user must have logged in as super admin or admin role.		
Postconditions:	POST-1. Subsidiary tour reviews management actions (view all reviews and update feedback) are successfully executed.		
Normal Flow	1. The administrator clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour management page. 2. The administrator clicks on the “Options” button of a specific original tour in the original tours data table and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours management page. 3. The administrator clicks on the “Options” button of a specific subsidiary tour in the subsidiary tours data table and clicks on the “View reviews” option to navigate to the subsidiary tour reviews management page. - Option 1 - View all reviews: O1.1. The system displays the subsidiary tour all reviews data in the review data table. - Option 2 - Update feedback: O2.1. The administrator checks the radio button of the review that they want to update. O2.2. The administrator clicks on the trash icon button in the review data table. O2.3. The system prompts the administrator to confirm the update. O2.4. The administrator clicks on the “Delete” button, the feedback will be updated to empty and update the UI.		
Alternative Flows:	Step 1: The administrator clicks on “View More” in “Total Subsidiary Tours” at the admin dashboard to navigate to the total subsidiary tour management page 1.1. Return to step 3. Step O2.3: The administrator clicks on the “Cancel” button O2.3.1. The system redirects the administrator to the review management page.		
Exceptions:	EX-01. Lost connection with the server or the internet.		

Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.18 Account Management

e. UC36 - Manage Account

ID and Name:	UC36 - Manage Accounts		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to perform actions on create, view, update and soft delete accounts.		
Trigger:	The user clicks on the add icon to perform create, view, update, soft delete actions on data accounts table.		
Preconditions:	PRE-1. The user must have logged in as super admin or admin role.		
Postconditions:	POST-1. Accounts management actions (create, view, update and soft delete) are successfully executed.		
Normal Flow	1. The administrator navigate to the admin dashboard. - Option 1 - Perform action with customer account: O1.1. The administrator clicks on “View more” in “Total Customer” at the admin dashboard. O1.2. The administrator perform actions include view, create, update and soft delete customer accounts. - Option 2 - Perform action with guide account: O2.1. The administrator clicks on “View more” in “Total Guide” at the admin dashboard. O2.2. The administrator perform actions include view, create, update and soft delete guide accounts. The user logged in as Super Admin: - Option 3 - Perform action with admin account: O3.1. The administrator clicks on “Admin List” option in left sidebar.		

	O3.2. The administrator perform actions include view, create, update and soft delete admin accounts.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	High
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC44 - Manage Admin Accounts

ID and Name:	UC44 - Manage Admin Accounts		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Super Admin	Secondary Actor:	N/A
Description:	This use case allows users to perform action on create, view, update and soft delete admin accounts.		
Trigger:	The user click at the “Admin List” tab in left sidebar and perform create, view, update, soft delete actions.		
Preconditions:	PRE-1. The user must have logged in as super admin role.		
Postconditions:	POST-1. Admin accounts management actions (create, view, update and soft delete) are successfully executed.		
Normal Flow	1. The administrator clicks at the “Admin List” tab on the left sidebar to navigate to the admin accounts management page. - Option 1 - Create admin account: O1.1. The administrator clicks on the plus icon button in the admin account data table. O1.2. The system prompts the administrator to enter admin account details, including username, password, first name, last name, email,		

	phone number, date of birth, gender. O1.3. The administrator clicks on the “Save” button to submit the admin account information. O1.4. The system validates all input fields. O1.5. The system creates the new admin account. - Option 2 - View admin account details: O2.1. The administrator clicks on the “Option” button at a specific admin account in the admin accounts data table. O2.2. The modal displays admin account information, including first name, last name, email, phone number, gender, date of birth. - Option 3 - Update admin account: O3.1. The administrator clicks on the “Option” button at a specific admin account in the admin accounts data table. O3.2. The modal displays admin account information, including first name, last name, email, phone number, gender, date of birth. O3.3. The administrator click on information fields and change the information. O3.4. The administrator click on “Save” button. O3.5. The system validates all input fields. O3.6. The system update the new information of the admin account. - Option 4 - Soft delete admin account: O4.1. The administrator checks the radio button of the account that they want to soft delete. O4.2. The administrator clicks on the trash icon button in the admin account data table. O4.3. The system prompts the administrator to confirm the deletion. O4.4. The administrator clicks on the “Delete” button, the data will be move to trash and update the UI.
Alternative Flows:	Step O1.4: The input field(s) is invalid O1.4.1. Display failed message. O1.4.2. Return to step O1.2. Step O4.4: The user click on “Cancel” button O4.4.1. The system redirects the administrator to the admin account management page. Step O4.4: The admin have perform action in the system. O4.5: Display failed message.
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	High
Frequency of Use:	Medium
Business Rules:	N/A

Other Information:	N/A
Assumptions:	N/A

c. UC37 - Manage Customer Accounts

ID and Name:	UC37 - Manage Customer Accounts		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Admin, Super Admin	Secondary Actor:	N/A
Description:	This use case allows users to perform action on create, view, update and soft delete customer accounts.		
Trigger:	The user clicks on “View more” in “Total Customer” at the admin dashboard and performs create, view, update and soft delete actions.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. customer accounts management actions (create, view, update and soft delete) are successfully executed.		
Normal Flow	1. The administrator clicks on “View More” in “Total Customer” at the admin dashboard to navigate to the customer accounts management page. - Option 1 - Create customer account: O1.1. The administrator clicks on the plus icon button in the customer account data table. O1.2. The system prompts the administrator to enter customer account details, including username, password, first name, last name, email, phone number, date of birth, gender. O1.3. The administrator clicks on the “Save” button to submit the customer account information. O1.4. The system validates all input fields. O1.5. The system creates the new customer account. - Option 2 - View customer account detail: O2.1. The administrator clicks on the “Option” button in the customer accounts data table. O2.2. The modal displays customer account information, including first name, last name, email, phone, gender, date of birth. - Option 3 - Update customer account: O3.1. The administrator clicks on the “Option” button in the customer accounts data table. O3.2. The modal displays customer account information, including first		

	name, last name, phone, gender, date of birth. O3.3. The administrator click on information fields and change the information. O3.4. The administrator click on “Save” button. O3.5. The system validates all input fields. O3.6. The system update the new information of the customer account. - Option 4 - Soft delete customer account: O4.1. The administrator checks the radio button of the account that they want to soft delete. O4.2. The administrator clicks on the trash icon button in the customer account data table. O4.3. The system prompts the administrator to confirm the deletion. O4.4. If confirmed, the data will be move to trash and update the UI.		
Alternative Flows:	Step O1.4: The input field(s) is invalid O1.4.1. Display failed message. O1.4.2. Return to step O1.2. Step O4.4: The user click on “Cancel” button O4.4.1. The system redirects the administrator to the customer account management page. Step O4.4: The customer have booked tour. O4.5: Display failed message.		
Exceptions:	EX-01. Lost connection with the server or the internet.		
Priority:	High		
Frequency of Use:	Medium		
Business Rules:	N/A		
Other Information:	N/A		
Assumptions:	N/A		

d. UC41 - Manage Guide Accounts

ID and Name:	UC41 - Manage Guide Accounts		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Admin, Super Admin	Secondary Actor:	N/A

Description:	This use case allows users to perform action on create, view, update and soft delete guide accounts.
Trigger:	The user clicks on “View more” in “Total Guide” at the admin dashboard and performs create, view, update and soft delete actions.
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.
Postconditions:	POST-1. Guide accounts management actions (create, view, update and soft delete) are successfully executed.
Normal Flow	1. The administrator clicks on “View more” in “Total Guide” at the admin dashboard to navigate to the guide accounts management page. - Option 1 - Create guide account: O1.1. The administrator clicks on the plus icon button in the guide account data table. O1.2. The system prompts the administrator to enter guide account details, including username, password, first name, last name, email, phone number, date of birth, gender. O1.3. The administrator clicks on the “Save” button to submit the guide account information. O1.4. The system validates all input fields. O1.5. The system creates the new guide account. - Option 2 - View guide account detail: O2.1. The administrator clicks on the “Option” button in the guide accounts data table. O2.2. The modal displays guide account information, including first name, last name, email, phone, gender, date of birth. - Option 3 - Update guide account: O3.1. The administrator clicks on the “Option” button in the guide accounts data table. O3.2. The modal displays guide account information, including first name, last name, phone, gender, date of birth. O3.3. The administrator click on information fields and change the information. O3.4. The administrator click on “Save” button. O3.5. The system validates all input fields. O3.6. The system update the new information of the guide account. - Option 4 - Soft delete guide account: O4.1. The administrator checks the radio button of the account that they want to soft delete. O4.2. The administrator clicks on the trash icon button in the guide account data table. O4.3. The system prompts the administrator to confirm the deletion. O4.4. If confirmed, the data will be move to trash and update the UI.

Alternative Flows:	Step O1.4: The input field(s) is invalid. O1.4.1. Display failed message. O1.4.2. Return to step O1.2. Step O4.4: The user click on “Cancel” button. O4.4.1. The system redirects the administrator to the guide account management page. Step O4.4: The guide have assigned for a tour. O4.5: Display failed message.
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	High
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

e. UC40 - View All Customer Accounts

ID and Name:	UC40 - View All Customer Accounts		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Admin, Super Admin	Secondary Actor:	N/A
Description:	This use case allows users to view all customer accounts.		
Trigger:	The user clicks on “View More” in “Total Customer” at the admin dashboard to view all customer accounts.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. The administrators view all customer accounts successfully.		
Normal Flow	1. The administrator clicks on “View more” in “Total Customer” at the admin dashboard to navigate to the customer accounts management page. 2. The system displays a list of customer accounts to the administrator.		

Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	High
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

f. UC42 - View All Guide Accounts

ID and Name:	UC42 - View All Guide Accounts		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Admin, Super Admin	Secondary Actor:	N/A
Description:	This use case allows users to view all guide accounts.		
Trigger:	The user clicks on “View more” in “Total Guide” at the admin dashboard to view all guide accounts.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. The administrators view all guide accounts successfully.		
Normal Flow	1. The administrator clicks on “View more” in “Total Guide” at the admin dashboard to navigate to the guide accounts management page. 2. The system displays a list of guide accounts to the administrator.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server or the internet.		
Priority:	High		

Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

g. UC45 - View All Admin Accounts

ID and Name:	UC45 - View All Admin Accounts		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Super Admin	Secondary Actor:	N/A
Description:	This use case allows users to view all admin accounts.		
Trigger:	The user clicks on “Admin List ” in the left sidebar at the admin dashboard to view all admin accounts.		
Preconditions:	PRE-1. The user must have logged in as super admin role.		
Postconditions:	POST-1. The administrators view all admin accounts successfully.		
Normal Flow	1. The administrator clicks on “Admin List ” in the left sidebar at the admin dashboard to navigate to the admin accounts management page. 2. The system displays a list of admin accounts to the administrator.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server or the internet.		
Priority:	High		
Frequency of Use:	Medium		
Business Rules:	N/A		
Other Information:	N/A		

Assumptions:	N/A
--------------	-----

h. UC49 - Export Account Data To Excel

ID and Name:	UC49 - Export Account Data To Excel		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Admin, Super Admin	Secondary Actor:	N/A
Description:	This use case allows users to export data account to excel file.		
Trigger:	The user clicks on file icon in the data table.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. Excel file are successfully exported.		
Normal Flow	1. The administrator navigates to the admin dashboard. - Option 1 - Perform action export customer accounts: O1.1. The administrator clicks on “View more” in “Total Customer” at the admin dashboard. O1.2. The administrator clicks on file icon in data table. O1.3. The system export data to excel file and save to the administrator local computer. - Option 2 - Perform action export guide accounts: O2.1. The administrator clicks on “View more” in “Total Guide” at the admin dashboard. O2.2. The administrator clicks on file icon in data table. O2.3. The system export data to excel file and save to the administrator local computer. The user logged in as Super Admin role: - Option 3 - Perform action export admin accounts: O3.1. The administrator clicks on “Admin List” option in left sidebar. O3.2. The administrator clicks on file icon in data table. O3.3. The system export data to excel file and save to the administrator local computer.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server or the internet.		
Priority:	High		

Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

i. UC46 - Filter & Search Accounts

ID and Name:	UC46 - Filter & Search Accounts		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to filter & search accounts with type role.		
Trigger:	The user interacts with the search bar or filter button on the account.		
Preconditions:	PRE-1. The user must have logged in with super admin or admin role		
Postconditions:	POST-1. The user successfully searches and/or filters the account list with role, and the table displays the updated results based on the applied criteria.		
Normal Flow	1. The administrator navigate to dashboard screens. The user perform: Filter, and Search Customer Accounts 2. The administrator clicks on "View More" in "Total Customer" at the admin dashboard to navigate to the customer accounts management page. 3. The system displays all customer accounts data in the customer account data table. The user perform: Filter, and Search Guide Accounts 2. The administrator clicks on "View More" in "Total Guide" at the admin dashboard to navigate to the guide accounts management page. 3. The system displays all guide accounts data in the guide account data table. The user logged in as Super Admin role and perform: Filter, and Search Admin Accounts 2. The super admin clicks on "Admin List" at the admin left sidebar to navigate to the admin accounts management page.		

	3. The system displays all admin accounts data in the admin account data table. - Option 1 - User searches for accounts: O1.1. The administrator enters a keyword into the search bar. O1.2. The system filters the current dataset based on the keyword. Matches are case-insensitive and checked against. - Option 2 - User filter for accounts: O2.1. The administrator clicks the "Filter" button. O2.2. The system displays the filter modal with options for filtering. O2.3. The administrator enters filter criteria. O2.4. The administrator clicks the "Filter" button to submit the filter configuration. O2.5. The system processes the filters. The system updates the filter and closes the modal. 4. The system updates the accounts table to display the filtered and/or searched results.
Alternative Flows:	The user perform: Filter, and Search customer Accounts Step O1.3.: If no customer account match the criteria or Keyword O1.3.1. Display no data available message. Step O2.4. : Cancel filter customer account modal O2.4.1 The administrator clicks the "Cancel" button. O2.4.2 The system closes the modal without applying any changes to the current data. The user perform: Filter, and Search Guide Accounts Step 2.3.: If no guide account match the criteria or Keyword O2.3.1. Display no data available message. Step O2.4. : Cancel filter guide account modal O2.4.1 The administrator clicks the "Cancel" button. O2.4.2 The system closes the modal without applying any changes to the current data. The user performs: Filter, and Search Admin Accounts Step O3.3.: If no admin account the criteria or Keyword O3.3.1. Display no data available message. Step O2.4. : Cancel filter admin account modal O2.4.1 The administrator clicks the "Cancel" button. O2.4.2 The system closes the modal without applying any changes to the current data.
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium

Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

j. UC48- Sort Accounts

ID and Name:	UC48 - Sort Accounts		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to sort accounts with type.		
Trigger:	The user clicks on the column title in the data account table.		
Preconditions:	PRE-1. The user must have logged in with a super admin or admin role.		
Postconditions:	POST-1. The account list with true role is successfully sorted based on the selected column and order (ascending or descending). POST-2. The table updates to reflect the new order, with visual indicators (e.g., up arrow for ascending, down arrow for descending) displayed when sorting is applied via column titles.		
Normal Flow	1. The administrator navigate to dashboard screens. The user perform: Filter, and Search Customer Accounts 2. The administrator clicks on “View More” in “Total Customer” at the admin dashboard to navigate to the customer accounts management page. 3. The system displays all customer accounts data in the customer account data table. The user perform: Filter, and Search Guide Accounts 2. The administrator clicks on “View More” in “Total Guide” at the admin dashboard to navigate to the guide accounts management page. 3. The system displays all guide accounts data in the guide account data table. The user logged in as Super Admin role and perform: Filter, and Search Admin Accounts 2. The super admin clicks on “Admin List” at the admin left sidebar to navigate to the admin accounts management page. 3. The system displays all admin accounts data in the admin account		

	data table. 4. The system validates sort. 5. The system displaying sorted results.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

k. UC47- View Account Statistic

ID and Name:	UC47 - View Account Statistic		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to view account statistics with type.		
Trigger:	- Option 1 - The user clicks on “View More” in “Total Customer” at the admin dashboard to view customer accounts statistics. - Option 2 - The user clicks on “View More” in “Total Guide” at the admin dashboard to view guide accounts statistics. - Option 3 - The user clicks on “Admin List ” in the left sidebar at the admin dashboard to view admin accounts statistics.		
Preconditions:	PRE-1. The user must have logged in with super admin or admin role		
Postconditions:	POST-1. The user successfully views account statistics.		
Normal Flow	The user logged in as Super Admin, Admin role: 1. The administrator navigate to dashboard screens. - Option 1 - Perform action view statistic customer accounts:		

	O1.1. The administrator clicks on “View more” in “Total customer” at the admin dashboard to navigate to the customer accounts management page. O1.2. The system displays all customer accounts data in the customer accounts data chart: O1.2.1. Bar Chart: Displays the number of accounts by type and time period. O1.2.2. Pie Chart: Displays the distribution of destinations with age and gender. - Option 2 - Perform action view statistic guide accounts: O2.1. The administrator clicks on “View more” in “Total guide” at the admin dashboard to navigate to the guide accounts management page. O2.2. The system displays all guide accounts data in the guide accounts data chart: O2.2.1. Bar Chart: Displays the number of accounts by type and time period. O2.2.2. Pie Chart: Displays the distribution of destinations with age and gender. The user logged in as Super Admin role: - Option 3 - Perform action view statistic admin accounts: O3.1. The administrator clicks on “Admin List” at the admin left sidebar to navigate to the admin accounts management page. O3.2. The system displays all admin accounts data in the admin account data chart: O3.2.1. Bar Chart: Displays the number of accounts by type and time period. O3.2.2. Pie Chart: Displays the distribution of destinations with age and gender.
Alternative Flows:	The user perform: View Statistic customer Accounts Step O1.2. : Users can apply filters to view customer account statistics for their preferred dates. O1.2.1. The administrator can apply filters to view customer account statistics for their preferred dates. O1.2.2. The system displays the filtered customer account data in the customer account data chart. The user perform: View Statistic Guide Accounts Step O2.2. : Users can apply filters to view guide account statistics for their preferred dates. O2.2.1. The administrator can apply filters to view guide account statistics for their preferred dates. O2.2.2 The system displays the filtered guide account data in the guide account data chart. The user performs: View Statistic Admin Accounts Step O3.2. : Users can apply filters to view admin account statistics for their preferred dates

	03.2.1. The administrator can apply filters to view admin account statistics for their preferred dates. 03.2.2. The system displays the filtered admin account data in the admin account data chart.
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

e. UC38 - Manage Tickets Of Customer

ID and Name:	UC38 - Manage Tickets Of Customer		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to manage tickets for customers.		
Trigger:	The user clicks on “Booking History” tab after clicking the “View detail” of the customer account.		
Preconditions:	PRE-1. The user must have logged in with admin role or super admin role		
Postconditions:	POST-1. The user successfully view ticket all information and ticket check-in details.		
Normal Flow	1. The administrator clicks on “View more” in “Total Customer” at the admin dashboard to navigate to the customer accounts management page. 2. The administrator clicks on “View detail” in specific customer and selects the “Booking history” tab. 3. The system displays all customer tickets for the administrator. - Option 1 - The administrator perform action view ticket check-in details		

	O1.1. The user hover on “View details” of specific ticket and choose “View check-in details”. O1.2. The system display all ticket check-in information.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

f. UC43 - View Guided Tour History

ID and Name:	UC43 - View Guided Tour History		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows the administrators to view guided tour history of specific guide.		
Trigger:	The user clicks on “Guided Tours” tab after clicking the “View detail” of guide account.		
Preconditions:	PRE-1. The user must have logged in with admin role or super admin role		
Postconditions:	POST-1. The user successfully view guided tour history.		
Normal Flow	1. The administrator clicks on “View more” in “Total Guide” at the admin dashboard to navigate to the guide accounts management page. 2. The administrator clicks on “View detail” on specific guide and selects the “Guided Tours” tab. 3. The system displays guided tour history for the administrator.		

Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

g. UC39 - Manage Customer's Ticket Reviews

ID and Name:	UC39 - Manage Customer's Ticket Review		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to view customer review for ticket details and update feedback.		
Trigger:	The user clicks on "Booking History" tab in customer account detail and performs view reviews and update feedback actions.		
Preconditions:	PRE-1. The user must have logged in as super admin or admin role.		
Postconditions:	POST-1. Original tour reviews management actions (view all reviews and update feedback) are successfully executed.		
Normal Flow	1. The administrator clicks on "View more" in "Total Customer" at the admin dashboard to navigate to the customer account management page. 2. The administrator clicks on "View details" of a specific customer account. 3. The system displays a pop-up, including "User Profile", "Booking History" and "Change Password" tab. 4. The administrator clicks on "Booking History" tabs to view customer booking history. - Option 1 - View reviews:		

	O1.1. The administrator clicks on the “View details” button in the ticket data table and clicks on the “View review” option. O1.2 The system displays pop-up include ticket review data. - Option 2 - Update feedback: O2.1. The administrator clicks on the “View details” button in the ticket data table and clicks on the “View review” option. O2.2. The system displays pop-up include ticket review data. O2.3. The administrator clicks on “Delete Feedback” button to delete feedback. O2.4. The system prompts the administrator to confirm the update. O2.5. The administrator clicks on the “Delete” button, the feedback will be updated to empty and update the UI.
Alternative Flows:	Step O2.5: The administrator clicks on the “Cancel” button O2.5.1. Return to step O2.2.
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.19 Discount Management

a. UC73 - Manage Discount

ID and Name:	UC73 - Manage Discount		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to perform actions on create, view, update and soft delete discount.		
Trigger:	The user clicks at the “Discount” tab in the left side bar and performs create, view, update, soft delete actions.		
Preconditions:	PRE-1. The user must have logged in as a super admin role or admin		

	role.
Postconditions:	POST-1. Discount management actions (create, view, update and soft delete) are successfully executed.
Normal Flow	1. The administrator clicks at the “Discount” tab in the left sidebar to navigate to the discount management page. 2. The system displays all discount data in the original tour data table. - Option 1 - Create a new discount: O1.1. The administrator clicks on the plus icon button in the admin account data table. O1.2. The system prompts the administrator to enter discount details, including discount price, min total price, discount date start, discount date end, discount slots, discount message, discount code (With the discount code, there are 2 options: include the discount code or click 'Generate Code'.) O1.3. The administrator clicks on the “Create” button to submit the discount information. O1.4. The system validates all input fields. O1.5. The system creates the new discount. - Option 2 - View a discount detail: O2.1. The administrator clicks on the “View detail” button in the discount data table. O2.2. A modal with the discount information will appear, including discount status, discount price, minimum total price, start date, end date, discount slots, discount message, discount code, and available slots,createBy, updateBy. - Option 3 - Update a discount: O3.1. The administrator clicks on the “View detail” button in the discount data table. O3.2. A modal with the discount information will appear, including discount status, discount price, minimum total price, start date, end date, discount slots, discount message, discount code, and available slots,createBy, updateBy. O3. The administrator clicks on the information fields and updates the details. O3.4. The administrator click on “Update” button. O3.5. The system validates all input fields. O3.6. The system update the new information of the discount. - Option 4 - Soft delete a discount: O4.1. The administrator checks the discount that needs to be deleted and then clicks on the trash icon button in the admin account data table. O2. The system prompts the administrator to confirm the deletion. The administrator clicks on 'Delete' to remove the discount. O3. If confirmed, the data will be moved to trash and update the UI.

Alternative Flows:	The user perform: Create a new discount Step O1.3. : The user clicks on “Cancel” button. O1.3.1. The system redirects the administrator to the discount management page. O1.4.: The input field(s) is invalid. O1.4.1. Display failed message. O1.4.2. Return to Step 2.2. The user perform: View a discount detail O2.2. : The user clicks on the “Cancel” button. O2.2.1. The system redirects the administrator to the discount management page. The user perform: Update a discount O3.4.: The user clicks on the “Cancel” button. O3.4.1. The system redirects the administrator to the discount management page. O3.5.: The input field(s) is invalid. O3.5.1. Display failed message. O3.5.2. Return to Step O2. O3.3.: If the discount has already been used or the start date has passed. O3.3.1. The user will only edit certain fields. Step O3.: If the discount has already been used or the end date has passed. O3.3.1. The user will not edit fields. The action: Soft delete discount Step O4.2: The user clicks on the “Cancel” button. O4.2.1. The system redirects the administrator to the discount management page. Step O3.: If the discount has already been used or the start date has passed. O4.3.1. The system will not allow deletion and will lock it.
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	High
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC91 - View All Discounts

ID and Name:	UC91 - View All Discounts		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to view all discounts.		
Trigger:	The user clicks on “Discount ” in the left sidebar at the admin dashboard and perform view all discounts.		
Preconditions:	PRE-1. The user must have logged in as a super admin or admin role.		
Postconditions:	POST-1. The administrators view all discounts successfully.		
Normal Flow	1. The administrator clicks on “Discount ” in the left sidebar at the admin dashboard to navigate to the discounts management page. 2. The system displays a list of discounts on the table to the administrator.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server or the internet.		
Priority:	High		
Frequency of Use:	Medium		
Business Rules:	N/A		
Other Information:	N/A		
Assumptions:	N/A		

c. UC74 - Filter & Search Discounts

ID and Name:	UC74 - Filter & Search Discounts		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A

Description:	This use case allows users to filter & search discounts.
Trigger:	The user enters the keyword on search input or clicks on the filter icon then fills in information to perform the filter & search discount.
Preconditions:	PRE-1. The user must have logged in with a super admin or admin role.
Postconditions:	POST-1. The user successfully searches and/or filters the discount list, and the table displays the updated results based on the applied criteria.
Normal Flow	1. The administrators click on "Discount" at the admin left sidebar to navigate to the discounts management page. 2. The system displays a list of all discount data in the original tour data table. - Option 1 - User searches for discounts: O1.1 The administrator enters a keyword into the search bar. O2 The system filters the current dataset based on the keyword. Matches are case-insensitive and checked against. - Option 2 - User filter for discounts: O2.1. The administrator clicks the "Filter" button. O2.2. The system displays the filter modal with options for filtering. O2.3. The administrator enters filter criteria. O2.4. The administrator clicks the "Filter" button to submit the filter configuration. O2.5. The system processes the filters. The system updates the filter and closes the modal. 3. System displays results: 3.1. The system updates the discount table to display the filtered and/or searched results. 3.2. If no discounts match the criteria, a "No data available" message is displayed.
Alternative Flows:	Step O2.4. : Cancel Filter Modal O2.4.1. The administrator clicks the "Cancel" button. O2.4.2. The system closes the modal without applying any changes to the current data. Step 3: If no discounts match the criteria or keyword 3.1. Display no data available message.
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium

Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

d. UC75 - Sort Discounts

ID and Name:	UC75 - Sort Discounts		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to sort discounts.		
Trigger:	The user clicks on the column title in the data discount table.		
Preconditions:	PRE-1. The user must have logged in with super admin or admin role		
Postconditions:	POST-1. The discount list is successfully sorted based on the selected column and order (ascending or descending). POST-2. The table updates to reflect the new order, with visual indicators (e.g., up arrow for ascending, down for descending) displayed when sorting is applied via column titles.		
Normal Flow	1. The administrators clicks on "Discount" at the admin left sidebar to navigate to the discounts management page. 2. The system displays a list of all discount data in the discount data table. 3. The administrators click on the column title in the data table. 4. The system validates sort. 5. The system displaying sorted results: 5.1 When sorted by column title, a visual indicator (up arrow for ascending, down arrow for descending) appears next to the sorted column title. 5.2 The sorted data retains any prior filtering or search results applied.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server or the internet.		
Priority:	Medium		

Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

e. UC76 - View Discount Statistic

ID and Name:	UC76 - View Discount Statistic		
Created By:	TruongNM	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows users to view discount statistics.		
Trigger:	The user clicks on “Discount” in the left sidebar at the admin dashboard and perform to view discount statistic.		
Preconditions:	PRE-1. The user must have logged in with super admin or admin role		
Postconditions:	POST-1. The user successfully views discount statistics.		
Normal Flow	1. The administrators clicks on “Discount” at the admin left sidebar to navigate to the discounts management page. 2. The system displays all discounts data in the discount data chart. - Option 1 - View discount statistic based on cost: O1.1. The system displays the charts: O1.1.1 Bar Chart: Displays the discount cost analysis by type and time period. - Option 2 - View discount statistic based on discount code: O2.1. The system displays the charts: O2.1.1 Bar Chart: Displays the discount price distribution, used vs remaining slots by discount code, discount usage by type and time period.		
Alternative Flows:	The user perform: View discount statistic based on cost Step O1.1: Users can apply filters to view discount statistics for their preferred dates. O1.1.1. User selects data filters: The user can choose from the following filter. Option 1 - Time Period: The user selects one of the time options all		

	days or custom date ranges and can view by options (Day, Week, Month, Year). Option 2 - Tour Type: The user selects "Active", "Inactive Trip", or "All Statuses" to view data for the respective tour types. Option 3 - Total Data Mode: The user can choose to view total discount or data broken down by time period (Day, Week, Month, Year). O1.1.2. The system receives the filters from the user and filters the discount data based on the selected criteria. O1.1.3. System displays the charts: Bar Chart: Displays the discount revenue analysis by type and time period. The user perform: View discount statistic based on code discount Step O2.1: Users can apply filters to view discount statistics for their preferred dates. O2.1.1. User selects data filters: The user can choose from the following filter. Option - Time Period: The user selects one of the time options (Last 7 days, Last 15 days, Last 30 days) all days or custom date ranges and can view by options (Day, Week, Month, Year). O2.1.2. The system receives the filters from the user and filters the discount data based on the selected criteria. O2.1.3. System displays the charts: Bar Chart: Displays the discount price distribution, used vs remaining slots by discount code, discount usage by type and time period.
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.20 Ticket Check-in Processing

a. UC89 - View Guided Tours

ID and Name:	UC89 - View Guided Tours
--------------	---------------------------------

Created By:	DangPH	Date Created:	15/01/2025
Primary Actor	Guide	Secondary Actor:	N/A
Description:	This use case allows guides to view tours that they will be leading and check in.		
Trigger:	The tour guide navigates to the tour guide management page.		
Preconditions:	PRE-1. The user must be logged in as a tour guide role.		
Postconditions:	POST-1. The tour guide successfully views a list of their guided tours, filtered by the selected time period with pagination if applicable.		
Normal Flow	1. The tour guide navigates to the tour guide management . 2. The system displays to tour guides a list of tours that will be guided by them.		
Alternative Flows:	N/A		
Exceptions:	EX-01. Lost connection with the server or the internet.		
Priority:	Medium		
Frequency of Use:	High		
Business Rules:	N/A		
Other Information:	N/A		
Assumptions:	N/A		

b. UC90 - Take Tours Attendance

ID and Name:	UC90 - Take Tours Attendance		
Created By:	DangPH	Date Created:	15/01/2025
Primary Actor	Guide	Secondary Actor:	N/A
Description:	This use case allows guides to check attendance and record customer information to check in.		

Trigger:	The user click on specific ticket to perform check in
Preconditions:	PRE-1. The user must have logged in as a guide role.
Postconditions:	POST-1. The tour guide successfully manages attendance by submitting check-in data for the tour.
Normal Flow	1. The tour guide navigates to the Tour Guide management. 2. The tour guide clicks on a specific ticket. 3. The system displays a dropdown for a guide to enter customer information such as: name, phone number, identify number. 4. The guide enters information and clicks the “Save” button. 5. The system updates new information about tickets.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.21 Revenue Management

a. UC77 - Manage Revenue

ID and Name:	UC77 - Manage Revenue		
Created By:	KhanhPN	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows admin and super admin to manage tour revenue, including view original tour revenue and view subsidiary tour revenue.		
Trigger:	The user navigates to the admin dashboard and performs view total revenue and view original tour revenue.		

Preconditions:	PRE-1. The user logged in with admin or super admin account.
Postconditions:	POST-1. The user successfully view original tour revenue and view subsidiary tour revenue.
Normal Flow	1. The administrator navigates to the admin dashboard. 2. The system displays 2 charts for the user to view total revenue and view original tour revenue.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

a. UC79 - View Original Tour Revenue

ID and Name:	UC79 - View Original Tour Revenue		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows the user to view revenue of an original tour.		
Trigger:	The user navigates to the admin dashboard and performs view original tour revenue.		
Preconditions:	PRE-1. The user must have logged in with admin account or super admin account.		
Postconditions:	POST-1. The user successfully view original tour revenue.		
Normal Flow	1. The administrator navigates to the admin dashboard. 2. The administrator clicks on the original tour list dropdown and		

	selects a specific original tour. - Option 1 - Filter revenue based on date range: O1.1. The administrator selects the start date. O1.2. The administrator selects the end date. O1.3. The system filters the subsidiary tours of the selected original tour, including only those with a start date within the selected start date and end date range. - Option 2 - Filter revenue based on predefined date ranges: O2.1. The administrator clicks on the filter dropdown and selects an option, including 7 days, 15 days and 30 days. O2.2. The system filters the subsidiary tours of the selected original tour, including only those with a start date within the calculated date range. 3. The system calculates and displays the total revenue of the original tour in the chart.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC78 - View Total Revenue

ID and Name:	UC78 - View Total Revenue		
Created By:	KhanhPN	Date Created:	15/01/2025
Primary Actor	Super Admin, Admin	Secondary Actor:	N/A
Description:	This use case allows the user to view revenue of all original tours.		
Trigger:	The user navigates to the admin dashboard and performs view total revenue.		

Preconditions:	PRE-1. The user must have logged in with admin account or super admin account.
Postconditions:	POST-1. The user successfully views total revenue.
Normal Flow	1. The administrator navigates to the admin dashboard. - Option 1 - Filter revenue based on date range: O1.1. The administrator selects the start date. O1.2. The administrator selects the end date. O1.3. The system filters the original tours, including only those that have revenue within the selected start date and end date range. - Option 2 - Filter revenue based on predefined date ranges: O2.1. The administrator clicks on the filter dropdown and selects an option, including 7 days, 15 days and 30 days. O2.2. The system filters the original tours, including only those that have revenue within the calculated date range. 3. The system calculates and displays the total revenue in the chart.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server or the internet.
Priority:	Medium
Frequency of Use:	Medium
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.22 Trash Management

a. UC80 - Manage Trash

ID and Name:	UC80 - Manage Trash		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to restore, hard delete and filter trash.		

Trigger:	The administrator clicks on the “Trash” tab on the left sidebar and performs restore, hard delete and filter trash actions.
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.
Postconditions:	POST-1. Trash management action (restore, hard delete and filter trash) is successfully executed.
Normal Flow	1. The user clicks on the “Trash” tab on the left sidebar to navigate to the trash management page and perform restore, hard delete and filter trash.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC81 - Restore

ID and Name:	UC81 - Restore		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to restore removed items, including original tours, subsidiary tours, discount and account.		
Trigger:	The administrator clicks on the “Trash” tab on the left sidebar and performs restore action.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. Restore removed items is successfully executed.		

Normal Flow	1. The user clicks on the “Trash” tab on the left sidebar to navigate to the trash management page. 2. The user filter trash by type. 3. The user checks the radio button of the item they want to perform an action on. 4. The user clicks on the restore icon. 5. The system restores the selected item and updates the UI.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

c. UC82 - Hard Delete

ID and Name:	UC82 - Hard Delete		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to hard delete removed items, including original tours, subsidiary tours, discount and account.		
Trigger:	The administrator clicks on the “Trash” tab on the left sidebar and performs hard delete action.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. Hard delete items is successfully executed.		
Normal Flow	1. The user clicks on the “Trash” tab on the left sidebar to navigate to the trash management page. 2. The user filter trash by type.		

	3. The administrator checks the radio button of the item they want to perform an action on. 4. The administrator clicks on the trash icon. 5. The system prompts the administrator to confirm the hard deletion. 6. The system permanently delete the item and updates the UI.
Alternative Flows:	Step 4: The user click on “Cancel” button 4.1. The system redirects the administrator to the trash management page.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

d. UC85 - Filter Trash By Type

ID and Name:	UC85 - Filter Trash By Type		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to filter trash by type, including original tours, subsidiary tours, discount and account.		
Trigger:	The administrator clicks on the “Trash” tab on the left sidebar and performs filter trash by type action.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. Filter trash by type action is successfully executed.		
Normal Flow	1. The user clicks on the “Trash” tab on the left sidebar to navigate to the trash management page. 2. The administrator clicks on the dropdown menu at the top of the trash management page and selects the desired option, including		

	original tours, subsidiary tours, discount and account. 3. The system displays removed items filtered by type in the data table.
Alternative Flows:	Step 3: The user logged in as admin 3.1. The system will not display removed accounts with the admin role.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

e. UC83 - Search Trashes

ID and Name:	UC83 - Search Trashes		
Created By:	TruongNM	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to search for trash of original tours, subsidiary tours, discounts , and accounts.		
Trigger:	The administrator clicks on the “Trash” tab on the left sidebar and performs a search for trash of original tours, subsidiary tours, discounts, and accounts action.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. Search trash action is successfully executed.		
Normal Flow	1. The user clicks on the “Trash” tab on the left sidebar to navigate to the trash management page. 2. The administrator clicks on the dropdown menu at the top of the trash management page and selects the desired option and the system displays removed items categorized by type in the data table.		

	3. The administrator enters a keyword into the search bar. 4. The system filters the current dataset based on the keyword. Matches are case-insensitive and checked against.
Alternative Flows:	Step 3: The user logged in as admin 3.1. The system will not display removed accounts with the admin role.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

f. UC84 - Sort Trashes

ID and Name:	UC84 - Sort Trashes		
Created By:	TruongNM	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to sort for trash of original tours, sub-tours, discounted tours, and accounts.		
Trigger:	The administrator clicks on the “Trash” tab on the left sidebar and performs a sort for trash of original tours, subsidiary tours, discounts, and accounts action.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. Filter trash by type action is successfully executed.		
Normal Flow	1. The user clicks on the “Trash” tab on the left sidebar to navigate to the trash management page. 2. The administrator clicks on the dropdown menu at the top of the trash management page and selects the desired option and the system displays removed items categorized by type in the data table.		

	3. The administrators click on the column title in the data table. 4. The system validates sort. 5. The system displaying sorted results.
Alternative Flows:	Step 2: The user logged in as admin 2.1. The system will not display removed accounts with the "Admin" role.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

2.23 Ticket Management

a. UC67 - View All Tour Tickets

ID and Name:	UC67 - View All Tour Tickets		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to view all tour tickets.		
Trigger:	The user clicks on "View tickets" button and perform view all tour tickets.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. View all tour tickets is successfully executed.		
Normal Flow	1. The user clicks on "View more" in "Total Original Tours" at the admin dashboard to navigate to the original tour's management page. 2. The administrator clicks on the "Options" button of a specific original tour in the original tours data table and clicks on the "View subsidiary tours" option to navigate to the subsidiary tours		

	management page. 3. The administrator clicks on the “Options” button of a specific subsidiary tour in the subsidiary tours data table and clicks on the “View tickets” option to navigate to the tickets management page. 4. The system displays all tickets data in the ticket data table.
Alternative Flows:	Step 1: The administrator clicks on “View More” in “Total Subsidiary Tours” at the admin dashboard to navigate to the subsidiary tours management page 1.1. Return to Step 3.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

b. UC70 - View Ticket Check-in Details

ID and Name:	UC70 - View Ticket Check-in Details		
Created By:	MinhNTT	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to view ticket check-in details.		
Trigger:	The user clicks on the “View check-in details” button and perform view ticket check-in details.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		
Postconditions:	POST-1. View ticket check-in details are successfully executed.		
Normal Flow	1. The user clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour’s management page. 2. The administrator clicks on the “Options” button of a specific		

	original tour in the original tours data table and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours management page. 3. The administrator clicks on the “Options” button of a specific subsidiary tour in the subsidiary tours data table and clicks on the “View tickets” option to navigate to the tickets management page. 4. The system displays all tickets data in the ticket data table. 5. The administrator clicks on the “Options” button of a specific ticket in the tickets data table and clicks on the “View check-in details” option. 6. The system displays ticket check-in details in the modal.
Alternative Flows:	Step 1: The administrator clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard to navigate to the subsidiary tours management page 1.1. Return to Step 3.
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

g. UC68 - Search Tickets

ID and Name:	UC68 - Search Tickets		
Created By:	TruongNM	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to search for tickets.		
Trigger:	The user clicks on the “View check-in details” button and performs a search for a ticket.		
Preconditions:	PRE-1. The user must have logged in as admin or super admin role.		

Postconditions:	POST-1. Search tickets action is successfully executed.
Normal Flow	1. The user clicks on “View More” in “Total Original Tours” at the admin dashboard to navigate to the original tour’s management page. 2. The administrator clicks on the “Options” button of a specific original tour in the original tours data table and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours management page. 3. The administrator clicks on the “Options” button of a specific subsidiary tour in the subsidiary tours data table and clicks on the “View tickets” option to navigate to the tickets management page. 4. The system displays all tickets data in the ticket data table. 5. The administrator enters a keyword into the search bar. 6. The system filters the current dataset based on the keyword. Matches are case-insensitive and checked against.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

h. UC69 - Sort Tickets

ID and Name:	UC68 - Sort Tickets		
Created By:	TruongNM	Date Created:	12/01/2025
Primary Actor	Admin, Super Admin	Secondary Actors:	N/A
Description:	This use case allows users to sort for tickets.		
Trigger:	The user clicks on the “View check-in details” button and performs a sort for ticket.		

Preconditions:	PRE-1. The user must have logged in as admin or super admin role.
Postconditions:	POST-1. Sort ticket action is successfully executed.
Normal Flow	1. The user clicks on “View More” in “Total Original Tours” at the admin dashboard to navigate to the original tour’s management page. 2. The administrator clicks on the “Options” button of a specific original tour in the original tours data table and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours flow management page. 3. The administrator clicks on the “Options” button of a specific subsidiary tour in the subsidiary tours data table and clicks on the “View tickets” option to navigate to the tickets management page. 4. The system displays all tickets data in the ticket data table. 5. The administrators click on the column title in the data table. 6. The system validates sort. 7. The system displaying sorted results.
Alternative Flows:	N/A
Exceptions:	EX-01. Lost connection with the server on the internet.
Priority:	High
Frequency of Use:	High
Business Rules:	N/A
Other Information:	N/A
Assumptions:	N/A

3. Functional Requirements

3.1 System Functional Overview

3.1.1 Screens Flow




Figure 12. Screen Flow Diagram For Customer Actor On Mobile




Figure 13. Screen Flow Diagram For Super Admin Actor On Web




Figure 14. Screen Flow Diagram For Admin Actor On Web




Figure 15. Screen Flow Diagram For Guide Actor On Web

3.1.2 Screen Descriptions

Table 3. Screen Descriptions

#	Feature	Screen	Description
1	Authentication	- Login - Login with Google - Sign up - Sign up with Google - Forgot password	The user can register, log in, reset passwords, and verify accounts securely while managing their profiles.
2	Notifications	- Notifications - Notification details - Notification setting - Notification Management	Allows users to view notifications, notification details and setting status notification.
3	Tour Accessing	- Discover - Wishlist - Cart - Tour details	Allow users to browse, search, and filter tours using criteria such as location, price, and duration, and view detailed information about selected tours. Moreover, they can also view tour details, wish lists and tours in cart.
4	Tour Processing	- Discover - Cart - Tour details	Allow users to add or remove tours to their wish list or add tours to cart.
5	Ticket Accessing	- Ticket - Ticket details	Allow users to view tickets and ticket details.

6	Ticket Processing	- Ticket	Allow users to refund, review or book tours again based on the current status of the tour.
7	Review Accessing	- View tour review	Allow users to view all review of specific tour and filter base on rating or sort by date, rating
8	Booking Processing	- Check availability - Payment progress one - Payment progress two - Online payment - Ticket - Failed payment	Allow users to book a tour, book a tour again, and check the availability of a tour.
9	Discounts Accessing	- My discounts	Allow users to view their discounts.
10	AI Support	- Chatbot	Allow users to ask questions by selecting available questions or entering themself questions.
11	Refund Management	- Refund - Refund details - Approve refund request - Reject reason	Allow users to view refund requests, update refund status, or search and filter refunds.
10	Profile Management	- Profile - Change Password	Allow users to view, and update their profile.
11	Original Tour Management	- All Original Tours - Create Tour - Confirm Delete Original Tour - Original Tour Details - Original Tour Statistic - Filter Original Tours	Allow users to view all original tours, view original tour statistics, view original tour details, filter original tours, create tour, remove original tour to trash, view subsidiary tours of original tour and view original tour reviews. Additionally, users can export original tours data through excel file.
12	Subsidiary Tour Management	- All Subsidiary Tours Of Original Tour - Confirm Delete Subsidiary Tour - Subsidiary Tour Details	Allow users to view all subsidiary tours of an original tour, view subsidiary tour details, remove subsidiary tour to trash, view subsidiary tour reviews and view subsidiary tour tickets. Additionally, users can export subsidiary tours of original tour data through excel file.
13	Total Subsidiary	- All Subsidiary Tours - Create Tour	Allow users to view all subsidiary tours, view subsidiary tour statistics, view subsidiary tour details, filter subsidiary

	Tour Management	- Confirm Delete Subsidiary Tour - Subsidiary Tour Details - Subsidiary Tour Statistic - Create Tour - Filter Subsidiary Tours	tours, create tour, remove subsidiary tour to trash, view subsidiary tour reviews and view subsidiary tour tickets. Additionally, users can export subsidiary tours data through excel file.
14	Review Management	- Original Tour Reviews - Subsidiary Tour Reviews - Confirm Delete Feedback	Allow users to view all original tour reviews, view all subsidiary tour reviews and delete feedback.
15	Account Management	- All customer Accounts - All Admin Accounts - All Guide Accounts - customer Statistic - Guide Statistic - Admin Statistic - Create customer Account - Create Admin Account - Create Guide Account - Filter Accounts - Account Profile Details - Guided Tours - customer Booking History - customer Review Details - customer Check-in Details	Allow users to view all customer accounts, view all admin accounts, view all guide accounts, view customer statistic, view guide statistic, view admin statistic, create customer account, create admin account, create guide account, filter accounts, view account profile details, view guide's guided tours, view customer booking history, view customer review details, delete customer feedback, view customer check-in details and remove account to trash. Additionally, users can export accounts data through excel files.
16	Discount Management	- View all Discounts - Create Discount - Confirm Delete Discount - Discount Details - Update Discount	Allow users to view all discounts, view discount statistics, view discount details, filter discounts, create new discount codes, update discount codes, remove discounts to trash. Additionally, users can export discount data through an Excel file.
17	Trash Management	- Trash Management - Confirm Permanently Delete	Allow users to filter trash by type, including Original Tour, Subsidiary Tour, Account and discount. Allow users to restore items and permanently delete items.

18	Ticket Management	- Subsidiary Tour All Tickets - Ticket Check-in Details -Ticket Review Details	Allow users to view subsidiary tour all tickets and view ticket check-in details.
19	Ticket Check-in Processing	- Ticket Management Screen	Allow users to view the list of tickets available for them to lead and check in tickets. Guide updates the details of each ticket slot, including the full name, phone number, and Identification Number of the ticket holder. This ensures accurate tracking of participants and streamlines the check-in process.
20	Revenue Management	- View Original Tour Revenue - View Total Revenue	Allow users to view total revenue within a specified time range and view a specific original tour revenue within specified time range.

3.1.3 Screen Authorization

Table 4. Screen Authorization

Screen	Guest	Customer	Admin	Super Admin	Guide
Login		X	X	X	X
Login With google	X	X			
Register	X	X			
Forgot Password		X	X	X	X
Verification OTP		X	X	X	X
Reset Password		X	X	X	X
Discover	X	X			
Filter Price	X	X			
Filter Place	X	X			
Filter Duration	X	X			
Filter Date	X	X			
Filter All	X	X			
Sort By	X	X			
Tour Detail	X	X			
Tour Itinerary	X	X			
Tour Full Description	X	X			
Tour All Review	X	X			
Filter Review	X	X			
Sort Review	X	X			
Check Availability		X			
Payment User Information		X			
Payment Tour Information		X			

Payment Use Discount		X			
Active Discount Viewing		X			
Pay Online		X			
Wishlist		X			
Confirm Remove From Wishlist		X			
Cart		X			
Confirm Remove From Cart		X			
Upcoming		X			
Bank Information		X			
Refund Reason		X			
Completed		X			
Refunded		X			
Ticket Details		X			
Profile		X	X	X	X
All Discount Viewing		X			
Profile Detail		X	X	X	X
Profile Updated Successfully		X	X	X	X
Change Password		X	X	X	
Notifications		X	X	X	
Notification Details		X	X	X	
Setting Notification		X			
About TravelNow	X	X			
Chatbot	X	X			
Legal Notice	X	X			
Privacy Policy	X	X			
Refund Management			X	X	
Refund Details			X	X	
Approve Refund Request			X	X	
Reject Reason			X	X	
Administration Dashboard			X	X	
All Original Tours			X	X	
Create Original Tour			X	X	
Confirm Delete Original Tour			X	X	
Original Tour Details			X	X	
All Subsidiary Tours Of Original Tour			X	X	
Create Subsidiary Tour			X	X	
Confirm Delete Subsidiary Tour			X	X	
Subsidiary Tour Details			X	X	
All Subsidiary Tours			X	X	
Original Tour Reviews			X	X	
Subsidiary Tour Reviews			X	X	
Confirm Delete Feedback			X	X	
Select Date For Revenue			X	X	
customer Management			X	X	
Optional pop-up			X	X	

Profile Customer			X	X	
Booking History			X	X	
Detail customer Tickets			X	X	
Confirm Delete customer Account			X	X	
All customer Accounts			X	X	
Search customer Result			X	X	
Edit Profile			X	X	
Edit Profile Successfully			X	X	
Reset Password			X	X	
Reset Password Successfully			X	X	
Tours Management			X	X	
Select Date For Tour			X	X	
Confirm Delete Tour			X	X	
Search Tour Result			X	X	
Admin Management				X	
Create Admin				X	
Create Admin Successfully				X	
Profile Admin				X	
Reset Admin Account Password				X	
Edit Profile Admin				X	
Edit Admin Successfully				X	
Reset Password Successfully				X	
Confirm Delete Admin Account				X	
Search Admin Result				X	
Profile Super Admin				X	
Edit Profile Admin				X	
Edit Profile Super Admin Successfully				X	
Change Password Super Admin Account				X	
Original Tours			X	X	
Create Tour			X	X	
Create Tour Successfully			X	X	
View Detail Tour Original			X	X	
View Feedback Tour Original			X	X	
View Subsidiary Tour			X	X	
Confirm Delete Tours			X	X	
Discounts			X	X	
Table List Of Discount			X	X	
Create Discount			X	X	
Create Discount Successfully			X	X	
Confirm Delete Discount			X	X	
Admin Dashboard			X		
Super Admin Dashboard				X	
View Guided Tour			X	X	X

View Guided Tour History			X	X	
Taking Attendance					X

In which:

- Guest: Role allows users to use services with limited rights.
- Customer: Role allows users to use services of application.
- Admin: Role allows users to manage customers and tour.
- Super Admin: Role allows users to manage admin, customers and tour.
- Guide: Role allows users to check attendance for customers.

3.1.4 Non-Screen Functions

Table 5. Non-Screen Functions

#	Feature	System Function	Description
1	Authentication	[POST] - /account/register [POST] - /account/login [GET] - /account/logout [POST] - /account/forgot-password [POST] - /account/verify-otp [POST] - /account/reset-password [POST] - /account/change-password/:userId [POST] - /account/login-google	The "Authentication" feature offers essential user account functionalities, allowing users to register, log in, and update their credentials securely. With social media integration, users can also register and log in using Google. Additional endpoints handle OTP-based verification and password recovery, ensuring robust security and user convenience.
2	Notifications	[GET] - /notification [GET] - /notification/customer/:userId [PUT] - /notification/:notificationId [POST] - /notification/subscribe [POST] - /notification/unsubscribe [GET] - /notification/check-notification/:userId/:role	The "Notifications" feature provides a comprehensive set of API endpoints to manage and interact with notifications in the system. Users can retrieve all notifications, access personalized notifications based on their user ID, update specific notifications, subscribe or unsubscribe from notification services, and check notification status based on user roles.

3	Tour Accessing	[GET] - /originalTours [GET] - /originalTours/searchOriginal [GET] - /originalTours/:originalTourId [GET] - /favoriteTours/:userId [GET] - /cart/:userId [DELETE] - favoriteTours/:userId/:tourId [DELETE] - cart/:userId/:cartItemId/:slotsBooked	The "Tour Accessing" features provide API endpoints to facilitate user interactions with tour information. Users can browse available tours in the system, view detailed information about individual tours, and explore featured tours highlighted by the platform. Additionally, users can access their personalized list of favorite tours or review tours currently added to their cart. These features improve user experience by enabling informed decision-making and efficient navigation of tour options.
4	Tour Processing	[POST] - /favoriteTours/:userId [POST] - /cart/add [DELETE] - /cart/:userId/:cartItemId/:slotsBooked [DELETE] - /favoriteTours/:userId/:tourId	The "Tour Processing" features provide API endpoints to streamline user interactions with tour-related actions. Users can add tours to their wish list based on their user ID for future reference and include tours in their cart for booking or purchase. These features enhance user experience by enabling personalized tour management and a seamless cart addition process, ensuring efficient and convenient handling of tour selections within the system.
5	Ticket Accessing	[GET] - /ticket/get-all-tickets	The "Ticket Accessing" feature provides API endpoints to facilitate user interaction with ticket-related data. Users can retrieve a comprehensive list of all tickets available in the

			system, enabling them to view and manage their ticket information efficiently. This feature ensures seamless access to ticket details, enhancing user experience and interaction within the system.
6	Ticket Processing	[POST] - /refund/ticket/create [GET] - /refund/:userId [POST] - /review-tour/create [PUT] - /ticket/check-availability/:subTourId	The "Ticket Processing" feature provides a set of API endpoints to manage ticket-related actions and user feedback. Users can send refund requests, retrieve refund details based on their user ID, and review tours they have attended. This feature streamlines the process of handling refunds, rebooking tours, and collecting user reviews, ensuring a smooth and efficient experience for managing ticket-related interactions within the system.
7	Review Accessing	[POST] - /review/tour-reviews-by-subtours [GET] - /review/tour-reviews/:subTourId	The "Review Accessing" features provide API endpoints that enable users to view reviews associated with a specific tour. By view feedback from other travelers, users can gain insights into tour quality, experiences, and overall satisfaction. This feature enhances user confidence and supports informed decision-making by presenting authentic user-generated content related to each tour.
8	Booking Processing	[POST] - /booking/create [POST] - /booking/clear-timeout [PUT] - /booking/update/:bookingId [PUT] - /booking/subtour/update-slot/:bookingId	The "Booking Processing" feature includes a set of API endpoints designed to simplify the tour booking and

		[GET] - /booking/:bookingId [POST] - /payment/payos/create-order [POST] - /payment/payos/webhook	online payment process. Users can create new bookings, update booking details, retrieve specific booking information, and process payments securely through the PayOS payment gateway. This feature streamlines the entire booking workflow, from tour reservation to online payment, ensuring a seamless and efficient experience for users within the system.
9	Discounts Accessing	[GET] - /discount	The "Discounts Accessing" feature provides API endpoints to retrieve discount information available in the system. Users can access a comprehensive list of discounts, including both active and inactive ones, enabling them to explore and utilize discount codes effectively. This feature ensures seamless access to discount codes, enhancing user engagement with the system.
10	AI Support	[POST] - /chat	The "AI Support" feature provides API endpoints to enable user interaction with an AI-powered support system. Users can submit their queries in two ways: by selecting from a list of frequently asked questions or by entering their own custom questions for the AI to respond to. This feature enhances user support by offering flexible and intelligent query resolution, ensuring a seamless and

			efficient assistance experience within the system.
11	Refund Management	[GET] - /refund/get-all [PUT] - /refund/update/:id	The "Refund Management" feature provides API endpoints to manage refund requests within the system. Users can retrieve a comprehensive list of all refund requests and update the status of a specific refund, such as marking it as success, failed. This feature ensures efficient handling of refund processes, enabling users to monitor and manage their refund requests seamlessly while maintaining clear and organized refund status updates.
12	Profile Management	[GET] - /account/:userId [PUT] - /account/:userId	The "Profile Management" feature provides API endpoints to view or update account in the system. User can view their account details and update new information when needed. These endpoints simplify tour management within the system, improving user experience and organizational efficiency.
13	Original Tour Management	[GET] - /originalTours [GET] - /originalTours/:originalTourId [POST] - /originalTours [DELETE] - /originalTours/softDelete/:originalTourId/:userId	The "Original Tour Management" feature offers a comprehensive set of API endpoints for effectively managing original tours. Users can create new tours, view detailed information about specific tours, access a list of all tours, and perform a soft delete on tours as needed. These endpoints simplify tour

			management within the system, improving user experience and organizational efficiency.
14	Subsidiary Tour Management	[GET] - /subsidiaryTours/:subTourId [GET] - /subsidiaryTours/getSubToursByOrgTourId/:orgTourId [POST] - /subsidiaryTours [DELETE] - /subsidiaryTours/softDelete/:subTourId/:userId	The "Subsidiary Tour Management" feature provides a robust set of API endpoints for efficiently managing subsidiary tours. Users can create new subsidiary tours, view detailed information about specific tours, retrieve a list of all subsidiary tours associated with an original tour, and perform a soft delete on tours as needed. These endpoints streamline the management of subsidiary tours within the system, enhancing user experience and organizational efficiency.
15	Total Subsidiary Tour Management	[GET] - /subsidiaryTours [GET] - /subsidiaryTours/:subTourId [POST] - /subsidiaryTours/createSub [DELETE] - /subsidiaryTours/softDelete/:subTourId/:userId	The "Total Subsidiary Tour Management" feature offers a comprehensive set of API endpoints for managing all subsidiary tours across original tours. Users can create new subsidiary tours, view detailed information about specific tours, retrieve a complete list of all subsidiary tours from every original tour, and perform a soft delete on tours as needed. These endpoints streamline the management of subsidiary tours within the system, enhancing user experience and organizational efficiency.
16	Review Management	[GET] - /review-tour/admin/:subTourId	The "Review Management" feature provides a set of API

		[GET] - /review-tour/admin/total/:orgTourId [PUT] - /review-tour/admin/:reviewId	endpoints for efficiently handling reviews of both original and subsidiary tours. Users can view reviews for original tours, access reviews for subsidiary tours, and update feedback as needed. These endpoints streamline the review management process within the system, enhancing user engagement and feedback organization.
17	Account Management	[GET] - /account/customer [POST] - /account/customer [PUT] - /account/:customerId [DELETE] - /account/softDelete/:id/:userId [GET] - /account/superAdmin [POST] - /account/superAdmin [PUT] - /account/superAdmin/:accountId [DELETE] - /account/superAdmin/softDelete/:id/:userId [GET] - /account/guide [POST] - /account/guide [PUT] - /account/guide/:accountId [DELETE] - /account/guide/softDelete/:guideId/:userId	The "Account Management" feature provides a comprehensive set of API endpoints for managing accounts across three roles: customer, guide, and admin. Users can view all accounts, create new accounts, update existing accounts, and perform a soft delete on accounts for each role as needed. These endpoints streamline account management within the system, ensuring efficient handling of user roles and enhancing overall organizational functionality.
18	Discount Management	[GET] - /discount [GET] - /discount/:id [POST] - /discount/create [POST] - /discount/update [PUT] - /discount/:id [DELETE] - /discount/softdelete/:discountId/:userId [DELETE] - /discount/:id	The "Discount Management" feature offers a comprehensive set of API endpoints for efficiently handling discounts. Users can view all discounts, access detailed information about specific discounts, create new discounts, update existing discounts, and perform a permanent delete on discounts as needed. These endpoints streamline discount management within

			the system, enhancing user experience and operational efficiency.
19	Ticket Check-in Processing	[GET] - /subsidiaryTours [GET] - /ticket/:subTourId [POST] - /ticket/:ticketId/checkin	The "Ticket Check-in Processing" feature includes API endpoints to facilitate the check-in process for tour guides. Tour guides can view all the tours they are assigned to guide, access a list of all tickets for a specific tour, and perform check-ins for each ticket, including full name, identity number, and phone number for each slot on the ticket. This feature aims to streamline the check-in process, ensuring accurate customer verification and enhancing the overall tour management experience.
20	Revenue Management	[GET] - /originalTour/	The "Revenue Management" feature provides a set of API endpoints for viewing revenue. These endpoints streamline revenue management within the system, enhancing user experience and operational efficiency.
21	Trash Management	[DELETE] - /trash/hardDelete/:type/:id/:userId [PUT] - /trash/restore/:type/:id/:userId	The "Trash Management" feature provides a set of API endpoints for managing the permanent deletion and restoration of various entities. Users can hard delete original tours, subsidiary tours, and accounts across three roles (customer, guide, and super admin). Additionally, users can restore previously deleted original tours, subsidiary tours, and accounts for all three roles as needed. These endpoints ensure efficient

			trash management within the system, allowing for secure data handling and recovery while maintaining operational integrity.
22	Ticket Management	[GET] - /ticket/:subTourId [GET] - /ticket/getCheckInDetails/:ticketId	The "Ticket Management" feature provides a set of API endpoints for efficiently handling tickets associated with subsidiary tours. Users can view all tickets for a specific subsidiary tour and access detailed check-in information for individual tickets. These endpoints streamline ticket management within the system, enhancing user experience and operational efficiency.

3.1.5 Entity Relationship Diagram




Figure 16. Entity Relationship Diagram

a. Account table

Table 6. Account Table

Attribute	Data type	Referenced	Unique	Not null	PK/FK
_id	ObjectId		✓	✓	PK
googleId	String			✓	
email	String		✓	✓	
username	String			✓	
accountCode	String		✓	✓	
role	String			✓	
firstname	String				
lastname	String				
DOB	Date				
gender	String				
phone	String				
avatar	String			✓	
salt	String			✓	
hash	String			✓	
createdAt	Date			✓	
updatedAt	Date			✓	
createdBy	ObjectId				
deleted	Boolean			✓	
deletedBy	ObjectId				
deletedAt	ObjectId				

b. Original Tour table

Table 7. Original Tour Table

Attribute	Data type	Referenced	Unique	Not null	PK/FK
_id	ObjectId		✓	✓	PK
originalTourCode	String		✓	✓	FK
title	String			✓	
description	String			✓	
duration	Int32			✓	
experienceJourney	Array			✓	
image	Array			✓	
category	String			✓	
thumbnail	String			✓	
place	Array			✓	
deleted	Boolean			✓	
createdBy	ObjectId	Account		✓	
createdAt	Date			✓	
updatedAt	Date			✓	
status	Boolean			✓	
deletedBy	ObjectId	Account			
deletedAt	Date				

c. Subsidiary Tour table

Table 8. Subsidiary Tour table

Attribute	Data type	Referenced	Unique	Not null	PK/FK
_id	ObjectId		✓	✓	PK
originalTourId	ObjectId	Original Tour		✓	FK
createdBy	ObjectId	Account		✓	FK
guidedBy	ObjectId	Account		✓	FK
subTourCode	String		✓	✓	
price	Double			✓	
experienceStart	String			✓	
experienceEnd	String			✓	
dateStart	Object			✓	
dateEnd	Date			✓	
totalSlots	Int32			✓	
hide	Boolean			✓	
availableSlots	Int32			✓	
revenue	Int32			✓	
guideLanguage	String			✓	
isCanceled	Boolean			✓	
deleted	Boolean			✓	
status	Boolean			✓	
createdAt	Date			✓	
updatedAt	Date			✓	
deletedBy	ObjectId	Account			
deletedAt	Date				

d. Booking table

Table 9. Booking Table

Attribute	Data type	Referenced	Unique	Not null	PK/FK
_id	ObjectId		✓	✓	PK
userId	ObjectId	Account		✓	FK
subTourId	ObjectId	Subsidiary Tour		✓	FK
originalTourId	ObjectId	Original Tour		✓	FK
discountId	ObjectId	Discount		✓	FK
paymentMethod	String			✓	
orderCode	Int32		✓	✓	
buyerName	String			✓	
buyerEmail	String			✓	
buyerPhone	String			✓	

bookedSlot	Int32			✓	
finalPrice	Double			✓	
totalPrice	Double			✓	
bookingStatus	String			✓	
createdAt	Date			✓	
updatedAt	Date			✓	

e. Ticket table

Table 10. Ticket Table

Attribute	Data type	Referenced	Unique	Not null	PK/FK
_id	ObjectId		✓	✓	PK
bookingId	ObjectId	Booking		✓	FK
ticketRef	String			✓	
checkinDetails	Array				
ticketStatus	String			✓	
isCancel	Boolean			✓	
isCheckedIn	Boolean			✓	
createdAt	Date			✓	
updatedAt	Date			✓	

f. Tour Review table

Table 11. Tour Review Table

Attribute	Data type	Referenced	Unique	Not null	PK/FK
_id	ObjectId		✓	✓	PK
originalTourId	ObjectId	Original Tour		✓	FK
subTourId	ObjectId	Subsidiary Tour		✓	FK
reviewIds	Array			✓	FK
createdAt	Date			✓	
updatedAt	Date			✓	

g. Review table

Table 12. Review Table

Attribute	Data type	Referenced	Unique	Not null	PK/FK
_id	ObjectId		✓	✓	PK
ticketId	ObjectId	Ticket		✓	FK
subsidiaryTourId	ObjectId	Subsidiary Tour		✓	FK
userId	ObjectId	Account		✓	FK
rating	Object			✓	

feedback	String			✓	
createdAt	Date			✓	
updatedAt	Date			✓	
isDeleted	Boolean			✓	

h. Discount table

Attribute	Data type	Referenced	Unique	Not null	PK/FK
_id	ObjectId		✓	✓	PK
discountPrice	Double			✓	
minTotalPrice	Double			✓	
discountCode	String		✓	✓	
discountMessage	String			✓	
discountDateStart	Date			✓	
discountDateEnd	Date			✓	
discountSlots	Int32			✓	
discountAvailableSlots	Int32			✓	
isActive	Boolean			✓	
createdAt	Date			✓	
updatedAt	Date			✓	
createdBy	ObjectId	Account			
isDeleted	Boolean			✓	

i. Used Discount table

Table 13. Used Discount Table

Attribute	Data type	Referenced	Unique	Not null	PK/FK
_id	ObjectId		✓	✓	PK
bookingId	ObjectId	Booking		✓	FK
userId	ObjectId	Account		✓	FK
discountId	ObjectId	Discount		✓	FK
createdAt	Date			✓	
updatedAt	Date			✓	

j. Favorite Tour table

Table 14. Favorite Tour Table

Attribute	Data type	Referenced	Unique	Not null	PK/FK
_id	ObjectId		✓	✓	PK
userId	ObjectId	Account		✓	FK
favoriteTourIds	Array			✓	FK
createdAt	Date			✓	
updatedAt	Date			✓	

k. Cart table

Table 15. Cart Table

Attribute	Data type	Referenced	Unique	Not null	PK/FK
_id	ObjectId		✓	✓	PK
userId	ObjectId	Account	✓	✓	FK
cartIds	Array			✓	
createdAt	Date			✓	
updatedAt	Date			✓	

l. Notification table

Table 16. Notification Table

Attribute	Data type	Referenced	Unique	Not null	PK/FK
_id	ObjectId		✓	✓	PK
readBy	ObjectId	Account		✓	FK
recipients	String			✓	
message	String			✓	
information	Object			✓	
type	String			✓	
createdAt	Date			✓	
updatedAt	Date			✓	

m. Refund table

Table 17. Refund Table

Attribute	Data type	Referenced	Unique	Not null	PK/FK
_id	ObjectId		✓	✓	PK
userId	ObjectId	Account		✓	FK
refundBy	ObjectId	Account		✓	Fk
ticketId	ObjectId	Ticket		✓	FK
refundStatus	String			✓	
refundBillImage	String			✓	
refundInformation	Object			✓	
createdAt	Date			✓	
updatedAt	Date			✓	

Entities Description

Table 18. Entities Description


#	Entity	Description
1	Account	This table stores user information, including personal details (email, phone number, full name, gender, date of birth, avatar), hashed password, roles, and account status. It tracks

		account creation and update timestamps and supports integration with Google accounts via a unique Google ID.
2	Original Tour	Represents main tours offered, containing details like title, description, duration, category, and experiences. Also includes an array for storing associated images and tracks creation and update timestamps.
3	Subsidiary Tour	Holds data for sub-tours derived from original tours, with attributes like price, start/end dates, start/end locations, and status. Links to the original tour and tracks creation and update timestamps.
4	Category	Organizes tours into categories, each identified by a unique name. Tracks creation and update timestamps, along with a deletion flag for soft deletes.
5	Booking	Tracks user bookings for tours, including details like payment method, discounts applied, total price, and status. Tracks timestamps for booking creation and updates.
6	Ticket	Represents tickets issued for bookings, including details like ticket reference, check-in status, price, and personal information of the ticket holder (email, phone, and name).
7	Tour Review	Links subsidiary tours to reviews, allowing users to provide feedback on specific sub-tours.
8	Review	Stores feedback submitted by users, including ratings, comments, and associated ticket IDs. Tracks timestamps for creation, updates, and deletion status.
9	Discount	Represents discounts offered, including the discount amount and validity. Tracks timestamps for creation and updates.
10	Used Discount	Tracks discounts applied to bookings, linking them to the associated discount and booking records.
11	Wishlist	Allows users to save their favorite tours, tracking creation and update timestamps.
12	Cart	Represents tours a user is considering for booking or purchasing, with timestamps for cart updates.
13	Notification	Allows the user add and view new notice. Every time you have an additional account, or customer booking. The notice will automatically

3.2 Authentication

3.2.1 Register

- **Function trigger:** The user clicks on the “Register” link from the login screen.
- **Function description:** This function allows guests to register an account with a customer role in the system by providing necessary personal information.
- **Screen layout:**



A mobile application registration screen with a white background. At the top, there is a status bar with icons for signal, battery, and time (5:22). The main heading is "REGISTER" in bold black text. Below it is a subtitle "Enter your email address to start registration". A label "Email Address" is positioned above a white rounded rectangular input field with a light gray border. Inside the input field is the placeholder text "Enter your email". Below the input field is a large orange rounded rectangular button with the text "Continue" in white. At the bottom of the screen, there is a link "Already have an account? Login" where "Login" is in red text. The entire screen is framed by a black border, and at the very bottom is a black navigation bar with three white icons: a back arrow, a home circle, and a recent apps square.

5:22

REGISTER

Enter your email address to start registration

Email Address

Continue

Already have an account? [Login](#)

Figure 17. Customer Register (1)




Figure 18. Customer Register (2)

COMPLETE REGISTRATION

Fill in your details to complete registration for
phamhaidang.cd@gmail.com

Username

Choose a username

Password

Enter your password

Confirm Password

Confirm your password

First Name

Enter your first name

Last Name

Enter your last name

Phone Number (Optional)

Figure 19. Customer Register (3)

Confirm your password

First Name

Enter your first name

Last Name

Enter your last name

Phone Number (Optional)

Enter your phone number

Gender

☒ Male ☐ Female ☐ Other

Date of Birth

YYYY-MM-DD (e.g., 1990-05-15)

Register

Figure 20. Customer Register (4)


- **Function details:**

- Preconditions: N/A
- Process:
 - The user navigates to the login screen.
 - Alternative Flow (Google Registration): The user clicks the “Continue with Google” button:
 - The system displays a pop-up for the user.
 - The user chooses/enters for a Google account.
 - The system redirects users to discover screens.
 - The user clicks on the “Register” link.
 - The system redirects users to the register screen.
 - The user enters an email to validate.
 - The system redirects users to the verify OTP screen.
 - The user enters OTP and clicks on the “Verify” button.
 - The system validates OTP.
 - Alternative Flow (Invalid OTP):
 - If the OTP is incorrect, display a failed message.
 - Return to enter OTP step.
 - The system redirects users to complete registration screen.

- The user enters information for an account, including: username, first name, last name, phone, date of birth, password, gender.
- The user clicks the “Register” button to submit.
- The system validates the user's information.
 - Alternative Flow (Invalid Information):
 - If the information is incorrect, display a failed message.
 - Return to enter the register information step.
- The system will display a pop-up register successfully notification.
- The user clicks on the “OK” button on the pop-up.
- The system redirects the user to select the avatar screen.
- The system redirects the user to select the avatar screen.
- Postconditions:
 - The user successfully registers an account in the system.
 - The user is redirected to the login screen.
- Error Handling:
 - The input invalid: Display error and prompt re-entry.
- Security Measures: Passwords are hashed before being stored in the database.

3.2.2 Login

- **Function trigger:**
 - **Customer:** The user clicks “Login Now” button to navigate to login screen.
 - **Super Admin, Admin, Guide:** The system automatically redirect user to login screen.
- **Function description:** This function allows all actors to login to the platform.
- **Screen layout:**



Travel
NOW

LOG IN OR REGISTER

Email Address

Password


[Login Now](#) [Forgot Password?](#)

or

 Continue with Google

Don't have an account? [Register](#)

Figure 21. Customer Login





**CREATE
YOUR TRIP**

Login Into Your Account

Email Address

Password [Forgot password?](#)

[Login Now](#)

Figure 22. Admin, Super Admin, Guide Login

- **Function details:**
 - Preconditions:
 - The user must have a registered account in the system.
 - Process:
 - **Customer:**
 - The user navigates to the login screen.
 - The user enters information to login, including email and password.
 - Alternative Flow (Google Login): The user clicks the “Continue with Google” button:
 - The system displays a pop-up for the user.
 - The user chooses/enters login information for a Google account.
 - The system redirects users to the discover screen.
 - The user clicks the “Login Now” button to submit.
 - The system validates the user's information.
 - The user is navigated to the discover screen.
 - **Super Admin, Admin, Guide:**
 - The system automatically redirects user to login screen.
 - The user input their email and password.
 - he user clicks “Login Now” button.
 - System validates the user’s username and password.
 - Alternative Flow (Invalid Information):
 - If the information is incorrect, display a failed message.
 - Return to enter login information step.
 - The system redirect the user to dashboard.
 - Postconditions:
 - The user successfully login into the system.
 - The user is redirected to the discover screen if logged in with customer role.
 - The user is redirected to the dashboard page if logged in with admin, super admin and guide role.
 - Error Handling: The input invalid: Display error and prompt re-entry.
 - Security Measures:
 - Passwords are hashed before being validated.

3.2.3 Forgot Password

- **Function trigger:** The user clicks “Forgot Password?” link at Login page to navigate to forgot password screen.
- **Function description:** This function allows users to reset their password in case they forgot.
- **Screen layout:**

The image shows a mobile application interface for a 'FORGOT PASSWORD' screen. At the top, there is a status bar with a signal icon, a battery icon, and the time '5:43'. Below the status bar, the title 'FORGOT PASSWORD' is displayed in a bold, dark blue font. Underneath the title, a subtitle reads 'Enter your email address and we'll send you a verification code'. The main content area features a label 'Email Address' followed by a rounded rectangular input field containing the placeholder text 'Enter your email'. Below the input field is a large, rounded rectangular button with the text 'Continue'. The bottom of the screen shows a black navigation bar with three white icons: a back arrow, a home circle, and a recent apps square.

Figure 23. Customer Forgot Password (1)



5:40

LOG IN OR REGISTER

Email Address

Password

[Forgot Password?](#)

[Login Now](#)

or

 [Continue with Google](#)

Don't have an account? [Register](#)

Figure 24. Customer Forgot Password (2)

The image shows a mobile application interface for a verification step. At the top, the status bar displays a signal strength icon, a Wi-Fi icon, a battery icon, and the time 5:44. The main heading is "ENTER VERIFICATION CODE" in bold, dark blue text. Below it, a subtitle reads "We've sent a verification code to your email". A section titled "Verification Code" contains a text input field with the placeholder "Enter OTP code". Below the input field is a rounded rectangular button labeled "Submit". The bottom of the screen features a black navigation bar with three white icons: a back arrow, a home circle, and a recent apps square.

5:44

ENTER VERIFICATION CODE

We've sent a verification code to your email

Verification Code

Submit

Figure 25. Customer Forgot Password (3)

5:45

RESET PASSWORD

Enter your new password

New Password

Confirm Password

Change Password

Figure 26. Customer Forgot Password (4)

[Return to Login](#)

Forgot Password?

Enter the email address associated with your account.

Email Address

Please enter a valid email address

Continue

Figure 27. Admin, Super Admin, Guide Forgot Password (2)




Figure 28. Admin, Super Admin, Guide Forgot Password (3)




Figure 29. Admin, Super Admin, Guide Forgot Password (4)

- **Function details:**
 - Preconditions:
 - The user must have a registered account in the system.
 - Process:
 - The user clicks “Forgot Password?” link at login screen to navigate to change password screen
 - The user input their email address and click “Continue” button.
 - System verifies the provided email address.
 - Alternative Flow (Invalid email address):
 - If the email address does not exist, display a failed message
 - System sends an OTP code to the user's email address and redirects to the “OTP Verification” screen.

- The user enters the OTP code received via email and clicks the “Submit” button.
- System validates the OTP code.
 - Alternative Flow (Invalid OTP):
 - If the OTP code is invalid, display a failed message.
- System redirects the user to the “Reset Password”
- The user enters a new password and clicks the “Change Password” button.
- System validates the new password.
 - Alternative Flow (Invalid Information):
 - If the password is invalid, display a failed message
- System redirects the user to the login screen.
- Postconditions:
 - The user successfully resets their password.
 - The user is redirected to the login screen.
- Error Handling:
 - The input invalid: Display error and prompt re-entry.
- Security Measures:
 - Use secure methods for OTP generation and validation.
 - Hash the new password before storing it in the database.

3.2.4 Log out

- **Function trigger:** The user clicks the “Log out” button.
- **Function description:** This function allows the user to log out the system.
- **Screen layout:**




Figure 30. Customer Logout




Figure 31. Admin, Super Admin, Guide Logout

- **Function details:**
 - Preconditions: The user must have logged in.

- Process:
 - **Customer:**
 - The user clicks on “Profile” button in bottom.
 - The system redirect user to profile screen.
 - The user click on “Log out” button.
 - The system redirect user to discover screen.
 - **Super Admin, Admin, Guide**
 - The user clicks on “Log out” button in the left sidebar at dashboard.
 - The system redirects user to login page.
- Postconditions:
 - The user successfully log out the system.
 - The user is redirected to the discover screen if they are customer and login screen if they are admin or super admin.
- Error Handling: N/A.
- Security Measures: N/A.

3.3 Notifications

3.3.1 View Notifications

- **Function trigger:**
 - Customer: The user clicks on the notification icon.
 - Admin/Super Admin:
 - The administrator clicks on “Notification” on the left sidebar and performs view all notifications action.
 - The administrator clicks on the bell icon at the header bar and clicks “View all” and performs view all notifications action.
- **Function description:** This function allows the user to view all their notifications.
- **Screen layout:**




Figure 32. Customer View Notifications




Figure 33. Admin, Super Admin, Guide View Notifications (1)




Figure 34. Admin, Super Admin, Guide View Notifications (2)

- **Function details:**
 - Preconditions: The user must have logged in.
 - Process:
 - **Customer**
 - The user navigates to the profile screen.
 - The system shows all features of the screen.
 - The user clicks on the notification icon.
 - The system redirects the user to the notification screen and shows all notifications they received.
 - **Admin/Super Admin**
 - The administrator clicks on “Notification” on the left sidebar to navigate to the notification management page.
 - Alternative flow: The administrator clicks on the bell icon at the header bar and clicks “View all” to navigate to the notification management page.
 - The system displays all notifications data in the notifications data table.
 - The system displays all notifications data in the notifications data table.
 - Postconditions: The user viewed all notifications they received.
 - Error Handling: N/A.
 - Security Measures: Only logged-in users with customer roles can fully access these functions.

3.3.2 View Notification Details

- **Function trigger:** The user clicks on a specific notification.
- **Function description:** This function allows the user to view the details of a specific notification.
- **Screen layout:**




Figure 35. View Notification Details

- **Function details:**
 - Preconditions: The user must have logged in.
 - Process:
 - The user navigates to the profile screen.
 - The system shows all features of the screen.
 - The user clicks on the notification icon.
 - The system redirects the user to the notification screen and shows all notifications of them.
 - The user clicks on a specific notification.
 - The system displays details of the notification.
 - Postconditions: The user viewed the details of a notification they selected.
 - Error Handling: N/A.
 - Security Measures: Only logged-in users with customer roles can fully access these functions.

3.3.3 Setting Notification

- **Function trigger:** The user clicks the “Notification” button.
- **Function description:** This function allows the user to turn on or turn off the app’s notifications.
- **Screen layout:**




Figure 36. Setting Notification

- **Function details:**
 - Preconditions: The user must have logged in.
 - Process:
 - The user navigates to the profile screen.
 - The user clicks on the “Notification” button.
 - The system redirects the user to the notification setting screen.
 - The user clicks on the switch button to set the status of the app.
 - The system saves notification status of the app.
 - Postconditions: The user successfully sets the app's status.
 - Error Handling: N/A.
 - Security Measures: Only logged-in users with customer roles can fully access these functions.

3.3.4 Manage Notification

- **Function trigger:**
 - The user clicks on “Notification” on the left sidebar and performs mark as read action.
 - The administrator clicks on the bell icon at the header bar and clicks “View all” and performs mark as read action.
- **Function description:** This function allows users to mark as read notification.

- **Screen layout:**




Figure 37. Manage Notification

- **Function details:**

- Preconditions: The user must have logged in as admin or super admin role.
- Process:
 - The administrator perform mark as read
 - The administrator clicks on "Notification" on the left sidebar to navigate to the notification management page.
 - The system displays all notifications categorized by customer and Admin tabs.
 - The administrator clicks on the "Options" button at a specific unread notification.
 - The administrator clicks on the "Mark as read" option.
 - The system updates the notification status, removes the unread indicator and update the UI.
- Postconditions: Notification management actions are successfully executed.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.3.5 Overview Notification

- **Function trigger:** The user clicks on the bell icon button on the header bar.
- **Function description:** This function allows users to overview unread notifications.
- **Screen layout:**




Figure 38. Overview Notification

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The administrator clicks on the bell icon button on the header bar.
 - The system displays an overview of all unread notifications.
 - Postconditions: Overview unread notifications are successfully executed.
 - Error Handling: N/A.
 - Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.3.6 Filter Notifications

- **Function trigger:**
 - **Filter notifications by status (All/Unread)**
The user clicks on the “All” or “Unread” button.
 - **Filter notifications by user type (Admin/Customer)**
The user clicks on the “Admin” or “Customer” tab.
- **Function description:** This function allows users to filter all notifications by status (All/Unread) and by user type (Admin/Customer).
- **Screen layout:**




Figure 39. Filter Notifications

- **Function details:**

- Preconditions: The user must have logged in as admin or super admin role.
- Process:
 - The administrator clicks on “Notification” on the left sidebar to navigate to the notification management page.
 - Alternative Flow: The administrator clicks on the bell icon at the header bar and clicks “View all” to navigate to the notification management page.
 - The system redirects the administrator to the notification management page.
 - The administrator performs filter notifications by status (All/Unread).
 - The administrator clicks on the “All” button or “Unread” button.
 - The system displays all notifications based on the selected status.
 - The administrator performs filter notifications by user type (Admin/Customer).
 - The administrator clicks on the “Admin” or “Customer” tab.
 - The system displays all notifications based on the selected status.
- Postconditions: Filter notifications actions (filter by status and filter by user type) are successfully executed.
- Error Handling: N/A.

- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.4 Tour Accessing

3.4.1 View Tour's List

- **Function trigger:** The user clicks the “Discover” in the bottom tab.
- **Function description:** This function allows the users to access all original tours available in the system.
- **Screen layout:**




Figure 40. View Tour's List

- **Function details:**
 - Preconditions: N/A
 - Process:
 - The user clicks the “Discover” in the bottom tab to navigate to the discover screen.
 - System displays all available tours for booking.
 - Postconditions:
 - The user can view all available tours for booking.
 - Error Handling: N/A.
 - Security Measures: N/A.

3.4.2 Filter & Search Tours

- **Function trigger:** The user enters searching, filtering fields and clicks the “Apply” button.
- **Function description:** This function allows users to search and filter all tours.
- **Screen layout:**




Figure 41. Filter & Search Tours (1)




Figure 42. Filter & Search Tours (2)




Figure 43. Filter & Search Tours (3)




Figure 44. Filter & Search Tours (4)

- **Function details:**

- Preconditions: N/A
- Process:
 - The user clicks the “Discover” in the bottom tab to navigates to the discover screen.
 - The user enters searching, filtering fields, includes: price, place, duration and dates.
 - System validates all input fields.
 - System display list of filtered tours.
- Postconditions:
 - The user successfully searches and filters the list of all tours.
- Error Handling: N/A.
- Security Measures: N/A.

3.4.3 View Tour’s Detail

- **Function trigger:** The user clicks on a specific tour.
- **Function description:** This function allows users to view tour’s details.
- **Screen layout:**




Figure 45. View Tour's Detail (1)




Figure 46. View Tour's Detail (2)

- **Function details:**
 - Preconditions: N/A.
 - Process:
 - The user navigates to the “Discover” screen.
 - Alternative Flow:
 - The user navigates to the “Wishlist” screen.
 - The user clicks on a specific tour.
 - The system redirects users to the tour details screen.
 - The system displays the details of the tour.
 - Postconditions: The user successfully views the tour's details.
 - Error Handling: N/A.
 - Security Measures: N/A.

3.4.4 View Itinerary

- **Function trigger:** The user clicks on the “See itinerary” button in the tour detail.
- **Function description:** This function allows the user to view the tour's itinerary on a map.
- **Screen layout:**




Figure 47. View Itinerary

- **Function details:**

- Preconditions: N/A.
- Process:
 - The user clicks on a specific tour at the homepage.
 - Alternative Flow:
 - The user clicks on a specific tour at the wishlist.
 - The system shows details of that tour.
 - The user clicks on the “See itinerary” button in the tour detail.
 - The system redirects users to the tour’s itinerary screen.
 - Postconditions: The user views the tour’s itinerary on a map.
 - Error Handling: N/A.
 - Security Measures: N/A.

3.4.5 View Outstanding Tours

- **Function trigger:** The user clicks the “Discover” in the bottom tab.
- **Function description:** This function allows the users to view the top 3 of outstanding tours.
- **Screen layout:**




Figure 48. View Itinerary

- **Function details:**
 - Preconditions: N/A.
 - Process:
 - The user clicks the “Discover” in the bottom tab to navigate to the discover screen and scroll down.
 - System displays the top 3 of outstanding tours.
 - Postconditions:
 - The user can view the top 3 of outstanding tours.
 - Error Handling: N/A.
 - Security Measures: N/A.

3.4.6 View Favorite Tours

- **Function trigger:** The user clicks the “Wishlist” in the bottom tab.
- **Function description:** This function allows the users to view tours they have added to their favorites list.
- **Screen layout:**




Figure 49. View Favorite Tours

- **Function details:**
 - Preconditions: The user must be logged.
 - Process:
 - The user clicks the “Wishlist” in the bottom tab to navigates to the favorite screen.
 - System displays a list of favorite tours they have added.
 - Postconditions:
 - The user can view a list of favorite tours they have added.
 - Error Handling: N/A.
 - Security Measures: N/A.

3.4.7 View Cart Tours

- **Function trigger:** The user clicks the “Cart” in the bottom tab.
- **Function description:** This function allows the user to view the tours they have added to their cart.
- **Screen layout:**




Figure 50. View Cart Tours

- **Function details:**
 - Preconditions: The user must have logged in.
 - Process:
 - The user navigates to the cart screen.
 - The system displays a list of tours they have added to their cart.
 - Postconditions: The user can view a list of tours they have added to their cart.
 - Error Handling: N/A.
 - Security Measures: Only logged-in users with customer roles can fully access these functions.

3.5 Tour Processing

3.5.1 Add Tour To Cart

- **Function trigger:** The user clicks on the “Add to cart” button.
- **Function description:** This function allows users to add tours to his/her cart.
- **Screen layout:**




Figure 51. Add Tour To Cart

- **Function details:**

- Preconditions: The user must have logged in.
- Process:
 - The user clicks on a specific tour at the discover screen.
 - Alternative Flow:
 - The user clicks on a specific tour at Wishlist:
 - The user navigates to the wishlist screen.
 - The system shows tours in the wishlist.
 - The user clicks on a specific tour.
 - The system redirects users to the selected tour details page.
 - The user clicks on the “Check availability” button.
 - The system redirects the user to the “Availability” screen.
 - The user selects the date and participants.
 - The user clicks on the “Add to cart” button.
 - The system redirects the user to the cart screen and shows items in the user’s cart.

- Error Handling: The user selects the number of participants greater or less than the number of slots available in the tour: the system disables the increase or decrease button.
- Security Measures: Only logged-in users with customer roles can fully access these functions.

3.5.2 Add Back To Cart

- **Function trigger:** The user clicks on the “Add back to cart” button.
- **Function description:** This function allows users to add tours again to his/her cart.
- **Screen layout:**




Figure 52. Add Back To Cart

- **Function details:**
 - Preconditions:
 - The user must have logged in.
 - The time to hold a tour in the shopping cart has expired.
 - Process:
 - The user navigates to the cart screen.
 - The system shows all tours in the cart, including holding and expired tours.
 - The user clicks on the “Add back to cart” button of a specific expired tour.

- The system validates the availability of the tour and adds the tour to cart again.
 - Alternative Flow: The system validates the availability of the tour is not available:
 - The system displays notification “Tour is not available” and deletes the tour from the cart.
 - Postconditions: The user adds the tour successfully again to the cart.
 - Error Handling: N/A.
 - Security Measures: Only logged-in users with customer roles can fully access these functions.

3.5.3 Add Tour To Wishlist

- **Function trigger:** The user clicks on the heart icon on the tour card or on the outstanding card or in tour detail.
- **Function description:** This function allows users to add tours to their wishlist.
- **Screen layout:**




Figure 53. Add Tour To Wishlist (1)




Figure 54. Add Tour To Wishlist (2)

- **Function details:**

- Preconditions: The user must have logged in.
- Process:
 - The user clicks on a specific tour at the discover screen.
 - Alternative Flow:
 - The user clicks on a specific tour at Wishlist:
 - The user navigates to the wishlist screen.
 - The system shows tours in the wishlist.
 - The user clicks on a specific tour.
 - The system redirects users to the selected tour details page.
 - The user clicks on the “Check availability” button.
 - The system redirects the user to the “Availability” screen.
 - The user selects the date and participants.
 - The user clicks on the “Add to cart” button.
 - The system redirects the user to the cart screen and shows items in the user’s cart.
 - Error Handling: The user selects the number of participants greater or less than the number of slots available in the tour: the system disables the increase or decrease button.

- Security Measures: Only logged-in users with customer roles can fully access these functions.

3.5.4 Remove Favorite Tours

- **Function trigger:** The user clicks on the heart icon on a specific tour.
- **Function description:** This function allows users to remove a tour from their cart.
- **Screen layout:**




Figure 55. Remove Favorite Tours

- **Function details:**
 - Preconditions:
 - The user must have logged in.
 - The user must have at least one tour in their wishlist.
 - Process:
 - The user navigates to the wishlist screen.
 - The system displays all tours in their wishlist.
 - The user clicks on the heart icon on a specific tour.
 - The system displays a pop-up for the user to confirm the removal tour.
 - The user clicks on the "REMOVE" button.
 - Alternative Flow: The user clicks on the "CANCEL" button: The removal process is canceled.
 - The system removes a selected tour from their wishlist.

- Error Handling: N/A.
- Security Measures: Only logged-in users with customer roles can fully access these functions.

3.5.5 Remove Cart Tours

- **Function trigger:** The user clicks on the trash icon on a specific tour.
- **Function description:** This function allows users to remove a tour from their cart.
- **Screen layout:**




Figure 56. Remove Cart Tours

- **Function details:**
 - Preconditions:
 - The user must have logged in.
 - The user must have at least one tour in their cart.
 - Process:
 - The user navigates to the cart screen.
 - The system displays all tours in their cart.
 - The user clicks on the trash icon on a specific tour.
 - The system displays a pop-up for the user to confirm the removal tour.
 - The user clicks on the "OK" button.
 - Alternative Flow: The user clicks on the "CANCEL" button: The

removal process is canceled.

- The system removes a selected tour from their cart.
- Error Handling: N/A.
- Security Measures: Only logged-in users with customer roles can fully access these functions.

3.6 Ticket Accessing

3.6.1 View Tickets

- **Function trigger:** The user clicks on the “Booking” tab.
- **Function description:** This function allows the user to view all their tickets.
- **Screen layout:**




Figure 57. View Tickets (1)




Figure 58. View Tickets (2)



Figure 59. View Tickets (3)

- **Function details:**
 - Preconditions: The user must have logged in.
 - Process:
 - The user navigates to the booking screen.
 - The system shows all tickets of the user including upcoming, completed, and refunded tickets.
 - Postconditions: The user viewed all their tickets, including upcoming, completed, and refunded tickets.
 - Error Handling: N/A.
 - Security Measures: Only logged-in users with customer roles can fully access these functions.

3.6.2 View Ticket Details

- **Function trigger:** The user clicks on a specific ticket from the “Booking” tab.
- **Function description:** This function allows the user to view a ticket's details.
- **Screen layout:**




Figure 60. View Ticket Details

- **Function details:**
 - Preconditions:
 - The user must have logged in.
 - The user must have at least one ticket.
 - Process:
 - The user navigates to the ticket screen.
 - The system shows all tickets of the user including upcoming, completed, and refunded tickets.
 - The user clicks on the specific ticket.
 - The system shows ticket details.
 - Postconditions: The user viewed details of their selected ticket, including upcoming, completed, and refunded tickets.
 - Error Handling: N/A.
 - Security Measures: Only logged-in users with customer roles can fully access these functions.

3.7 Ticket Processing

3.7.1 Review Tour

- **Function trigger:** The user clicks on the “Review” button.

- **Function description:** This function allows users to send reviews based on transport, service, price quality and gives their feedback to a tour which they have gone on.
- **Screen layout:**




Figure 61. Review Tour (1)




Figure 62. Review Tour (2)

- **Function details:**

- Preconditions:
 - The user must have logged in.
 - The user has booked and gone on at least 1 tour.
- Process:
 - The user navigates to the ticket screen and selects the completed tab.
 - The system displays a list of all completed tours the user has attended.
 - The user clicks on the “Review” button for a specific tour.
 - The system displays a pop-up for user feedback.
 - The user rates the tour based on transport, service, and price quality, provides feedback, and clicks the "Submit" button.
 - The system saves the user's rating and feedback and displays for the user “Thanks for your feedback!” pop-up.
 - The user clicks on the “OK” button on pop-up.
 - The system shows about the average rate of their rating.
- Postconditions: The user successfully rate and feedback tour.
- Error Handling: N/A.
- Security Measures: Only logged-in users with a customer role who have attended at least one tour can fully access these functions.

3.7.2 Update Review Tour

- **Function trigger:** The user clicks on the average rating on a specific tour.
- **Function description:** This function allows users to update reviews based on transport, service, price quality and gives their feedback to a tour which they have gone on.
- **Screen layout:**

The screenshot shows a mobile application interface for updating a tour review. The screen is titled "Ticket" and features a "Review" modal. The modal has a close button (X) and a title "Review". It contains two main sections: "Rate your experience" and "Leave a feedback". Under "Rate your experience", there are three rows: "Transport" with 4 yellow stars and 1 grey star, "Service" with 5 yellow stars, and "Price Quality" with 4 yellow stars and 1 grey star. Under "Leave a feedback", there is a text input field containing the text "Good!". At the bottom of the modal is a red "Submit" button. The background of the app shows a dark header with the word "Ticket" and a bottom navigation bar with three icons.

Figure 63. Update Review Tour

- **Function details:**
 - Preconditions:
 - The user must have logged in.
 - The user has reviewed at least 1 tour.
 - Process:
 - The user navigates to the ticket screen and selects the completed tab.
 - The system displays a list of all completed tours the user has attended.
 - The user clicks on the average rating for a specific tour.
 - The system displays a pop-up for user feedback.
 - The user updates the rating of the tour based on transport, service, and price quality, provides feedback, and clicks the "Submit" button.
 - The system saves the updated rating and feedback and displays a "Thanks for your feedback!" pop-up to the user.
 - The user clicks on the "OK" button on pop-up.

- The system displays the updated average rating based on their review.
- Postconditions: The user successfully rate and feedback tour.
- Error Handling: N/A.
- Security Measures: Only logged-in users with a customer role who have attended at least one tour can fully access these functions.

3.7.3 Send Refund Request

- **Function trigger:** The user clicks on the "Refund" button on a specific upcoming tour at the ticket screen.
- **Function description:** This function allows the user to request a refund for a tour that they have booked.
- **Screen layout:**




Figure 64. Send Refund Request (1)

Ticket

Upcoming Completed Refunded

Tour name: My Tho | Can Tho

Refund Information

Bank Name

MB Bank

Account Number

0865677684

Account Name

NGUYEN VAN HOAI

Cancel Next

Discover Wishlist Cart Booking Profile

Figure 65. Send Refund Request (2)




Figure 66. Send Refund Request (3)




Figure 67. Send Refund Request (4)

- **Function details:**

- Preconditions:
 - The user must be logged.
 - The user must book at least 1 tour.
 - The booking time must not exceed 24 hours from the time of booking.
- Process:
 - The user navigates to the “Booking” screen.
 - The system shows all their tickets, including upcoming, completed, refunded.
 - The user chooses the upcoming tab.
 - The system displays all the upcoming tickets.
 - The user clicks on the “Refund” button of a specific tour.
 - The system displays a pop-up for the user to enter their bank information.
 - After entering the bank information , the user clicks on the “Next” button.
 - Alternative Flow: The user clicks on the “Cancel” button:
 - The refund request is cancelled.
 - The system displays a pop-up for the user to enter their refund reason.
 - After selecting the refund reason (except “Other” option), The user clicks on the “Submit” button.

- Alternative Flow:
 - The user clicks on the “Back” button:
 - Return to entering the bank information step.
 - The user selects the “Other” option:
 - The system displays text input.
 - The user enters their refund reason and clicks on the “Submit” button.
 - The system records the user’s request under pending status and sends a refund request to the admin.
 - The system displays "Your refund request has been submitted and is pending approval." message.
 - Postconditions: The user is refunded the amount they have booked the tour for.
 - Error Handling: The input invalid: Display error and prompt re-entry.
 - Security Measures: Only logged-in users with customer roles can fully access these functions.

3.8 Review Accessing

3.8.1 View Tour Reviews

- **Function trigger:** The user clicks on the "See all reviews" button in the tour detail.
- **Function description:** This function allows users to view all reviews of specific tours.
- **Screen layout:**




Figure 68. View Tour Reviews (1)




Figure 69. View Tour Reviews (2)

- **Function details:**

- Preconditions: N/A
- Process:
 - The user navigates to the tour detail screen.
 - The user clicks on the “See all reviews” button in the tour detail.
 - The system redirect user to the tour’s review screen.
- Postconditions: The user views the list of all reviews in the review screen.
- Error Handling: N/A.
- Security Measures: N/A.

3.8.2 Filter Tour Reviews

- **Function trigger:** The user selects the filter and sort options and clicks the “Apply” button.
- **Function description:** This function allows users to filter and sort all reviews of specific tours.
- **Screen layout:**




Figure 70. Filter Tour Reviews (1)




Figure 71. Filter Tour Reviews (2)

- **Function details:**
 - Preconditions: N/A.
 - Process:
 - The user navigates to the tour detail screen.
 - The user clicks on the “See all reviews” button in the tour detail.
 - The system redirect user to the tour’s review screen.
 - The user selects the filter and sort options and clicks the “Apply” button.
 - The system display list of tour’s review match the filter and sort.
 - Postconditions: The user successfully filter and sort the list of tour’s review.
 - Error Handling: N/A.
 - Security Measures: N/A.

3.9 Booking Processing

3.9.1 Book Tour

- **Function trigger:** The user clicks the “Book Now” button.
- **Function description:** This function allows users to book a specific tour.
- **Screen layout:**




Figure 72. Book Tour (1)

9:45

Payment Progress

We'll hold your spot for 9:37 minutes

Step 1 of 2

Enter your personal details

Check out is fast and secure

Full name *

Hoài Nguyễn văn

Email *

nguyenvanhoai111333@gmail.com

Phone Number *

0123456789

You can request a refund within 24 hours from the time of booking.

Apply promotional codes at checkout to enjoy exclusive discounts.

For any payment-related inquiries, feel free to reach out via [Chat with Us](#) or our [Help Center](#).

₫4000

Total

Go to payment

Figure 73. Book Tour (2)




Figure 74. Book Tour (3)




Figure 75. Book Tour (4)




Figure 76. Book Tour (5)




Figure 77. Book Tour (6)

- **Function details:**

- Preconditions: The user must be logged.
- Process:
 - The user navigates to the discover screen.
 - Alternative Flow:
 - The user clicks on a specific tour at Wishlist.
 - The user clicks on the “Go to checkout” button of a specific tour at the Cart:
 - Continue payment progress.
 - The user clicks on a specific tour.
 - The system redirects users to the tour details screen.
 - The system displays the details of the tour.
 - The user clicks on the “Check availability” button.
 - The system redirects users to the availability screen.
 - The user selects the date and participants.
 - The user clicks on the “Book now” button.
 - The system redirects users to the payment progress screen.
 - Payment progress 1:
 - The user enters information for the payment process.
 - The system validates the user’s information.

- Alternative Flow: The input field(s) is invalid:
 - Display error message and prompt the user to enter again.
- Payment progress 2:
 - The system displays all the confirmed information for the user, including price total, tour information.
 - Alternative Flow: The user use discount:
 - The user clicks on “Enter Discount Code”.
 - The system displays all their active discounts.
 - The user selects a specific discount and clicks on the “Apply” button.
 - The system will display the applied discount and the final price after deducting the discount amount.
 - The user clicks on the “QR Payment” button.
 - The system redirects users to the payment screen.
 - The user successfully made a payment.
 - The system displays a success payment notification and redirects the user to the ticket screen.
- Postconditions:
 - The user goes to the checkout process.
- Error Handling: The input invalid: Display error and prompt re-entry.
- Security Measures: Only logged-in users with customer roles can fully access these functions.

3.9.2 Book Again

- **Function trigger:** The user clicks on the "Book Again" button.
- **Function description:** This function allows users to book a specific tour again.
- **Screen layout:**




Figure 78. Book Again

- **Function details:**

- Preconditions:

- The user must be logged.
- The user must be refunded successfully for at least a tour.

- Process:

- The user navigates to the booking screen.
- The system shows all their tickets, including upcoming, completed and refunded tickets.
- The user clicks on the “Refunded” tab.
- The system shows all refunded tickets.
- The user clicks on the “Book again” button for a specific ticket.
- The system checks the availability of information on the ticket, including date and participation.
 - Alternative Flow: Ticket information cannot be met:
 - The system displays “This tour is not available for booking”.
 - The system redirects to the ticket screen.
- The system redirects to the payment progress screen.

- Postconditions: The user successfully books a tour again and goes to the checkout process.
- Error Handling: N/A.
- Security Measures: Only logged-in users with customer roles can fully access these functions.

3.9.3 Check Availability

- **Function trigger:** The user clicks on the “Check availability” button.
- **Function description:** This function allows users to check availability of A tour.
- **Screen layout:**




Figure 79. Check Availability

- **Function details:**
 - Preconditions: The user must have logged in.
 - Process:
 - The user clicks on a specific tour at the discover screen.
 - Alternative Flow: The user clicks on a specific tour at the wishlist:
 - The user navigates to the wishlist screen.
 - The system displays a list of tours.
 - The user clicks on a specific tour.
 - The system redirects the user to the selected tour details screen.

- The user clicks on the “Check availability” button.
- The system redirects the user to the availability screen.
- The user checks the date and number of participants of the tour.
- Postconditions: The user checked the date and number of participants available for a tour.
- Error Handling:
 - The number of participants entered by the user is greater or less than the number of participants of a tour: the system will not allow the user to continue entering.
- Security Measures:
 - Only logged-in users with customer roles can fully access these functions.

3.9.4 Pay Online

- **Function trigger:** The user clicks the “QR Payment” button.
- **Function description:** This function allows users to make payments for a tour.
- **Screen layout:**




Figure 80. Pay Online (1)



Figure 81. Pay Online (2)




Figure 82. Pay Online (3)

- **Function details:**

- Preconditions:
 - The user must have logged in with the customer role.
- Process:
 - The user clicks on the “QR Payment” button.
 - The system redirects users to the payment screen.
 - The user successfully made a payment.
 - Alternative Flow: The user failed payment:
 - The system redirects the user to a failed payment screen.
 - The system displays a success payment notification and redirects the user to the ticket screen.
- Postconditions:
 - The user successfully processed the payment online for a tour.
- Error Handling: N/A.
- Security Measures:
 - Only logged-in users with customer roles can fully access these functions.

3.10 Discounts Accessing

3.10.1 View Discounts

- **Function trigger:** The user clicks the “Discount” button.
- **Function description:** This function allows the user to view all their discounts.
- **Screen layout:**




Figure 83. View Discounts

- **Function details:**
 - Preconditions: The user must have logged in.
 - Process:
 - The user navigates to the profile screen.
 - The system shows all features of the screen.
 - The user clicks on the “Discounts” button.
 - The system redirects the user to the discount screen and shows all their discounts, including active and expired discounts.
 - Postconditions: The user successfully viewed all their coupons.
 - Error Handling: N/A.
 - Security Measures: Only logged-in users with customer roles can fully access these functions.

3.11 AI Support

3.11.1 Chat With Us

- **Function trigger:** The user clicks the “Chat with us” button.
- **Function description:** This function allows the user to interact with an AI chatbot to get instant assistance, including booking help, travel recommendations, and FAQs.
- **Screen layout:**




Figure 84. Chat With Us

- **Function details:**
 - Preconditions: N/A.
 - Process:
 - The user navigates to the profile screen.
 - The user clicks on the “Chat with us” button.
 - The system redirects the user to the chatbot screen.
 - The user enters their questions or chooses a faq question.
 - The system responds based on the user's questions.
 - Postconditions: The user receives relevant responses or guidance based on their query.
 - Error Handling: N/A.
 - Security Measures: N/A.

3.12 Refund Management

3.12.1 Manage Refund

- **Function trigger:** The user clicks the “Refund” button on the left sidebar.
- **Function description:** This function allows the user to manage refund requests on the system, including viewing the refund list, viewing refund details, and updating refund requests.
- **Screen layout:**




Figure 85. Manage Refund

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The user navigates to the refund management page.
 - View refund list:
 - The system shows a table including refund requests with status (pending, success, failed).
 - View refund details:
 - The user clicks on the “View Details” button at the success tab.
 - Alternative Flow: View refund detail at the failed tab.
 - The system displays refund request details, including refund by, bank name, account number, account name, rejected date/approved date, proof image/failed reason.

- Update refund request:
 - The user clicks on the “Approve” button at the pending tab.
 - Alternative Flow:
 - The user clicks on the “Approve” button at the failed tab.
 - The user clicks on the “Reject” button at the pending tab:
 - The system displays pop-up including reject reasons.
 - The user selects/enters their rejected reason.
 - The user clicks on the “Submit” button.
 - The system saves and updates the refund status to failed.
 - The system displays a pop-up including bank information and proof of transfer image upload button.
 - The user uploads a photo of the successful transfer and clicks on the “Submit” button.
 - Alternative Flow: The user clicks on the “Cancel” button: Cancel the update refund status progress.
 - The system saves and updates the refund status to success.
- Postconditions: Refund request management actions (view, update refund) are successfully executed.
- Error Handling: The input invalid: Display error and prompt re-entry.
- Security Measures: Only logged-in users with admin or super admin roles can fully access these functions.

3.12.1 Search & Filter Refund

- **Function trigger:** The user enters the keyword on the search bar or clicks on the sort by timeline button.
- **Function description:** This function allows the user to filter refund requests on the system, including searching by keyword and sort by date.
- **Screen layout:**




Figure 86. Search & Filter Refund

- **Function details:**


- Preconditions: The user must have logged in as admin or super admin role.
- Process:
 - The user navigates to the refund management page.
 - Search by keyword:
 - The user enters a keyword on the search bar.
 - The system displays filtered refund requests.
 - 3. Sort by timeline:
 - The user clicks on the sort by timeline button to switch two status: newest first and oldest first.
 - The system displays filtered refund requests.
- Postconditions: The user successfully searches and filters the list of all refund requests.
- Error Handling: N/A.
- Security Measures: Only logged-in users with admin or super admin roles can fully access these functions.

3.5 Profile Management

3.5.1 Update Profile

- **Function trigger:**
 - Customer clicks on the "View Profile" button at the header bar.

- Admin and Super Admin click on the “Edit Profile” tab.
- **Function description:** This function allows users to update information of his/her profile.
- **Screen layout:**



← Profile



nguyenvanhoai111333 

First Name

Hoài

Last Name

Nguyễn văn

Email

nguyenvanhoai111333@gmail.com

Phone number

Not added yet

Date of birth (YYYY-MM-DD)

YYYY-MM-DD

Figure 87. Customer Update Profile (1)

nguyenvanhoai111333

First Name

Hoài

Last Name

Nguyễn văn

Email

nguyenvanhoai111333@gmail.com

Phone number

Not added yet

Date of birth (YYYY-MM-DD)

YYYY-MM-DD

Save

Figure 88. Customer Update Profile (2)

Travel NOW

- Dashboard
- Discounts
- Edit Profile**
- Notification
- Refund
- Trash
- Admin List
- Logout

Profile Details **Change Password**

Full Name

First Name: Pham Nam

Last Name: Khanh

Username: khanhadmin123

Date of birth: 17/05/2001

Contact Details

Email: khanhpn31@gmail.com

Phone Number: 0923032156

Save

Figure 89. Admin, Super Admin Update Profile

- **Function details:**
 - Preconditions: The user must have logged in.

- Process:
 - Customer:
 - The customer clicks on the profile avatar.
 - The system shows a profile menu list.
 - The customer navigates to the profile page by clicking on the “View Profile” button.
 - The customer enters information that needs to be updated, including: First Name, Last Name, Email, Phone Number, Date Of Birth.
 - The customer clicks on the “Save” button.
 - The system validates all input fields.
 - Alternative Flow: The input field(s) is invalid:
 - Display failed message.
 - The system displays an update profile message.
 - Admin and Super Admin:
 - They click on the “Edit Profile” tab.
 - They enter information that needs to be updated, including: First Name, Last Name, Email, Phone Number, Date Of Birth.
 - They click on the “Save” button.
 - The system validates all input fields.
 - Alternative Flow: The input field(s) is invalid:
 - Display failed message.
 - The system displays an "Update Success" message.
 - Postconditions: The user successfully updates his/her profile.
 - Error Handling: The input invalid: Display error and prompt re-entry.
 - Security Measures: N/A.

3.5.2 Change Password

- **Function trigger:** The user clicks on the “Change Password” tab.
- **Function description:** This function allows users to change his/her password.
- **Screen layout:**

Change Password

Old Password:

Enter Your Old Password

New Password:

Enter Your New Password

New Password Confirm:

Enter Your New Password Again

Submit

Figure 90. Customer Change Password

Travel NOW

Dashboard

Discounts

Edit Profile

Notification

Refund

Trash

Admin List

Logout

Profile Details

Change Password

Old Password

Enter your old password

Enter Your Current Password

New Password

Enter your new password

Enter Your New Password

Confirm your new password

Confirm Your New Password

Save


Figure 91. Admin, Super Admin Change Password

- **Function details:**
 - Preconditions: The user must have logged in.

- Process:
 - Customer:
 - The customer clicks on the "Profile" tab at the bottom navigation tab to navigate to the profile screen.
 - The customer clicks on the "Change Password" button.
 - The system prompts the customer to enter required information, including old password, new password and confirm new password.
 - The customer clicks the "Save" button.
 - The system validates all input fields.
 - Alternative Flow: The old password is not correct or the confirmed new password does not match with the new password:
 - Display failed message.
 - Return to enter required information step.
 - The system displays "Password changed successfully" and clears data of all fields.
 - Admin and Super Admin:
 - They click on the "Edit Profile" tab.
 - They click on the "Change Password" tab.
 - The system shows a form to input old and new passwords
 - They enter old and new passwords.
 - The system validates old and new passwords.
 - Alternative Flow:
 - The new password do not match with the confirm new password:
 - Display failed message.
 - The old password is not correct:
 - Display failed message.
 - The system displays "Change password successful" and clears data of all fields.
 - Postconditions: The user successfully updates his/her password.
 - Error Handling: The input invalid: Display error and prompt re-entry.
 - Security Measures: Passwords are hashed before being stored in the database.

3.5.3 View Profile

- **Function trigger:**
 - The user open The user Profile Menu List by clicks at The user Profile Avatar and then click "View Profile" button
 - Admin and Super Admin click on the "Edit Profile" tab.
- **Function description:** This function allows users to view their user profile, including their first name, last name, email address, phone number and date of birth.
- **Screen layout:**
 - Customer:



A screenshot of a mobile application's 'Profile' screen. At the top, there is a back arrow and the title 'Profile'. Below this is a purple circular profile picture with a white letter 'H'. Underneath the picture is the username 'nguyenvanhoai111333' followed by an edit icon. The screen contains several input fields for personal information: 'First Name' with the value 'Hoài', 'Last Name' with 'Nguyễn văn', 'Email' with 'nguyenvanhoai111333@gmail.com', 'Phone number' with 'Not added yet', and 'Date of birth (YYYY-MM-DD)' with a placeholder 'YYYY-MM-DD'. The bottom of the screen shows the standard Android navigation bar.

← Profile



nguyenvanhoai111333 

First Name

Hoài

Last Name

Nguyễn văn

Email

nguyenvanhoai111333@gmail.com

Phone number

Not added yet

Date of birth (YYYY-MM-DD)

YYYY-MM-DD

Figure 92. Customer View Profile (1)

A mobile application interface for viewing a customer profile. At the top, there is a purple circular profile picture placeholder and the username 'nguyenvanhoai111333' with an edit icon. Below this, the form contains the following fields: 'First Name' with the value 'Hoài', 'Last Name' with the value 'Nguyễn văn', 'Email' with the value 'nguyenvanhoai111333@gmail.com', 'Phone number' with the value 'Not added yet', and 'Date of birth (YYYY-MM-DD)' with the value 'YYYY-MM-DD'. A blue 'Save' button is positioned at the bottom of the form. The entire screen is framed by a black border, and the bottom of the screen shows a standard Android navigation bar.

nguyenvanhoai111333 ✎

First Name

Hoài

Last Name

Nguyễn văn

Email

nguyenvanhoai111333@gmail.com

Phone number

Not added yet

Date of birth (YYYY-MM-DD)

YYYY-MM-DD

Save

Figure 93. Customer View Profile (2)

- Admin, SuperAdmin:

Travel NOW

- Dashboard
- Gifts & Discounts
- Edit Profile**
- Notification
- Refund
- Trash
- Admin List
- Logout

Profile Details | **Change Password**

Full Name

First Name: kxanhkxkxk | Last Name: kxanhkxkxk

Username: kxanhadmin123 | Date of birth: 04/02/2025

Contact Details

Email: kxanhpn31@gmail.com | Phone Number: 0123456789

Save

Figure 94. Admin, Super Admin View Profile

- **Function details:**
 - Preconditions: The user must have logged in.
 - Process:
 - Customer:
 - The user navigates to the profile screen.
 - The system shows all the features of the user.
 - The user clicks on the “Profile” button.
 - The system shows all the user's information.
 - Admin and Super Admin:
 - They click on the “Edit Profile” tab.
 - The system displays information that needs to be updated, including: First Name, Last Name, Email, Phone Number, Date Of Birth.
 - Postconditions: The user successfully view their profile.
 - Error Handling: N/A.
 - Security Measures: N/A.

3.14 Original Tour Management

3.14.1 Manage Original Tour

- **Function trigger:** The user clicks on “View more” in “Total Original Tours” at the admin dashboard and performs create, view original tour details and soft delete actions.
- **Function description:** This function allows users to create, view original tour details, and soft delete original tours.
- **Screen layout:**




Figure 95. Manage Original Tour (1)




Figure 96. Manage Original Tour (2)




Figure 97. Manage Original Tour (3)




Figure 98. Manage Original Tour (4)




Figure 99. Manage Original Tour (5)

- **Function details:**

- Preconditions: The user must have logged in as admin or super admin role.
- Process:
 - The administrator clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour management page.
 - The system displays all original tours data in the original tour data table.
 - The administrator performs view original tour details.
 - The administrator clicks on the “Options” button of a specific original tour in the original tours data table and clicks on the “View details” option to navigate to the original tour details page.
 - The system displays the original tour details, including tour’s thumbnail, images, title, description, duration, places and journey’s locations.
 - The administrator performs creating a new original tour.
 - The administrator clicks on the plus icon button in the original tours data table.
 - The system prompts the administrator to enter original tour details, including tour’s thumbnail, images, title, description, duration, places and journey’s locations.
 - The administrator clicks on the “Save” button to submit the original tour’s information.
 - The system validates all input fields.
 - Alternative Flow: The input field(s) is invalid:
 - Display failed message.
 - The system creates the new original tour.
 - The administrator performs a soft delete original tour.
 - The administrator checks the radio button of the original tour

that they want to soft delete.

- The administrator clicks on the trash icon button in the original tours data table.
- The system prompts the administrator to confirm the deletion.
 - Alternative Flow: The user clicks on the “Cancel” button:
 - The system redirects the administrator to the original tour’s management page.
 - Alternative Flow: The original tour already has at least 1 subsidiary tour:
 - Display failed message
 - The system redirects the administrator to the original tour’s management page.
- The administrator clicks on the “Delete” button, the data will be moved to trash and update the UI.
 - Postconditions: Original tours management actions (create, view original tour details and soft delete) are successfully executed.
 - Error Handling: N/A.
 - Security Measures: Only logged in users with admin or super admin role can fully access these functions.

3.14.2 View All Original Tours

- **Function trigger:** The user clicks on “View more” in “Total Original Tours” at the admin dashboard and performs view all original tours action.
- **Function description:** This function allows users to view all original tours.
- **Screen layout:**




Figure 100. View All Original Tours

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The administrator clicks on "View more" in "Total Original Tours" at the admin dashboard to navigate to the original tour management page.
 - The system displays all original tours data in the original tour data table.
 - Postconditions: View all original tours action is successfully executed.
 - Error Handling: N/A.
 - Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.14.3 Filter & Search Original Tours

- **Function trigger:**
 - The user clicks on "View more" in "Total Original Tours" at the admin dashboard and performs filter & search original tour action.
 - The user interacts with the search bar or filter button in the "Tours Manage"

section to search for tours by keyword or apply filters based on duration, creation date, and category.

- **Function description:** This function enables the super admin or admin to search for original tours using keywords and apply filters to refine the list of tours. Available filters include minimum and maximum duration, creation date range, and tour category . The results update dynamically in the table.
- **Screen layout:**




Figure 101. Filter & Search Original Tours (1)




Figure 102. Filter & Search Original Tours (2)

- **Function details:**

- Preconditions:

- The user must have logged in with the super admin, admin role.

- Process:

- The user clicks on “View more” in “Total Original Tour” at the admin dashboard to navigate to the original management page and perform search and filter actions.

- Searching Original Tours:

- The administrator enters a keyword .
 - The system filters the current dataset based on the keyword. Matches are case-insensitive and checked against.
 - Alternative Flow:
 - If no subsidiary tour match the keyword
 - Display no data available message.

- Filter Original Tours:

- The administrator clicks the "Filter" button.
 - The system displays the modal with options for filtering.

- Applying Filters in the Modal:

- User opens the filter modal:
 - The administrator clicks the "Filter" button.
 - The system displays the filter modal with options for filtering.
 - User applies filters in the modal:
 - The administrator enters filter criteria.
 - The administrator clicks the "Filter" button to submit the filter configuration.
 - The system processes the filters and the system updates

the filter and closes the modal.

- **Alternative Flow:**
 - If no subsidiary tour match the criteria
 - Display no data available message.
 - Cancel Filter Modal
 - The administrator clicks the "Cancel" button.
 - The system closes the modal without applying any changes to the current data.
- The system updates the tours table to display the filtered and/or searched results.
- **Postconditions:** The user successfully searches and/or filters the original tour list, and the table displays the updated results based on the applied criteria.
- **Error Handling:** N/A.
- **Security Measures:** Only logged in users with super admin, admin role can fully access these functions.

3.14.5 Sort Original Tours

- **Function trigger:**
 - The user clicks on “View more” in “Total Original Tours” at the admin dashboard and performs sort original tours action.
 - The user click on the column title in the original tour data table
- **Function description:** This function allows the super admin or admin to sort the list of original tour displayed in a table by either clicking on a column title. Sorting can be applied in ascending or descending order based on fields such as original, title... The table updates to reflect the sorted data, with visual indicators (e.g., arrows) displayed next to the column title when sorting is applied via column titles.
- **Screen layout:**

SELECT	ORIGINALTOURCODE	TITLE	DURATION	CATEGORY	CREATEDAT	CREATEDBY	ACTION
☐	Og5ZSGUwB	Ho Chi Minh City Tour P...	3	LONG-TRIP	2025-04-02	A12345678	Options
☐	OOXuTYers	Hue Tour Quang Binh D...	4	LONG-TRIP	2025-04-02	A12345678	Options
☐	OliUMsXuv	Tour Da Nang Hoi An B...	3	LONG-TRIP	2025-04-18	A12345678	Options
☐	OFtklyFPf	Tour Ho Chi Minh City H...	4	LONG-TRIP	2025-04-20	A12345678	Options
☐	ODicemJ3D	Nha Trang Tour Diamon...	3	LONG-TRIP	2025-04-20	A12345678	Options

Figure 103. Sort Original Tours

- **Function details:**
 - **Preconditions:**
 - The user must have logged in as super admin, admin role.
 - **Process:**
 - The user clicks on “View more” in “Total Original Tour” at the admin dashboard to navigate to the original tour management page.

- The system displays all original tours data in the original tour data table.
- Initiating Sort:
 - The administrators click on the column title in the data table.
 - The system validates sort.
 - The system displaying sorted results.
- Postconditions: The original tours list is successfully sorted based on the selected column title and order, and the table updates to reflect the new order with a visual sort indicator.
- Error Handling: N/A.
- Security Measures: Only logged in user with super admin, admin role can fully access these functions .

3.14.6 View Original Tour Statistics

- **Function trigger:** The user clicks on “View more” in “Total Original Tours” at the admin dashboard and performs view original tour statistic action.
- **Function description:** This function describes how the user can filter and view data related to original tours through charts, including a Bar Chart and a Pie Chart. The user can select filters such as time periods, tour types, and specific date ranges to display the relevant data.
- **Screen layout:**




Figure 104. View Original Tour Statistics

- **Function details:**
 - **Preconditions:**
 - The user must have logged in as super admin, admin role.
 - **Process:**
 - The administrators clicks on “View more” in “Total original tours ” at the admin dashboard to navigate to the original tour management page.
 - The system displays all original tours data in the original tour data chart.
 - The system displays the charts:
 - Bar chart: Displays the number of tours by type and time period.
 - Pie chart: Displays the distribution of destinations with the top 10 most popular destinations.
 - **Alternative Flow:**
 - **No Data Available:**
 - If no tours match the filters, the system displays "No tour data available for the selected filters" in

the Bar chart and "No destination data available" in the Pie chart.

- Invalid Date Range:
 - If "Start Date" is later than "End Date", the system still processes the filter but may return no results.
- Missing City Data:
 - If city data fails to load, destinations are labeled as "Unknown Location" or raw codes in the Pie chart.
- There is no original tour in database:
 - Display empty message.
- Users can apply filters to view original tour statistics for their preferred dates.:
 - User selects data filters: The user can choose from the following filter.
 - Time Period: The user selects one of the time options (Last 7 days, Last 15 days, Last 30 days) or custom date ranges.
 - Tour Type: The user selects "Adventure", "Long Trip", or "All" to view data for the respective tour types.
 - Total Data Mode: The user can choose to view total tours or data broken down by time period (Day, Week, Month, Year).
- The system receives the filters from the user and filters the original tour data based on the selected criteria. The system calculates the number of tours for each tour type (Adventure, Long Trip) and the distribution of destinations.
 - System displays the charts:
 - Bar Chart: Displays the number of tours by type and time period (if the user has selected one).
 - Pie Chart: Displays the distribution of destinations with the top 10 most popular destinations.
- Postconditions: The user successfully views statistical representations of original tour data based on the applied filters, with charts.
- Error Handling: N/A.
- Security Measures: Only logged in user with super admin, admin role can fully access these functions.

3.14.7 Export Original Tours Data To Excel

- **Function trigger:** The user clicks on file icon in the original tours data table to export original tours data to excel file.

- **Function description:** This function allows users to export original tours data to excel file.
- **Screen layout:**




Figure 105. Export Original Tours Data To Excel (1)

No.	Original Tour Code	Title	Duration	Category	Created At	Created By
1	OloffCgkf	Ho Chi Minh city trip	4 day(s)	LONG-TRIP	2025-04-19	Akm4h67M9
2	OjaXUMz7	Phu Quoc Tour Fishing Snorkeling Sunset Town	3 day(s)	LONG-TRIP	2025-04-06	Akm4h67M9
3	OrT82oUXZ	My Tho Can Tho Cai Rang Floating Market My Khanh Tourist Area Tour	2 day(s)	LONG-TRIP	2025-03-06	Akm4h67M9
4	OGGEE4QHd	"Ho Chi Minh City Tour Con Dao Legendary 302N"	3 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
5	OCH9EShy	Tour TP.HCM Ha Giang Sapa Fansipan	5 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
6	OShJAIGw	Hanoi - Ho Chi Minh City - Con Dao Heroic Land	3 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
7	O0IET8yx	Tour Ho Chi Minh City Ha Giang Dong Van Cao Bang Ban Gioc Waterfall Lang Son Time	5 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
8	OtNWSGfo	Tour Nha Trang Diamond Bay Resort Vinpearl Harbour Cable Car Sleeper Bus	3 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
9	O7N6JxHN	Hue Tour Quang Binh Da Nang Hoi An	4 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
10	O1Q1tSSN	Tra Su Melaleuca Forest Tour Can Tho Check-in at Southern Forest Film Studio	2 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
11	OicCaRoRF	Nam Cat Tien Forest Discovery Tour Orchard Resort	2 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
12	OiEsKiqSa	Da Lat Tour Cau Dat Cloud Hunting Gong Exchange Dapa Hill Tourist Area	3 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
13	OsiBNMoMST	Ta Dung Tour Buon Ma Thuot World Coffee Museum God Valley	3 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
14	Oydm2Kwwe	Phan Thiet Tour Mui Ne Jeep Tour Bau Sen	3 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
15	Osku1ATaw	Nha Trang Tour Coral Bay Vinwonder	3 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
16	OjV80WmGH	Nha Trang Tour Vinpearl Harbour Institute of Oceanography	3 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
17	O0xDfp4Ov	Phan Thiet Tour Mui Ne Jeep Tour Bau Sen	3 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9
18	OgzM97Csl	Tour Ho Chi Minh City Phu Quoc Safari Vinwonders	3 day(s)	LONG-TRIP	2025-03-11	Akm4h67M9

Figure 106. Export Original Tours Data To Excel (2)

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The administrator clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour management page.
 - The system displays all original tours data in the original tour data table.
 - The administrator clicks on file icon in the original tour data table.
 - The system export original tour data to local storage of the administrator computer.
 - Postconditions: The user export account data successfully..
 - Error Handling: N/A.
 - Security Measures: Only logged in user with admin or super admin role can access functions.

3.15 Subsidiary Tour Management

3.15.1 Manage Subsidiary Tour

- **Function trigger:** The user clicks on “View more” in “Total Original Tours” at the admin dashboard, then clicks on the “Options” button at a specific original tour in the original tours data table and clicks on “View subsidiary tours” option to perform create subsidiary tour, view subsidiary tour details and soft delete actions.
- **Function description:** This function allows users to create, view subsidiary tour details, and soft delete subsidiary tours.
- **Screen layout:**




Figure 107. Manage Subsidiary Tour (1)




Figure 108. Manage Subsidiary Tour (2)




Figure 109. Manage Subsidiary Tour (3)

Dashboard

Gifts & Discounts

Edit Profile

Notification

Refund

Trash

Logout

Create Tour

Create type

Replicate Original

Original

Select Original Tour

Tour guide

Select Tour Guide

Upload thumbnail

Click to upload

Upload tour images

Click to upload

Title

Description

Normal

B

I

U

Price

đ0

Slot

Duration

Language

Select Language

Start Date

dd/mm/yyyy

Start Time

Place

Hà Nội

Journey Start

Enter city, place, etc

Journey End

Enter city, place, etc

Locations

Locations

Journey Activities

Enter city, place, etc

Locations

Save

Figure 110. Manage Subsidiary Tour

Dashboard

Gifts & Discounts

Edit Profile

Notification

Refund

Trash

Logout

Tour Details

Upload thumbnail

Upload tour images

Title

Da nang

Description

Normal

B I U

Da nang

Price

\$500,000

Slot

10

Duration

2

Language

Vietnamese

Start Date

31/03/2025

Start Time

07:30 AM

Place

Select Tour Place

Dà Nẵng

Journey Start

Enter city, place, etc

Journey End

Enter city, place, etc

Locations

Location Name

Giay MT, 211, Le Duin, Phuong Hii

Location Activities

Sightseeing

Address

Giay MT, 211, Le Duin, Phuong Hii Choa, Quận Hai Choa, Thành phố Đà Nẵng, 55001, Việt Nam

16.0702289523758, 108.3122679795334

Location Name

Duong Le Dinh Duong, Phuong Ph

Location Activities

Sightseeing

Address

Duong Le Dinh Duong, Phuong Phuc Ninh, Quận Hai Choa, Thành phố Đà Nẵng, 55001, Việt Nam

16.0626772727782, 108.264735793901

Journey Activities

Enter city, place, etc

Locations

Location Name

Hoang Hoa Tham, Phuong Thuc G

Location Activities

Sightseeing

Address

Hoang Hoa Tham, Phuong Thuc Gion, Quận Thanh Khe, Thành phố Đà Nẵng, 55001, Việt Nam

16.0668485416504, 108.2102977009839

Location Name

Tường THCS Kim Đồng, Dương Trĩ

Location Activities

Sightseeing

Address

Tường THCS Kim Đồng, Dương Trĩ Binh Trung, Phường Hải Choa, Quận Hải Choa, Thành phố Đà Nẵng, 55001, Việt Nam

16.06458038912424, 108.2184727892998

Location Name

Tường Thị L, Phuong Hoa Thuân Tc

Location Activities

Sightseeing

Address

Tường Thị L, Phuong Hoa Thuân Toy, Quận Hải Choa, Thành phố Đà Nẵng, 55001, Việt Nam

16.05892223819818, 108.2630101346556

Figure 111. Manage Subsidiary Tour




Figure 112. Manage Subsidiary Tour

- **Function details:**

- Preconditions: The user must have logged in as admin or super admin role.
- Process:
 - The user clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour management page.
 - Alternative Flow: The user clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard to navigate to the total subsidiary tour management page.
 - The administrator performs creating a new subsidiary tour.
 - The administrator clicks on the plus icon button in the tours data table.
 - The administrator clicks on the create type drop down and clicks on the “Replicate Original” option.
 - The system prompts the administrator to enter subsidiary tour details, including tour’s price, date start, language, total slots, start location and end location.
 - The administrator clicks on the “Save” button to submit the subsidiary tour’s information.
 - The system validates all input fields.
 - Alternative Flow: The input field(s) is invalid:
 - Display failed message.
 - The system creates the new subsidiary tour.
 - The administrator performs a view of the subsidiary tour details.
 - The administrator clicks on the “Options” button in the original tours data table and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours management page.
 - The administrator clicks on the “Options” button in the subsidiary tour data table and clicks on the “View details” option

to view the subsidiary tour's details, including tour's thumbnail, images, title, description, duration, places, journey's locations, price, date start, language, total slots, start location and end location.

- The administrator performs a soft delete subsidiary tour.
 - The administrator clicks on the "Options" button in the original tours data table and clicks on the "View subsidiary tours" option to navigate to the subsidiary tours management page.
 - The administrator checks the radio button of the subsidiary tour that they want to soft delete.
 - The administrator clicks on the trash icon button in the subsidiary tours data table.
 - The system prompts the administrator to confirm the deletion.
 - Alternative Flow: The user clicks on the "Cancel" button:
 - The system redirects the administrator to the subsidiary tour's management page.
 - Alternative Flow: The subsidiary tour already has at least 1 booking or has earned revenue:
 - The system redirects the administrator to the subsidiary tour's management page.
 - The administrator clicks on the "Delete" button, the data will be moved to trash and update the UI.
- Postconditions: Subsidiary tours management actions (create, view subsidiary tour details and soft delete) are successfully executed.
- Error Handling: N/A.
- Security Measures: Only logged in users with admin or super admin role can fully access these functions.

3.15.2 View All Subsidiary Tours Of Original Tour

- **Function trigger:** The user clicks on the "View subsidiary tours" option and perform view all subsidiary tours of a original tour action.
- **Function description:** This function allows users to view all subsidiary tours of a original tour.
- **Screen layout:**




Figure 113. View All Subsidiary Tours Of Original Tour (1)




Figure 114. View All Subsidiary Tours Of Original Tour (2)

- **Function details:**

- Preconditions: The user must have logged in as admin or super admin role.
- Process:
 - The administrator clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour management page.
 - The administrator clicks on the “Options” button in the original tours data table and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours management page.
 - The system displays all subsidiary tours data in the subsidiary tour data table.
- Postconditions: View all subsidiary tours of a original tour action is successfully executed.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.15.3 Export Subsidiary Tours Data To Excel

- **Function trigger:** The user clicks on file icon in the subsidiary tours data table to export subsidiary tours data to excel file.
- **Function description:** This function allows users to export subsidiary tours data to excel file.
- **Screen layout:**




Figure 115. Export Subsidiary Tours Data To Excel (1)

No.	Sub Tour Code	Original Tour Code	Title	Duration	Date Start	Date End	Category	Total Slots	Available Slots	Price	Status	Revenue	Created At	Created By
1	SGGWkd7T	OloffCgkf	Ho Chi Minh city trip	4	04:20 2025-04-08	2025-04-10	LONG-TRIP	45	0	1110000d	Completed	12400000d	2025-04-24	Akm4h67M9
2	S2h6mCZdi	OloffCgkf	Ho Chi Minh city trip	4	05:00 2025-03-13	2025-03-13	LONG-TRIP	45	0	990000d	Completed	12314000d	2025-04-11	Akm4h67M9
3	SiT1mpUf	OFVavDV3R	Tay Ninh Tour Ba Den Mountain	1	05:00 2025-03-12	2025-03-12	ADVENTURE	45	45	980000d	Completed	600000d	2025-03-11	Akm4h67M9
4	SdR7gc0S1	OqQccikt	Blue Sea Bombing Tour Explore Long Hai	1	07:00 2025-04-14	2025-04-16	ADVENTURE	40	40	780000d	Completed	14256000d	2025-03-11	Akm4h67M9
5	SOs9HjnkC	OqQccikt	Blue Sea Bombing Tour Explore Long Hai	1	07:00 2025-04-14	2025-04-16	ADVENTURE	35	35	800000d	Completed	N/A	2025-03-11	Akm4h67M9
6	SgOOOmffQ	Os0ZEBQe8	Tour Ho Chi Minh City Phu Quoc Safari Vinwonders Sunset Town	3	06:00 2025-03-17	2025-03-19	LONG-TRIP	45	45	6500000d	Completed	N/A	2025-03-11	Akm4h67M9
7	SH9Efllol	Os0ZEBQe8	Tour Ho Chi Minh City Phu Quoc Safari Vinwonders Sunset Town	3	05:30 2025-03-17	2025-03-19	LONG-TRIP	40	40	6700000d	Completed	N/A	2025-03-11	Akm4h67M9
12	SSpRvg24y	ODCwNWQJf	Tour Ha Tien Phu Quoc Hon Thom	3	08:00 2025-03-16	2025-03-18	LONG-TRIP	30	30	4700000d	Completed	N/A	2025-03-11	Akm4h67M9
13	SQfbxVD2	ODCwNWQJf	Tour Ha Tien Phu Quoc Hon Thom	3	06:00 2025-03-18	2025-03-20	LONG-TRIP	45	45	4500000d	Completed	N/A	2025-03-11	Akm4h67M9
14	S1aK6chzl	OgzM97CsJ	Phan Thiet Tour Mui Ne Jeep Tour Bau Sen	3	07:00 2025-03-27	2025-03-29	LONG-TRIP	45	45	2600000d	Completed	N/A	2025-03-11	Akm4h67M9
15	S8SQCAqgj	OOxDfp4Ov	Nha Trang Tour Vinpearl Harbour Institute of Oceanography	3	07:30 2025-03-19	2025-03-21	LONG-TRIP	30	30	3500000d	Completed	N/A	2025-03-11	Akm4h67M9
16	Sknrcv8E8	OOxDfp4Ov	Nha Trang Tour Vinpearl Harbour Institute of Oceanography	3	07:00 2025-03-28	2025-03-30	LONG-TRIP	40	40	3200000d	Completed	N/A	2025-03-11	Akm4h67M9
17	SqSY6wQZ	OJV80WmGH	Nha Trang Tour Coral Bay Vinwonder	3	06:00 2025-03-04	2025-03-06	LONG-TRIP	40	40	3400000d	Completed	N/A	2025-03-11	Akm4h67M9
18	StYPyeCMv	OJV80WmGH	Nha Trang Tour Coral Bay Vinwonder	3	07:00 2025-03-28	2025-03-30	LONG-TRIP	30	30	3600000d	Completed	N/A	2025-03-11	Akm4h67M9
19	SGsFBxMY1	Osku1ATaw	Phan Thiet Tour Mui Ne Jeep Tour Bau Sen	3	07:00 2025-03-13	2025-03-15	LONG-TRIP	35	35	3500000d	Completed	N/A	2025-03-11	Akm4h67M9
20	SoG6OE3e2	Osku1ATaw	Phan Thiet Tour Mui Ne Jeep Tour Bau Sen	3	06:30 2025-03-23	2025-03-25	LONG-TRIP	45	45	3200000d	Completed	N/A	2025-03-11	Akm4h67M9
21	S3EUvhIWL	Oydm2kvve	Da Lat Tour Tea Resort Prens Waterfall Puppy Farm God Valley	3	19:30 2025-03-13	2025-03-15	LONG-TRIP	40	40	3500000d	Completed	N/A	2025-03-11	Akm4h67M9

Figure 116. Export Subsidiary Tours Data To Excel (2)

- **Function details:**

- Preconditions: The user must have logged in as admin or super admin role.
- Process:
 - The administrator clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour management page.
 - The administrator clicks on the “Options” button in the original tours data table at a specific original tour and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours management page.
 - The administrator clicks on file icon in the subsidiary tour data table.
 - The system export subsidiary tour data to local storage of the administrator computer.
- Postconditions: The user export account data successfully..
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can access functions.

3.16 Total Subsidiary Tour Management

3.16.1 Manage All Subsidiary Tours

- **Function trigger:** The user clicks on “View more” in “Total subsidiary tours” at the admin dashboard and performs view all subsidiary tours and manage subsidiary tours action.
- **Function description:** This function allows users to view all subsidiary tours and manage subsidiary tours.
- **Screen layout:**




Figure 117. Manage All Subsidiary Tours (1)




Figure 118. Manage All Subsidiary Tours (2)

Dashboard

Gifts & Discounts

Edit Profile

Notification

Refund

Trash

Logout

Create Tour

Create type

Replicate Original

Original

Select Original Tour

Tour guide

Select Tour Guide

Upload thumbnail

Click to upload

Upload tour images

Click to upload

Title

Description

Normal

B

I

U

Link

Image

Code

Price

đô

Slot

Duration

Language

Select Language

Start Date

dd/mm/yyyy

Start Time

Place

Hồ Nội

Journey Start

Enter city, place, etc

Journey End

Enter city, place, etc

Locations

Locations

Journey Activities

Enter city, place, etc

Locations

Save

Figure 119. Manage All Subsidiary Tours (3)

Dashboard

Gifts & Discounts

Edit Profile

Notification

Refund

Trash

Logout

Tour Details

Upload thumbnail

Upload tour images

Title

Da nang

Description

Normal

B I U

Da nang

Price

\$500,000

Slot

10

Duration

2

Language

Vietnamese

Start Date

31/03/2025

Start Time

07:30 AM

Place

Select Tour Place

Dà Nẵng

Journey Start

Enter city, place, etc

Journey End

Enter city, place, etc

Locations

Location Name

Giaoy MT, 211, Le Duân, Phường Hải

Location Activities

Sightseeing

Address

Giaoy MT, 211, Le Duân, Phường Hải Châu, Quận Hải Châu, Thành phố Đà Nẵng, 55000, Việt Nam

16.0762289523758, 108.2122679795334

Location Name

Đường Lê Đình Dương, Phường Ph

Location Activities

Sightseeing

Address

Đường Lê Đình Dương, Phường Phước Ninh, Quận Hải Châu, Thành phố Đà Nẵng, 55000, Việt Nam

16.0626172702782, 108.216478793901

Journey Activities

Enter city, place, etc

Locations

Location Name

Hoàng Hoa Thám, Phường Thục G

Location Activities

Sightseeing

Address

Hoàng Hoa Thám, Phường Thục Gián, Quận Thanh Khê, Thành phố Đà Nẵng, 55000, Việt Nam

16.0668485416504, 108.2102927009839

Location Name

Trường THCS Kim Đồng, Dương Trĩ

Location Activities

Sightseeing

Address

Trường THCS Kim Đồng, Đường Trần Bình Trọng, Phường Hải Châu, Quận Hải Châu, Thành phố Đà Nẵng, 55000, Việt Nam

16.06458038902424, 108.2184727809298

Location Name

Trường Thị L, Phường Hòa Thuận T

Location Activities

Sightseeing

Address

Trường Thị L, Phường Hòa Thuận Tây, Quận Hải Châu, Thành phố Đà Nẵng, 55000, Việt Nam

16.05892223819818, 108.2050101546556

Figure 120. Manage All Subsidiary Tours (4)




Figure 121. Manage All Subsidiary Tours (5)

- **Function details:**

- Preconditions: The user must have logged in as admin or super admin role.
- Process:
 - The administrator clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard to navigate to the total subsidiary tours management page.
 - The system displays all subsidiary tours data in the subsidiary tour data table for the user to view all subsidiary tours and manage subsidiary tours.
- Postconditions: View all subsidiary tours and manage subsidiary tours (create, view subsidiary tour details, soft delete) actions are successfully executed.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.16.2 View All Subsidiary Tours

- **Function trigger:** The user clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard and perform view all subsidiary tours action.
- **Function description:** This function allows users to view all subsidiary tours from all original tours.
- **Screen layout:**




Figure 122. View All Subsidiary Tours

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The administrator clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard to navigate to the total subsidiary tours management page.
 - The system displays all subsidiary tours data in the subsidiary tour data table.
 - Postconditions: View all subsidiary tours action is successfully executed.
 - Error Handling: N/A.
 - Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.16.3 View Subsidiary Tour Statistics

- **Function trigger:** The user clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard and performs the view subsidiary tour statistic action.

- **Function description:** This function allows users to visualize statistics of completed subsidiary tours through interactive charts . The user can filter data by time period , date range, tour type, and toggle between total data and detailed breakdowns. The Bar chart displays the number of completed tours over time, while the Pie chart shows the top 10 destinations by percentage, derived from the associated original tour data.
- **Screen layout:**




Figure 123. View Subsidiary Tour Statistics

- **Function details:**
 - Preconditions:
 - The user must have logged in as super admin, admin role.
 - Process:
 - The administrators clicks on “View more” in “Total subsidiary tour ” at the admin dashboard to navigate to the tour management page or clicks on “View more” in “Total original tour ” at the admin dashboard to navigate to the tour management page.
 - The system displays all subsidiary tours data in the subsidiary tour data chart.

- The system displays the charts:
 - Bar Chart: Displays the number of tours by type and time period (if the user has selected one).
 - Pie Chart: Displays the distribution of destinations with the top 10 most popular destinations.
 - Alternative Flow:
 - No Data Available:
 - If no completed tours match the filters or if either data is empty, the system displays "No tour data available for the selected filters" in the Bar chart and "No destination data available" in the Pie chart.
 - Invalid Date Range:
 - If "Start Date" is later than "End Date", the system still processes the filter but may return no results.
 - Missing City Data:
 - If city data fails to load, destinations are labeled as "Unknown Location" or raw codes in the Pie chart.
 - Invalid Tour Data:
 - Tours with missing or invalid warnings logged to the console.
 - Users can apply filters to view subsidiary tour statistics for their preferred dates.
 - User selects data filters: The user can choose from the following filter:
 - Time Period: The user selects one of the time options (Last 7 days, Last 15 days, Last 30 days) or custom date ranges.
 - Tour Type: The user selects "Adventure", "Long Trip", or "All" to view data for the respective tour types.
 - Total Data Mode: The user can choose to view total tours or data broken down by time period (Day, Week, Month, Year).
 - The system receives the filters from the user and filters the original tour data based on the selected criteria. The system calculates the number of tours for each tour type (Adventure, Long Trip) and the distribution of destinations.
 - System displays the charts:
 - Bar Chart: Displays the number of tours by type and time period (if the user has selected one).
 - Pie Chart: Displays the distribution of destinations with the top 10 most popular

destinations.

- Postconditions: The user successfully views statistical representations of completed subsidiary tour data based on the applied filters, with charts.
- Error Handling: N/A.
- Security Measures: Only logged in user with super admin, admin role can fully access these functions.

3.16.4 Filter & Search Subsidiary Tour

- **Function trigger:**
 - Option 1 - Filter & Search Subsidiary Tour
 - The user clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard and perform filter & search subsidiary tour of a original tour action.
 - Option 2 - Filter & Search Subsidiary Tour Of An Original Tour
 - The user clicks on “View more” in “Total Original Tours” at the admin dashboard, then clicks on the “Options” button at a specific original tour in the original tours data table and clicks on “View subsidiary tours” option and perform filter & search subsidiary tour of a original tour action.
- **Function description:** This function allows the super admin or admin to search for subsidiary tours associated with a specific original tour using keywords such as subsidiary tour code, dates, slots, or price. Additionally, it enables the application of filters - including start and end dates, minimum and maximum total slots, price range, tour status and guide language to refine the list of tours displayed in a paginated table. The table updates dynamically based on the search and filter criteria.
- **Screen layout:**




Figure 124. Filter & Search Subsidiary Tour (1)




Figure 125. Filter & Search Subsidiary Tour (2)

- **Function details:**
 - Preconditions:
 - The user must have logged in with the super admin, admin role.
 - Process:
 - **Filter & Search Subsidiary Tour:**
 - The user clicks on “View more” in “Total Subsidiary Tours” to perform filter & search subsidiary tour action.
 - The system displays all subsidiary tours data in the subsidiary tour data table.
 - Searching Subsidiary Tours:
 - The administrator enters a keyword .
 - The system filters the current dataset based on the keyword. Matches are case-insensitive and checked against.
 - Alternative Flow:
 - If no subsidiary tour matches the keyword
 - Display no data available message.
 - Filter Subsidiary Tours:
 - The administrator clicks the "Filter" button.
 - The system displays the modal with options for filtering.
 - Applying Filters in the Modal:
 - User opens the filter modal:
 - The administrator clicks the "Filter" button.
 - The system displays the filter modal with options for filtering.
 - User applies filters in the modal:
 - The administrator enters filter criteria.

- The administrator clicks the "Filter" button to submit the filter configuration.
 - The system processes the filters and the system updates the filter and closes the modal.
 - Alternative Flow:
 - Invalid Filter Input
 - - Display failed message.
 - No Filters Applied
 - - If the administrator clicks "Filter" without entering any values, the system removes all filter criteria and returns all original tour data (subject to search query).
 - Cancel Filter Modal
 - - The administrator clicks the "Cancel" button.
 - - The system closes the modal without applying any changes to the current data.
 - If no subsidiary tour match the criteria or keyword
 - Display no data available message.
 - The system updates the tours table to display the filtered and/or searched results.
- **Filter & Search Subsidiary Tours Of An Original Tour:**
 - The administrators click on "View more" in Total Original Tour" at the admin dashboard to navigate to the Tour management page.
 - The administrators click on "Options" in the table tour original and the click "View Subsidiary Tour" to navigate to the subsidiary tour of an original tour management page.
 - The system displays all subsidiary tours data in the subsidiary tour data table.
 - Searching Subsidiary Tours:
 - The administrator enters a keyword .
 - The system filters the current dataset based on the keyword. Matches are case-insensitive and checked against.
 - Alternative Flow:
 - If no subsidiary tour match the keyword
 - Display no data available message.
 - Filter Subsidiary Tours:
 - The administrator clicks the "Filter" button.
 - The system displays the modal with options for filtering.
 - Applying Filters in the Modal:
 - User opens the filter modal:
 - The administrator clicks the "Filter" button.
 - The system displays the filter modal with options

- for filtering.
- User applies filters in the modal:
 - The administrator enters filter criteria.
 - The administrator clicks the "Filter" button to submit the filter configuration.
 - The system processes the filters and the system updates the filter and closes the modal.
- Alternative Flow:
 - Invalid Filter Input
 - - Display failed message.
 - No Filters Applied
 - - If the administrator clicks "Filter" without entering any values, the system removes all filter criteria and returns all original tour data (subject to search query).
 - Cancel Filter Modal
 - - The administrator clicks the "Cancel" button.
 - - The system closes the modal without applying any changes to the current data.
 - If no subsidiary tour match the criteria or keyword
 - Display no data available message.
- The system updates the tours table to display the filtered and/or searched results.
- Postconditions: The user successfully searches and/or filters the subsidiary tour list, and the table displays the updated results based on the applied criteria.
- Error Handling: N/A.
- Security Measures: Only logged in users with super admin, admin role can fully access these functions.

3.16.5 Sort Subsidiary Tours

- **Function trigger:**
 - Option 1 - Sort Subsidiary Tour: The user clicks on "View more" in "Total Subsidiary Tours" at the admin dashboard.
 - Option 2 - Sort Subsidiary Tour Of A Original Tour: The user clicks on "View more" in "Total Original Tours" at the admin dashboard, then clicks on the "Options" button at a specific original tour in the original tours data table and clicks on "View subsidiary tours" option and perform sort subsidiary tour of a original tour action.
 - The user clicks on the column title in the subsidiary data table.
- **Function description:** the super admin or admin to sort the list of subsidiary tours displayed in a table by either clicking on a column title.
- **Screen layout:**




Figure 126. Sort Subsidiary Tours

- **Function details:**

- Preconditions:

- The user must have logged in as super admin, admin role.
- The table must contain at least one row of subsidiary tour data.

- Process:

- **Sort Subsidiary Tours:**

- The user clicks on “View more” in “Total Subsidiary Tours”.
- The system displays all subsidiary tours data in the subsidiary tour data table.
- The administrators click on the column title in the data table.
- The system validates sort.
- The system displaying sorted results.

- **Sort Subsidiary Tours Of An Original Tour:**

- The administrators click on “View more” in Total Original Tour” at the admin dashboard to navigate to the Tour management page.
- The administrators click on “Options” in the table tour original and the click “View Subsidiary Tour” to navigate to the subsidiary tour of an original tour management page.
- The system displays all subsidiary tours data in the subsidiary tour data table.
- The administrators click on the column title in the data table.
- The system validates sort.
- The system displaying sorted results.

- Postconditions: The subsidiary tours list is successfully sorted based on the selected column title and order, and the table updates to reflect the new order with a visual sort indicator.
- Error Handling: N/A.
- Security Measures: Only logged in user with super admin, admin role can access the function.

3.17 Review Management

3.17.1 Manage Original Tour Reviews

- **Function trigger:** The user clicks on “View more” in “Total Original Tours” at the admin dashboard and performs view all reviews and update feedback actions.
- **Function description:** This function allows users to view all tour reviews and update feedback.
- **Screen layout:**




Figure 127. Manage Original Tour Reviews (1)




Figure 128. Manage Original Tour Reviews (2)




Figure 129. Manage Original Tour Reviews (3)

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The administrator clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour’s management page.
 - The administrator clicks on the “Options” button in the original tours data table and clicks on the “View reviews” option to navigate to the original tour reviews management page.
 - The administrator performs view all reviews.

- The system displays the original tour all reviews data in the review data table.
- The administrator performs update feedback.
 - The administrator checks the radio button of the review that they want to update.
 - The administrator clicks on the trash icon button in the review data table.
 - The system prompts the administrator to confirm the update.
 - Alternative Flow: The user clicks on the “Cancel” button:
 - The system redirects the administrator to the reviews management page.
 - The administrator clicks on the “Delete” button, the feedback will be updated to empty and update the UI.
- Postconditions: Original tour reviews management actions (view all reviews and update feedback) are successfully executed.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.17.2 Manage Subsidiary Tour Reviews

- **Function trigger:** The user clicks on the “View reviews” button at a specific subsidiary tour in the subsidiary tours data table.
- **Function description:** This function allows users to view all tour reviews and update feedback.
- **Screen layout:**




Figure 130. Manage Subsidiary Tour Reviews (1)




Figure 131. Manage Subsidiary Tour Reviews (2)




Figure 132. Manage Subsidiary Tour Reviews (3)

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The administrator clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour management page.
 - Alternative Flow: The administrator clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard to navigate to the total subsidiary tour management page.
 - The administrator clicks on the “Options” button in the original tours

data table at a specific original tour and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours management page.

- The administrator clicks on the “Options” button in the subsidiary tours data table at a specific subsidiary tour and clicks on the “View reviews” option to navigate to the subsidiary tour reviews management page.
- The administrator performs view all reviews.
 - The system displays the subsidiary tour all reviews data in the review data table.
- The administrator performs update feedback.
 - The administrator checks the radio button of the review that they want to update.
 - The administrator clicks on the trash icon button in the review data table.
 - The system prompts the administrator to confirm the update.
 - Alternative Flow: The user clicks on the “Cancel” button:
 - The system redirects the administrator to the reviews management page.
 - The administrator clicks on the “Delete” button, the feedback will be updated to empty and update the UI.
- Postconditions: Subsidiary tour reviews management actions (view all reviews and update feedback) are successfully executed.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.18 Account Management

3.18.1 Manage Customer Accounts

- **Function trigger:** The user clicks on “View more” in “Total Customers” at the admin dashboard and performs create, view, update and soft delete actions.
- **Function description:** This function allows users to create, view, update and soft delete customer account.
- **Screen layout:**




Figure 133. Manage Customer Accounts (1)




Figure 134. Manage Customer Accounts (2)



Dashboard

Discounts

Edit Profile

Notification

Refund

Trash

Admin List

Logout

Create New Customer

Full Name

First Name

Enter First Name

Last Name

Enter Last Name

Contact Details

Email

Enter Email

Phone

Enter Phone

Date of Birth & Gender

Date of Birth

dd/mm/yyyy

Gender

Male

Account Details

Username

Enter Username

Password

Enter Password

Create Customer

Travel

NOV

☰

Dashboard

Discounts

Edit Profile

Notification

Refund

Trash

Admin List

Logout

Profile Details

First name

Pham Nam

Last name

Khanh

Username

khanhpn1109

Date of birth

20/06/2000

Contact Details

Email

khanhpn11@gmail.com

Mobile Phone

0907321044

Save

+

ACTION

View details

View details

View details

View details

View details

2

...

9

>




Figure 137. Manage Customer Accounts (5)




Figure 138. Manage Customer Accounts (6)

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The administrator clicks on “View more” in “Total customers” at the admin dashboard to navigate to the customer management page.
 - The administrator performs creating a new customer account.
 - The administrator clicks on the plus icon button in the customer account data table.
 - The system prompts the administrator to enter customer account details, including first name, last name, username,

- password, email. date of birth, phone number, gender.
- The administrator clicks on the “Save” button to submit the customer account information.
- The system validates all input fields.
 - Alternative Flow: The input field(s) is invalid:
 - Display failed message.
- The system creates the new customer account.
- The administrator performs a view of the customer account details.
 - The administrator clicks on the “View details” option to view the customer account detail include first name, last name, username, email. date of birth, phone number, gender.
- The administrator performs a soft delete customer account.
 - The administrator checks the radio button of the customer account that they want to perform soft delete.
 - The administrator clicks on the trash icon button in the customer accounts data table.
 - The system prompts the administrator to confirm the deletion.
 - The administrator clicks on the “Delete” button, the data will be move to trash and update the UI.
 - Alternative Flow: The user clicks on the “Cancel” button.
 - Close delete confirmation modal.
 - Alternative Flow: Customer have booked tour(s).
 - Display failed message
- The administrator performs an update of the customer account details.
 - The administrator clicks on the “View details” option to view the customer account detail include first name, last name, username, date of birth, phone number, gender.
 - The administrator change the information fields include first name, last name, username, password, mail, phone number, date of birth.
 - The administrator clicks on the “Save” button to submit the customer account information.
 - The system validates all input fields.
 - Alternative Flow: The input field(s) is invalid:
 - Display failed message.
 - The system update the new customer account information.
- Postconditions: The user successfully performs actions on create, view, update and soft delete customer accounts.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.18.2 Manage Guide Accounts

- **Function trigger:** The user clicks on “View more” in “Total Guides” at the admin dashboard and performs create, view, update and soft delete actions.
- **Function description:** This function allows users to create, view, update and soft delete guide account.

- Screen layout:




Figure 139. Manage Guide Accounts (1)

Travel NOW

Create New Guide

Full Name

First Name
Enter First Name

Last Name
Enter Last Name

Contact Details

Email
Enter Email

Phone
Enter Phone

Date of Birth & Gender

Date of Birth
dd/mm/yyyy

Gender
Male

Account Details

Username
Enter Username

Password
Enter Password

Create Guide

Figure 140. Manage Guide Accounts (2)

Travel NOW

Profile Details

First name
Nguyen Minh Tran

Last name
Tu

Username
minhtuguide

Date of birth
07/06/2001

Contact Details

Email
minhtu@gmail.com

Mobile Phone
0945451442

Save

View details

View details

View details

View details

View details

2 3 >

Figure 141. Manage Guide Accounts (3)




Figure 142. Manage Guide Accounts (4)




Figure 143. Manage Guide Accounts (5)

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The administrator clicks on “View more” in “Total Guide” at the admin dashboard to navigate to the guide management page.
 - The administrator performs creating a new guide account.
 - The administrator clicks on the plus icon button in the guide account data table.
 - The system prompts the administrator to enter guide account details, including first name, last name, username, password,

- date of birth, phone number, gender.
 - The administrator clicks on the “Save” button to submit the customer account information.
 - The system validates all input fields.
 - Alternative Flow: The input field(s) is invalid:
 - Display failed message.
 - The system creates the new guide account.
- The administrator performs a view of the guide account details.
 - The administrator clicks on the “View details” option to view the guide account detail include first name, last name, username, email. date of birth, phone number, gender.
- The administrator performs a soft delete guide account.
 - The administrator checks the radio button of the guide account that they want to soft delete.
 - The administrator clicks on the trash icon button in the guide accounts data table.
 - The system prompts the administrator to confirm the deletion.
 - The administrator clicks on the “Delete” button, the data will be move to trash and update the UI.
 - Alternative Flow: The user clicks on the “Cancel” button.
 - Close delete confirmation modal.
 - Alternative Flow: Guide are assigned for subsidiary tour(s).
 - Display failed message
- The administrator performs an update of the guide account details.
 - The administrator clicks on the “View details” option to view the guide account detail include first name, last name, username, email. date of birth, phone number, gender.
 - The administrator change the information fields include first name, last name, username, password, mail, phone number, date of birth.
 - The administrator clicks on the “Save” button to submit the guide account information.
 - The system validates all input fields.
 - Alternative Flow: The input field(s) is invalid:
 - Display failed message.
 - The system updates the guide account information.
- Postconditions: The user successfully performs actions on create, view, update and soft delete guide accounts.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.18.3 Manage Admin Accounts

- **Function trigger:** The user clicks on “Admin List” in left sidebar at the admin dashboard and performs create, view, update and soft delete actions.

- **Function description:** This function allows users to create, view, update and soft delete admin account.
- **Screen layout:**




Figure 144. Manage Admin Accounts (1)

Travel NOW

Dashboard
Discounts
Edit Profile
Notification
Refund
Trash
Admin List
Logout

Create New Admin

Full Name

First Name
Enter First Name

Last Name
Enter Last Name

Contact Details

Email
Enter Email

Phone
Enter Phone

Date of Birth & Gender

Date of Birth
dd/mm/yyyy

Gender
Male

Account Details

Username
Enter Username

Password
Enter Password

Create Admin

Figure 145. Manage Admin Accounts (2)

Travel NOW

Dashboard
Discounts
Edit Profile
Notification
Refund
Trash
Admin List
Logout

Profile Details

First name
Pham Hai

Last name
Dang

Username
dangadmin23

Date of birth
07/02/2025

Contact Details

Email
dangadmin@gmail.com

Mobile Phone
0903621214

Save

Figure 146. Manage Admin Accounts (3)




Figure 147. Manage Admin Accounts (4)




Figure 148. Manage Admin Accounts (5)

- **Function details:**
 - Preconditions: The user must have logged in as super admin role.
 - Process:
 - The administrator clicks on “Admin List” in the left sidebar at the admin dashboard to navigate to the admin management page.
 - The administrator performs creating a new admin account.
 - The administrator clicks on the plus icon button in the admin account data table.
 - The system prompts the administrator to enter admin account details, including first name, last name, username, password,

- email. date of birth, phone number, gender.
- The administrator clicks on the “Save” button to submit the admin account information.
- The system validates all input fields.
 - Alternative Flow: The input field(s) is invalid:
 - Display failed message.
 - The system creates the new customer account.
- The administrator performs a view of the admin account details.
 - The administrator clicks on the “View details” option to view the admin account detail include first name, last name, username, email. date of birth, phone number, gender.
- The administrator performs a soft delete admin account.
 - The administrator checks the radio button of the admin account that they want to soft delete.
 - The administrator clicks on the trash icon button in the admin account data table.
 - The system prompts the administrator to confirm the deletion.
 - The administrator clicks on the “Delete” button, the data will be move to trash and update the UI.
 - Alternative Flow: The user clicks on the “Cancel” button.
 - Close delete confirmation modal.
 - Alternative Flow: The admin are perform action in the system.
 - Display failed message.
- The administrator performs an update of the admin account details.
 - The administrator clicks on the “View details” option to view the admin account detail include first name, last name, username, date of birth, phone number, gender.
 - The administrator change the information fields include first name, last name, username, password, mail, phone number, date of birth.
 - The administrator clicks on the “Save” button to submit the admin account information.
 - The system validates all input fields.
 - Alternative Flow: The input field(s) is invalid:
 - Display failed message.
 - The system updates the admin account.
- Postconditions: The user successfully performs actions on create, view, update and soft delete admin accounts.
- Error Handling: N/A.
- Security Measures: Only logged in user with super admin role can fully access these functions.

3.18.4 View Account Statistic

- **Function trigger:** The user navigates account management to view all customer accounts.

- **Function description:** This function allows users to visualize account statistics through interactive charts (Pie and Bar charts). The user can filter data by date range, time period (day, week, month, year), gender, and toggle between total data and detailed breakdowns.
- **Screen layout:**




Figure 149. View Account Statistic (1)




Figure 150. View Account Statistic (2)




Figure 151. View Account Statistic (3)

- **Function details:**

- Preconditions: The user must have logged in as a super admin, admin role.
- Process:

- **View Admin Statistic :**

- The administrator clicks on “Admin List” at the admin left sidebar to navigate to the admin accounts management page.
 - The system displays all admin accounts data in the admin account data table.
 - The system displays all admin accounts data in the admin account data chart:
 - Bar Chart: Displays the number of accounts by type and time period (if the user has selected one).
 - Pie Chart: Displays the distribution of destinations with age and gender.
 - Alternative Flow
 - There is no admin accounts in the database.
 - The system displays the message.
 - Users can apply filters to view admin account statistics for their preferred dates.
 - The administrator can apply filters to view admin account statistics for their preferred dates.
 - The system displays the filtered admin account data in the guide account data chart.
 - Large Date Range:
 - If the date range exceeds 121 days, the

"View by" dropdown is disabled, and the time period defaults to "Year".

- If the date range exceeds 31 days but is less than 121 days, the "View by" dropdown is restricted, and the time period defaults to "Month"

■ View Guide Statistic :

- The administrator clicks on "View more" in "Total guide" at the admin dashboard to navigate to the guide accounts management page.
- The system displays all guide accounts data in the guide account data table.
- The system displays all guide accounts data in the guide accounts data chart:
 - Bar Chart: Displays the number of accounts by type and time period (if the user has selected one).
 - Pie Chart: Displays the distribution of destinations with age and gender.
 - Alternative Flow
 - There is no guide accounts in the database.
 - The system displays the message.
 - Users can apply filters to view guide account statistics for their preferred dates.
 - The administrator can apply filters to view guide account statistics for their preferred dates.
 - The system displays the filtered guide account data in the guide account data chart.
 - Large Date Range:
 - If the date range exceeds 121 days, the "View by" dropdown is disabled, and the time period defaults to "Year".
 - If the date range exceeds 31 days but is less than 121 days, the "View by" dropdown is restricted, and the time period defaults to "Month".

■ View customer Statistic :

- The administrator clicks on "View more" in "Total customer" at the admin dashboard to navigate to the customer accounts management page.
- The system displays all customer accounts data in the customer account data table.
- The system displays all customer accounts data in the customer accounts data chart:
 - Bar Chart: Displays the number of accounts by type and

- time period (if the user has selected one).
- Pie Chart: Displays the distribution of destinations with age and gender.
- Alternative Flow
 - There is no customer accounts in the database.
 - The system displays the message.
 - Users can apply filters to view customer account statistics for their preferred dates.
 - The administrator can apply filters to view admin account statistics for their preferred dates.
 - The system displays the filtered admin account data in the customer account data chart.
 - Large Date Range:
 - If the date range exceeds 121 days, the "View by" dropdown is disabled, and the time period defaults to "Year".
 - If the date range exceeds 31 days but is less than 121 days, the "View by" dropdown is restricted, and the time period defaults to "Month".
- Postconditions: The user successfully views graphical representations of account data based on the applied filters.
- Error Handling: N/A.
- Security Measures:
 - Only logged in user with super admin role can fully access these functions.
 - Admin role can only export customer and guide accounts.

3.18.5 Filter & Search Account

- **Function trigger:**
 - The user navigates to account management to view filter & search accounts.
 - The user interacts with the search bar or filter button on the account management page to search for accounts by keyword or apply filters based on gender, DOB, account creation date, and birth month.
- **Function description:** This function allows the super admin or admin to search for accounts using keywords. It also enables filtering the account list by gender, date of birth range, account creation date range, and birth month.
- **Screen layout:**




Figure 152. Filter & Search Account (1)




Figure 153. Filter & Search Account (2)




Figure 154. Filter & Search Account (3)

- **Function details:**
 - Preconditions: The user must have logged in as super admin, admin role.
 - Process:
 - **The user perform Filter & Search customer Account:**
 - The administrator clicks on “View more” in “Total customer” at the admin dashboard to navigate to the customer accounts management page.
 - The system displays all customer accounts data in the customer account data table.
 - **The user perform Filter & Search Guide Account:**
 - The administrator clicks on “View more” in “Total guide” at the admin dashboard to navigate to the guide accounts management page.

- The system displays all guide accounts data in the guide account data table.
- **The user logged in as Super Admin role and perform Filter, and Search Admin Accounts:**
 - The administrator clicks on "Admin List" at the admin left sidebar to navigate to the admin accounts management page.
 - The system displays all admin accounts data in the admin account data table.
- With option: User searches for accounts:
 - The administrator enters a keyword into the search bar.
 - The system filters the current dataset based on the keyword. Matches are case-insensitive and checked against.
 - Alternative Flow:
 - If no subsidiary tour match the keyword
 - Display no data available message.
- With option: User filter for accounts:
 - The administrator clicks the "Filter" button.
 - The system displays the filter modal with options for filtering.
 - The administrator enters filter criteria.
 - The administrator clicks the "Filter" button to submit the filter configuration.
 - The system processes the filters. The system updates the filter and closes the modal.
 - Alternative Flow
 - If no subsidiary tour match the criteria
 - Display no data available message.
 - Cancel Filter Modal
 - The administrator clicks the "Cancel" button.
 - The system closes the modal without applying any changes to the current data.
 - The system updates the accounts table to display the filtered and/or searched result.
- Postconditions: The user successfully searches and/or filters the account list, and the table displays the updated results based on the applied criteria.
- Error Handling: N/A.
- Security Measures:
 - Only logged in user with super admin role can fully access these functions.
 - Admin role can only export customer and guide accounts.

3.18.6 Sort Account

- **Function trigger:**
 - The user navigates to account management to view sort accounts.
 - The user clicks on the column title in the data table.
- **Function description:** This function allows the super admin or admin to sort the list of accounts displayed in a table by either clicking on a column title. Sorting can be applied in ascending or descending. The table updates to reflect the sorted data, with

visual indicators (e.g., arrows) displayed next to the column title when sorting is applied via column titles.

- **Screen layout:**




Figure 155. Sort Account (1)




Figure 156. Sort Account (2)




Figure 157. Sort Account (3)

- **Function details:**
 - Preconditions: The user must have logged in as super admin, admin role.
 - Process:
 - **The user perform Filter & Search customer Account:**
 - The administrator clicks on “View more” in “Total customer” at the admin dashboard to navigate to the customer accounts management page.
 - The system displays all customer accounts data in the customer account data table.
 - **The user perform Filter & Search Guide Account:**
 - The administrator clicks on “View more” in “Total guide” at the

admin dashboard to navigate to the guide accounts management page.

- The system displays all guide accounts data in the guide account data table.
- **The user logged in as Super Admin role and perform Filter, and Search Admin Accounts:**
 - The administrator clicks on “Admin List” at the admin left sidebar to navigate to the admin accounts management page.
 - The system displays all admin accounts data in the admin account data table.
 - The administrators click on the column title in the data table.
 - The system validates sort.
 - The system displaying sorted results.
- Postconditions: The account list is successfully sorted based on the selected column title.
- Error Handling: N/A.
- Security Measures:
 - Only logged in user with super admin role can fully access these functions.
 - Admin role can only export customer and guide accounts.

3.18.7 Export Account Data To Excel

- **Function trigger:** The user clicks on file icon in account data table to export account data to excel file.
- **Function description:** This function allows users to export data account to excel file.
- **Screen layout:**
 - **Customer accounts:**




Figure 158. Export Account Data To Excel (1)

AutoSave Off Customers_23-04-2025.xlsx • Saved to this PC

File Home Insert Page Layout Formulas Data Review View Automate Developer Help

Clipboard Font Alignment Number Styles Cells Editing Add-ins

TravelNow Co.,Ltd

No.	Username	Email	Full Name	Phone	Gender	Date of Birth
1	khanhpn1109	khanhpn111@gmail.com	Pham Nam Khanh	0907321044	male	2000-06-20
2	minhntt123	tuanminh123@gmail.com	Tuan Minh	0832006061	male	2000-05-30
3	khanhpn0011	khanhpn2233@gmail.com	Khanh Pham Nam	0907321044	male	2000-06-23
4	khanhpn0123	khanhpn12355@gmail.com	Khanh Pham Nam	0907321044	male	2000-02-26
5	khanhpnpham	namkhanhpham@gmail.com	Nam Khanh Pham	0907321044	male	2000-02-20
6	vanhoangnguyen01	nguyenvanhoai@gmail.com	Van Hoai Nguyen	0903201214	male	2000-06-20
7	danghpam01	danghp@gmail.com	Dang Pham	0903201214	male	2000-02-06
8	danghpam011	danghp1@gmail.com	Dang Hai Pham	0903201214	male	2000-02-06
9	danghpam0114	danghp12@gmail.com	Pham Hai Dang	0903201214	male	2000-02-20
10	danghpam01143	danghp142@gmail.com	Pham Ca Dang	0903201214	male	2000-02-06
11	truongnm123	truongnm123@gmail.com	Truong Nguyen Minh	0903201214	male	2000-06-20
12	truongnm1234	truongnm1234@gmail.com	Truong Nguyen Minh	0903201214	male	2000-02-06
13	truongnm12344	truongnm1234@gmail.com	Truong Nguyen Minh	0903201214	male	2000-12-20
14	tunguyen	tunguyen@gmail.com	Tu Nguyen	0907321044	male	2000-02-20
15	customer123123	khanhhihi123@gmail.com	Khanh Kim Uyen	0909456789	male	2000-02-20
16	nguyenvanan01	nguyenvanan01@gmail.com	Nguyen Van An	0901234567	male	1992-03-15
17	lethithu02	lethithu02@gmail.com	Le Thi Thu	0934567890	female	1995-06-20
18	tranminhtuan03	tranminhtuan03@gmail.com	Tran Minh Tuan	0912345678	male	1990-01-10
19	phanthitam04	phanthitam04@gmail.com	Pham Thi Tam	0923456789	female	1996-12-05
20	buiducanh05	buiducanh05@gmail.com	Bui Duc Anh	0943217890	male	1991-05-28
21	hoangthikhanh06	hoangthikhanh06@gmail.com	Hoang Thi Khanh	0967123456	female	1994-09-17
22	vovanbao07	vovanbao07@gmail.com	Vo Van Bao	0909992233	male	1993-07-30
23	dangthithu08	dangthithu08@gmail.com	Dang Thi Thu	0932001122	female	1997-03-08
24	lequanghuy09	lequanghuy09@gmail.com	Le Quang Huy	0977008899	male	1990-11-22
25	trankhanhlinh10	trankhanhlinh10@gmail.com	Tran Khanh Linh	0911223344	female	1998-08-15
26	nguyenninh	nguyenninh@gmail.com	Nguyen Minh	0912345678	male	1995-08-14
27	tranngoclan	tranngoclan@gmail.com	Tran Ngoc Lan	0987654321	female	1993-12-05
28	phanminhquane	phanminhquane@gmail.com	Pham Minh Quane	0978123456	male	1990-03-21

Customers

Figure 159. Export Account Data To Excel (2)

- Guide accounts:




Figure 160. Export Account Data To Excel (3)

AutoSave Off Guides_23-04-2025.xlsx • Saved to this PC

File Home Insert Page Layout Formulas Data Review View Automate Developer Help

Clipboard Font Alignment Number Styles Cells Editing

Comments Share

R24

TravelNow Co.,Ltd

No.	Username	Email	Full Name	Phone	Gender	Date of Birth
1	minhtuguide	minhtu@gmail.com	Nguyen Minh Tran Tu	0945451442	male	2001-06-07
2	hoai123	nguyenvanhoai1113334@gmail.com	Nguyen Hoai	0921032201	male	2003-06-09
3	minhntt12	MinhTran@gmail.com	Nguyen Tran Tuan	0732156321	male	2000-06-20
4	minhguide	minhnguyenguide@gmail.com	Minh Nguyen Tran Guide	0723010251	male	2000-06-25
5	nguyenvana1	nguyenvana1@gmail.com	Nguyen Van A	0912345678	male	1990-01-15
6	lethib2	lethib2@gmail.com	Le Thi B	0987654321	female	1992-05-22
7	tranvanh3	tranvanh3@gmail.com	Tran Van H	0376543210	male	1988-11-30
8	phanthi4	phanthi4@gmail.com	Pham Thi C	0853214567	female	1995-07-10
9	dangvand5	dangvand5@gmail.com	Dang Van D	0934567890	male	1985-04-18
10	hoangthie6	hoangthie6@gmail.com	Hoang Thi E	0967890123	female	1998-09-25
11	nguyenf7	nguyenf7@gmail.com	Nguyen F	0909090909	male	1993-03-03
12	buihongg8	buihongg8@gmail.com	Bui Hong G	0388888888	female	1991-12-01
13	votranh9	votranh9@gmail.com	Vo Tran H	0812345678	male	1989-06-06
14	doanquy10	doanquy10@gmail.com	Doan Quy I	0707070707	female	1996-08-20

Total guides assigned to 2025-04-23 is 14
This report is created at 2025-04-23

Signatures

Guides

Figure 161. Export Account Data To Excel (4)

○ Admin accounts:




Figure 162. Export Account Data To Excel (5)

No.	Username	Email	Full Name	Phone	Gender	Date of Birth
1	dangadmin123	dangadmin@gmail.com	Pham Hai Dang	0903621214	male	2025-02-07
2	khanhadmin1234	k1235528k43@gmail.com	Khanh Nam Pham	0723051263	male	2002-02-06
3	minhnttadmin	minhnttadmin@gmail.com	Nguyen Tuan Minh	0932065156	male	2000-02-27
4	minhnguyenadmin	minhnguyenadmin@gmail.com	Nguyen Tran Tuan	0832165321	male	2000-06-20
5	phamadmin1	phamadmin1@gmail.com	Pham Admin One	0901122334	female	1985-02-12
6	nguyenthadmin2	nguyenthadmin2@gmail.com	Nguyen Thi Admin Two	0911223344	female	1990-06-24
7	tranadmin3	tranadmin3@gmail.com	Tran Admin Three	0933445566	male	1987-11-05
8	ledmin4	ledmin4@gmail.com	Le Admin Four	0977665544	female	1992-04-18
9	buidmin5	buidmin5@gmail.com	Bui Admin Five	0855123789	male	1989-08-30
10	hoangadmin6	hoangadmin6@gmail.com	Hoang Admin Six	0966543210	male	1994-10-11
11	vuthadmin7	vuthadmin7@gmail.com	Vu Thi Admin Seven	0988888777	female	1991-12-22
12	maiad8	maiad8@gmail.com	Mai Admin Eight	0383999911	female	1993-03-03
13	trinhadmin9	trinhadmin9@gmail.com	Trinh Admin Nine	0709898989	male	1988-05-14
14	doquyadmin10	doquyadmin10@gmail.com	Do Quy Admin Ten	0391234567	male	1986-07-07

Total admins assigned to 2025-04-23 is 14
This report is created at 2025-04-23

Figure 163. Export Account Data To Excel (6)

- **Function details:**

- Preconditions: The user must have logged in as admin or super admin role.
- Process:

- **Export admin accounts - Only for super admin role:**

- The administrator clicks on “Admin List” in the left sidebar at the admin dashboard to navigate to the admin management page.
 - The administrator clicks on file icon.
 - The system export admin accounts and send to local storage on the administrator computer.

- **Export customer accounts:**

- The administrator clicks on “View more” in “Total Customer” at the header statistic in admin dashboard to navigate to the customer accounts management page.
 - The administrator clicks on file icon.
 - The system export customer accounts and send to local storage on the administrator computer.

- **Export guide accounts:**

- The administrator clicks on “View more” in “Total Guide” at the header statistic in admin dashboard to navigate to the guide accounts management page.
 - The administrator clicks on file icon.
 - The system export guide accounts and send to local storage on the administrator computer.

- Postconditions: The user export account data successfully.
- Error Handling: N/A.
- Security Measures:
 - Only logged in user with super admin role can fully access these functions.
 - Admin role can only export customer and guide accounts.

3.18.8 View Guided Tour History

- **Function trigger:** The administrator clicks on “Guided tour” after clicks on “View details” on a specific guide.
- **Function description:** This function allows user view guided tour of a guide..
- **Screen layout:**




Figure 164. View Guided Tour History

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The administrator clicks on the “View details” option to view the guide account detail and clicks on “Guided Tours”.
 - The system display guided tour that guide have been assigned for.
 - Alternative Flow: The data is empty.
 - Display empty icon.
 - Postconditions: The user successfully view all guided tour of a guide.
 - Error Handling: N/A.
 - Security Measures: The user logged in user with super admin or admin role can fully access these functions.

3.18.9 Manage Customer's Ticket Review

- **Function trigger:** The administrator clicks on “Booking History” after clicks on “View details” on a specific customer.

- **Function description:** This function allows users to view customer review for ticket and update feedback.
- **Screen layout:**




Figure 165. Manage Customer's Ticket Review (1)




Figure 166. Manage Customer's Ticket Review (2)




Figure 167. Manage Customer's Ticket Review (3)

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The administrator clicks on the “View details”.
 - The system displays a pop-up, including “User Profile”, “Booking History” and “Change Password” tab.
 - The administrator clicks on “Booking History” tabs to view customer’s booking history.
 - The system display guided tour that guide have been assigned for.
 - Alternative Flow: The data is empty.
 - Display empty icon.
 - The administrator perform view review:
 - The administrator clicks on “View details” button of specific customer’s ticket and choose “View review”.
 - The system display review of ticket include services, transport, quality, feedback of customer.
 - The administrator perform delete feedback:
 - The administrator clicks on “Delete feedback” button.
 - The system update feedback of a review to empty.
 - The system display “No feedback provided”.
 - Postconditions: The user successfully view review of ticket and update feedback.
 - Error Handling: N/A.
 - Security Measures: The user logged in user with super admin or admin role can fully access these functions.

3.18.10 Manage Tickets Of Customer

- **Function trigger:** The user clicks on a “Booking history” tab in customer details.
- **Function description:** This function allows the user to manage tickets of customers.

- Screen layout:




Figure 168. Manage Tickets Of Customer (1)




Figure 169. Manage Tickets Of Customer (2)




Figure 170. Manage Tickets Of Customer (3)




Figure 171. Manage Tickets Of Customer (4)

- **Function details:**
 - Preconditions:
 - The user must have logged in.
 - Process:
 - The user navigates to customer management page.
 - The user clicks on “View details” in a specific customer.
 - The user clicks on “Booking history” tab.
 - The system shows all tickets of the customer account.
 - The user perform view ticket check-in detail of customer.

- The user hover on “View detail” of a specific ticket of customer and clicks on “View check-in detail”.
- The system display ticket check-in detail of ticket.
- Postconditions: The user viewed details of their selected ticket, including upcoming, completed, and refunded tickets.
- Error Handling: N/A.
- Security Measures: Only logged-in users with customer roles can fully access these functions.

3.19 Discount Management

3.19.1 Manage Discount

- **Function trigger:** The user clicks on “Discount” in the left sidebar at the admin dashboard and performs create, view, update and soft delete actions.
- **Function description:** This function allows users to create, view, update and soft delete discounts.
- **Screen layout:**




Figure 172. Manage Discount (1)




Figure 173. Manage Discount (2)




Figure 174. Manage Discount (3)

- **Function details:**
 - Preconditions: The user must have logged in as super admin or admin role.
 - Process:
 - The administrator clicks at the “Discount” tab in the left sidebar to navigate to the discount management page.
 - The system displays all discount data in the discount data table.
 - User performs creating new discount:

- The administrator clicks on the add icon button in the discount data table.
- The system prompts the administrator to enter discount details, including discount price, min total price, discount date start, discount date end, discount slots, discount message, discount code (With the discount code, there are 2 options: include the discount code or click 'Generate Code'.)
- The administrator clicks on the “Create” button to submit the discount information.
- The system validates all input fields.
- The system creates the new discount.
 - Alternative Flow:
 - The input field(s) is invalid:
 - Display failed message.
 - The user clicks on the “Cancel” button:
 - The system redirects the administrator to the discount management page.
- User performs a view a discount:
 - The administrator clicks on the “View detail” button in the discount data table.
 - A modal with the discount information will appear, including discount status, discount price, minimum total price, start date, end date, discount slots, discount message, discount code, and available slots,createBy, updateBy.
- User performs updating discount:
 - The administrator clicks on the “View detail” button in the discount data table.
 - A modal with the discount information will appear, including discount status, discount price, minimum total price, start date, end date, discount slots, discount message, discount code, and available slots,createBy, updateBy.
 - The administrator clicks on the information fields and updates the details.
 - The administrator click on “Update” button.
 - The system validates all input fields.
 - The system updates the new information of the discount.
 - Alternative Flow:
 - The input field(s) is invalid:
 - Display failed message.
 - The user clicks on the “Cancel” button:
 - The system redirects the administrator to the discount management page.
 - If the discount has already been used or the start date has passed.
 - The user will only edit certain fields.
 - If the discount has already been used or the end date has passed.

- The user will not edit fields.
- User performs a soft delete discount:
 - The administrator checks the discount that needs to be deleted and then clicks on the trash icon button in the admin account data table.
 - The system prompts the administrator to confirm the deletion. The administrator clicks on 'Delete' to remove the discount.
 - If confirmed, the data will be move to trash and update the UI.
 - Alternative Flow:
 - The user clicks on the “Cancel” button:
 - The system redirects the administrator to the original tour’s management page.
 - If the discount has already been used or the start date has passed:
 - The system will not allow deletion and will lock it.
 - Postconditions: The user successfully performs actions on create, view, update and soft delete discounts.
 - Error Handling: N/A.
 - Security Measures: Only logged in user with super admin role can fully access these functions.

3.19.2 View All Discount

- **Function trigger:**
 - The user clicks on “Discount ” in the left sidebar at the admin dashboard to view all discount.
- **Function description:** This function allows users to view all discounts.
- **Screen layout:**




Figure 175. View All Discount

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The administrator clicks on “Discount ” in the left sidebar at the admin

dashboard to navigate to the discounts management page.

- The system displays a list of discounts on the table to the administrator.
 - Alternative Flow:
 - There are no admin accounts in the database.
 - Display an empty icon.
 - Postconditions: View all discounts are successfully executed.
 - Error Handling: N/A.
 - Security Measures: Only logged in users with admin or super admin, admin role can fully access these functions.

3.19.3 Filter & Search Discount

- **Function trigger:** The administrator clicks on “Discount” in the left sidebar at the admin dashboard to navigate to the admin management page and The user interacts with the search bar or filter button in the "Discount" section of the admin dashboard to search for discount codes by keyword or apply filters based on price, slots, date range, and active status.
- **Function description:** This function allows the super admin, admin to search for discount codes using keywords and apply filters to narrow down the list of discounts displayed in the table. Filters include minimum and maximum discount price, minimum and maximum discount slots, start and end dates, and active status. The search and filter results are reflected in the table, which supports pagination with 10 rows per page.
- **Screen layout:**




Figure 176. Filter & Search Discount (1)




Figure 177. Filter & Search Discount (2)

- **Function details:**
 - Preconditions:
 - The user must have logged in as a super admin, admin role.
 - Process:
 - The administrators click on “Discount” at the admin left sidebar to navigate to the discounts management page.
 - The system displays a list of all discount data in the original tour data table.
 - User searches for discount:
 - The administrator enters a keyword into the search bar.
 - The system filters the current dataset based on the keyword. Matches are case-insensitive and checked against.
 - Alternative Flow:
 - Empty Search Query:
 - - If the search bar is cleared, the system resets the table to the data before the search, subject to any active filters.
 - If no subsidiary tour match the keyword:
 - Display no data available message.
 - User filter for discount:
 - The administrator clicks the "Filter" button.
 - The system displays the filter modal with options for filtering.
 - The administrator enters filter criteria.
 - The administrator clicks the "Filter" button to submit the filter configuration.

- The system processes the filters.
- Alternative Flow:
 - If no subsidiary tour match the criteria:
 - Display no data available message.
 - Cancel Filter Modal:
 - The administrator clicks the "Cancel" button.
 - The system closes the modal without applying any changes to the current data.
 - The system updates the discount table to display the filtered and/or searched results, paginated with 10 rows per page.
 - Postconditions: The user successfully searches and/or filters the discount list, and the table displays the updated results based on the applied criteria.
 - Error Handling: N/A.
 - Security Measures: Only logged in user with super admin, admin role can fully access these functions.

3.19.4 Sort Discounts

- **Function trigger:**
 - The user clicks on “Discount ” in the left sidebar at the admin dashboard to sort discounts.
 - The user clicks on the column title in the data table.
- **Function description:** This function allows the super admin, admin to sort the list of discount codes displayed in the table by clicking on a column title or using a dedicated sort modal. Sorting can be applied in ascending or descending. The table updates to reflect the sorted data, with visual indicators (arrows) showing the sort direction when sorting via column titles.
- **Screen layout:**

SELECT	DISCOUNT PRICE	DISCOUNT CODE	DATE START	DATE END	DISCOUNT SLOTS	AVAILABLE SLOTS	ACTION
☐	132	27bPFGU5	03/04/2025	04/04/2025	123	123	View details
☐	123123	4UhDxSOZ	29/03/2025	06/04/2025	213	213	View details
☐	123123	54JBVWJG	30/03/2025	03/04/2025	123	123	View details
☐	123	Ok5odUrZ123	13/03/2025	29/03/2025	3123	123	View details
☐	123	JndhGn3C	27/03/2025	31/03/2025	123	123	View details
☐	1	KDn4dF0lv	08/03/2025	15/03/2025	12	12	View details

Figure 178. Sort Discounts

- **Function details:**
 - Preconditions:
 - The user must have logged in as super admin, admin role.

- The table must contain at least one row of discount data (fetched from discount) to enable sorting.
- Process:
 - The administrators clicks on “Discount” at the admin left sidebar to navigate to the discounts management page.
 - The system displays a list of all discount data in the discount data table.
 - The administrators click on the column title in the data table.
 - The system validates sort.
 - The system displaying sorted results.
- Postconditions: The discount list is successfully sorted based on the selected column and order, and the table updates to reflect the new order with visual indicators (for column title sorting).
- Error Handling: N/A.
- Security Measures: Only logged in user with super admin, admin role can access the "Discount" section and perform sorting actions (assumed via context-based authentication).

3.19.5 View Discount Statistics

- **Function trigger:** The user clicks on “Discount ” in the left sidebar at the admin dashboard to view discount statistics.
- **Function description:** This function allows users to view discount statistics.
- **Screen layout:**




Figure 179. View Discount Statistics (1)



user and filters the discount data based on the selected criteria. The system calculates the number of discounts for each discount type and the distribution of destinations.

- System displays the charts:
 - Chart bar 1: Discount Price Distribution:
 - Groups discounts by discountPrice into buckets rounded to the nearest 10.
 - Chart bar 2: Used vs Remaining Slots by Discount Code:
 - Groups filtered data by discountCode.
 - Calculates:
 - Used Slots
 - Remaining Slots
 - Chart bar 3: Used vs Remaining Slots by Time Period:
 - Groups filtered data by the selected time period (day, week, month, year) using discountDateStart.
 - Calculates Used Slots and Remaining Slots for each time period.

■ **View discount statistic based on cost:**

- The administrators clicks on “Discount” at the admin left sidebar to navigate to the discounts management page.
- The system displays all discounts data in the discount data chart bar.
 - Alternative Flow:
 - No Data Available:
 - Display failed message.
 - Users can apply filters to view discounts statistics for their preferred dates.
 - User selects data filters: The user can choose from the following filter:
 - Time Period: The user selects one of the time options.
 - Discount Type: The user selects type to view data for the respective discount types.
 - Total Data Mode: The user can choose to view total discount or

data broken down by time period (Day, Week, Month, Year).

- The system receives the filters from the user and filters the discount data based on the selected criteria. The system calculates the number of discounts for each discount type and the distribution of destinations.
- System displays the charts:
 - Bar Chart: Displays the revenue discount by type and time period.
- Postconditions: The user successfully views discount statistics in a Bar chart, updated dynamically based on the selected filters and time period.
- Error Handling: N/A.
- Security Measures: Only logged in user with super admin, admin role can fully access these functions.

3.20 Ticket Check-in Processing

3.20.1 View Guided Tours

- **Function trigger:** The tour guide navigates to the "Tour Guide Management" page.
- **Function description:** This function allows guides to view tours that they will be leading and check in.
- **Screen layout:**




Figure 181. View Guided Tours

- **Function details:**
 - Preconditions:
 - The user must be logged in as a guide.
 - Process:
 - The tour guide navigates to the "Tour Guide Management" .
 - The system displays to tour guides a list of tours that will be guided by them.

- Postconditions: The tour guide successfully views a list of their guided tours, filtered by the selected time period with pagination if applicable.
- Error Handling: N/A.
- Security Measures: N/A.

3.20.2 Manage Tours Attendance

- **Function trigger:** The user click on specific ticket to perform check in
- **Function description:** This function allows guides to check attendance and record customer information to check in.
- **Screen layout:**

Filter tours by: All Logout

CHECK-IN	TITLE	TICKET REF	FULL NAME	PHONE NUMBER	SLOTS	DATE START
☒	My Tho Can Tho Cai Rang Floating Market My Khan...	TKT-2025-001	Hai Dang	0901234567	1	04/19/2025, 22:30
☐	My Tho Can Tho Cai Rang Floating Market My Khan...	TKT-2025-002	Hai Dang	0901234567	1	04/19/2025, 22:30

SLOT 1

FULL NAME
Full Name

PHONE
Phone

IDENTITY NUMBER
Identity Number

Save

Figure 182. Manage Tours Attendance

- **Function details:**
 - Preconditions: The user must have logged in as a guide role.
 - Process:
 - The tour guide clicks on a specific ticket.
 - The system displays a dropdown for a guide to enter customer information such as: name, phone number, identity number.
 - The guide enters information and clicks the “Save” button.
 - The system updates new information about tickets.
 - Postconditions: The tour guide successfully manages attendance by submitting check-in data for the tour.
 - Error Handling: N/A.
 - Security Measures: N/A.

3.21 Revenue Management

3.21.1 Manage Revenue

- **Function trigger:** The user navigates to the admin dashboard and performs view total revenue and view original tour revenue.
- **Function description:** This function allows admin and super admin to manage tour revenue, including view original tour revenue and view subsidiary tour revenue.
- **Screen layout:**




Figure 183. Manage Revenue

- **Function details:**
 - Preconditions: The user must have logged in with admin or super admin role.
 - Process:

- The administrator navigates to the admin dashboard.
- The system displays 2 charts for the user to view total revenue and view original tour revenue.
- Postconditions: The user successfully view original tour revenue and view subsidiary tour revenue.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.21.1 View Original Tour Revenue

- **Function trigger:** The user navigates to the admin dashboard and performs view original tour revenue.
- **Function description:** This function allows the user to view revenue of an original tour.
- **Screen layout:**




Figure 184. View Original Tour Revenue

- **Function details:**
 - Preconditions: The user must have logged in with admin or super admin role.
 - Process:
 - The administrator navigates to the admin dashboard.
 - The administrator clicks on the original tour list dropdown and selects a specific original tour.
 - The user perform filter revenue based on date range:
 - The administrator selects the start date.
 - The administrator selects the end date.
 - The system filters the subsidiary tours of the selected original tour, including only those with a start date within the selected start date and end date range.
 - The user perform filter revenue based on predefined date ranges:
 - The administrator clicks on the filter dropdown and selects an

option, including 7 days, 15 days and 30 days.

- The system filters the subsidiary tours of the selected original tour, including only those with a start date within the calculated date range.
 - The system calculates and displays the total revenue of the original tour in the chart.
- Postconditions: The user successfully view original tour revenue.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.21.3 View Total Revenue

- **Function trigger:** The user navigates to the admin dashboard and performs view total revenue.
- **Function description:** This function allows the user to view revenue of all original tours.
- **Screen layout:**




Figure 185. View Total Revenue

- **Function details:**
 - Preconditions: The user must have logged in with admin or super admin role.
 - Process:
 - The administrator navigates to the admin dashboard.
 - The administrator perform filter revenue based on date range:
 - The administrator selects the start date.
 - The administrator selects the end date.
 - The system filters the original tours, including only those that have revenue within the selected start date and end date range.

- The administrator perform filter revenue based on predefined date ranges:
 - The administrator clicks on the filter dropdown and selects an option, including 7 days, 15 days and 30 days.
 - The system filters the original tours, including only those that have revenue within the calculated date range.
- The system calculates and displays the total revenue in the chart.
- Postconditions: The user successfully views total revenue.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.22 Trash Management

3.22.1 Manage Trash

- **Function trigger:** The administrator clicks on the “Trash” tab on the left sidebar and performs restore, hard delete and filter trash actions.
- **Function description:** This function allows users to restore, hard delete and filter trash.
- **Screen layout:**




Figure 186. Manage Trash

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The user clicks on the “Trash” tab on the left sidebar to navigate to the trash management page and perform restore, hard delete and filter trash.

- Postconditions: Trash management action (view all trash) is successfully executed.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.22.2 Search Trash

- **Function trigger:** The administrator clicks on the “Trash” tab on the left sidebar and performs search for trash of original tours, sub-tours, discounted tours, and accounts action.
- **Function description:** This function allows users to search for trash of original tours, sub-tours, discounted tours, and accounts.
- **Screen layout:**




Figure 187. Search Trash (1)




Figure 188. Search Trash (2)

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The user clicks on the “Trash” tab on the left sidebar to navigate to the trash management page.
 - The administrator clicks on the dropdown menu at the top of the trash management page and selects the desired option.
 - The system displays removed items categorized by type in the data table.
 - The administrator enters a keyword into the search bar.
 - The system filters the current dataset based on the keyword. Matches are case-insensitive and checked against.
 - Alternative Flow
 - The user logged in as admin:
 - The system will not display removed accounts with the "Admin" role.
 - If no subsidiary tour match the keyword
 - Display no data available message.
 - Postconditions: Search trash is successfully executed.
 - Error Handling: N/A
 - Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.22.3 Sort Trashes

- **Function trigger:** The administrator clicks on the “Trash” tab on the left sidebar and performs sort for trash of original tours, sub-tours, discounted tours, and accounts action.

- **Function description:** This function allows users to sort for trash of original tours, sub-tours, discounted tours, and accounts.
- **Screen layout:**




Figure 189. Sort Trashes (1)




Figure 190. Sort Trashes (2)

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:

- The user clicks on the “Trash” tab on the left sidebar to navigate to the trash management page.
- The administrator clicks on the dropdown menu at the top of the trash management page and selects the desired option.
- The system displays removed items categorized by type in the data table.
- The administrators click on the column title in the data table.
- The system validates sort.
- The system displaying sorted results.
- Postconditions: Sort trash is successfully executed.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.22.5 Restore

- **Function trigger:** The administrator clicks on the “Trash” tab on the left sidebar and performs restore action.
- **Function description:** This function allows users to restore removed items, including original tours, subsidiary tours, discount and account.
- **Screen layout:**




Figure 191. Restore (1)




Figure 192. Restore (2)

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The user clicks on the “Trash” tab on the left sidebar to navigate to the trash management page.
 - The user filter trash by type.
 - The user checks the radio button of the item they want to perform an action on.
 - The user clicks on the restore icon.
 - The system restores the selected item and updates the UI.
 - Postconditions: Restore removed items is successfully executed.
 - Error Handling: N/A.
 - Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.22.6 Hard Delete

- **Function trigger:** The administrator clicks on the “Trash” tab on the left sidebar and performs hard delete action.
- **Function description:** This function allows users to hard delete removed items, including original tours, subsidiary tours, discount and account.
- **Screen layout:**




Figure 193. Hard Delete (1)




Figure 194. Hard Delete (2)

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The user clicks on the “Trash” tab on the left sidebar to navigate to the trash management page.
 - The user filter trash by type.
 - The administrator checks the radio button of the item they want to perform an action on.
 - The administrator clicks on the trash icon.

- The system prompts the administrator to confirm the hard deletion.
 - Alternative Flow: The administrator clicks on “Cancel” button.
 - The system redirects the administrator to the trash management page.
- The system permanently delete the item and updates the UI.
- Postconditions: Hard delete items is successfully executed.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.22.7 Filter Trash By Type

- **Function trigger:** The administrator clicks on the “Trash” tab on the left sidebar and performs filter trash by type action.
- **Function description:** This function allows users to filter trash by type, including original tours, subsidiary tours, discount and account.
- **Screen layout:**




Figure 195. Filter Trash By Type

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The user clicks on the “Trash” tab on the left sidebar to navigate to the trash management page.
 - The administrator clicks on the dropdown menu at the top of the trash management page and selects the desired option, including original tours, subsidiary tours, discount and account.
 - The system displays removed items filtered by type in the data table.
 - Alternative Flow: The user logged in as admin
 - The system will not display removed accounts with the admin role.

- Postconditions: Filter trash by type action is successfully executed.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.23 Ticket Management

3.23.1 View All Tour Tickets

- **Function trigger:** The user clicks on the “View tickets” button and perform view all tour tickets.
- **Function description:** This function allows users to view all tour tickets.
- **Screen layout:**




Figure 196. View All Tour Tickets

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The user clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour’s management page.
 - Alternative flow: The administrator clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard to navigate to the subsidiary tours management page.
 - The administrator clicks on the “Options” button in the subsidiary tours data table and clicks on the “View tickets” option to navigate to the tickets management page.
 - The system displays all tickets data in the ticket data table.
 - The administrator clicks on the “Options” button in the original tours

data table and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours management page.

- The administrator clicks on the “Options” button in the subsidiary tours data table and clicks on the “View tickets” option to navigate to the tickets management page.
- The system displays all tickets data in the ticket data table.
- Postconditions: View all tour tickets is successfully executed.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.23.2 View Ticket Check-in Details

- **Function trigger:** The user clicks on the “View check-in details” button and perform view ticket check-in details.
- **Function description:** This function allows users to view ticket check-in details.
- **Screen layout:**




Figure 197. View Ticket Check-in Details

- **Function details:**
 - Preconditions: The user must have logged in as admin or super admin role.
 - Process:
 - The user clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour’s management page.
 - Alternative flow: The administrator clicks on “View more” in “Total Subsidiary Tours” at the admin dashboard to navigate to the subsidiary tours management page.
 - The administrator clicks on the “Options” button in the

subsidiary tours data table and clicks on the “View tickets” option to navigate to the tickets management page.

- The system displays all tickets data in the ticket data table.
 - The administrator clicks on the “Options” button at a specific ticket in the tickets data table and clicks on the “View check-in details” option to navigate to the ticket check-in details page.
 - The system displays ticket check-in details in the modal.
- The administrator clicks on the “Options” button in the original tours data table and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours management page.
- The administrator clicks on the “Options” button in the subsidiary tours data table and clicks on the “View tickets” option to navigate to the tickets management page.
- The system displays all tickets data in the ticket data table.
- The administrator clicks on the “Options” button at a specific ticket in the tickets data table and clicks on the “View check-in details” option.
- The system displays ticket check-in details in the modal.
- Postconditions: View ticket check-in details are successfully executed.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin roles can fully access these functions.

3.22.2 Search Tickets

- **Function trigger:** The user clicks on the “View check-in details” button and performs a search for tickets.
- **Function description:** This function allows users to search for tickets.
- **Screen layout:**




Figure 198. Search Tickets

- **Function details:**

- Preconditions: The user must have logged in as admin or super admin role.
- Process:
 - The user clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour’s management page.
 - The administrator clicks on the “Options” button of a specific original tour in the original tours data table and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours management page.
 - The administrator clicks on the “Options” button of a specific subsidiary tour in the subsidiary tours data table and clicks on the “View tickets” option to navigate to the tickets management page.
 - The system displays all tickets data in the ticket data table.
 - The administrator enters a keyword into the search bar.
 - The system filters the current dataset based on the keyword. Matches are case-insensitive and checked against.
 - Alternative Flow
 - If no subsidiary tour match the keyword
 - Display no data available message.
- Postconditions: Search ticket is successfully executed.
- Error Handling: N/A
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

3.22.3 Sort Tickets

- **Function trigger:** The user clicks on the “View check-in details” button and performs a sort for ticket.
- **Function description:** This function allows users to sort for tickets.
- **Screen layout:**




Figure 199. Sort Tickets

- **Function details:**

- Preconditions: The user must have logged in as admin or super admin role.
- Process:
 - The user clicks on “View more” in “Total Original Tours” at the admin dashboard to navigate to the original tour’s management page.
 - The administrator clicks on the “Options” button of a specific original tour in the original tours data table and clicks on the “View subsidiary tours” option to navigate to the subsidiary tours management page.
 - The administrator clicks on the “Options” button of a specific subsidiary tour in the subsidiary tours data table and clicks on the “View tickets” option to navigate to the tickets management page.
 - The system displays all tickets data in the ticket data table.
 - The administrators click on the column title in the data table.
 - The system validates sort.
 - The system displaying sorted results.
- Postconditions: Sort ticket is successfully executed.
- Error Handling: N/A.
- Security Measures: Only logged in user with admin or super admin role can fully access these functions.

4. Non-Functional Requirements

4.1 External Interfaces

a. User Interfaces

UI-1: Users can use the bottom tab to move to the screen they want.

UI-2: Users can easily check their information by tapping the profile icon on the bottom tab.

b. Software Interfaces

SI-1: TravelNow: Discover Your Next Destination

SI-1.1: TravelNow is designed to operate as a mobile application platform.

SI-1.2: TravelNow is integrated as a system to support travel service providers in managing tour availability and assist travel enthusiasts in discovering and booking tours seamlessly.

SI-1.3: TravelNow fosters a community of travelers by enabling interaction through feedback.

SI-1.4: TravelNow ensures smooth performance across popular mobile platforms, including Android.

c. Hardware Interfaces

TravelNow has no external hardware interfaces.

d. Communications Interfaces

CI-1: TravelNow connects the Business Logic Layer and Presentation Layer through HTTP Request and HTTP Response protocols.

4.2 Quality Attributes

4.2.1 Usability

USE-1: Travel Now provides a user-friendly interface across both the website and mobile application, enabling customers to easily search for and book tours through clear icons and an intuitive navigation system.

USE-2: The system facilitates automated availability checks, booking confirmations, and seamless online payments, ensuring a smooth and efficient user experience.

USE-3: Travel Now empowers administrators with the ability to manage tour listings, schedules, and revenue while overseeing and assigning user roles within the system, thereby optimizing operational workflows.

USE-4: Travel Now integrates artificial intelligence (AI) to provide personalized tour recommendations based on images or multiple selection criteria, enhancing the decision-making process for customers.

USE-5: Tour guides can efficiently check in participants using the web application, enabling streamlined customer management and expediting the verification process at destinations.

USE-6: The system offers promotional code management, allowing tour operators to attract more customers and enhance marketing effectiveness.

4.2.2 Reliability

RE-1: Travel Now ensures a Mean Time Between Failures (MTBF) of at least 24 hours, maintaining system stability and continuous service availability.

RE-2: In the event of system failures, the Mean Time To Repair (MTTR) does not exceed 2 hours, minimizing service disruptions.

RE-3: Travel Now guarantees an uptime of over 95%, ensuring consistent and reliable access for users.

RE-4: The platform employs automated data backup mechanisms to safeguard customer information, booking details, and transactions, thereby mitigating data loss risks.

RE-5: Travel Now adheres to stringent security standards, ensuring the protection of personal and payment information against cybersecurity threats.

RE-6: The system is designed with scalable architecture, capable of handling high user and transaction volumes without compromising performance.

4.2.3 Performance

System response time:

- Time to press the button has an average delay of 2 seconds, the maximum delay is 5 seconds.
- The response time to switch pages in the system has an average delay of 1 seconds, the maximum the delay is 3 seconds.
- Time to automatically update data with an average delay of 2 seconds.

Our non-functional system performance criteria are as follows:

- The number of users accessing the web at the same time is 300 people.
- The peak usage time will be from 8:00 A.M. to 5:00 P.M. local time, with the server operating stably and ensuring high traffic.

5. Requirement Appendix

5.1 Business Rules

Table 19. Business Rules

ID	Rule Definition
BR-01	Email must have a valid format (containing the character @ and domain such as .com, .vn).
BR-02	The password must be at least 8 characters long, including uppercase, lowercase letters, numbers, and special characters.
BR-03	The username must be between 3 and 20 characters, and cannot contain special characters.
BR-04	Only users who have participated in the tour can rate the tour.
BR-05	Ratings must include a score from 1 to 5 and content with at least 10 characters.
BR-06	Users cannot rate a subsidiary tour more than once.
BR-07	Refund requests will only be accepted after the payment is completed within 24 hours.
BR-08	Refunds can only be made through the original payment method.
BR-09	Phone numbers must be 10 digits long, starting with valid prefixes (e.g., 09, 03).

BR-10	The address must be at least 5 characters long and cannot contain special characters.
BR-11	The new password must be at least 8 characters long, including uppercase, lowercase letters, numbers, and special characters.
BR-12	Users must enter the current password correctly to confirm the change password .
BR-13	The user needs to log in to their email to retrieve the OTP code for verification when performing the forgot password function.
BR-14	Users must log in to use all the functions of the website or app.
BR-15	The number of participants must be between 1 and the remaining available spots for the tour.
BR-16	Booking a tour can only be made if the tour is still open for registration and has not expired.
BR-17	Users cannot book a tour that is fully booked or has been canceled.
BR-18	The system only accepts payments via supported e-wallets.
BR-19	The reservation will be held for 10 minutes after adding to the cart; after that, it will be canceled if not confirmed.
BR-20	The total time for completing the checkout process is 10 minutes; after that, it will automatically exit the process and return to the Discover page.
BR-21	After successful payment, the system will send a confirmation email to the user.
BR-22	Email must be unique in the system, not duplicated with an existing account.
BR-23	The account can only be soft-deleted if no tour has been booked.
BR-24	After soft deletion, the account cannot be logged in, but the data will be retained.
BR-25	The guide account can only be soft-deleted if no tour is assigned to it.
BR-26	A higher level account can perform account updates using a lower level account.
BR-27	Refund requests must be processed within 45 days.
BR-28	Refund request status can only be updated from "Pending" to "Successful" or "Rejected".

BR-29	When updating the status, the system must send a notification to the user.
BR-30	Admins can manage responses if they violate policies.
BR-31	A subsidiary tour must belong to an existing original tour.
BR-32	Discounts must have valid start and end dates.
BR-33	The discount price must be smaller than the minimum ticket price.
BR-34	Each ticket can only have one active discount code at a time.
BR-35	A discount code cannot be updated once it has been used by a user.
BR-36	A discount code can only be soft-deleted if it has not been used by anyone or has expired.
BR-37	Only admins and super admins have the rights to manage the trash.
BR-38	A subsidiary tour can only be permanently deleted if there is no past revenue.
BR-39	An original tour can only be permanently deleted if there are no subsidiary tours.
BR-40	Attendance can only be taken on the day the tour takes place.
BR-41	The guide must confirm attendance by checking in and filling in the required information.
BR-42	Admins and guides must be at least 18 years old.

5.2 Application Messages List

Table 20. Application Messages List

#	Message code	Message Type	Context	Content
1	MSG01	In red, under the text box	A valid email is required.	<i>This is not a valid email.</i>

2	MSG02	In red, under the text box	Password is required.	<i>The password field is required.</i>
3	MSG03	In red, under the text box	Password must be from 6 characters.	<i>The password must be from 6 characters.</i>
4	MSG04	In red, under the text box	New password must be different from old password.	<i>The new password must be different from the old password.</i>
5	MSG05	In red, under the text box	Passwords do not match.	<i>The password and re-enter password must match.</i>
6	MSG06	In red, under the text box	Fill in all bank information fields.	<i>The bank information fields must be fill.</i>
7	MSG07	In red, under the text box	Account Number must contain only digits.	<i>Account Number must contain only digits.</i>
8	MSG08	In red, under the text box	First name is required.	<i>The first name is required.</i>
9	MSG09	In red, under the text box	Last name is required.	<i>The last name is required.</i>
10	MSG10	In red, under the text box	Phone number must be 10 digits and start must be 0.	<i>The phone number must be 10 digits and start must be 0.</i>
11	MSG11	In red, under the text box	User not loaded or invalid. Please try again.	<i>The user does not exist in the system.</i>
12	MSG12	In red, under the text box	Old password must be from 6 characters.	<i>The old password must be from 6 characters.</i>
13	MSG13	In red, under the text box	New password must be from 6 characters.	<i>The new password must be from 6 characters.</i>
14	MSG14	Toast Messages	Password changed successfully.	<i>A confirmation password has been changed.</i>
15	MSG15	Toast Messages	Are you sure you want to remove this tour from cart?	<i>a confirmation that the user wants to perform a removal tour from cart.</i>

16	MSG16	In line	We'll hold your spot for {timeLeft} minutes.	<i>A confirmation hold slot for {timeLeft} minutes.</i>
17	MSG17	In line	We can only hold your spot for 10 minutes.	<i>A confirmation hold slot for 10 minutes.</i>
18	MSG18	In line	Not enough available slots.	<i>Notification not enough slots.</i>
19	MSG19	Toast Messages	Your booking for {tourName} has been confirmed.	<i>A confirmation user booking.</i>
20	MSG20	Toast Messages	Are you sure you want to request a refund for this ticket?	<i>A confirmation refund request from user.</i>
21	MSG21	Toast Messages	Your refund request has been submitted and is pending approval.	<i>A confirmation request has been submitted and is pending approval.</i>
24	MSG24	Toast Messages	Thank you for your review.	<i>A notification user has review success.</i>
25	MSG25	In line	No coupons available.	<i>A notification there is no coupons.</i>
26	MSG26	Toast Messages	Profile updated successfully.	<i>A notification profile has update success.</i>
27	MSG27	Toast Messages	Something went wrong. Please try again.	<i>A notificaton user not exist.</i>
28	MSG28	Toast Messages	Wrong email or password. Please try again!	<i>Wrong email or password. Please try again!</i>
29	MSG29	Toast Messages	Failed when fetch admin accounts.	<i>Failed to fetch admins.</i>
30	MSG30	Toast Messages	Update account.	<i>Update account successfully.</i>
31	MSG31	Toast Messages	Email already exists.	<i>Email already exists. Please use a different email.</i>
32	MSG32	Toast Messages	Failed to update account.	<i>Failed to update account. Please try again.</i>
33	MSG33	Toast Messages	Click icon trash but don't select the item admin account.	<i>Please select at least one admin to delete.</i>
34	MSG34	Toast Messages	Soft deleted admin.	<i>Selected admins soft deleted successfully.</i>

35	MSG35	Toast Messages	Failed to soft delete admin.	<i>Failed to soft delete admins. Please try again.</i>
36	MSG36	Toast Messages	Failed to fetch customers.	<i>Failed to fetch customers.</i>
37	MSG37	Toast Messages	Update account.	<i>Account updated successfully.</i>
38	MSG38	Toast Messages	Email already exists.	<i>Email already exists. Please use a different email.</i>
39	MSG39	Toast Messages	Failed to update account.	<i>Failed to update account. Please try again.</i>
40	MSG40	Toast Messages	Click icon trash but don't select the item customer.	<i>Please select at least one customer to delete.</i>
41	MSG41	Toast Messages	Failed to delete a customer.	<i>Failed to delete a customer.</i>
42	MSG42	Toast Messages	Soft deleted customer.	<i>Selected customer soft deleted successfully.</i>
43	MSG43	Toast Messages	Soft deleted customer.	<i>Customers have booking tour. Can not delete!</i>
44	MSG44	Toast Messages	Discount restored.	<i>Discount restored successfully.</i>
45	MSG45	Toast Messages	User not authenticated.	<i>User not authenticated.</i>
46	MSG46	Toast Messages	Click icon trash but don't select the item discount.	<i>No discounts selected.</i>
47	MSG47	Toast Messages	Discount moved to trash.	<i>Discount moved to trash successfully.</i>
48	MSG48	Toast Messages	Soft deleted customer.	<i>Unexpected error occurred while deleting discounts.</i>
49	MSG49	Toast Messages	Click icon trash but don't select the item discount.	<i>Please select at least one discount to delete.</i>
50	MSG50	Toast Messages	Error when update account.	<i>Error when update account.</i>
51	MSG51	Toast Messages	Failed to fetch guides.	<i>Failed to fetch guides.</i>
52	MSG52	Toast Messages	Update account.	<i>Update account successfully.</i>

53	MSG53	Toast Messages	Email already exists.	<i>Email already exists. Please use a different email.</i>
54	MSG54	Toast Messages	Failed to update account. Please try again.	<i>Failed to update account. Please try again.</i>
55	MSG55	Toast Messages	Click icon trash but don't select the item guide.	<i>Please select at least one guide to delete.</i>
56	MSG56	Toast Messages	Failed to delete a guide.	<i>Failed to delete a guide.</i>
57	MSG57	Toast Messages	Soft deleted guide.	<i>Selected guides soft deleted successfully.</i>
58	MSG58	Toast Messages	Failed to fetch subsidiary tours.	<i>Failed to fetch tours.</i>
59	MSG59	Toast Messages	Click icon trash but don't select the item subsidiary tours.	<i>Please select at least one tour to delete.</i>
60	MSG60	Toast Messages	Removed subsidiary tours to trash successfully.	<i>Removed tours to trash successfully.</i>
61	MSG61	Toast Messages	Failed to delete subsidiary tour.	<i>Failed to delete the tour.</i>
62	MSG62	Toast Messages	Exported subsidiary tours.	<i>Exported tours successfully.</i>
63	MSG63	Toast Messages	Failed to export tours.	<i>Failed to export tours.</i>
64	MSG64	Toast Messages	Click icon trash but don't select the item.	<i>Please select at least one item to delete.</i>
65	MSG65	Toast Messages	Hard delete.	<i>Hard deleted successfully</i>
66	MSG66	Toast Messages	Error hard delete.	<i>Error hard deleting.</i>
67	MSG67	Toast Messages	Restored successfully.	<i>Restored successfully.</i>
68	MSG68	Toast Messages	Error restoring.	<i>Error restoring.</i>
69	MSG69	Toast Messages	Create new admin account.	<i>Create new admin successfully.</i>
70	MSG70	Toast Messages	Create new customer account.	<i>Customer created successfully.</i>

71	MSG71	Toast Messages	Failed to create discount.um	<i>Failed to create discount. Please try again.</i>
72	MSG72	Toast Messages	Create new guide account.	<i>Create new guide successfully.</i>
73	MSG73	Toast Messages	Failed to create guide account.	<i>Failed to create guide. Please try again.</i>
74	MSG74	Toast Messages	Change to Create Original.	<i>Change to Create Original.</i>
75	MSG75	Toast Messages	Change to Replicate Original.	<i>Change to Replicate Original.</i>
76	MSG76	Toast Messages	Create original tours.	<i>Original Tour created successfully!</i>
77	MSG77	Toast Messages	Create subsidiary tours.	<i>Subsidiary Tour created successfully!</i>
78	MSG78	Toast Messages	Add place	<i>Add place successfully.</i>
79	MSG79	Toast Messages	Remove place.	<i>Remove place successfully.</i>
80	MSG80	Toast Messages	Failed to fetch reviews.	<i>Failed to fetch reviews</i>
81	MSG81	Toast Messages	Delete feedback.	<i>Please select at least one feedback to delete.</i>
82	MSG82	Toast Messages	Removed feedback successfully.	<i>Removed feedback successfully.</i>
83	MSG83	Toast Messages	Failed to delete feedback.	<i>Failed to delete feedback.</i>
84	MSG84	Toast Messages	Failed to fetch tours.	<i>Failed to fetch tours.</i>
85	MSG85	Toast Messages	Exported subsidiary tours.	<i>Exported subsidiary tours successfully.</i>
86	MSG86	Toast Messages	Failed to export tours.	<i>Failed to export tours.</i>
87	MSG87	Toast Messages	Delete original tour.	<i>Please select at least one tour to delete.</i>
88	MSG88	Toast Messages	Removed original tours to trash.	<i>Removed original tours to trash successfully.</i>
89	MSG89	Toast Messages	Failed to delete original tour.	<i>Failed to delete original tour.</i>

90	MSG90	Toast Messages	Create discount.	<i>Discount code created successfully!</i>
91	MSG91	Toast Messages	Failed to update discount.	<i>Failed to update discount. Please try again.</i>