

18

SAFETY

and Protection Equipment



www.krisbow.com

EYE PROTECTION

Spectacle



KW1000545-KW1000547



KW1000543-KW1000544



KW1000549



KW1000539-KW1000541



KW1000542



CE 10051754



10119712



10119710

- Features:**
- Polycarbonate frame
 - Anti scratch
 - Anti fog
 - 99% UV protection



10119708

Goggle

Chemical Resistance



CE KW1000326

Impact Resistance



CE KW1000325



CE KW1000799



KW1000550-KW1000551

- Features:**
- Polycarbonate, vinyl & PVC
 - Anti scratch
 - Anti fog
 - 99% UV protection



Goggle Welding



KW1000337



KW1000336



KW1000334



KW1000335

Features:

- Strong rigid body fit snugly around of the eyes
- Indirect ventilation, soft flexible vinyl frame lightweight
- Lift front type holder round lens, square lens
- Chipping operations, shade lens no.5
- For gas welding, brazing, and cutting



Article No.	Description	Weight (kg)
KW1000545	Spectacle with Nosepad Indoor Outdoor	0.033
KW1000546	Spectacle with Nosepad Silver	0.033
KW1000547	Spectacle with Nosepad Smoke	0.033
KW1000543	Spectacle with Nosepad Golden	0.029
KW1000544	Spectacle with Nosepad Blue	0.029
KW1000549	Spectacle Indoor Outdoor	0.032
KW1000539	Spectacle Flexible Temple Clear	0.038
KW1000540	Spectacle Flexible Temple Yellow	0.038
KW1000541	Spectacle Flexible Temple Smoke	0.038
KW1000542	Spectacle Clear	0.047
10051754	Spectacle Fit Face Model Clear	0.026
10119712	Spectacle With Led Light	0.060

Article No.	Description	Weight (kg)
10119710	Spectacle Sporty Warp Around Clear	0.090
10119711	Spectacle Sporty Warp Around Smoke	0.090
10119325	Spectacle Sporty With Nosepad Clear	0.090
10119708	Spectacle Sporty With Nosepad Smoke	0.090
KW1000799	Goggle Chemical Heavy Duty	0.082
KW1000325	Goggle Impact	0.066
KW1000326	Goggle Chemical	0.114
KW1000550	Goggle Impact Heavy Duty Clear Lens	0.096
KW1000551	Goggle Impact Heavy Duty Clear Mirror	0.096
KW1000337	Goggle Welding Round Shape	0.084
KW1000336	Goggle Welding Round	0.120
KW1000334	Goggle Welding Round Flip Up	0.119
KW1000335	Goggle Welding Square Flip Up	0.236

FACE PROTECTION

Headgear & Face Shield



10148057



10148098



KW1000409

Features:

- Material: High-Impact Polycarbonate
- Curved Injection-Molded impact resistant , anti splash
- Visor Color : Clear & double visor Shading (#5)
- Safety visor has been designed with 2 point travel and either springs firmly in place down into the peak of the helmet (KW1000413)

Article No.	Description	Weight (kg)
10148057	Face Shield W/ Headgear Clear Visor	0.330
10148098	Face Shield W/ Headgear Double Visor	0.330
KW1000409	Face Shield Mesh with Earmuff	0.2

Visor



KW1000411




KW1000413

Features:

- Can be connected with safety helmet Krisbow and faceshield
- 8"x15.5" Polycarbonate clear visor with aluminum frame
- Provides protection against foreign particles, chemical splash, dust, heat, and impact resistance

Article No.	Description	Weight (kg)
KW1000411	Visor Clear	0.2
KW1000413	Face Shield Clear Attachment for Helmet	0.125

WORKING CAP



ABS shell and foam spacer



See from bottom

Features :

- Designed for light protection against bumping or scraping with ABS shell and foam spacer
- Light weight fashionable item of work wear
- Ventilation holes provides users comfortable feelings

Article No.	Description	Weight (kg)
KW1000341	Sports Working Cap (L) Black	0.25
KW1000343	Sports Working Cap (M) Black	0.18

WELDING HELMET

Auto Dark



KW1000317



KW1000318



10105719



10070177



Features 10070177 :

- By the lithium/alkaline battery and solar battery power supply, without replacement, long service life of 5000 hours, 15-20 minutes with automatic closing function, low voltage indication.
- In the internal or external control knob, can be realized on the shading 9-13, sensitivity and delay time control, welding / grinding functions can be selected.
- Photoelectric sensor technology, high-quality dual LCD and filter, which provide the welder a clear field of view and effective protection, ultraviolet ray protection grade up to DIN16.
- Filter bright state grade is DIN4, it takes 0.1-1.0s by preset from dark state to a bright state when arc disappear.
- Normal operation temperature is from minus 5 degrees to 55 degrees . broad scope of application, such as manual arc welding, gas shielded arc welding, argon arc welding and plasma cutting.
- Portable and balanced design, fully adjustable head gear, provides comfortable wearing and relieves fatigue.
- Products meets the safety and technical standard of EN379, ANSI Z87.1, CSAZ94.3

Features KW1000317-KW1000318:

- Toughness and moisture proof polypropylene straight shell (KW1000317)
- With fixed front 2" x 4-1/4" lens, shade : 11 (KW1000317)
- For eye and full face protection from sparks and spatter where little or no hands-on work is performed. Handle outside. (KW1000317)
- Straight shell impact resistance (KW1000318)
- Flip front lens 2" x 4-1/4" for easy weld inspection, durable, protects upper chest and throat from sparks and spatter (KW1000318)

Features 10105719:

- High quality optical filter with 16 layer coated for 99.9% filtration against UV&IR
- Battery & solar powered
- Auto off (15-20min)
- Adjustable and delay time for different welding application
- Replaceable batteries
- Ideal use for MMA,MIG/MAG, TIG and CUT
- Lightweight well-balanced designed fully adjustable headgear provide comfort and reduce fatigue
- Includes replacement cover lens

Article No.	Description	Weight (kg)
KW1000317	Welding Hand Shield	0.265
KW1000318	Welding Helmet Black	0.3

Article No.	Description	Weight (kg)
10070177	Welding Helmet Auto Dark W/Shade Control	0.4
10105719	Welding Helmet Auto Dark Wide Lens View	0.4

Purifying Respirator Protection
Highly efficient filter capture hazardous dust, mist and fume plus options for nuisance level gases and vapours

Lightweight and Small Design
Ergonomic design for optimal mobility and ease-of-use in confined space radiation and spatter

Easy Replaceable Cartridge Design
The welder can replace cartridge more convenient

Audible and Visual Alarm
Electronic audible and visual alarm in case of low battery and or low air flow

Various Working Modes
Ideal for MMA, MIG/ MAG, TIG rating, cutting

Eye/facial Protection
Protect welders from arc radiation and spatter

Intelligent Power Supply
Rechargeable Li-ion battery keep working for 8 hours

Accessories:

- Professional auto darkening welding filter
- Particle filter Highly efficient filter captures hazardous dust, mist and other contaminants
- Battery Rechargeable Li-ion battery Quick charge design
- Flow meter
Low speed : 150+lpm
High speed : 200+lpm

1/1/1/1
Highest optical class

1/25000 sec
Fast switching speed

5-8/9-13 Shade
Infinitive shade level adjustments

Power Supply
Solar cell combined with Replaceable battery greatly increase service life

UV/IR Protection
High-quality optical filter with 16 layers coated for 99.9% Filtration Against UV&IR

Article No.	10196895
Description	Powered Air Purifying Respirator
Specification	
Air Flow Rate	Low Speed : 150+lpm High Speed : 200+lpm
Filter Efficiency	≥ 99.95%
Operating Relative Humidity	<90%
Battery Type	Rechargeable Li-ion battery Nimh, 3000mAh
Battery Duration	Low Speed : 6 hours High Speed : 4 hours
Battery Charge Time	1-2hous (1A/2A) Battery life : 500 Charge
Operating Temp.	-5C°-+55C° (23°F-+131°F)
Malfunction-Indication	Visible, Audible and Vibrate
Respirator Approval	EN12941 TH2 P (SL) NIOSH 42 CFR Part B4 AS/NZS 1716 P2 PAPR 1000g
Weight	Helmet 490g

HELMET

Vented



KW1000442



Available colours

- KW1000443
- KW1000194
- KW1000441
- KW1000753
- KW1000754

Replacement Part:



6 Points Tectonic Harness

Accessories :



Nylon head band push lock

Article No.	Description	Weight (kg)
KW1000194	Helmet Front Brim Vented Blue	0.395
KW1000441	Helmet Front Brim Vented White	0.395
KW1000442	Helmet Front Brim Vented Yellow	0.395
KW1000443	Helmet Front Brim Vented Red	0.395
KW1000753	Helmet Front Brim Vented Green	0.395
KW1000754	Helmet Front Brim Vented Orange	0.395

Article No.	Description	Weight (kg)
KW1000478	Helmet Suspension for Safety Helmet Vented	0.1
10129217	Chinstrap 4 Point For Safety Helmet	0.033

Non Vented



KW1000319



Available colours

- KW1000321
- KW1000322
- KW1000320
- KW1000323
- KW1000324

Accessories :



Replacement Part:



4 Points Tectonic Harness

Article No.	Description	Weight (kg)
KW1000319	Helmet Front Brim White	0.366
KW1000320	Helmet Front Brim Yellow	0.366
KW1000321	Helmet Front Brim Red	0.366
KW1000322	Helmet Front Brim Blue	0.366
KW1000323	Helmet Front Brim Green	0.366
KW1000324	Helmet Front Brim Orange	0.366

Article No.	Description	Weight (kg)
KW1000404	Helmet Suspension for Safety Helmet NonVented	0.1
KW1000193	Chinstrap for Safety Helmet NonVented	0.05

Features:

- 4 & 6 point tectonic harness
- Ratchet & push lock wheel suspension
- Highly absorbent sweatband
- Slotted sides to accommodate accessories such as: ear muff, Visor, etc

Helmet Full Brim



10178986



Available colours

- 10178987
- 10178988
- 10178981
- 10178989
- 10178990

Article No.	Description	Weight (kg)
10178981	Helmet Full Brim White	0.366
10178986	Helmet Full Brim Yellow	0.366
10178987	Helmet Full Brim Red	0.366
10178988	Helmet Full Brim Blue	0.366
10178989	Helmet Full Brim Green	0.366
10178990	Helmet Full Brim Orange	0.366

EAR MUFF



10054844



10054843



10054845



Features Ear Muff:

- To produce an optimum seal with low contact pressure for a snug comfortable fit even during extended period of use
- The sealing rings have ventilation channels and are covered with soft, patterned, hygienic foil

- Adjustable stainless steel headband
- Noise reduction ratings: 26, 30, 35 dB

Article No.	Description	Weight (kg)
10054844	Earmuff Foldable 30dB	0.257
10054843	Earmuff Headband 35dB	0.317
KW1000310	Earmuff Neckband 26dB	0.185
10054845	Earmuff Helmet Cap Mounted 30dB	0.371

EAR PLUG



10051443




10051444



10121916



10051445



KW1000314



10121974



10146287



10146292

Features Ear Plug:

- TPU & silicone material
- Disposable and reusable ear plug providing extra comfortable
- The tapered shape is designed to adjust to most ear canals
- Noise reduction rating: 22, 30, 34 dB
- Sale in box: 50 pairs (10051445), 100 pairs (10051444), 200 pairs (10051443)

Article No.	Description	Weight (kg)
10069842	Earplug Foam Without Cord 34dB	0.002
10051443	Ear Plug PU Foam 34 dB (200pairs/box)	0.4
10069843	Earplug Foam With Cord 34dB	0.003
10051444	Ear Plug PU Foam with Cord 34 dB (100pairs/box)	0.3
10069844	Earplug Silicon With Case 30dB	0.012
10051445	Ear Plug Silicone with Cord 30 dB (50pairs/box)	0.6
KW1000314	Ear Plug with Extra Plug 22dB	0.05
10146287	Ear Plug Pu Foam 250 Pair With Dispenser	1.75
10146292	Ear Plug Pu Foam 500 Pair With Dispenser	2.2
10121916	Ear Plug Pu Foam 5 Pair With Case Orange	0.3
10121974	Ear Plug Silicon 5 Pair With Case Yellow	0.3

RESPIRATORY and CARTRIDGE FILTER



KW1000299



KW1000300

Replacement Part:



KW1000017



KW1000018



KW1000019

Features:

- Against dust, mist, fume and asbestos
- Against paint spray and organic vapors of low toxic
- Against acid gas and inorganic vapors of low toxic
- Size of cartridge 70x30 mm

Features:

- Single and double cartridge respirator half mask
- Soft durable pliable rubber facepiece
- Durable elastic headbands, deep chin cup for a roomy
- Comfortable seal and easy to exhale
- Filter cartridge sold separately

Article No.	Description	Weight (kg)
KW1000299	Half Mask Respirator (Single)	0.162
KW1000300	Half Mask Respirator (Double)	0.200
KW1000017	Cartridge Acid Gas and Inorganic	0.058
KW1000018	Cartridge Organic Vapour and Paint Spray	0.052
KW1000019	Cartridge Dust, Mist, Fume	0.022

MASK



KW1000301

Replacement Part:



10105358



KW1000303

Replacement Part:



10105359



KW1000505



10191023



KW1000506



KW1000507



KW1000508

Exhalation Valve

Features:

- Lightweight PE frame covered by polyester fiber
- Comfortable for against dust and mist
- With active carbon filter
- Filter is replaceable

Sale in Box :
• 10 ea (10105358, 10105359)

Features:

- Lightweight
- Durable elastic headband
- Metal nose clips to fit individual facial contours
- No interference with glasses

Sale in Box :

- 40 ea (KW1000505)
- 20 ea (KW1000506)
- 10 ea (KW1000507)
- 10 ea (KW1000507)

Article No.	Description	Weight (kg)
KW1000301	Mask Dust	0.041
10105358	Refill For Kw1000301 (10 Pcs)	0.0006
KW1000303	Mask Active Carbon Filter	0.042
10105359	Refill For Kw1000303 (10 Pcs)	0.0015

Article No.	Description	Weight (kg)
KW1000505	Mask Dust Disposable	0.134
10191023	Mask Dust Disposable W/Nosepad	0.134
KW1000506	Mask Dust N95	0.253
KW1000507	Mask Dust N95 with Valve	0.203
KW1000508	Mask Dust Active Carbon N95 with Valve	0.210

DISPOSABLE DUST MASK



KW1000524

Features KW1000524:

- Material : PP 25 gsm
- Standard pack : 50 pcs/box (KW1000524)



10120728

Features 10120728:

- Made from Material cotton
- Microfiber filter inside
- Black color
- Elastic Strap with Velcro

Article No.	Description	Weight (kg)
KW1000524	Dust Mask 3 Ply with Earloop (50pcs)	0.175

Article No.	Description	Weight (kg)
10120728	Dust Mask Microfiber	0.035

WELDING GLOVE



KW1000246

Available color :

- KW1000245
- KW1000246

Features for KW1000245- KW1000246:

- Full cow split welding straight-thumb
- Clute cut three ribs back
- Full free lining
- Blue color 16" length (41 cm)
- Red color 14" length (36 cm)



KW1000419

Features for KW1000419:

- Cow grain leather palm and back
- Brown cow split cuff
- Full free lining
- Brown color 12" length (31 cm)

Article No.	Description	Weight (kg)
KW1000245	Glove Welding 16" Leather, Blue	0.400
KW1000246	Glove Welding 14" Leather, Red	0.300
KW1000419	Glove Welding Tig 12" TIG Leather, Golden	0.200

MECHANICAL GLOVE



KW1000239-KW1000240



KW1000241



KW1000244



KW1000418

Features:

- Leather palm wing-thumb
- Stretch spandex back (KW1000239 and KW1000240)
- Knuckle strap shirred elastic back (KW1000241)
- Stripe cotton upper (KW1000244)

Article No.	Description	Weight (kg)
KW1000239	Work Glove (M) , Black/Red	0.085
KW1000240	Work Glove (L) , Black/Red	0.085
KW1000241	Work Glove 10" Leather, Golden/Yellow	0.180

Article No.	Description	Weight (kg)
KW1000244	Work Glove Leather, Grey/Blue	0.230
KW1000418	Work Glove Leather, Blue	0.250



COATED GLOVE



10102102- 10102103



KW1000340



10084237



10084331



10084238



10084239



10084240

Features:

- Cut resistant level 5 (10084331)
- Nylon glove with coated palm
- One size fits all

Sale in Box :

- 12 PAA for
• 10097284 • 10097281 • 10097280 • 10097282 • 10097283

Article No.	Description	Weight (kg)
10102102	Impact Glove M Synthetic Leather Pvc Dot	0.140
10102103	Impact Glove L Synthetic Leather Pvc Dot	0.140
KW1000340	Work Glove Rubber, Green	0.104
10084237	Work Glove Nylon Pu Mechanical Grip	0.040
10084331	Work Glove Hppe Nitrile Cut Resistant	0.090
10084238	Work Glove Nylon Nitrile Mechanical Greasy	0.041

Article No.	Description	Weight (kg)
10084239	Work Glove Nylon Latex Mechanical Dry	0.056
10084240	Work Glove Cotton Latex General Work	0.100
10097284	Glove Nylon Pu Mechanical Grip (Doz)	0.500
10097281	Glove Nylon Nitril Mechanical Greasy (Doz)	0.472
10097280	Glove Nylon Latex Mechanical Dry (Doz)	0.650
10097282	Glove Cotton Latex General Work (Doz)	1.180
10097283	Glove Hppe Nitrile Cut Resistant (Doz)	1.100

CHEMICAL GLOVE



- Features KW1000249:**
- Fully coated PVC glove
 - Smooth finish with interlock line
 - Size 40 cm length

- Features KW1000250 & KW1000251:**
- Lined latex household glove
 - Length 13"
 - Light duty chemical handling
 - Available size M & L

- Features KW1000420:**
- Unlined Latex
 - Industrial glove Black Color
 - Size 31 cm length
 - One size fits all

- Features 10153727, 10153943, 10153738 & 10153991:**
- Lined latex household glove
 - Size medium and large length 13"
 - Light duty chemical handling

- Features KW1000845 & KW1000846:**
- Heavy duty neoprene, excellent for chemical handling (solvent, mild acids, oils and fats)
 - Compliance with: EN 374-1:-2003

- Features KW1000847 & KW1000848:**
- Nitrile formulating for more durability and enhanced chemical resistance
 - Compliance with: EN 374-1:-2003

Article No.	Description	Weight (kg)
KW1000249	Work Glove PVC	0.25
KW1000250	Work Glove Latex Yellow (M)	0.066
KW1000251	Work Glove Latex Yellow (L)	0.070
KW1000420	Work Glove Latex Industrial	0.115
10153727	Work Glove Latex M Blue	0.070
10153943	Work Glove Latex L Blue	0.070

Article No.	Description	Weight (kg)
10153738	Work Glove Latex M Pink	0.070
10153991	Work Glove Latex L Pink	0.070
KW1000845	Work Glove Neoprene (M) Black	0.137
KW1000846	Work Glove Neoprene (L) Black	0.140
KW1000847	Work Glove Nitrile (M) Green	0.075
KW1000848	Work Glove Nitrile (L) Green	0.078

CHEMICAL GLOVE



10152285

Features 10152285:

- Extra light weight
- Ultra soft and strong
- Tiny textured
- Powder free, plasticizer free
- Food safe



10152298
10152299

Features

- 10152298&10152299:**
- Beaded cuff
 - Textured
 - Powder free glove inner coated
 - Food safe



10152286&10152287

Features 10152286 & 10152287:

- High elastic and super soft
- Rolled rim
- Natural rubber-like feel
- Textured in finger tips
- Chemical resistant
- Food safe



Article No.	Description	Weight (kg)
10152285	Glove Disposal Synthetic Clear (100 pcs)	0.5
10152298	Glove Disposal Latex M Powder Free (100 pcs)	0.5
10152299	Glove Disposal Latex L Powder Free (100 pcs)	0.6
10152286	Glove Disposal Nitrile M Blue (100 pcs)	0.35
10152287	Glove Disposal Nitrile L Blue (100 pcs)	0.35

APPLICATION PRODUCT REFERENCE

LATEX		PVC		NITRILE		NEOPRENE	
Application	Chemical	Application	Chemical	Application	Chemical	Application	Chemical
1. Household 2. Light duty 3. Delivery services 4. Masonry	1. Detergent 2. Perfume 3. Paint 4. Oil	1. Cold storage 2. Mechanical 3. MRO 4. Fishery 5. Laundry	1. Ammonia 2. Grease/fat 3. Oil	1. Chemical 2. Pharmaceutical 3. Restaurant 4. Painting 5. Automotive	1. Solvents 2. Grease/fat 3. Bleaching agent 4. Acid 5. Oil 6. Grease	1. Electronic 2. Glass manufacturing 3. Laboratory analysis 4. Painting & spray shops 5. Printing 6. Automotive	1. Methanol 2. Carbon disulphide 3. Sodium hydroxide 40% 4. Acetone 5. Sulphuric acid 90%

COTTON GLOVE



KW1000395

Features KW1000395:

- Natural T/C size 8.5" for KW1000395



KW1000396

Features KW1000396 & KW1000401:

- Natural T/C with PVC dots on side
- Size 9" length 23 cm



KW1000401

Article No.	Description	Weight (kg)
KW1000395	Glove Cotton (White)	0.840

Article No.	Description	Weight (kg)
KW1000396	Glove Cotton PVC Dots Black	0.840
KW1000401	Glove Cotton Pvc Dots White	0.5

SAFETY VEST



KW1000389

Available colours :
● KW1000390



KW1000400

Available colours :
● KW1000399



KW1000533 (M), KW1000534 (L),
10051446 (XL) **



KW1000859 *

Features:

- High visibility reflective vest
- Two reflective straps 63 x 65 cm
- Provides maximum visibility for safety
- Light weight and durable
- Fluorescent yellow and fluorescent red available
- Application for construction, workers, street workers, public utilities, policemen, etc
- For KW1000399 color orange mesh type
- For KW1000400 color lime mesh type

* Safety vest with two reflective (day and night)

** Plastic safety vest mesh with white reflective tape

Article No.	Description	Weight (kg)
KW1000389	Safety Vest Fluro Orange	0.087
KW1000390	Safety Vest Fluro Lime	0.090
KW1000399	Safety Vest Mesh Type, Fluro Orange	0.087
KW1000400	Safety Vest Mesh Type, Fluro Lime	0.090
KW1000533	Safety Vest Mesh with White Reflective Tape (M)	0.085
KW1000534	Safety Vest Mesh with White Reflective Tape (L)	0.088
10051446	Safety Vest Mesh with White Reflective Tape (XL)	0.092
KW1000859	Safety Vest with Two Reflective (Day and Night)	0.1

CHEST WADERS

Features:

- 70D Nylon, PVC coating.
- Chest pocket, Waist belt.
- Hematic waterproof tape
- Nylon elastic suspender
- PVC boots
- 100% Waterproof

Article No.	Description	Weight (kg)
10120103	Chest Waders Orange M (39-40)	2.3
10120104	Chest Waders Orange L (41-42)	2.3
10120105	Chest Waders Orange XL (43-44)	2.3
10120106	Chest Waders Green M (39-40)	2.3
10120107	Chest Waders Green L (41-42)	2.3
10120118	Chest Waders Green XL (43-44)	2.3

WEARPACK

Available colours :

- Royal blue
- Blue navy
- Red
- Orange

Features:

- Original drill material
- Import quality reflective
- High quality zipper, velcro
- Double protection zipper plastic button
- Size M, L and XL
- 100% original cotton and nomex available, based on inquiry

Article No.	Description	Size	Weight (kg)
10114810	Coverall Waerpack Blue Navy	M	0.4
10114811		L	0.4
10114812		XL	0.4
10114813	Coverall Waerpack Royal Blue	M	0.4
10114814		L	0.4
10114815		XL	0.4
10114816	Coverall Waerpack Orange	M	0.4
10114817		L	0.4
10114828		XL	0.4
10114829	Coverall Waerpack Red	M	0.4
10114830		L	0.4
10114831		XL	0.4

FIRE SUIT RESISTANT ALUMINIZED

Features:

- Material : Aluminium Foil
- Fire-Proof Fabric
- Size : Large, Extra Large
- Working Temp : 300°C - 1000°C

Article No.	Description	Weight (kg)
10111975	Fire Suit Resistant Aluminized	3.5

COVERALL BREATHABLE LAMINATED

Features:

- Material : Polypropylene + Microporous film
- Size : Large
- Good breathability
- Good mechanical strength
- Better sealed construction
- Internal stitching which is overtaped to offer increased strength and an effective barrier to liquids and particulates
- Various colors of tape seams available to color your safety working life
- Thumb loops help to prevent sleeve movement when working above your head

Article No.	Description	Weight (kg)
10153724	Coverall Breathable Laminated	0.140

FIRE BLANKET

Features:

- Material : Fiberglass
- Packing : PVC Soft Bag
- Size : 1.5 x 1.8 M
- Working Temp : 550°C
- Color : Light Grey

Article No.	Description	Weight (kg)
10111974	Fire Blanket Fiberglass 150 x 180 cm	0.75

RAINSUIT


KW1000405 & KW1000406

KW1000529 & KW1000530

10051723 & 10051755

Available color :
● 10118203

Features KW1000405, KW1000406 :
• Jacket: 300D oxford/PU, with 190T taffeta lining
• Pants: 300D oxford/PU, without lining

Features KW1000529-KW1000532 & 10051723, 10051755:
• Concealed hood
• Storm front with zipper and buttons
• Two pocket with flaps, elastic cuffs
• Trousers with drawstring

Article	Description	Weight (kg)
KW1000405	Rainsuit Pvc (M) Yellow/Dark Blue	1.2
KW1000406	Rainsuit Pvc (L) Yellow/Dark Blue	1.2
KW1000529	Rainsuit Pvc (M) Blue Navy	0.830
KW1000530	Rainsuit Pvc (L) Blue Navy	0.906
10051723	Raincoat Pvc (M) Yellow	0.805
10051755	Raincoat Pvc (L) Yellow	0.86
10118203	Rainsuit Pvc (M) Orange	0.5
10118204	Rainsuit Pvc (L) Orange	0.5

BACK SUPPORT

Features :

- Durable lightweight spandex, powerful knit, woven elastic strap
- Fastens securely with hoop-and-loop fasteners
- Spring steel stays bend with body for optimal support of the spine
- Good for lifting, bending and carrying
- Size S, M, L and XL

Article No.	Description	Size	Weight (kg)
KW1000043	Back Support	S	0.262
KW1000044	Back Support	M	0.287
KW1000045	Back Support	L	0.295
KW1000403	Back Support	XL	0.324

PVC APRON


KW1000470



KW1000471

KW1000470
PVC yellow apron
• Thickness : 0.3 mm
• Size Apron : 90 x 120 cm

KW1000471
PVC yellow sleeve cover
• Thickness : 0.3 mm
• Size Sleeve : 45,7 cm

Article No.	Description	Weight (kg)
KW1000470	Apron PVC, Yellow	0.395
KW1000471	Sleeve Cover PVC, Yellow	0.3

WELDING APRON and SLEEVE COVER


KW1000480



KW1000557



Features :
• Cowsplit leather
• With elastic band
• Length 40 cm

Article No.	Description	Weight (kg)
KW1000480	Welding Apron Brown	0.8
KW1000557	Welding Sleeve Brown	0.5

LIFE VEST


KW1000380



KW1000382



KW1000383

Certified by :

Features:

- PE foam flotation
- Size available:
- (S/M) 28"-40" (KW1000380)
- (L/XL) 40"-50" (KW1000381)
- One size fit all (KW1000382 and KW1000383)



10120305

Features:
• Fabric Polyester construction
• EPE foam flotation
• Two leg straps keep this life jacket from riding up or shifting
• Attached with a whistle

Article No.	Description	Size	Weight (kg)
KW1000380	Life Vest S/M, Red/Grey	28 - 40"	0.600
KW1000381	Life Vest L/XL, Red/Grey	40 - 50"	0.600
KW1000382	Life Vest Yellow	30 - 40"	0.450

Article No.	Description	Size	Weight (kg)
KW1000383	Life Vest Red	30 - 40"	0.450
10120305	Life Vest W/Leg Strap & Whistle Org L	40-44"	0.9
10120306	Life Vest W/Leg Strap & Whistle Org XL	44-48"	1

SAFETY HARNESS



CE OSHA 1910
KW1000438

Features KW1000438:

- Belt : 45 mm nylon belt
- Lanyard : Diameter 14 mm x 1.5 m
- 4 x buckle
- 1 x dorsal "d" ring
- Max. load 100kg
- 1 x double-lock snap hook
- 1 x quick link
- 4 x bundle of belt
- Color: blue



10209835

Features 10209835:

- Sliding back D-ring for adjustability
- Hip D-ring for positioning applications
- "Y" type harness
- 5 points anchors
- Ergonomics back support pad
- Adjustable leg strap with soft pad
- Soft and allowing ventilation waist pad



CE KW1000439

Features KW1000439:

- Belt: 45 mm nylon belt
- 6 x buckle
- 3 x d ring
- 1 x double-lock snap hook
- Max. load 100kg
- 1 x quick link
- 6 x bundle of belt
- Color: Red / black



10016862

10043467

Features 10016862 & 10043467:

- Web alert / inspectable webbing
- Webbing terminations strap keeper
- Label protection
- Large back pad
- Quick connect chest buckle
- Pass through chest buckle
- Impact indicator
- Max. load 310 lbs/141 kg



Article No.	Description	Weight (kg)
KW1000438	Full Body Harness with Lanyard	2.388
10209835	Full Body Harness 5 Anchorage Points	1.000
KW1000439	Full Body Harness without Lanyard	1.474
10016862	Full Body Harness Construction Through	3.000
10043467	Full Body Harness Litefit Positioning	2.1

LANYARD and SAFETY BELT



KW1000437

Features KW1000437:

- Belt : 50 mm x 1.2 m nylon belt
- Rope : 14 mm x 1.5 m, 1 x adjusting loop
- Max. load 100kg



KW1000440

Features KW1000440:

- Single hook rope lanyard
- Length 1.5 m
- Diameter 14 mm
- Max. load 100kg



CE KW1000436

Features KW1000436:

- Single hook absorber rope lanyard
- Standard length 1.5 m
- Maximum length 1.8 m
- Max. load 100kg



10209717

Features 10209717:

- Size & Weight : 66 x 27 x 22.5cm & NW : 1.8 Kg
- Lanyard rope shock absorber double hooks 45mm wide x 1.5m
- Screw-lock carabiner
- (Coating : white nice)
- Scaffolding hook
- Energy absorber



10209836

Features 10209836:

- Belt: 45mm Nylon belt.
- Rope: 14mmx 2M Nylon rope
- 1x buckle
- 1x "D" ring
- 1x tetragonal ring
- 1x CE Mark Double-lock Safety Hook(H-3101,Ø53mm)
- 1x bundle of belt
- 1x sliding handle
- 1x cushion belt



10209837

Features 10209837:

- Length 1.5 m
- Diameter 14 mm
- Single hook rope lanyard
- Max. load 100kg



ANSI Z359



10043468

10006624

Features 10043468 & 10006624:

- Material : Polyester Webbing
- Anchor : 2-1/2 in Ladder Snap Hook
- Absorber Type : Shock Pack with shock absorber
- Max. load 900lbs



10142350

Features 10142350:

- Material : Polyester Webbing
- Anchor : 3/4 in Standard Snap Hook
- Absorber Type : Shock Pack with shock absorber
- Max. load 900lbs
- Based on inquiry



10142355

Features 10142355:

- Component : Rope Grab
- Rope Grab Style : Trailing
- Lifeline System Material : Rope
- Lifeline Length : 3 ft
- with shock absorber
- Based on inquiry



10140377

Features 10140377:

- Component : Rope Grab
- Rope Grab Style : Manual
- Lifeline System Material : Rope
- with shock absorber
- Based on inquiry





10099482

Features 10099482:

- Material : Polyester Webbing
- Anchor : 2-1/2 in Ladder Snap Hook
- Harness Connection : Hook
- Style : Positioning
- Based on inquiry



10099483

Features 10099483:

- Material : Chain
- Anchor : 2-1/2 in Ladder Snap Hook
- Harness Connection : Hook
- Style : Positioning
- Based on inquiry



10140388

Features 10140388:

- Material : Polyester
- Based on inquiry



10099481

Features 10099481:

- Material : Polyester Webbing
- Approx. Product Length : 2 ft
- Style : Cross Arm Strap
- Based on inquiry

Article No.	Description	Weight (kg)
KW1000437	Safety Belt	1.135
KW1000436	Lanyard Rope Shock Absorber	1.288
KW1000440	Lanyard Rope Positioning	1.020
10209717	Fall Arrest Rope W/2 Lanyard and Absorber	1.8
10209836	Lineman Safety Belt W/ Sliding Handle	1.0
10209837	Lanyard Rope Positioning Single Hooks	1.320
10043468	Lanyard Shock Absorber Single Leg	1.6
10006624	Lanyard Shock Absorber TwinLeg	2.6
10142350	Lanyard Decoil Tie Adjust Single C311103	2.1
10142355	Lanyard Trailing Rope Grab L210001	0.800
10140377	Manual Rope Adjuster W/ Shock Absorber Lyrd	1.15
10099482	Rebar Positioning Web 2 Snaphook	1.95
10099483	Rebar Positioning Chain 2 Snaphook	1.95
10140388	D-Ring Extender	0.700
10099481	Cross Arm Strap D Ring 6 Ft	0.670



10140370

Features:

- Robust steel design with 360° swivel of the forged D-ring
- Drill hole of 3/4 in with 4-1/2 in depth
- Minimum 3000 psi concrete and 5 inch thickness
- Based on inquiry



10140369

Features:

- Lightweight design easy to insert and remove
- Drill hole of 3/4 in with 3 in minimum depth
- Minimum 3000 psi concrete
- Multi-directional use
- Based on inquiry



10142356

Features 10142356 & 10140376 :

- Werner roofing kits contain all of the fall protection products necessary for safe working and code compliance for roofing applications.
- The system is easy to install and use on a variety of roof pitches.
- Packaged in waterproof bucket.
- Based on inquiry



10140376

Article No.	Description	Weight (kg)
10140370	Swivel Concrete 10K	1.2
10140369	Concrete Bolt 5K	0.470
10142356	Roofing Kit K111101	3.1
10140376	Bucket Basic Construction/Maintenance	3.9



10140368

Features:

- Mobile anchorage designed to fit I-Beams
- Lightweight aluminum designed to travel smoothly along beams
- Fits beams from 3 in to 10 in wide and up to 7/8 in thick
- Based on inquiry



10140371

Features:

- Mobile anchorage designed to fit I-Beams
- Anchor travels with the worker
- Fits large I-Beams fitting from 12 in to 30 in wide and up to 2-1/2 in thick
- Based on inquiry



10140356

Features:

- 1/2 inch gate opening (10140356)
- 2 inch gate opening (10140357)
- Securely attach lanyards or lifelines to anchorages
- Based on inquiry



10140357

Article No.	Description	Weight (kg)
10140368	Beam Trolley	3.65
10140371	I-Beam Slider 30In	3.65
10140356	Carabiner 1/2" 3600 Lb Gate	0.460
10140357	Carabiner 21" 3600 Lb Gate	0.920

LIFELINE

Features 10170389:

- Material : ThermoPlastic
- Lifeline Material : Galvanized Steel Cable
- Lifeline Connector : Swivel Snap
- Approx. Product Length : 20 ft
- Based on inquiry

10140389

**ANSI Z359
OSHA 1910**
Features 10140390:

- Material : Aluminum
- Lifeline Material : Webbing
- Lifeline Connector : Snap Hook
- Approx. Product Length : 7 ft
- Based on inquiry

10140390

Features 10140391:

- Material : Nylon
- Lifeline Material : Webbing
- Lifeline Connector : Snap Hook
- Approx. Product Length : 10 ft
- Based on inquiry

10140391


Article No.	Description	Weight (kg)
10140389	Self-Retracting Lifeline 20Ft Cable Polymer Housing	3.9
10140390	Self-Retracting Lifeline 7Ft Web Aluminum Housing	2.06
10140391	Self-Retracting Lifeline Max Patrol 10 Ft Web	1.84


LIGHT WORK
Athena
ladies shoes

Features:

- Sole : Single Density PU (Ladies)
- Upper : Split Leather
- Collar : Black PU Filled With Foam
- Toe Cap : Steel

Hera
ladies shoes


EN ISO 20345:2011 SRC

Arrow 4"

Features:

- Sole : Single Density PU
- Upper : Split Leather
- Collar : Black PU Filled With Foam
- Toe Cap : Steel

Arrow 6"


EN ISO 20345:2011 SRC

Article No.	Size	Weight (kg)
10111788	36/3	0.7
10111789	37/4	0.7
10111790	38/5	0.7
10111791	39/6	0.7
10111792	40/6.5	0.7

Article No.	Size	Weight (kg)
10111793	36/3	0.7
10111794	37/4	0.7
10111795	38/5	0.7
10111796	39/6	0.7
10111797	40/6.5	0.7

Article No.	Size	Weight (kg)
10111764	38/5	0.9
10111765	39/6	0.9
10111766	40/6.5	0.9
10111767	41/7	1
10111768	42/8	1
10111769	43/9	1
10111770	44/10	1

Article No.	Size	Weight (kg)
10111771	38/5	0.9
10111772	39/6	0.9
10111773	40/6.5	0.9
10111774	41/7	0.9
10111775	42/8	0.9
10111776	43/9	0.9
10111777	44/10	0.9

Kronos


EUROPEAN STANDARD EN345'S

Features:

- Sole material: PU
- Toe cap
- Oil resistant
- Anti slip sole
- Anti static

Article No.	Size	Weight (kg)
KW1000730	38/5	0.9
KW1000731	39/6	0.9
KW1000732	40/6.5	0.9
KW1000733	41/7	1
KW1000734	42/8	1
KW1000735	43/9	1
KW1000736	44/10	1

Apollo


EUROPEAN STANDARD EN345'S

Features:

- Synthetic leather
- Sole material: PU
- Toe cap
- Oil resistant
- Anti slip sole
- Anti static
- Water & Fat Resistant Upper

Article No.	Size	Weight (kg)
KW1000481	37/4	0.9
KW1000482	38/5	0.9
KW1000483	39/6	0.9
KW1000484	40/6.5	0.9
KW1000485	41/7	0.9
KW1000486	42/8	0.9
KW1000487	43/9	0.9
KW1000488	44/10	0.9

Trojan


EUROPEAN STANDARD EN345'S

Features:

- Synthetic leather
- Sole material: PU
- Toe cap
- Oil resistant
- Anti slip sole
- Anti static
- Water & Fat Resistant Upper

Article No.	Size	Weight (kg)
KW1000451	38/5	0.7
KW1000452	39/6	0.7
KW1000453	40/6.5	0.7
KW1000454	41/7	0.7
KW1000455	42/8	0.7
KW1000456	43/9	0.7
KW1000457	44/10	0.7

MEDIUM WORK

Maxi 4"



Maxi 6"



Prince 4"



Prince 6"



Features:

- Sole : Dual Density PU
- Upper : Split Leather (Maxi)
- Suede Leather (Prince)
- Collar : Black PU Filled With Foam
- Toe Cap : Steel
- Slip And Oil Resistant Sole With Scuff Cap (Maxi)
- Pu Slip And Oil Resistant Outsole (Prince)

Article No.	Size	Weight (kg)
10111798	38/5	0.9
10111799	39/6	0.9
10111800	40/6.5	0.9
10111801	41/7	1
10111802	42/8	1
10111803	43/9	1
10111804	44/10	1

Article No.	Size	Weight (kg)
10111805	38/5	0.9
10111806	39/6	0.9
10111807	40/6.5	0.9
10111808	41/7	0.9
10111809	42/8	0.9
10111810	43/9	0.9
10111811	44/10	0.9

Article No.	Size	Weight (kg)
10111836	38/5	0.9
10111837	39/6	0.9
10111838	40/6.5	0.9
10111839	41/7	1
10111840	42/8	1
10111841	43/9	1
10111842	44/10	1

Article No.	Size	Weight (kg)
10111843	38/5	0.9
10111844	39/6	0.9
10111845	40/6.5	0.9
10111846	41/7	0.9
10111847	42/8	0.9
10111848	43/9	0.9
10111849	44/10	0.9



TOE CAP 200 JOULE



WATER RESISTANCE UPPER



CHEMICAL RESISTANCE



OIL RESISTANCE



STEEL MIDSOLE



ACID RESISTANCE



ANTI-SLIP SOLE



ANTI-STATIC




HEAT RESISTANCE



HEAVY WORK

Spartan




Hektor



Vulcan Brown



Vulcan Black



Features:

- Sole : Dual Density PU
- Upper : Split Leather
- Collar : Black PU Filled With Foam
- Toe Cap : Steel
- Slip And Oil Resistant Sole With Scuff Cap

Article No.	Size	Weight (kg)
10111817	38/5	0.9
10111818	39/6	0.9
10111819	40/6.5	0.9
10111820	41/7	0.9
10111821	42/8	1
10111822	43/9	1
10111823	44/10	1

Features:

- Upper : Buffalo Leather
- Collar : PU filled with foam
- Tongue : leather filled with foam
- Lining : Breathable mesh

Article No.	Size	Weight (kg)
10059582	38/5	1.4
10059583	39/6	1.4
10059584	40/6.5	1.4
10059585	41/7	1.4
10059586	42/8	1.5
10059587	43/9	1.5
10059588	44/10	1.5

- Toe cap : Steel
- Midplate : Steel
- Sole : good year welted rubber sole oil and abrasion resistance Standard

Article No.	Size	Weight (kg)
10059573	38/5	1.4
10059574	39/6	1.4
10059575	40/6.5	1.4
10059577	41/7	1.4
10059578	42/8	1.5
10059580	43/9	1.5
10059581	44/10	1.5

WET ENVIRONMENT

Safety Boots



Features:

- Material: PVC
- Toe cap
- Oil resistant
- Anti slip sole
- Heat resistant
- Chemical resistant



Article No.	Size	Weight (kg)
10095004	M (39-40)	1.3
10095005	L (41-42)	1.3
10095006	XL (43-44)	1.3

Article No.	Size	Weight (kg)
10095007	M (39-40)	1.5
10095008	L (41-42)	1.5
10095009	XL(43-44)	1.5

Article No.	Size	Weight (kg)
10157982	M (39-40)	1.5
10157983	L (41-42)	1.5
10157984	XL(43-44)	1.5

Article No.	Size	Weight (kg)
10149401	M (39-40)	1.5
10149402	L (41-42)	1.5
10149403	XL(43-44)	1.5

SHOE COVER WITH STEEL TOE



Features:

- Fully padded with genuine leather lining
- Sole with sandwiched flat rubber out sole
- Leather rear cover for pull-over with 1.5: elastic
- Unisex style, can be used over formal, casual, slip-on etc



TOE CAP 200 JOULE



ANTI-SLIP SOLE

Article No.	Description	Weight (kg)
10179481	Shoe Cover with Steel Toe	0.85

GAS DETECTOR



KW0600708 - KW0600711

KW0600712

Features KW0600708 - KW0600711:

- Replacable gas sensor module
- Small size for easy carrying
- External gas sampling pump
- TWA and STEL alert
- Memory, calibration and setting with computer
- Based on Inquiry

Features KW0600712:

- Large LCD indicator
- Adjustable calibrating level
- Replaceable sensor module
- Self - adjustment function
- Protection IP65
- Based on Inquiry

Article No.	Description	Dimention ((LxWxD) cm)	Weight (kg)
KW0600708-KW0600711	Small Single Gas Detector	11.7 x 7.6 x 4.4	0.2
KW0600712	4 Gases Multi Gas Detector	11.7 x 7.6 x 4.4	0.2

ELECTRICAL

KW1000667

10078806

10078807

10078808

10083312

10078809

10078810

10078811

10078812

10083985
Features:

- Material ABS and PE
- Non-conductive, non-sparking, dielectric tested
- Can be used for locking out service temperature for 110-220/380v
- Made of high quality insulation resin, which is resistant to the chemical
- Be fit for using in the enclosure place, such as chemical, military, mining, power and inflammable and explosive locations

Article No.	Description	Dimension (LxWxH) (mm)	Weight (kg)
KW1000667	Plug Lockout-Small	104.3 x 59.5 x 60	0.4
10078806	Plug Lockout Waterproff 6A-125A	50 x 80 x 50	0.015
10078807	Mini Circuit Breaker Lockout Pin Out	L = 12	0.05
10078808	Mini Circuit Breaker Lockout Pin In	L=12	0.05
10083312	Circuit Breaker Clamp On 18 mm Mccb	L=18	0.09

Article No.	Description	Dimension (LxWxH) (mm)	Weight (kg)
10078809	Circuit Breaker Clamp On Small 42Mm Mccb	L=42	0.05
10078810	Circuit Breaker Clamp On Big 72Mm Mccb	L=72	0.005
10078811	Push Button Lockout Dia 22Mm	H=22	0.02
10078812	Push Button Lockout Dia 30Mm	H=3	0.02
10083985	Tagout General	140 x 0.5 x 70	0.01

MECHANICAL

10078803

10078816

10078817

10078818

10078805

10078804

10078802

10085896 - 901

10078813

10078814

10078815

10085927

10085910

10085907
Features:

- Material ABS and PE
- Non-conductive, non-sparking, dielectric tested
- Can be used for locking out service temperature for 110-220/380v
- Made of high quality insulation resin, which is resistant to the chemical
- Be fit for using in the enclosure place, such as chemical, military, mining, power and inflammable and explosive locations

Article No.	Description	Dimension (LxWxH) (mm)	Weight (kg)
10078803	Hasp Isolation Nylon 6 Hole Padlock	193 x 45	0.025
10078816	Cable Lockout Retractable	110 x 110 x 40	0.2
10078817	Cable Lockout Multipurpose	2400 x 350	0.21
10078818	Cable Lockout Standard	2000 x 400	0.22
10078804	Hasp Steel with Hook Lock 1" 6Holes	115 x 40 x 25	0.085
10078805	Hasp Steel with Hook Lock 1.5" 6 Holes	128 x 40 x 38	0.095
10078802	Hasp Aluminium Labeled 6 Hole Red	190 x 77 x 36	0.15
10085896	Gate Valve Lockout (1In-2.5In)	25 x 25 x 54	0.3
10085897	Gate Valve Lockout (2.5In-5In)	63x x 63 x 54	0.3
10085898	Gate Valve Lockout (5In-6.5In)	127 x 127 x 54	0.4
10085899	Gate Valve Lockout (6.5In-10In)	165 x 165 x 54	0.4
10085900	Gate Valve Lockout (10In-13In)	254 x 254 x 54	0.5
10085901	Gate Valve Lockout (13In-18In)	457 x 457 x 54	0.8

Article No.	Description	Dimension (LxWxH) (mm)	Weight (kg)
10078813	Gate Valve Lockout Adjustable 1"-6.5"	165 x 25	0.23
10078814	Ball Valve Standard Lockout 1 1/2"-3"	38.1 x 76.2	0.36
10078815	Universal Valve Lockout	170 x 100 x 100	0.53
10085927	Ball Valve Standard Lockout 1/4-1"	100 x 800	0.10
10085910	Multi-Function Miniature Circuit Breaker	600 x 30 x 40	0.12
10085907	Emergency Stop Lockout Sq Dia.22/30mm	70 x 55 x 60	0.28

PADLOCK



>> KEYED DIFFER SYSTEM (KD)



>> KEYED ALIKE SYSTEM (KA)



>> DIFFER & MASTER KEY SYSTEM (MK)



>> ALIKE & MASTER KEY SYSTEM (KAMK)




Features:

- Material: ABS, nylon, and steel
- Short, medium and long shackle in stainless steel
- Impact and corrosion resistance, insulation resin, spark proof
- Be fit for using in the enclosure place, such as chemical, military, mining, power and inflammable and explosive locations
- Includes "danger" and "property of" on padlock labels

Article No.	Description	Dimension (LxWxH) (mm)	Weight (kg)
10078778	Padlock Short Shackle Steel Red (Kd)	45 x 38 x 38	0.11
10078777	Padlock Long Shackle Steel Red (Kd)	45 x 38 x 76	0.13
10078776	Padlock Short Shackle Nylon Red (Kd)	45 x 38 x 38	0.07
10078779	Padlock Laminated Short Shackle (Kd)	29 x 49 x 28	0.23
10078780	Padlock Laminated Long Shackle (Kd)	33 x 42 x 48	0.23
10078801	Padlock Wire Dia 3.2mmx150mm Red (Kd)	45 x 38 x 78	0.09

LOCKOUT STATION



Content 10096461:

- 10086553 Station 20 Padlock (1)
- 10078778 Padlock Short Shackle Steel Red (Kd) (20)
- 10078804 Hasp Steel with Hook Lock 1In 6 Holes (3)
- 10078805 Hasp Steel with Hook Lock 1.5In 6 Holes (3)
- 10078813 Gate Valve Lockout Adjustable 1"-6.5" (1)
- 10085898 Gate Valve Lockout (5In-6.5In) (1)
- 10078816 Cable Lockout Retractable (1)
- 10083985 Tagout General (25)
- 10078817 Cable Lockout Multipurpose (1)

Features:

- Type : Lockout stations
- Colour : Yellow
- Material : ABS
- Application : Heat resistant, impact

Content 10096462:

- 10019711 Lockout Station 4 Padlock (1)
- 10078778 Padlock Short Shackle Steel Red (Kd) (4)
- 10078804 Hasp Steel with Hook Lock 1In 6 Holes (1)
- 10078805 Hasp Steel with Hook Lock 1.5In 6 Holes (1)
- 10083985 Tagout General (10)

- Lock station material is ABS resin
- Door material is polycarbonate shock resistance

Content 10096463:

- 10085053 Lockout Station 10 Padlock (1)
- 10078778 Padlock Short Shackle Steel Red (Kd) (10)
- 10078804 Hasp Steel with Hook Lock 1In 6 Holes (3)
- 10078805 Hasp Steel with Hook Lock 1.5In 6 Holes (3)
- 10083985 Tagout General (25)

Content 10096464:

- 10086553 Lockout Station 20 Padlock (1)
- 10078778 Padlock Short Shackle Steel Red (Kd) (20)
- 10078804 Hasp Steel with Hook Lock 1In 6 Holes (3)
- 10078805 Hasp Steel with Hook Lock 1.5In 6 Holes (3)
- 10083985 Tagout General (25)

Article No.	Description	Dimension (LxWxH) (mm)	Weight (kg)
10019711	Station 4 Padlock	300 x 250 x 50	1.5
10085053	Station 10 Padlock	485 x 250 x 50	2
10086553	Station 20 Padlock	555 x 485 x 50	2.5
10096461	Lockout Station Mechanical	555 x 485 x 50	6.15
10096462	Lockout Station 4 Padlock With Hasp	300 x 250 x 50	1.8
10096463	Lockout Station 10 Padlock With Hasp	485 x 100 x 50	3.6
10096464	Lockout Station 20 Padlock With Hasp	55 x 485 x 50	5.26

SAFETY CASE



Features :

- Material: PP.
- Light weight, water resistance, shockproof and Anti-corrosion performance;
- Filled with pre cut foam and easy to customize compartment for your valuable equipment.
- Manual pressure adjustment.
- Snap latches

Article No.	Description	Out side Dimension (mm)	Weight (kg)
10178664	Safety Protective Box Black	265 x 225 x 125	1.5
10178665	Safety Protective Box Black	339 x 295 x 152	1.8
10178666	Safety Protective Box Black	406 x 330 x 174	2.7
10178667	Safety Protective Box Black	510 x 400 x 188	2.8
10178668	Safety Protective Box Black	524 x 428 x 206	5
10178669	Safety Protective Box Black	549 x 438 x 124	3.8

Article No.	Description	Out side Dimension (mm)	Weight (kg)
10178672	Safety Protective Box Black	616 x 493 x 220	6
10178670	Safety Protective Box Black	720 x 430 x 180	9.5
10178671	Safety Protective Box Black	560 x 455 x 265	8.5
10178725	Safety Protective Box Black	559 x 351 x 229	6
10178673	Safety Protective Box Black	626 x 492 x 330	10
10178674	Safety Protective Box Black	790 x 595 x 365	14
10178675	Safety Protective Box Black	1140 x 643 x 420	21
10178676	Safety Protective Box Black	1220 x 406 x 155	10.6
10178677	Safety Protective Box Black	1346 x 406 x 155	11

SAFETY CABINET

Combustible Cabinet

Flamable Cabinet



Features :

- Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance.
- Galvanized steel shelves direct spills to back and bottom of a leak proof 50mm/150mm bottom sump.
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance capacity.
- Three-point stainless steel bullet latching system makes it work safely every time. Equipped with with adjustable legs and grounding wires

Corrosive Cabinet



Article No.	Description	Capacity (Gal/L)	Unit Dimension (mm)	Weight (kg)
10175049	Combustible Cabinet	4/15	560 x 430 x 430	40
10175050	Combustible Cabinet	22/83	1650 x 590 x 460	90
10175051	Combustible Cabinet	30/114	1120 x 1090 x 460	110
10175052	Combustible Cabinet	60/227	1650 x 1090 x 860	179
10175053	Combustible Cabinet	90/340	1650 x 860 x 860	200
10175054	Combustible Cabinet	110/410	1650 x 1090 x 860	280
10175133	Flamable Cabinet	12/45	570 x 700 x 1080	48
10178196	Flamable Cabinet	22/83	645 x 525 x 1780	90
10175040	Flamable Cabinet	30/114	1120 x 1090 x 460	110

Article No.	Description	Capacity (Gal/L)	Unit Dimension (mm)	Weight (kg)
10175041	Flamable Cabinet	60/227	1650 x 860 x 860	170
10175042	Flamable Cabinet	90/340	1650 x 1090 x 860	200
10175043	Flamable Cabinet	110/410	1650 x 1500 x 860	289
10175044	Corrosive Cabinet	12/45	890 x 590 x 460	60
10175045	Corrosive Cabinet	22/83	1650 x 590 x 460	90
10175046	Corrosive Cabinet	30/114	1120 x 1090 x 460	110
10175047	Corrosive Cabinet	60/227	1120 x 1090 x 460	170
10175048	Corrosive Cabinet	110/410	1650 x 1500 x 860	280

Pesticides Cabinet



10175055-10175060

STOCK BY REQUEST

Features :

- Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance.
- Galvanized steel shelves direct spills to back and bottom of a leak proof 50mm/150mm bottom sump.
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance capacity.
- Three-point stainless steel bullet latching system makes it work safely every time. Equipped with adjustable legs and grounding wires.

Toxic Cabinet



10175061-10175067

Article No.	Description	Capacity (Gal/L)	Unit Dimension (mm)	Weight (kg)
10175055	Pesticides Cabinet	4/15	560 x 430 x 430	40
10175056	Pesticides Cabinet	12/45	890 x 590 x 460	60
10175057	Pesticides Cabinet	22/83	1650 x 590 x 460	90
10175058	Pesticides Cabinet	30/114	1120 x 1090 x 460	110
10175059	Pesticides Cabinet	90/340	1650 x 1090 x 860	200
10175060	Pesticides Cabinet	110/410	1650 x 1500 x 860	280

Article No.	Description	Capacity (Gal/L)	Unit Dimension (mm)	Weight (kg)
10175061	Toxic Cabinet	4/15	560 x 430 x 430	40
10175062	Toxic Cabinet	12/45	890 x 590 x 460	60
10175063	Toxic Cabinet	22/83	1650 x 590 x 460	90
10175064	Toxic Cabinet	30/114	1120 x 1090 x 460	110
10175065	Toxic Cabinet	60/227	1650 x 860 x 860	170
10175066	Toxic Cabinet	90/340	1650 x 1090 x 860	200
10175067	Toxic Cabinet	110/410	1650 x 1500 x 860	280

Acid & Corrosive Cabinet



10165709-10165715

STOCK BY REQUEST

Features :

- Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance.
- Galvanized steel shelves direct spills to back and bottom of a leak proof 50mm/150mm bottom sump.
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance capacity.
- Three-point stainless steel bullet latching system makes it work safely every time. Equipped with adjustable legs and grounding wires.

Article No.	Description	Capacity (Gal/L)	Unit Dimension (mm)	Weight (kg)
10165709	Acid & Corrosive Cabinet	4/15	560 x 430 x 430	14
10165710	Acid & Corrosive Cabinet	12/45	890 x 590 x 460	29
10165711	Acid & Corrosive Cabinet	22/83	900 x 910 x 600	51
10165712	Acid & Corrosive Cabinet	30/114	1120 x 1090 x 460	56
10165713	Acid & Corrosive Cabinet	45/170	1650 x 1090 x 460	80
10165714	Acid & Corrosive Cabinet	60/227	1650 x 860 x 860	88
10165715	Acid & Corrosive Cabinet	90/410	1650 x 1090 x 860	130

PPE Cabinet



10175068-10175069



Features :

- The cabinet is made of high quality CRS plates, durable lead-free epoxy powder-coat finish provides excellent chemical resistance capacity.
- Standard double doors, designed with long visible windows, easy to identify equipment and utensils contained in the cabinets.
- Adjustable shelves to store different sized objects.
- T-shape compartment, suitable for storage of protective suits.

Article No.	Description	Unit Dimension (mm)	Weight (kg)
10175068	PPE Cabinet	1200 x 900 x 500	45
10175069	PPE Cabinet	1920 x 900 x 500	60

POLY SPILL PALLETS



10176864



10176865



10176866

Article No.	Description	Forlift Operation	Capacity (Gal/L)	Dimension (H x L x W) (mm)	Weight (kg)
10176864	Spil Pallet (2 Drum)	Bidirectional Operation	32/120	300 x 1300 x 660	20.4
10176865	Spil Pallet (2 Drum)	Bidirectional Operation	58/220	450 x 1310 x 670	20.4
10176866	Spil Pallet (4 Drum)	Quadridirectional Operation	68/260	300 x 1300 x 1280	24

STOCK BY REQUEST



10176867



10176868



10176869

Article No.	Description	Capacity (Gal/L)	Dimension (H x Lx W) (mm)	Weight (kg)
10176867	Spill Decks (Single Drum)	11/42	150 x 680 x 680	8.1
10176868	Spill Decks (2 Drum)	21/80	150 x 1300 x 660	14.4
10176869	Spill Decks (4 Drum)	40/150	150 x 1300 x 1280	32.5

92 GAL-DRUM OVERPACK SPILL KITS

STOCK BY REQUEST

OIL ONLY

Oil only absorbent absorbing oil, not for water, specially used for petroleum hydrocarbons and hydrocarbons, etc



10176870

Spill Capacity: 280-350L/ 74-92Gal

HAZMAT

Hazmat absorbent, anti-acid and alkali, can absorb the vast majority of corrosive or dangerous chemicals



10176871

100 pcs 50 cm x 40 cm absorbent pad, 24 pcs 7.6 cm x 120 cm absorbent sock, 10 pcs 45 cm x 45 cm absorbent pillow, 10 pcs hazmat disposal bags, 10 pcs rope, 1 pair of Raz-9202 safety goggles, 1 pair of safety gloves, 1 pc user manual, Weight (kg) : 41

UNIVERSAL

Universal absorbent, both for oil and water as well as some corrosive chemicals



10176872

60 GAL-MOBILE SPILL KITS

STOCK BY REQUEST

OIL ONLY

Oil only absorbent absorbing oil, not for water, specially used for petroleum hydrocarbons and hydrocarbons, etc



10176876

Spill Capacity: 170-230L/ 45-60 Gal

HAZMAT

Hazmat absorbent, anti-acid and alkali, can absorb the vast majority of corrosive or dangerous chemicals



10176877

UNIVERSAL

Universal absorbent, both for oil and water as well as some corrosive chemicals



10176878

100 pcs 50 cm x 40 cm absorbent pad, 12 pcs 7.6 cm x 120 cm absorbent sock, 5 pcs 45 cm x 45 cm absorbent pillow, 5 pcs hazmat disposal bags, 5 pcs rope, 1 pair of Raz-9202 safety goggles, 1 pair of safety gloves, 1 pc user manual, Weight (kg) : 24.1

STOCK BY REQUEST
OIL ONLY

Oil only absorbent absorbing oil, not for water, specially used for petroleum hydrocarbons and hydrocarbons, etc


10188521

Spill Capacity: 75-100L/ 20-26 Gal

HAZMAT

Hazmat absorbent, anti-acid and alkali, can absorb the vast majority of corrosive or dangerous chemicals


10188522
UNIVERSAL

Universal absorbent, both for oil and water as well as some corrosive chemicals


10176875

20 pcs 50 cm x 40 cm absorbent pad, 4 pcs 7.6 cm x 120 cm absorbent sock, 5 pcs 45 cm x 45 cm absorbent pillow, 3 pcs hazamat disposal bags, 3 pcs rope, 1 pair of Raz-9202 safety goggles, 1 pair of safety gloves, 1 pc user manual, Weight (kg) : 11.3

13 GAL-PORTABLE SPILL KITS
STOCK BY REQUEST
OIL ONLY

Oil only absorbent absorbing oil, not for water, specially used for petroleum hydrocarbons and hydrocarbons, etc


10188523

Spill Capacity: 35-50L/ 9-13 Gal

HAZMAT

Hazmat absorbent, anti-acid and alkali, can absorb the vast majority of corrosive or dangerous chemicals


10188524

25 pcs 50 cm x 40 cm absorbent pad, 3 pcs 7.6 cm x 120 cm absorbent sock, 1 pcs hazamat disposal bags, 1 pcs rope, 1 pair of Raz-9202 safety goggles, 1 pair of safety gloves, 1 pc user manual, Weight (kg) : 2.75

UNIVERSAL

Universal absorbent, both for oil and water as well as some corrosive chemicals


10176881
16 GAL-REFILLS SPILL KITS
STOCK BY REQUEST
OIL ONLY

Oil only absorbent absorbing oil, not for water, specially used for petroleum hydrocarbons and hydrocarbons, etc


10176882

Spill Capacity: 35-50L/ 9-13 Gal

HAZMAT

Hazmat absorbent, anti-acid and alkali, can absorb the vast majority of corrosive or dangerous chemicals


10176883
UNIVERSAL

Universal absorbent, both for oil and water as well as some corrosive chemicals


10176884

20 pcs 50 cm x 40 cm absorbent pad, 2 pcs 7.6 cm x 120 cm absorbent sock, 2 pcs 45 cm x 45 cm absorbent pillow, 2 pcs big hazamat disposal bags, 2 pcs medium hazamat disposal bags, 4 pcs rope, 1 pc user manual, 1 pc user manual, Weight (kg) : 4.5

SPILL KITS and ABSORBENT
OIL ONLY

Oil only absorbent absorbing oil, not for water, specially used for petroleum, hydrocarbons and hydrocarbons, etc


HAZMAT

Hazmat absorbent, anti-acid and alkali, can absorb the vast majority of corrosive or dangerous chemicals

ABSORBENT PAD

10178713
ABSORBENT SOCK

10178716
ABSORBENT PILLOW

10178719
ABSORBENT ROLL

10178719

10178714

10178717

10178720

10178720

Article No.	Description	Dimension (cm)	Weight (kg)
10178713	Absorbent Pad White (100pcs)	50 x 40 cm	5
10178714	Absorbent Pad Yellow (100pcs)	50 x 40 cm	5
10178716	Absorbent Sock White (12pcs)	7.6 x 120 cm	5.2
10178717	Absorbent Sock Yellow (12pcs)	7.6 x 120 cm	5.2

Article No.	Description	Dimension (cm)	Weight (kg)
10178719	Absorbent Pillow White (10pcs)	45 x 45 x 5 cm	6.2
10178720	Absorbent Pillow Yellow (10pcs)	45 x 45 x 5 cm	6.2
10178722	Absorbent Roll White	4572 x 38.1 cm	4.7
10178723	Absorbent Roll Yellow	4572 x 38.1 cm	4.7

SAFETY CAN

Handle enable to accompany with clamp to open lid without any secondary linkages, bring a convenience in carrying and using

The reinforcement support shaft-design and centrosymmetric rib-design of the bottom, help to balance the can's interior force

Positive press relief cap, leaktight, automatically vent vapor between 0.2 and 0.35 bar (3 and 5 psig) to prevent rupture (or explosion in event of fire), spring loaded, it closes automatically after filling or pouring

Seamless design for combination of the top and the body of the can

Baked on lead-free epoxy paint finish, minimizing the effect of corrosion and humidity

Yellow belly band with warning and clear content identification area for added security

No weld bottom seam


**10178701
10178708**

**10178704
10178710**

**10178706
10178712**

Article No.	Description	Dimension (cm)	Weight (kg)
10178701	Safety Can Gasoline 2.5 Gal (9.5L) Red	29 x 29 x 26	2
10178708	Safety Can Gasoline 5 Gal (19L) Red	29 x 29 x 40	2.6
10178704	Safety Can Diesel 2.5 Gal (9.5L) Yellow	29 x 29 x 26	2
10178710	Safety Can Diesel 5 Gal (19L) Yellow	29 x 29 x 40	2.6
10178706	Safety Can Kerosene 2.5 Gal (9.5L) Blue	29 x 29 x 26	2
10178712	Safety Can Kerosene 5 Gal (19L) Blue	29 x 29 x 40	2.6

CONE



10107301



KW1000477



10051435

Features:

- Material : Soft PVC (body)
PCV reinforced by rubber (base)
- Weight : 1.5 kg (10051435)
3.1 kg (10107301, KW1000477)
- Height : 45 cm (10051435)
70 cm (10107301, KW1000477)
- High durability and foldable capability
- Strong visibility with two reflective
- Heavy body, have a good stability



Article No.	Description	Weight (kg)
10107301	Traffic Cone 70cm Orange PVC Black Base	3.1
KW1000477	PVC Traffic Cone 70 cm with Reflective	4.000
10051435	PVC Traffic Cone 45cm with 1 Reflective Tape	1.080

CONE BAR



10051436

Features:

- The retractable cone bar can be expand to 7 feet and 8 feet
- Cone bar is designed for use with our traffic cones and T-Top & stackable bollard
- The cone bar is extremely portable and lightweight



BARRICADE TAPE



10051440 - 10051441

Features:

- Length: 100m
- Width: 7.5cm

BARRICADE TAPE "CAUTION"



10051442

Features:

- Length : 100m
- Width : 10cm
- Non adhesive polyethylene material
- UV resistance

CONE MOUNT RETRACTABLE BARRIER



10152430

Features:

- Material : HDPE
- Long tape : 2 M
- Type : Retractable
- Used pin lock
- Size : 10 X 8.5 X 23 CM

Article No.	Description	Weight (kg)
10051436	Cone Bar Retractable 1.3-2.15 m Black/Yellow	0.380
KW1000503	Barricade Tape Red/White	0.245
KW1000504	Barricade Tape Yellow/Black	0.245
10051442	Barricade Tape CAUTION	0.600
10051440	Barricade Tape 75 mm x 200 m Yellow/Black	0.460
10051441	Barricade Tape 75 mm x 200 m Red/White	0.500
10152430	Cone Mount Retractable Barrier	0.310

FLOOR SIGN



KW1800001



KW1800108



KW1800114



KW1800091



KW1800274



KW1800275

Features:

- Made of strong plastic material
- Foldable
- Available message caution wet floor, awas lantai licin, maintenance in progress

Features:

- Made of strong plastic material
- Available message caution wet floor, no entry, no parking
- Holes for pinning rope barrier

Article No.	Description	Dimension (mm)	Weight (kg)
KW1800001	Floor Sign "Caution Wet Floor" Caution Message	640 x 30 x 260	0.800
KW1800108	Floor Sign "Awasi Lantai Licin" Caution Message	640 x 30 x 260	0.800
KW1800114	Floor Sign "Maintenance In Progress" Caution Message	640 x 30 x 260	0.800
KW1800091	Sign Cone, "Wet Floor" Caution Message	320 x 250 x 320	2
KW1800274	Sign Cone, "No Entry" Caution Message	320 x 250 x 320	2
KW1800275	Sign Cone, "No Parking" Caution Message	320 x 250 x 320	2

TRAFFIC POST



10051434

Features:

- Made in high quality PE, flexible but good performance of weather resistance
- UV-resistant, good performance in fading and aging resistance
- Used for temporary traffic control, traffic guidance and channelize
- Post/stem with handle design
- Height : 115 cm
- Weight : 6 – 8 kg
- Dimension: 100 mm



TRAFFIC WARNING



10051438

Features:

- Height : 155mm - 165mm
- Cover material : PC
- Yellow color
- Battery power



LED WARNING LIGHT



10152132



10152133



Features:

- Battery Type :- 3 x AAA (10152132)
- Rechargeable (10152133)
- Light Color : Red - White
- Light Source : LED Bulbs
- Model of LED Beads :
- 5 Red LED (Area light; Rotating light; Blinking light; Flashing light) (10152132)
- 2 White LED+10 Red LED
(Rotate, Quad Blink, Slow Blink, Alternate, SOS, Solid low, Solid High, Steady on 2 LED, Steady on 4 LED) (10152132)

Article No.	Description	Weight (kg)
10051434	Traffic Post 115cm Rubber Base Red	7.52
10051438	Traffic Warning Light Battery Powered D-cell	2.8
10152132	LED Warning Light With 5 Modes With 3XAAA	0.18
10152133	LED Warning Light 11 Modes Rechargeable	0.3

SPEED BUMP



10051430



10051431



10051432

Features:

- Speed bumps are designed to force drivers to slow in critical, pedestrian areas, such as parking lots, crosswalks and other walkable areas
- Modular tongue-in-groove sections will fit nearly any roadway dimension, and allow for flexibility in installation
- With cat eyes to improve the visual distance
- Size of dynabolt ϕ 10 x 100m (not included)



RUMBLE BAR



10051428



10051429



Features:

- Surface mounted units that provide a visual warning to alert motorists of hazardous conditions ahead
- Suitable for center line, medium, lane marking, edge marking and line marking traffic island
- Size of dynabolt ϕ 8 x 60m (not included)

Article No.	Description	Weight (kg)
10051434	Traffic Post 115cm Rubber Base Red	7.52
10051438	Traffic Warning Light Battery Powered D-cell	2.8
10051430	Speed Hump Middle 50x35x5 cm Yellow	8.00
10051431	Speed Hump Middle 50x35x5 cm Black	8.00
10051432	Speed Hump End Cap 19.5x35x5 cm Black	1.8
10051428	Rumble Bar 100x10x1.5 cm Yellow	1.8
10051429	Rumble Bar 100x10x1.5 cm Black	1.8

WHEEL STOP



10157810

**Features 10157810:**

- Material: Rubber
- Size(LXWXH):550x150x100mm
- With 6 reflective tapes
- Packing: 6pcs/carton

WHEEL CHOCK



10157597

Features 10157597:

- Material: Rubber
- Size (LXWXH): 200x100x150mm
- With handle for easy taking.
- Packing: 8pcs/carton



10157809

Features 10157809:

- Material: Rubber
- Size: 250(L) x 200(W) x 150mm(H)
- With eye bolts for easy taking
- Packing: 6 pcs/pkg

TRAFFIC BATON



10051439

Features:

- The traffic batons offer both flashing or constant light modes in single and multicolor configurations
- Length : 540mm
- Diameter : 40mm
- LED qty LEDs : 6 + 1
- Function : Flash-steady-top light
- Batteries : 2D batteries



Article No.	Description	Weight (kg)
10157810	Wheel Stop	4.50
10157597	Wheel Chock	2.20
10157809	Wheel Chock	3.90

Article No.	Description	Weight (kg)
10051439	Traffic Baton LED 2 Function 54cm Red	0.185

CORNER PROTECTOR



- Length : 800mm
- Width : 100mm
- Thickness : 8mm

10051433



PLASTIC CHAIN



10051437



10091278



10090519




- Plastic chain is available in diameter of 6 mm
- 1 Roll = 40m

**Features:**

- Corner Protector absorbs and minimizes damage when a vehicle or forklift hits the wall
- It not only protects the structure and appearance of the building but also prevents dings and scratches on the vehicle
- Made from heavy duty rubber and can be used on indoor and outdoor, also resistant to extreme temperature variation, oil, moisture and UV light

Article No.	Description	Weight (kg)
10051433	Corner Protec Rubber 80 x 10 x 0.8 cm Black/Yellow	2.350
10051437	Plastic Chain Straight Link 6 mm x 40 m Yellow	2.5
10091278	Plastic Chain Straight Link 6 mm x 20 m Red	2
10090519	Hook for Plastic Chain	0.1

VENTILATOR



Features:

- Saving energy, strong wind power, convenient to move, make low noise and light weight due to die-casting aluminum alloy, the reasonable structure and the strong suction
- Extend quickly and easily when emergency ventilation is needed

Application:

- Application for confined space such as : underground cable maintenance, shipping making
- Blowing toxic gas when welding shipbuilding, bridge, etc
- Piping construction and in other violent working situation for ventilation

Article No.	Description	Weight (kg)
KW1000818	Ventilator Fan 300mm 500 W 220V	16.5
KW1000647	Ventilator Fan 450mm 700 W 220V	35
KW1000881	Ventilator Fan 700mm 2200 W 220V	84
KW1000788	Duct Ventilator Fan 300 x 10m	9.5
KW1000790	Duct Ventilator Fan 450 x 10m	15.7
10000820	Duct Ventilator Fan 700 x 10m	22.5

Description	Ventilator Fan 300mm	Ventilator Fan 450mm	Ventilator Fan 700mm
Specification			
Diameter (mm/inch)	300/12	450/18	700/28
Voltage (V)	220-240	220-240	220-240
Freq (Hz)	50	50	50
Speed (r/min)	2900	1400	1400
Power (Watt)	500	700	2200
Flow Rate (m3/min)	65	110	260
Static Pressure (Pa)	385	350	450
Noise (dB)	69	70	72
Measurement (m3/unit)	0.11	0.3	0.65
Weight (Kg/unit)	16.5	35	84

EYE WASHER



KW1000416

Features :

- Shower can provide 76 liters of water per minute
- Eye washer unit deliver 11,5 liters of water per minute
- Center of the water 16" from any obstructions
- Large area cover of water flow at 60", the water pattern cover 20" diameter
- Ball valve activates within one second
- Easily located, accessible actuator no higher than 69"
- Outlet heads position meets 89/686/EEC and ANSI Z2358.1-2004, DIN 1289 EN15154 standard
- Protect spray heads from airborne contaminants
- Valve actuator are easy to locate and readily accessible to user
- Hands-free stay open valve activated within one second
- Connect unit to uninterruptible water supply delivering at 3GPM

- Material : 304 Stainless steel
- Coating : Immersed plastic ABS
- Pedestal : Cast iron
- Bowl : In highly visible yellow ABS

Article No.	Description	Weight (kg)
KW1000414	Eye and Face Safety Shower	16
KW1000415	Eye and Face Wash Standing Type	8
KW1000416	Eye and Face Wash Wall Mounted Type	5

EYE WASHER



10028141

16
Gallon

10079962

9
Gallon

10088550

- Material : Polyethylene
- Capacity : 16 Gallons
- Discharge time : Eye wash delivers over 1.6 Liters / minute for 15 minutes

Features 10079962:

- Material Tank Polyethylene (Non Toxic).
- Flow Control 2L/Min.
- Using gravity to supply a continuous flow of clean water
- Ideal for remote locations
- Meets ANSI Z358.1-2014

Features 10088550:

- Material: Stainless Steel, resists most laboratory acids and corrosives
- Spray Head: ABS Plastic, soft the water spray for eye protection.
- Water locking Switch: Automatic trigger locking for hand-free uses.
- Flow Control Valve: Flow control to avoid secondary damage
- Wall Mounted Bracket: Stainless Steel with Nylon Clips
- Hose: 1.5 meter reinforce PVC hose
- Meets ANSI Z358.1-2014

Article No.	Description	Weight (kg)
10028141	Eye Wash Station Portable Yellow	7.8
10079962	Eye Wash Portable 9 Gallons Yellow	4.8
10088550	Eye Washer Drench Hose	2.7

MODULAR FLOATING DOCK



10154657




10154658



10154721

Article No.	10154657	10154658	10154721
Description	K-Float for Deck On Top	K-Float Basic	Boat Slide
Specification			
Dimension (mm)	500 x 500 x 400		
Weight (kg)	7.0		11
Live Load (Kg/Ea / Kg/m ²)	93 / 372		
Material	High Density Polyethylene (HDPE)		
Tensile Strength	More than 20.000 N (2Tons)		
Nuts	10 mm or 12 mm 8Ea	-	-

Accessory Modular Floating Dock



Article : 10154705
 Description : Short Connector Pin
 Dimension : Ø 18.6xL23cm
 Material : High Density Polyethylene (HDPE)
 Weight : 700 g



Article : 10154707
 Description : Long Connector Pin
 Dimension : Ø 18.6xL63cm
 Material : High Density Polyethylene (HDPE)
 Weight : 1.2 g



Article : 10154709
 Description : Short Fixation Side Pin with Nut
 Dimension : Ø8.5xL13.5cm
 Material : High Density Polyethylene (HDPE)
 Weight : 191 g



Article : 10154715
 Description : Distance Span Disc
 Dimension : Ø9.5xT1.7cm
 Material : High Density Polyethylene (HDPE)
 Weight : 60 g


Accessory Modular Floating Dock

  Article : 10154717 Description : Distance Span Disc Dimension : Ø9.5xT1.7cm Material : High Density Polyethylene (HDPE) Weight : 60 g	  Article : 10154719 Description : Side Bumper Dimension : L90xW500xH220cm Material : High Density Polyethylene (HDPE)	 Article : 10154744 Description : Bumper Eva Dimension : Ø 280xH540mm Material : High Density Polyethylene (HDPE)	  Article : 10156191 Description : Stainless Steel Guide Rail Dimension : Over H100cm Material : Stainless Type : Short pin type
  Article : 10154726 Description : Stainless Steel Guide Rail Dimension : Over H100cm Material : Stainless Type : Side fix type	  Article : 10154724 Description : Square Guide Rail Dimension : Over 100cm Material : Polyethylene Type : Short pin type	  Article : 10154733 Description : Tool Kit for K-FLOAT Dimension : H950 x W750mm Material : Stainless	  Article : 10154728 Description : Stainless Steel Guide Rail (U-FORM) Dimension : W150 x H100cm Material : Stainless
  Article : 10154731 Description : Stainless Steel Swimming Pool Ladder Dimension : W500 x H1000mm Material : Stainless	  Article : 10154736 Description : Side Pile Roller Guide DIA Dimension : W150 x H100cm Material : Stainless	  Article : 10154738 Description : Roller Pile Guide DIA Dimension : L500 x H500 x Ø 350 Material : Stainless	  Article : 10154743 Description : Reinforced Side Bar Dimension : W1000mm Material : Stainless
  Article : 10154742 Description : Reinforced Side Bar Dimension : W500mm Material : Stainless	 Article : 10154739 Description : Stainless Steel Cleat (General) Dimension : Ø 50 x H282mm Material : Stainless		

MODULAR WAVE BREAKER

STOCK BY REQUEST

NEW



Features:

- HDPE with blow molding design and seamless construction
- Efficient polygon shape design for energy dispersion
- All weatherproof characteristic
- Easily movable and relocated
- Over 20 years long-lasting durability

Article No.	Stock By request
Description	Modular Wave Breaker
Specification	
Material	High Density Polyethylene (HDPE)
Dimension (cm)	80 x 80 x 60 ±1%
Weight (kg)	15 Kg ±3%

Accessories :

	Description : Wire Cable Dimension : Ø 3.8 Cm x 10.2 m ± 3% Weight : 18.5 Kg ± 3% Material : SS 316 Wire / Synthetic Rubber
	Description : Joint Casing Dimension : 15 x 7 x 4.5 Cm ± 1% Weight : 0.9 Kg ± 3% Material : SS 316
	Description : Cable Fastener Dimension : Ø 6.2 x 7 Cm ± 3% Weight : 0.11 Kg ± 3% Material : Engineering Plastic
	Description : Block Cap Dimension : Ø 10 x 6 Cm ± 1% Weight : 0.28 Kg ± 3% Material : Engineering Plastic
	Description : Elastic Rubber Rope Dimension : 6 m ± 3% Weight : 24.5 Kg ± 3% Material : Rubber / Synthetic Rope / SS 316

YOUR TRUSTED PROTECTION SERIES

-KRISBOW SAFETY EQUIPMENT-

