


# Работа с чужим удалённым репозиторием


Чтобы иметь возможность предлагать свои изменения необходимо:

1. Форкнуть репозиторий, в который вы собираетесь вносить изменения


а) Кликните на кнопку "Fork"




б) Подтвердите создания "форка" кликнув на кнопку "Create Fork"




в) Дождитесь загрузки



г) Ура, вы великолепны



2) Теперь у вас есть копия оригинального репозитория, клонируйте свою копию



Скопировав адрес репозитория, откройте терминал в той папке, в которой вы хотите хранить проект, затем напишите в терминале

```
git clone <url> <name>
```

```
MINGW64 /c/myDocs/Code
Khanm@DESKTOP-GABR8SO MINGW64 /c/myDocs/Code
$ git clone https://github.com/Khanmag/git-fork.git myForkRepo
```

```
MINGW64 /c/myDocs/Code
Khanm@DESKTOP-GABR8SO MINGW64 /c/myDocs/Code
$ git clone https://github.com/Khanmag/git-fork.git myForkRepo
Cloning into 'myForkRepo'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

Khanm@DESKTOP-GABR8SO MINGW64 /c/myDocs/Code
$ |
```

### 3) Внесите локальные изменения и сохраните их

```
File Edit Selection View Go Run Terminal Help
myForkRepo

EXPLORER
MYFORKREPO
  README.md
  testChanges.txt


testChanges.txt
1 some changes
2

TERMINAL
PS C:\myDocs\Code\myForkRepo> git add .
PS C:\myDocs\Code\myForkRepo> git commit -m 'text changes commit'
[main eb4317d] text changes commit
1 file changed, 1 insertion(+)
create mode 100644 testChanges.txt
PS C:\myDocs\Code\myForkRepo> git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 298 bytes | 298.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Khanmag/git-fork.git
c496688..eb4317d main -> main
PS C:\myDocs\Code\myForkRepo> |
```


Создайте необходимые файлы и с помощью команд  
`git add .`  
`git commit -am "commit text"`  
`git push`  
отправьте изменения в свой удалённый репозиторий

#### 4) Отправьте изменения в оригинальный репозиторий


а) На сайте github вы увидите изменения, перейдите во вкладку "Pull requests"




#### б) Создайте новый пулл реквест



в) Убедитесь в правильности отправки (куда и откуда мы его отправляем)





г) Опционально, можете описать пулл реквест



g) Ура, вы великолепны! Реквест отправлен

## text changes commit #1

 Open


Khanmag wants to merge 1 commit into [KhanmagSh:main](#) from [Khanmag:main](#) 

Conversation 0

Commits 1


Checks 0


Files changed 1



Khanmag commented now


No description provided.



 text changes commit


eb4317d

Add more commits by pushing to the **main** branch on [Khanmag/git-fork](#)



✓












**This branch has no conflicts with the base branch**  
Only those with [write access](#) to this repository can merge pull requests.




Add a comment


Write


Preview

H B I           

Add your comment here...

 Markdown is supported

 Paste, drop, or click to add files

 Close pull request

Comment