



SESSION 17-2

Presented By: KolimNTCode

QUIZZ GAME

Step1



Download file Pycharm untuk memulai project kita(File awal zip,kompres di komputer anda dan buka)

QUIZZ GAME

Ingat Taro di Question_model.py !!!

Step2

```
class Question(): 1 usage
    def __init__(self, q_text, q_answer):
        self.text = q_text
        self.answer = q_answer

new_question = Question(q_text: 'asdmis', q_answer: 'False')
print(new_question.text)
```


Kode ini dipakai untuk membuat objek pertanyaan (Question) yang punya teks pertanyaan dan jawabannya.

QUIZZ GAME

Step3

```
class Question():  
    def __init__(self, q_text, q_answer):  
        self.text = q_text  
        self.answer = q_answer  
  
new_question = Question(q_text: 'asdmis', q_answer: 'False')  
print(new_question.text)
```

Hapus text yang ada label biru karena itu untuk test sementara



Buka file diatas karena itu adalah file data

QUIZZ GAME

Step4

Buka main.py

```
from question_model import Question
from data import question_data

question_bank = []
for question in question_data:
    question_text = question["text"]
    question_answer = question["answer"]
    new_question = Question(question_text, question_answer)
    question_bank.append(new_question)

print(question_bank[0].text)
```

Kode ini mengambil data pertanyaan dari question_data, lalu untuk setiap data di dalamnya program mengambil text dan answer, membuat objek Question baru dari data tersebut, kemudian menyimpannya ke dalam list question_bank. Jadi loop ini mengubah data mentah menjadi objek Question agar lebih mudah dipakai dalam quiz game. Terakhir, print(question_bank[0].text) menampilkan teks pertanyaan pertama yang ada di dalam question_bank.

print(question_bank[0].text) dipakai untuk mengambil dan menampilkan teks dari pertanyaan pertama di dalam list question_bank. Jika hanya print question bank dia ga tau pertanyaan yang mana yang dipilih

QUIZZ GAME

Step4

Buka main.py

```
from question_model import Question
from data import question_data

question_bank = []
for question in question_data:
    question_text = question["text"]
    question_answer = question["answer"]
    new_question = Question(question_text, question_answer)
    question_bank.append(new_question)

print(question_bank[0].text)
```

Kode ini mengambil data pertanyaan dari question_data, lalu untuk setiap data di dalamnya program mengambil text dan answer, membuat objek Question baru dari data tersebut, kemudian menyimpannya ke dalam list question_bank. Jadi loop ini mengubah data mentah menjadi objek Question agar lebih mudah dipakai dalam quiz game. Terakhir, print(question_bank[0].text) menampilkan teks pertanyaan pertama yang ada di dalam question_bank.

print(question_bank[0].text) dipakai untuk mengambil dan menampilkan teks dari pertanyaan pertama di dalam list question_bank. Jika hanya print question bank dia ga tau pertanyaan yang mana yang dipilih dan hal ini hanya untuk testing aja

QUIZZ GAME

Step5

Buka quiz_brain.py

```
class QuizBrain(): 2 usages
    def __init__(self, q_list):
        self.question_number = 0
        self.question_list = q_list

    def next_question(self): 1 usage
        current_question = self.question_list[self.question_number]
        self.question_number += 1
        input(f"Q{self.question_number}: {current_question.text} (True/False): ")
```

```
Q.1: The HTML5 standard was published in 2014. (True/False):
```

Kode ini membuat class QuizBrain yang mengatur jalannya quiz (menyimpan daftar pertanyaan dan menampilkan pertanyaan berikutnya). Di `__init__(self, q_list)`, program mengatur `self.question_number = 0` sebagai nomor pertanyaan awal dan `self.question_list = q_list` untuk menyimpan semua pertanyaan yang diberikan. Lalu fungsi `next_question(self)` mengambil pertanyaan saat ini dari list dengan `self.question_list[self.question_number]`, menyimpannya di `current_question`, dan menampilkan pertanyaan tersebut ke user menggunakan `input()` dengan format `Q{nomor}: pertanyaan (True/False)`, sehingga user bisa langsung mengetik jawabannya.

QUIZZ GAME

Step6

Buka main.py, ganti jadi kayak gini

```
from question_model import Question
from data import question_data
from quiz_brain import QuizBrain

question_bank = []
for question in question_data:
    question_text = question["text"]
    question_answer = question["answer"]
    new_question = Question(question_text, question_answer)
    question_bank.append(new_question)

quiz = QuizBrain(question_bank)
quiz.next_question()
```

Hapus:

```
print(question_bank[0].text)
```

Ganti:

```
quiz = QuizBrain(question_bank)
quiz.next_question()
```

Tambah:

```
from question_model import Question
from data import question_data
from quiz_brain import QuizBrain
```

Baris `quiz = QuizBrain(question_bank)` digunakan untuk membuat sebuah objek bernama `quiz` dari class `QuizBrain`, dengan memberikan `question_bank` sebagai daftar semua pertanyaan yang akan digunakan dalam `quiz`. Kemudian baris `quiz.next_question()` digunakan untuk memanggil fungsi `next_question()` dari objek tersebut, yang bertugas mengambil pertanyaan pertama dari daftar pertanyaan, menampilkannya ke layar, dan meminta pengguna memasukkan jawaban `True` atau `False`.



THANK YOU