

ICPSR 27963

**Criminal Justice Drug Abuse
Treatment Studies (CJDATS): The
Criminal Justice Co-Occurring
Disorder Screening Instrument
(CJ-CODSI), 2002-2008 [United
States]**

Stanley Sacks

NDRI Rocky Mountain Research Center

Gerald Melnick

NDRI Rocky Mountain Research Center

Variable Description and Frequencies for
CODSI Minority Supplement Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/27963/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #27963
Criminal Justice Drug Abuse Treatment Studies (CJDATS)

*The Criminal Justice Co-Occurring Disorder Screening
Instrument (CJ-CODSI), 2002-2008*

Part 2: CODSI Minority Supplement Data

- 1) For better understanding of the recoded and other computed variables, it is advisable that the users read the documentations files before reviewing or analyzing the data.

ICPSR 27963

Criminal Justice Drug Abuse Treatment Studies (CJDATS): The Criminal Justice Co-Occurring Disorder Screening Instrument (CJ-CODSI), 2002-2008 [United States]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Criminal Justice Drug Abuse Treatment Studies (CJDATS): The Criminal Justice Co-Occurring Disorder Screening Instrument (CJ-CODSI), 2002-2008 [United States]

CODSI Minority Supplement Data

msrace

race of client

Location: 1-8 (width: 8; decimal: 2)

Variable Type: numeric

Question: Race of Client

Value	Label	Unweighted Frequency	%
1.00	white	137	38.8 %
2.00	African American	96	27.2 %
3.00	Latino	120	34.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.95
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.85

cid	Client ID Number
Location:	9-12 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	RESPONDENT ID NUMBER:
<i>Value</i>	<i>Label</i>
-9 (M)	LEGITAMATE SKIP
-8 (M)	ACCIDENTAL SKIP
-7 (M)	REFUSE TO ANSWER
-6 (M)	MULTIPLE RESPONSE
-5 (M)	BAD DATA
-4 (M)	DON'T KNOW
-3 (M)	NOT APPLICABLE
-2 (M)	ILLEGIBLE
-1 (M)	VARIABLE NOT ON FORM

Based upon 353 valid cases out of 353 total cases.

- Mean: 7497.69
- Minimum: 1001.00

- Study 27963 -

- Maximum: 9244.00
- Standard Deviation: 2851.90

cjdid CJDATS Study Id Number

Location: 13-20 (width: 8; decimal: 0)

Variable Type: numeric

Question: STUDY NUMBER:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9100	CODSI	353	100.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 9100.00
- Median: 9100.00
- Mode: 9100.00
- Minimum: 9100.00
- Maximum: 9100.00
- Standard Deviation: 0.00

site Research Site

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric

Question: SITE ID:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Site 1	13	3.7 %
2	Site 2	13	3.7 %
3	Site 3	36	10.2 %
4	Site 4	18	5.1 %
5	Site 5	14	4.0 %
6	Site 6	55	15.6 %
7	Site 7	19	5.4 %
8	Site 8	7	2.0 %
9	Site 9	41	11.6 %
10	Site 10	55	15.6 %
11	Site 11	18	5.1 %
12	Site 12	9	2.5 %
13	Site 13	27	7.6 %
14	Site 14	28	7.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 7.86

- Study 27963 -

- Median: 9.00
- Minimum: 1.00
- Maximum: 14.00
- Standard Deviation: 3.73

staffid	Staff ID								
Location:	25-28 (width: 4; decimal: 0)								
Variable Type:	numeric								
Range of Missing Values (M):	-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .								
Question:	INTERVIEWER ID:								
	<table><tr><th>Value</th><th>Label</th><th>Unweighted Frequency</th><th>%</th></tr><tr><td>. (M)</td><td>-</td><td>353</td><td>100.0 %</td></tr></table>	Value	Label	Unweighted Frequency	%	. (M)	-	353	100.0 %
Value	Label	Unweighted Frequency	%						
. (M)	-	353	100.0 %						

Based upon 0 valid cases out of 353 total cases.

idate	Interview Date
Location:	29-39 (width: 11; decimal: 0)
Variable Type:	character
Question:	DATE OF ASSESSMENT:
	Based upon 353 valid cases out of 353 total cases.

intstrt	Interview Start Time
Location:	40-44 (width: 5; decimal: 0)
Variable Type:	character
Question:	A. START TIME
	Based upon 353 valid cases out of 353 total cases.

instrta	AM or PM		
Location:	45-46 (width: 2; decimal: 0)		
Variable Type:	character		
Question:	AM or PM		
	Value	Unweighted Frequency	%
	AM	203	57.5 %
	PM	150	42.5 %

Based upon 353 valid cases out of 353 total cases.

csex	Client Gender
Location:	47-48 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

B. CLIENT GENDER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	FEMALE	146	41.4 %
1	MALE	207	58.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

suindt Substance Abuse Program Intake Date

Location: 49-59 (width: 11; decimal: 0)

Variable Type: character

Question: C. SUBSTANCE ABUSE PROGRAM INTAKE DATE:

Based upon 353 valid cases out of 353 total cases.

stype Service Type

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: D. SERVICE TYPE: What service type has the client received in the substance abuse program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	THERAPEUTIC COMMUNITY	231	65.4 %
2	INTENSIVE OUTPATIENT	122	34.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.35
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.48

stjail Date began current incarceration

Location: 62-72 (width: 11; decimal: 0)

Variable Type: character

- Study 27963 -

Question: Enter the date the respondent began his/her current incarceration. Verify with the respondent that he/she has not been free since that date.
Based upon 353 valid cases out of 353 total cases.

pre30jl Date thirty days prior to STJAIL

Location: 73-83 (width: 11; decimal: 0)
Variable Type: character
Question: Enter the date that precedes the date of incarceration by 30 days.
Based upon 353 valid cases out of 353 total cases.

pre180jl Date one hundred eighty days (6 months) prior to STJAIL

Location: 84-94 (width: 11; decimal: 0)
Variable Type: character
Question: Enter the date that precedes the date of Incarceration by 6 months (180 days).
Based upon 353 valid cases out of 353 total cases.

dy30free Number of days client was free during the 30 days prior to the current incarceration

Location: 95-96 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: Enter the number of days that the client was free during the 30 days prior to his or her current incarceration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	64	18.1 %
1	-	1	0.3 %
2	-	1	0.3 %
4	-	1	0.3 %
5	-	1	0.3 %
14	-	3	0.8 %
16	-	2	0.6 %
20	-	4	1.1 %
21	-	3	0.8 %
23	-	2	0.6 %
24	-	3	0.8 %
25	-	1	0.3 %
26	-	1	0.3 %
28	-	2	0.6 %
29	-	2	0.6 %
30	-	262	74.2 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 23.72
- Median: 30.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 11.76

dy180fre	Number of days client was free during the 180 days prior to current incarceration
----------	---

Location: 97-99 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Enter the number of days that the client was free during the six months prior to his or her current incarceration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	30	8.5 %
1	-	1	0.3 %
14	-	1	0.3 %
30	-	9	2.5 %
45	-	1	0.3 %
49	-	1	0.3 %
54	-	1	0.3 %
60	-	13	3.7 %
66	-	1	0.3 %
68	-	1	0.3 %
75	-	3	0.8 %
87	-	1	0.3 %
90	-	20	5.7 %
102	-	1	0.3 %
105	-	2	0.6 %
108	-	1	0.3 %
114	-	1	0.3 %
115	-	1	0.3 %
120	-	15	4.2 %
121	-	1	0.3 %
125	-	1	0.3 %
129	-	1	0.3 %
130	-	1	0.3 %
131	-	1	0.3 %
135	-	1	0.3 %
140	-	1	0.3 %
141	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
142	-	1	0.3 %
146	-	1	0.3 %
147	-	1	0.3 %
149	-	1	0.3 %
150	-	15	4.2 %
152	-	1	0.3 %
154	-	1	0.3 %
159	-	2	0.6 %
160	-	2	0.6 %
162	-	1	0.3 %
165	-	1	0.3 %
166	-	3	0.8 %
170	-	3	0.8 %
171	-	1	0.3 %
172	-	1	0.3 %
173	-	7	2.0 %
174	-	3	0.8 %
175	-	1	0.3 %
176	-	2	0.6 %
177	-	3	0.8 %
178	-	2	0.6 %
179	-	5	1.4 %
180	-	183	51.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 139.94
- Median: 180.00
- Mode: 180.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 59.90

cdob	Client Birth Date
-------------	--------------------------

Location: 100-107 (width: 8; decimal: 0)

Variable Type: character

Question: 1. What is your birthdate?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Masked	353	100.0 %

Based upon 353 valid cases out of 353 total cases.

chisp **Hispanic/Latino**

Location: 108-109 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 2. Are you Hispanic or Latino/a?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	233	66.0 %
1	YES	120	34.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

newethn **Hisp/Latino Ethnic Group**

Location: 110-113 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 2. Are you Hispanic or Latino/a? *IF "YES", ASK a: a. What ethnic group do you consider yourself?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	MEXICAN AMERICAN	60	17.0 %
5	PUERTO RICAN	12	3.4 %
7	OTHER	43	12.2 %
-9 (M)	Legitimate skip	231	65.4 %
-8 (M)	Blank	4	1.1 %
-5 (M)	Bad data	2	0.6 %
-3 (M)	Not applicable	1	0.3 %

Based upon 115 valid cases out of 353 total cases.

- Mean: 5.23
- Median: 4.00
- Mode: 4.00
- Minimum: 4.00
- Maximum: 7.00
- Standard Deviation: 1.41

- Study 27963 -

chethn1 **Other Specified Ethnic Group**

Location: 114-163 (width: 50; decimal: 0)
 Variable Type: character
 Question: 2. Are you Hispanic or Latino/a? *IF "YES", ASK a: a. What ethnic group do you consider yourself?
 7.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	319	90.4 %
Masked	34	9.6 %

Based upon 353 valid cases out of 353 total cases.

newrace1 **Race/Ethnicity 1**

Location: 164-165 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 3. What is your race or ethnic background? (code one only)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AFRICAN AMERICAN	102	28.9 %
3	NATIVE AMERICAN	14	4.0 %
4	WHITE	152	43.1 %
6	OTHER	47	13.3 %
-8 (M)	ACCIDENTAL SKIP	11	3.1 %
-5 (M)	BAD DATA	8	2.3 %
-3 (M)	NOT APPLICABLE	19	5.4 %

Based upon 315 valid cases out of 353 total cases.

- Mean: 3.28
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.75

newrace2 **Race/Ethnicity 2**

Location: 166-167 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 3. What is your race or ethnic background? (code one only)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	OTHER	15	4.2 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	LEGITIMATE SKIP	334	94.6 %
-8 (M)	ACCIDENTAL SKIP	4	1.1 %

Based upon 15 valid cases out of 353 total cases.

- Mean: 6.00
- Median: 6.00
- Mode: 6.00
- Minimum: 6.00
- Maximum: 6.00
- Standard Deviation: 0.00

crace1 **Other Specified Race**

Location: 168-217 (width: 50; decimal: 0)

Variable Type: character

Question: 3. What is your race or ethnic background? (code one only) 6. Other (specify)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	297	84.1 %
Masked	56	15.9 %

Based upon 353 valid cases out of 353 total cases.

clive **Current Living Situation**

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 4. In the last 30 days prior to the arrest date on the timeline, where were you living most of the time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	SHELTER	5	1.4 %
2	STREET/OUTDOORS	10	2.8 %
3	INSTITUTION	55	15.6 %
4	OWN/RENT APARTMENT, ROOM, OR HOUSE	164	46.5 %
5	SOMEONE ELSE'S APARTMENT, ROOM OR HOUSE	87	24.6 %
6	HALFWAY HOUSE	10	2.8 %
7	RESIDENTIAL TREATMENT	2	0.6 %
8	OTHER HOUSED	20	5.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 4.29

- Study 27963 -

- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.28

clive1 **Other Specified Current Living Situation**

Location: 220-269 (width: 50; decimal: 0)

Variable Type: character

Question: 4. In the last 30 days prior to the arrest date on the timeline, where were you living most of the time?
8. Other housed (specify)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	333	94.3 %
CAR	1	0.3 %
DAD'S HOTEL	1	0.3 %
HOTEL	4	1.1 %
HOTELS	4	1.1 %
JAIL (WORK RELEASE PROGRAM)	1	0.3 %
LIVE IN WORKPLACE	1	0.3 %
MOTEL	3	0.8 %
MOTHER'S MOBILE HOME	1	0.3 %
ON THE RUN/CAR	1	0.3 %
RV	1	0.3 %
STAYING W/A FEW PEOPLE-20 DIFFERENT PLACES	1	0.3 %
VAN	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

Ingliv **# Mos in Current Living Situation**

Location: 270-272 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. How long had you been living there (at that place)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	5	1.4 %
1	-	31	8.8 %
2	-	39	11.0 %
3	-	23	6.5 %
4	-	22	6.2 %
5	-	14	4.0 %
6	-	34	9.6 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	7	2.0 %
8	-	13	3.7 %
9	-	4	1.1 %
10	-	3	0.8 %
12	-	41	11.6 %
13	-	2	0.6 %
14	-	2	0.6 %
15	-	4	1.1 %
16	-	1	0.3 %
18	-	8	2.3 %
20	-	1	0.3 %
24	-	28	7.9 %
30	-	1	0.3 %
36	-	14	4.0 %
42	-	1	0.3 %
48	-	9	2.5 %
60	-	8	2.3 %
72	-	8	2.3 %
78	-	1	0.3 %
84	-	5	1.4 %
90	-	1	0.3 %
96	-	2	0.6 %
108	-	2	0.6 %
118	-	1	0.3 %
120	-	3	0.8 %
156	-	2	0.6 %
180	-	1	0.3 %
192	-	1	0.3 %
204	-	1	0.3 %
228	-	2	0.6 %
240	-	2	0.6 %
264	-	1	0.3 %
320	-	1	0.3 %
360	-	2	0.6 %
372	-	1	0.3 %
-3 (M)	NOT APPLICABLE	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 26.29
- Median: 8.00

- Study 27963 -

- Mode: 12.00
- Minimum: 0.00
- Maximum: 372.00
- Standard Deviation: 53.28

homeless # Nights in Homeless Shelter Past 6 Mos

Location: 273-275 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 6. During the last 6 months prior to the arrest date on the timeline, how many nights did you spend in a homeless shelter?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	339	96.0 %
1	-	1	0.3 %
3	-	1	0.3 %
4	-	1	0.3 %
10	-	1	0.3 %
14	-	1	0.3 %
20	-	2	0.6 %
21	-	1	0.3 %
30	-	2	0.6 %
90	-	1	0.3 %
120	-	1	0.3 %
170	-	1	0.3 %
180	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 2.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 15.61

suprliv # Nights in Supervised Living Past 6 Mos

Location: 276-278 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 7. During the last 6 months prior to the arrest date on the timeline, how many nights did you spend in a supervised living situation, such as a halfway house or group home?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	304	86.1 %
2	-	1	0.3 %
3	-	1	0.3 %
8	-	1	0.3 %
11	-	1	0.3 %
14	-	3	0.8 %
15	-	1	0.3 %
20	-	1	0.3 %
30	-	5	1.4 %
40	-	2	0.6 %
45	-	1	0.3 %
54	-	2	0.6 %
60	-	9	2.5 %
62	-	1	0.3 %
75	-	1	0.3 %
90	-	5	1.4 %
92	-	1	0.3 %
110	-	1	0.3 %
120	-	4	1.1 %
150	-	2	0.6 %
165	-	1	0.3 %
180	-	2	0.6 %
210	-	1	0.3 %
240	-	1	0.3 %
279	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 10.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 279.00
- Standard Deviation: 35.84

livsp	Live w/Spouse or Partner
--------------	---------------------------------

Location:	279-280 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	8. During the last 6 months prior to the arrest date on the timeline, were you living with a spouse, significant other, or domestic partner?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	154	43.6 %
1	YES	199	56.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

jobsp	Spouse Employment Status
--------------	---------------------------------

Location:	281-282 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	8. During the last 6 months prior to the arrest date on the timeline, were you living with a spouse, significant other, or domestic partner? *IF "YES", ASK a: a Which of the following most accurately described the employment status of your domestic partner/spouse?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	EMPLOYED FULL TIME	95	26.9 %
2	EMPLOYED PART TIME	21	5.9 %
3	UNEMPLOYED, LOOKING FOR WORK IN LAST 30 DAYS, OR ON LAY-OFF	25	7.1 %
4	NOT IN THE LABOR FORCE	58	16.4 %
-9 (M)	LEGITIMATE SKIP	154	43.6 %

Based upon 199 valid cases out of 353 total cases.

- Mean: 2.23
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.31

numch	# of Children
--------------	----------------------

Location:	283-284 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	9. How many children (including biological, step and adopted) do you have?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	66	18.7 %
1	-	70	19.8 %
2	-	76	21.5 %
3	-	61	17.3 %
4	-	45	12.7 %
5	-	14	4.0 %
6	-	7	2.0 %
7	-	7	2.0 %
8	-	5	1.4 %
11	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 2.26
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 1.87

minorch

of Children Under 18

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9. How many children (including biological, step and adopted) do you have? *IF "1 OR MORE, ASK a-d: a How many of them are under the age of 18?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	49	13.9 %
1	-	88	24.9 %
2	-	65	18.4 %
3	-	43	12.2 %
4	-	25	7.1 %
5	-	9	2.5 %
6	-	1	0.3 %
7	-	3	0.8 %
8	-	3	0.8 %
-9 (M)	LEGITAMATE SKIP	66	18.7 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 286 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 1.90
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.57

livch # Children Live(d) w/Subject past 6 Mos

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9. How many children (including biological, step and adopted) do you have? *IF "1 OR MORE, ASK a-d: b. How many had their primary residence with you for the majority of the last 6 months prior to the arrest date on the timeline?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	174	49.3 %
1	-	56	15.9 %
2	-	27	7.6 %
3	-	16	4.5 %
4	-	7	2.0 %
5	-	3	0.8 %
-9 (M)	LEGITAMATE SKIP	66	18.7 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-3 (M)	NOT APPLICABLE	3	0.8 %

Based upon 283 valid cases out of 353 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.12

supch # Children Rec(d) Financial Support Past 6 Mos

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9. How many children (including biological, step and adopted) do you have? *IF "1 OR MORE, ASK a-d: c. How many received financial support from you for the majority of the last 6 months prior to the arrest date on the timeline?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	96	27.2 %
1	-	84	23.8 %
2	-	50	14.2 %
3	-	29	8.2 %
4	-	13	3.7 %
5	-	6	1.7 %
7	-	1	0.3 %
8	-	3	0.8 %
11	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	66	18.7 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-3 (M)	NOT APPLICABLE	3	0.8 %

Based upon 283 valid cases out of 353 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 1.59

fostch	# Children in Foster Care Past 6 Mos
---------------	---

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9. How many children (including biological, step and adopted) do you have? *IF "1 OR MORE, ASK a-d: d. During the last 6 months prior to the arrest date on the timeline, how many of your children were in foster care?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	258	73.1 %
1	-	12	3.4 %
2	-	6	1.7 %
3	-	2	0.6 %
4	-	3	0.8 %
5	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	66	18.7 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %
-3 (M)	NOT APPLICABLE	3	0.8 %

- Study 27963 -

Based upon 282 valid cases out of 353 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.65

depend	# People Dependent Past 6 Mos
--------	-------------------------------

Location: 293-295 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 10. During the last 6 months prior to the arrest date on the timeline, how many people (including children, spouse, others) were dependent on you for the majority of their food, shelter, etc? (Do not include self-supporting spouse or self.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	156	44.2 %
1	-	61	17.3 %
2	-	53	15.0 %
3	-	35	9.9 %
4	-	21	5.9 %
5	-	11	3.1 %
6	-	4	1.1 %
7	-	3	0.8 %
8	-	1	0.3 %
9	-	3	0.8 %
10	-	1	0.3 %
11	-	1	0.3 %
16	-	1	0.3 %
17	-	1	0.3 %
100	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.83
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 5.69

cmstat	Marital Status
--------	----------------

- Study 27963 -

Location: 296-297 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 11. What is your current LEGAL status?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER MARRIED	142	40.2 %
2	LEGALLY MARRIED	83	23.5 %
3	LIVING AS MARRIED	31	8.8 %
4	SEPARATED	25	7.1 %
5	DIVORCED	64	18.1 %
6	WIDOWED	8	2.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 2.46
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.60

grade Highest Grade Completed

Location: 298-299 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 12. What is the highest level of education you have finished, whether or not you received a degree? (01=1st grade, 12=12th grade, 13=college freshman, 16=college completion, 17=graduate degree, 20=professional degree) [DO NOT INCLUDE GED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	5	1.4 %
7	-	7	2.0 %
8	-	14	4.0 %
9	-	33	9.3 %
10	-	55	15.6 %
11	-	92	26.1 %
12	-	64	18.1 %
13	-	31	8.8 %
14	-	33	9.3 %
15	-	10	2.8 %
16	-	6	1.7 %
17	-	1	0.3 %
18	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 11.28
- Median: 11.00
- Mode: 11.00
- Minimum: 6.00
- Maximum: 19.00
- Standard Deviation: 2.04

hs High School Grad

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 13. Have you (circle either yes or no for a-b; and yes, no, or NA for c-d): a. graduated from high school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	237	67.1 %
1	YES	116	32.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

votech Completed Voc/Tech Training

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 13. Have you (circle either yes or no for a-b; and yes, no, or NA for c-d): b. completed a vocational or technical training program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	204	57.8 %
1	YES	147	41.6 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

ged	Completed GED
-----	---------------

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 13. Have you (circle either yes or no for a-b; and yes, no, or NA for c-d): c. Have you completed your GED?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	110	31.2 %
1	YES	125	35.4 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-3 (M)	NOT APPLICABLE	115	32.6 %

Based upon 235 valid cases out of 353 total cases.

- Mean: 0.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

workged	Working on GED/Voc Tech
---------	-------------------------

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 13. Have you (circle either yes or no for a-b; and yes, no, or NA for c-d): d. Are you currently working on your GED or any type of vocational/technical training degree?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	151	42.8 %
1	YES	85	24.1 %
-8 (M)	ACCIDENTAL SKIP	12	3.4 %
-3 (M)	NOT APPLICABLE	105	29.7 %

Based upon 236 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

drvlic Valid Drivers License

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 14. Prior to the arrest date on the timeline, did you have a valid driver's license?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	199	56.4 %
1	YES	153	43.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

job Employment past 6 mos

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 15. During most of the last 6 months prior to the arrest date on the timeline, which of the following best described your employment status? (if 11, specify)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	EMPLOYED FULL TIME	155	43.9 %
2	EMPLOYED PART TIME	51	14.4 %
3	UNEMPLOYED, LOOKING FOR WORK	19	5.4 %
4	UNEMPLOYED, DISABLED	19	5.4 %
6	UNEMPLOYED, RETIRED	1	0.3 %
7	UNEMPLOYED, NOT LOOKING FOR WORK	93	26.3 %
10	HOMEMAKER	4	1.1 %
11	OTHER	11	3.1 %

- Study 27963 -

Based upon 353 valid cases out of 353 total cases.

- Mean: 3.42
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 2.93

job1 **Other Specified Employment past 6 mos**

Location: 312-341 (width: 30; decimal: 0)

Variable Type: character

Question: 15. During most of the last 6 months prior to the arrest date on the timeline, which of the following best described your employment status? (if 11, specify) 11. Other (specify)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	341	96.6 %
COMM. CORRECTIONS	1	0.3 %
CRIMINAL ACTIVITY	1	0.3 %
EMPLOYED, DISABLED	1	0.3 %
GROWING MEDICAL GRADE MARIJUAN	1	0.3 %
ILLEGAL & PART-TIME	1	0.3 %
SELF EMPL & ACCOUNTANT FOR RES	1	0.3 %
SELF-EMPLOYED	1	0.3 %
SELF-EMPLOYED BOUGHT & SOLD CA	1	0.3 %
SELF-EMPLOYED HOME REMODELING	1	0.3 %
SELF-EMPLOYED- TRUCKING CO	1	0.3 %
SELLING DRUGS	1	0.3 %
WORKED ONE MONTH	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

majsup **Major Source of Support past 6 mos**

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 16. What was your major (or largest) source of support during those 6 months? (if 13, specify)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	YOUR JOB OR EMPLOYMENT	123	34.8 %
2	YOUR SPOUSE OR EX-SPOUSE	19	5.4 %
3	A SEXUAL PARTNER OR A FRIEND	6	1.7 %
4	YOUR FAMILY	23	6.5 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	DISABILITY	17	4.8 %
8	WELFARE OR PUBLIC ASSISTANCE	10	2.8 %
9	SELLING DRUGS	104	29.5 %
10	SELLING, PIMPING OR TRADING SEX	9	2.5 %
11	ANY OTHER KIND OF ILLEGAL ACTIVITIES	25	7.1 %
12	JAIL/PRISON, RESIDENTIAL TREATMENT PROGRAM, OR HOSPITAL	6	1.7 %
13	ANYTHING ELSE	11	3.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 5.63
- Median: 7.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 13.00
- Standard Deviation: 4.13

majsup1 **Other Secified Major Source of Support past 6 mos**

Location: 344-373 (width: 30; decimal: 0)

Variable Type: character

Question: 16. What was your major (or largest) source of support during those 6 months? (if 13, specify) 13. Anything else? (specify)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	342	96.9 %
COMP FROM INS CO FOR INJURY	1	0.3 %
DAY LABOR	1	0.3 %
FIANCES PARENTS	1	0.3 %
FINANCIAL AID	1	0.3 %
GAMBLING	1	0.3 %
OWN BUSINESS- VENDING	1	0.3 %
SAVINGS	2	0.6 %
SELLING ANTIQUES & COLLECTABLE	1	0.3 %
SPOUSE/FAMILY	1	0.3 %
usic pro	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

allmon **Money From All Sources Past 30 Days**

Location: 374-384 (width: 11; decimal: 2)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 17. In the 30 days prior to this incarceration, how much money did receive from all of the above sources?

<i>Value</i>	<i>Label</i>
-9 (M)	LEGITAMATE SKIP
-8 (M)	ACCIDENTAL SKIP
-7 (M)	REFUSE TO ANSWER
-6 (M)	MULTIPLE RESPONSE
-5 (M)	BAD DATA
-4 (M)	DON'T KNOW
-3 (M)	NOT APPLICABLE
-2 (M)	ILLEGIBLE
-1 (M)	VARIABLE NOT ON FORM

Based upon 341 valid cases out of 353 total cases.

- Mean: 8767.34
- Median: 2500.00
- Mode: 2000.00
- Minimum: 0.00
- Maximum: 450000.00
- Standard Deviation: 29617.35

arstlf # Times Arrested Lifetime

Location: 385-388 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 1. Altogether, about how many TIMES during your life have you ever been arrested?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	6	1.7 %
2	-	15	4.2 %
3	-	19	5.4 %
4	-	26	7.4 %
5	-	25	7.1 %
6	-	18	5.1 %
7	-	14	4.0 %
8	-	21	5.9 %
9	-	8	2.3 %
10	-	37	10.5 %
11	-	5	1.4 %
12	-	10	2.8 %
13	-	4	1.1 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	-	5	1.4 %
15	-	25	7.1 %
16	-	2	0.6 %
17	-	3	0.8 %
18	-	2	0.6 %
20	-	33	9.3 %
22	-	2	0.6 %
24	-	3	0.8 %
25	-	11	3.1 %
26	-	1	0.3 %
27	-	3	0.8 %
28	-	2	0.6 %
29	-	1	0.3 %
30	-	7	2.0 %
32	-	2	0.6 %
35	-	6	1.7 %
37	-	1	0.3 %
40	-	3	0.8 %
46	-	1	0.3 %
47	-	1	0.3 %
48	-	1	0.3 %
50	-	12	3.4 %
53	-	1	0.3 %
60	-	3	0.8 %
65	-	1	0.3 %
75	-	1	0.3 %
80	-	1	0.3 %
99	-	1	0.3 %
100	-	3	0.8 %
200	-	2	0.6 %
300	-	1	0.3 %
999	-	1	0.3 %
1800	-	1	0.3 %
-4 (M)	DON'T KNOW	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 25.37
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00

- Study 27963 -

- Maximum: 1800.00
- Standard Deviation: 111.59

arstdrg # Times Arrested While Using/Getting Drugs

Location: 389-392 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 1. Altogether, about how many TIMES during your life have you ever been arrested? *[IF "1" OR MORE, ASK a-c:] a. About how many of these arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] were for things you did while using drugs or trying to get drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	46	13.0 %
1	-	28	7.9 %
2	-	32	9.1 %
3	-	24	6.8 %
4	-	30	8.5 %
5	-	25	7.1 %
6	-	12	3.4 %
7	-	11	3.1 %
8	-	13	3.7 %
9	-	2	0.6 %
10	-	25	7.1 %
11	-	2	0.6 %
12	-	7	2.0 %
13	-	1	0.3 %
14	-	5	1.4 %
15	-	19	5.4 %
16	-	1	0.3 %
17	-	5	1.4 %
18	-	3	0.8 %
20	-	15	4.2 %
23	-	1	0.3 %
24	-	1	0.3 %
25	-	9	2.5 %
27	-	3	0.8 %
28	-	1	0.3 %
30	-	5	1.4 %
32	-	2	0.6 %
35	-	3	0.8 %
37	-	1	0.3 %
40	-	3	0.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	-	1	0.3 %
44	-	1	0.3 %
46	-	1	0.3 %
48	-	1	0.3 %
50	-	5	1.4 %
60	-	1	0.3 %
80	-	1	0.3 %
90	-	1	0.3 %
99	-	1	0.3 %
200	-	2	0.6 %
900	-	1	0.3 %
999	-	1	0.3 %
-4 (M)	DON'T KNOW	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 16.40
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 73.36

age1ar Age at 1st Arrest

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 1. Altogether, about how many TIMES during your life have you ever been arrested? *[IF "1" OR MORE, ASK a-c:] b. How old were you the first time you were arrested?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	2	0.6 %
7	-	3	0.8 %
8	-	1	0.3 %
10	-	2	0.6 %
11	-	9	2.5 %
12	-	22	6.2 %
13	-	30	8.5 %
14	-	26	7.4 %
15	-	31	8.8 %
16	-	36	10.2 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	30	8.5 %
18	-	52	14.7 %
19	-	27	7.6 %
20	-	11	3.1 %
21	-	10	2.8 %
22	-	9	2.5 %
23	-	8	2.3 %
24	-	6	1.7 %
25	-	4	1.1 %
26	-	5	1.4 %
27	-	4	1.1 %
28	-	3	0.8 %
29	-	1	0.3 %
30	-	3	0.8 %
31	-	3	0.8 %
34	-	1	0.3 %
35	-	2	0.6 %
36	-	4	1.1 %
40	-	1	0.3 %
42	-	1	0.3 %
43	-	2	0.6 %
47	-	1	0.3 %
48	-	1	0.3 %
54	-	1	0.3 %
61	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 18.11
- Median: 17.00
- Mode: 18.00
- Minimum: 6.00
- Maximum: 61.00
- Standard Deviation: 6.74

arstjv

Times Arrested Before 18

Location: 395-398 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 1. Altogether, about how many TIMES during your life have you ever been arrested? *[IF "1" OR MORE, ASK a-c:] b. How old were you the first time you were arrested? *[IF "17" OR LESS, ASK c:] c. How many times were you arrested before you turned 18?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2	0.6 %
1	-	60	17.0 %
2	-	30	8.5 %
3	-	24	6.8 %
4	-	10	2.8 %
5	-	14	4.0 %
6	-	2	0.6 %
7	-	3	0.8 %
8	-	4	1.1 %
9	-	4	1.1 %
10	-	11	3.1 %
11	-	1	0.3 %
12	-	4	1.1 %
13	-	3	0.8 %
15	-	2	0.6 %
16	-	1	0.3 %
19	-	1	0.3 %
20	-	5	1.4 %
25	-	2	0.6 %
40	-	2	0.6 %
43	-	1	0.3 %
58	-	1	0.3 %
100	-	2	0.6 %
200	-	1	0.3 %
250	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	157	44.5 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-4 (M)	DON'T KNOW	2	0.6 %

Based upon 191 valid cases out of 353 total cases.

- Mean: 8.68
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 250.00
- Standard Deviation: 25.64

arst6m

Times Arrested Past 6 Mos

Location: 399-401 (width: 3; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2. Altogether, how many TIMES were you arrested during the last 6 months prior to the arrest date on the timeline?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	188	53.3 %
1	-	95	26.9 %
2	-	36	10.2 %
3	-	10	2.8 %
4	-	8	2.3 %
5	-	5	1.4 %
7	-	4	1.1 %
8	-	1	0.3 %
10	-	2	0.6 %
13	-	1	0.3 %
15	-	1	0.3 %
20	-	1	0.3 %
25	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 2.41

arst30d # Times Arrested Past 30 Days

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 3. How many TIMES in the last 30 days prior to the arrest date on the timeline, were you arrested? [INCLUDING ARREST THAT LED TO THIS INCARCERATION]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	16	4.5 %
1	-	316	89.5 %
2	-	11	3.1 %
3	-	4	1.1 %
4	-	2	0.6 %
5	-	2	0.6 %
7	-	1	0.3 %
10	-	1	0.3 %

- Study 27963 -

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.09
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.77

jail30d	# Days in Jail Past 30 Days
---------	-----------------------------

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 4. How many nights did you spend in jail during those 30 days? [DON'T INCLUDE JAIL TIME FROM THE CURRENT INCARERATION]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	255	72.2 %
1	-	9	2.5 %
2	-	2	0.6 %
4	-	1	0.3 %
5	-	1	0.3 %
7	-	3	0.8 %
9	-	2	0.6 %
10	-	4	1.1 %
13	-	1	0.3 %
14	-	3	0.8 %
16	-	1	0.3 %
25	-	2	0.6 %
26	-	1	0.3 %
28	-	1	0.3 %
29	-	1	0.3 %
30	-	55	15.6 %
36	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	10	2.8 %

Based upon 343 valid cases out of 353 total cases.

- Mean: 5.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 11.42

- Study 27963 -

prob6m2 # Days on Probation Past 6 Mos

Location: 406-408 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. In the last 6 months prior to the arrest date on the timeline, what is the total length of time that you were on probation?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	187	53.0 %
5	-	1	0.3 %
7	-	1	0.3 %
21	-	1	0.3 %
30	-	5	1.4 %
49	-	1	0.3 %
60	-	6	1.7 %
90	-	8	2.3 %
120	-	2	0.6 %
135	-	1	0.3 %
150	-	1	0.3 %
180	-	137	38.8 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 75.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 86.22

parol6m # Days on Parole Past 6 Mos

Location: 409-411 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 6. In the last 6 months prior to the arrest date on the timeline, what is the total length of time that you were on parole?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	294	83.3 %
30	-	1	0.3 %
45	-	1	0.3 %
90	-	4	1.1 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
120	-	2	0.6 %
141	-	1	0.3 %
152	-	1	0.3 %
180	-	48	13.6 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 27.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 63.16

age1jl Age 1st Time in Jail

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. How old were you the first time you were in jail, prison, or juvenile lock up?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	1	0.3 %
7	-	1	0.3 %
8	-	1	0.3 %
10	-	2	0.6 %
11	-	5	1.4 %
12	-	11	3.1 %
13	-	25	7.1 %
14	-	24	6.8 %
15	-	28	7.9 %
16	-	26	7.4 %
17	-	22	6.2 %
18	-	53	15.0 %
19	-	28	7.9 %
20	-	9	2.5 %
21	-	11	3.1 %
22	-	10	2.8 %
23	-	16	4.5 %
24	-	8	2.3 %
25	-	8	2.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	-	9	2.5 %
27	-	8	2.3 %
28	-	5	1.4 %
30	-	7	2.0 %
31	-	4	1.1 %
32	-	3	0.8 %
34	-	2	0.6 %
36	-	4	1.1 %
39	-	1	0.3 %
40	-	1	0.3 %
42	-	3	0.8 %
43	-	3	0.8 %
48	-	1	0.3 %
51	-	1	0.3 %
54	-	1	0.3 %
61	-	2	0.6 %
-8 (M)	ACCIDENTAL SKIP	9	2.5 %

Based upon 344 valid cases out of 353 total cases.

- Mean: 19.82
- Median: 18.00
- Mode: 18.00
- Minimum: 6.00
- Maximum: 61.00
- Standard Deviation: 7.66

totjltm	Total Time in Jail Lifetime (Months)
----------------	---

Location: 414-416 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 8. Altogether, how much time have you ever spent in jail, prison, or juvenile lockup?

<i>Value</i>	<i>Label</i>
-9 (M)	LEGITAMATE SKIP
-8 (M)	ACCIDENTAL SKIP
-7 (M)	REFUSE TO ANSWER
-6 (M)	MULTIPLE RESPONSE
-5 (M)	BAD DATA
-4 (M)	DON'T KNOW
-3 (M)	NOT APPLICABLE
-2 (M)	ILLEGIBLE

- Study 27963 -

<i>Value</i>	<i>Label</i>
-1 (M)	VARIABLE NOT ON FORM

Based upon 348 valid cases out of 353 total cases.

- Mean: 64.96
- Median: 48.00
- Mode: 36.00
- Minimum: 0.00
- Maximum: 360.00
- Standard Deviation: 65.32

c1cm1f # Times Committed PI Lifetime

Location: 417-419 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 1. Public intoxication from alcohol or drugs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	39	11.0 %
1	-	11	3.1 %
2	-	11	3.1 %
3	-	2	0.6 %
4	-	3	0.8 %
5	-	7	2.0 %
6	-	2	0.6 %
7	-	1	0.3 %
8	-	2	0.6 %
10	-	7	2.0 %
15	-	5	1.4 %
20	-	10	2.8 %
30	-	5	1.4 %
40	-	1	0.3 %
48	-	1	0.3 %
50	-	4	1.1 %
75	-	1	0.3 %
90	-	1	0.3 %
100	-	13	3.7 %
200	-	5	1.4 %
208	-	1	0.3 %
400	-	3	0.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
500	-	7	2.0 %
550	-	1	0.3 %
556	-	1	0.3 %
670	-	1	0.3 %
700	-	1	0.3 %
800	-	1	0.3 %
999	-	202	57.2 %
-5 (M)	BAD DATA	4	1.1 %

Based upon 349 valid cases out of 353 total cases.

- Mean: 611.32
- Median: 999.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 467.33

c1cm6m # Times Committed PI Past 6 Mos

Location: 420-422 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 1. Public intoxication from alcohol or drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	105	29.7 %
1	-	18	5.1 %
2	-	15	4.2 %
3	-	4	1.1 %
4	-	4	1.1 %
5	-	4	1.1 %
6	-	2	0.6 %
7	-	2	0.6 %
8	-	3	0.8 %
10	-	14	4.0 %
12	-	3	0.8 %
15	-	1	0.3 %
20	-	3	0.8 %
24	-	1	0.3 %
25	-	3	0.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	-	2	0.6 %
30	-	7	2.0 %
40	-	2	0.6 %
45	-	1	0.3 %
48	-	1	0.3 %
50	-	3	0.8 %
52	-	2	0.6 %
60	-	5	1.4 %
69	-	1	0.3 %
70	-	1	0.3 %
72	-	1	0.3 %
75	-	2	0.6 %
88	-	1	0.3 %
90	-	10	2.8 %
100	-	5	1.4 %
108	-	1	0.3 %
110	-	2	0.6 %
120	-	5	1.4 %
130	-	1	0.3 %
135	-	1	0.3 %
141	-	1	0.3 %
146	-	1	0.3 %
150	-	6	1.7 %
160	-	1	0.3 %
166	-	1	0.3 %
172	-	1	0.3 %
173	-	1	0.3 %
177	-	1	0.3 %
180	-	86	24.4 %
300	-	1	0.3 %
320	-	1	0.3 %
360	-	1	0.3 %
500	-	2	0.6 %
999	-	10	2.8 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %
-5 (M)	BAD DATA	2	0.6 %

Based upon 350 valid cases out of 353 total cases.

- Mean: 97.18
- Median: 17.50

- Study 27963 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 177.24

c1cm30 # Times Committed PI Past 30 Days

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 1. Public intoxication from alcohol or drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	131	37.1 %
1	-	20	5.7 %
2	-	11	3.1 %
3	-	4	1.1 %
4	-	8	2.3 %
5	-	11	3.1 %
6	-	1	0.3 %
8	-	6	1.7 %
10	-	8	2.3 %
11	-	1	0.3 %
12	-	1	0.3 %
13	-	1	0.3 %
15	-	7	2.0 %
16	-	2	0.6 %
20	-	7	2.0 %
23	-	2	0.6 %
25	-	1	0.3 %
28	-	1	0.3 %
30	-	116	32.9 %
40	-	1	0.3 %
42	-	1	0.3 %
50	-	1	0.3 %
90	-	1	0.3 %
99	-	8	2.3 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %
-5 (M)	BAD DATA	1	0.3 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 14.76

- Study 27963 -

- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 19.26

c2cmlf # Times Committed DWI Lifetime

Location: 425-427 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 2. Driving Under Influence of alcohol or drugs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	63	17.8 %
1	-	17	4.8 %
2	-	16	4.5 %
3	-	7	2.0 %
4	-	3	0.8 %
5	-	21	5.9 %
6	-	4	1.1 %
7	-	2	0.6 %
8	-	2	0.6 %
10	-	10	2.8 %
12	-	2	0.6 %
15	-	3	0.8 %
17	-	1	0.3 %
18	-	1	0.3 %
20	-	9	2.5 %
21	-	1	0.3 %
25	-	3	0.8 %
30	-	4	1.1 %
37	-	1	0.3 %
40	-	1	0.3 %
48	-	1	0.3 %
50	-	7	2.0 %
52	-	1	0.3 %
60	-	1	0.3 %
75	-	1	0.3 %
100	-	12	3.4 %
120	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
180	-	1	0.3 %
200	-	7	2.0 %
250	-	1	0.3 %
300	-	3	0.8 %
365	-	1	0.3 %
400	-	1	0.3 %
450	-	1	0.3 %
500	-	14	4.0 %
556	-	1	0.3 %
590	-	1	0.3 %
670	-	1	0.3 %
700	-	2	0.6 %
730	-	1	0.3 %
800	-	1	0.3 %
999	-	121	34.3 %
-5 (M)	BAD DATA	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 396.00
- Median: 50.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 458.04

c2cm6m	# Times Committed DWI Past 6 Mos
---------------	---

Location: 428-430 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 2. Driving Under Influence of alcohol or drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	180	51.0 %
1	-	13	3.7 %
2	-	11	3.1 %
3	-	7	2.0 %
4	-	4	1.1 %
5	-	4	1.1 %
7	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	-	1	0.3 %
10	-	6	1.7 %
13	-	1	0.3 %
15	-	3	0.8 %
20	-	4	1.1 %
24	-	1	0.3 %
25	-	2	0.6 %
26	-	1	0.3 %
30	-	4	1.1 %
40	-	2	0.6 %
45	-	2	0.6 %
48	-	1	0.3 %
50	-	5	1.4 %
51	-	1	0.3 %
52	-	3	0.8 %
60	-	3	0.8 %
72	-	1	0.3 %
75	-	3	0.8 %
78	-	1	0.3 %
80	-	2	0.6 %
90	-	5	1.4 %
100	-	4	1.1 %
108	-	1	0.3 %
110	-	1	0.3 %
120	-	4	1.1 %
135	-	1	0.3 %
145	-	1	0.3 %
150	-	2	0.6 %
160	-	1	0.3 %
173	-	1	0.3 %
177	-	1	0.3 %
180	-	57	16.1 %
300	-	1	0.3 %
500	-	1	0.3 %
999	-	3	0.8 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %
-5 (M)	BAD DATA	1	0.3 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 53.02

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 114.91

c2cm30

Times Committed DWI Past 30 Days

Location: 431-432 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 2. Driving Under Influence of alcohol or drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	205	58.1 %
1	-	12	3.4 %
2	-	7	2.0 %
3	-	3	0.8 %
4	-	5	1.4 %
5	-	7	2.0 %
8	-	10	2.8 %
9	-	1	0.3 %
10	-	8	2.3 %
15	-	6	1.7 %
16	-	1	0.3 %
20	-	10	2.8 %
23	-	1	0.3 %
25	-	1	0.3 %
30	-	71	20.1 %
90	-	1	0.3 %
99	-	2	0.6 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %
-5 (M)	BAD DATA	1	0.3 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 8.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 14.54

c2cmin

People Injured DWI Past 6 Mos

- Study 27963 -

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9d. How many people were injured as a result of your involvement in 2. Driving Under Influence of alcohol or drugs during the 6 months prior to this incarceration?[INJURED MEANS HURT BADLY ENOUGH TO REQUIRE MEDICAL ATTENTION WHETHER RECEIVED OR NOT. DO NOT INCLUDE INJURY TO SELF].

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	317	89.8 %
1	-	12	3.4 %
2	-	3	0.8 %
3	-	7	2.0 %
4	-	1	0.3 %
5	-	1	0.3 %
13	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	11	3.1 %

Based upon 342 valid cases out of 353 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 0.92

c2cmdt # People Died DWI Past 30 Days

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9e. How many people died as a result of your involvement in 2. Driving Under Influence of alcohol or drugs during the 6 months prior to the arrest date on the timeline?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	333	94.3 %
1	-	3	0.8 %
-8 (M)	ACCIDENTAL SKIP	17	4.8 %

Based upon 336 valid cases out of 353 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 27963 -

- Standard Deviation: 0.09

c3cmlf # Times Committed Illegal Drugs Lifetime

Location: 437-439 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 3. Use or possession of illegal drugs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	8	2.3 %
1	-	7	2.0 %
2	-	6	1.7 %
3	-	4	1.1 %
5	-	3	0.8 %
6	-	1	0.3 %
10	-	4	1.1 %
15	-	1	0.3 %
20	-	3	0.8 %
21	-	1	0.3 %
22	-	1	0.3 %
25	-	1	0.3 %
30	-	2	0.6 %
40	-	1	0.3 %
42	-	1	0.3 %
50	-	3	0.8 %
60	-	1	0.3 %
65	-	1	0.3 %
75	-	1	0.3 %
90	-	1	0.3 %
100	-	11	3.1 %
107	-	1	0.3 %
150	-	1	0.3 %
200	-	3	0.8 %
208	-	2	0.6 %
240	-	1	0.3 %
300	-	5	1.4 %
365	-	1	0.3 %
400	-	1	0.3 %
500	-	8	2.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
556	-	1	0.3 %
600	-	1	0.3 %
670	-	1	0.3 %
700	-	3	0.8 %
720	-	2	0.6 %
800	-	3	0.8 %
832	-	1	0.3 %
900	-	1	0.3 %
990	-	1	0.3 %
999	-	251	71.1 %
-5 (M)	BAD DATA	3	0.8 %

Based upon 350 valid cases out of 353 total cases.

- Mean: 774.09
- Median: 999.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 385.96

c3cm6m

Times Committed Illegal Drugs Past 6 Mos

Location: 440-442 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 3. Use or possession of illegal drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	66	18.7 %
1	-	13	3.7 %
2	-	7	2.0 %
3	-	4	1.1 %
4	-	4	1.1 %
5	-	4	1.1 %
6	-	3	0.8 %
9	-	1	0.3 %
10	-	5	1.4 %
12	-	1	0.3 %
15	-	2	0.6 %
16	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	7	2.0 %
21	-	1	0.3 %
24	-	1	0.3 %
25	-	2	0.6 %
26	-	2	0.6 %
30	-	7	2.0 %
40	-	3	0.8 %
45	-	2	0.6 %
48	-	1	0.3 %
50	-	3	0.8 %
52	-	1	0.3 %
60	-	4	1.1 %
65	-	1	0.3 %
69	-	1	0.3 %
75	-	3	0.8 %
80	-	2	0.6 %
90	-	16	4.5 %
93	-	1	0.3 %
100	-	7	2.0 %
108	-	1	0.3 %
110	-	2	0.6 %
120	-	5	1.4 %
130	-	2	0.6 %
135	-	1	0.3 %
141	-	1	0.3 %
146	-	1	0.3 %
150	-	8	2.3 %
160	-	1	0.3 %
166	-	1	0.3 %
170	-	1	0.3 %
172	-	1	0.3 %
173	-	2	0.6 %
174	-	1	0.3 %
177	-	2	0.6 %
180	-	121	34.3 %
190	-	1	0.3 %
300	-	4	1.1 %
360	-	1	0.3 %
500	-	3	0.8 %
540	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
999	-	11	3.1 %
-7 (M)	REFUSE TO ANSWER	2	0.6 %
-5 (M)	BAD DATA	3	0.8 %

Based upon 348 valid cases out of 353 total cases.

- Mean: 129.51
- Median: 100.00
- Mode: 180.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 182.61

c3cm30

Times Committed Illegal Drugs Past 30 Days

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 3. Use or possession of illegal drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	92	26.1 %
1	-	16	4.5 %
2	-	7	2.0 %
3	-	2	0.6 %
4	-	4	1.1 %
5	-	4	1.1 %
6	-	1	0.3 %
7	-	1	0.3 %
8	-	3	0.8 %
10	-	4	1.1 %
11	-	1	0.3 %
12	-	2	0.6 %
14	-	2	0.6 %
15	-	11	3.1 %
16	-	2	0.6 %
20	-	12	3.4 %
21	-	1	0.3 %
22	-	1	0.3 %
23	-	1	0.3 %
24	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
25	-	1	0.3 %
28	-	2	0.6 %
30	-	158	44.8 %
33	-	1	0.3 %
40	-	1	0.3 %
50	-	3	0.8 %
60	-	2	0.6 %
70	-	1	0.3 %
90	-	3	0.8 %
99	-	9	2.5 %
-7 (M)	REFUSE TO ANSWER	2	0.6 %
-5 (M)	BAD DATA	2	0.6 %

Based upon 349 valid cases out of 353 total cases.

- Mean: 20.44
- Median: 30.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 20.40

c4cmlf

Times Committed Possession Intent to Dist Lifetime

Location: 445-447 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 4. Possession with intent to distribute

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	108	30.6 %
1	-	18	5.1 %
2	-	8	2.3 %
3	-	7	2.0 %
4	-	2	0.6 %
5	-	5	1.4 %
6	-	2	0.6 %
7	-	1	0.3 %
8	-	1	0.3 %
10	-	5	1.4 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	6	1.7 %
24	-	1	0.3 %
25	-	1	0.3 %
28	-	1	0.3 %
30	-	3	0.8 %
40	-	1	0.3 %
50	-	6	1.7 %
52	-	1	0.3 %
60	-	1	0.3 %
90	-	1	0.3 %
96	-	2	0.6 %
100	-	13	3.7 %
200	-	3	0.8 %
250	-	1	0.3 %
300	-	3	0.8 %
333	-	1	0.3 %
365	-	3	0.8 %
400	-	3	0.8 %
468	-	2	0.6 %
500	-	5	1.4 %
600	-	2	0.6 %
700	-	3	0.8 %
730	-	1	0.3 %
750	-	1	0.3 %
999	-	130	36.8 %
-5 (M)	BAD DATA	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 411.79
- Median: 51.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 467.32

c4cm6m	# Times Committed Possession Intent to Dist Past 6 Mos
---------------	---

Location:	448-450 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 4. Possession with intent to distribute?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	184	52.1 %
1	-	8	2.3 %
2	-	5	1.4 %
3	-	5	1.4 %
4	-	1	0.3 %
5	-	3	0.8 %
6	-	2	0.6 %
7	-	1	0.3 %
10	-	3	0.8 %
15	-	2	0.6 %
20	-	1	0.3 %
24	-	4	1.1 %
25	-	2	0.6 %
26	-	1	0.3 %
30	-	3	0.8 %
40	-	1	0.3 %
50	-	4	1.1 %
52	-	3	0.8 %
60	-	6	1.7 %
75	-	1	0.3 %
78	-	1	0.3 %
90	-	8	2.3 %
93	-	1	0.3 %
100	-	5	1.4 %
104	-	1	0.3 %
110	-	2	0.6 %
120	-	1	0.3 %
135	-	1	0.3 %
141	-	1	0.3 %
144	-	1	0.3 %
146	-	1	0.3 %
150	-	2	0.6 %
173	-	2	0.6 %
177	-	2	0.6 %
180	-	75	21.2 %
200	-	1	0.3 %
300	-	1	0.3 %
500	-	2	0.6 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
999	-	4	1.1 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 67.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 130.16

c4cm30

Times Committed Possession Intent to Dist Past 30 Days

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 4. Possession with intent to distribute?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	204	57.8 %
1	-	6	1.7 %
2	-	4	1.1 %
3	-	5	1.4 %
4	-	4	1.1 %
5	-	4	1.1 %
8	-	2	0.6 %
10	-	4	1.1 %
12	-	1	0.3 %
14	-	1	0.3 %
15	-	8	2.3 %
16	-	1	0.3 %
20	-	7	2.0 %
23	-	1	0.3 %
26	-	1	0.3 %
30	-	91	25.8 %
40	-	1	0.3 %
95	-	1	0.3 %
99	-	5	1.4 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 10.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 17.47

c5cmlf # Times Committed Possession Drug Para Lifetime

Location: 453-455 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 5. Possession of drug paraphernalia

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	64	18.1 %
1	-	9	2.5 %
2	-	7	2.0 %
3	-	6	1.7 %
4	-	2	0.6 %
5	-	3	0.8 %
6	-	1	0.3 %
10	-	5	1.4 %
12	-	1	0.3 %
15	-	2	0.6 %
20	-	7	2.0 %
22	-	1	0.3 %
24	-	1	0.3 %
25	-	1	0.3 %
28	-	2	0.6 %
30	-	3	0.8 %
50	-	1	0.3 %
90	-	1	0.3 %
96	-	1	0.3 %
100	-	9	2.5 %
200	-	8	2.3 %
250	-	1	0.3 %
300	-	4	1.1 %
365	-	1	0.3 %
400	-	2	0.6 %
500	-	8	2.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
670	-	1	0.3 %
700	-	3	0.8 %
720	-	2	0.6 %
800	-	2	0.6 %
999	-	191	54.1 %
-5 (M)	BAD DATA	3	0.8 %

Based upon 350 valid cases out of 353 total cases.

- Mean: 589.97
- Median: 999.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 467.72

c5cm6m

Times Committed Possession Drug Para Past 6 Mos

Location: 456-458 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 5. Possession of drug paraphernalia?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	129	36.5 %
1	-	11	3.1 %
2	-	7	2.0 %
3	-	3	0.8 %
4	-	2	0.6 %
5	-	7	2.0 %
6	-	1	0.3 %
8	-	2	0.6 %
10	-	3	0.8 %
12	-	1	0.3 %
20	-	2	0.6 %
24	-	3	0.8 %
26	-	1	0.3 %
30	-	6	1.7 %
40	-	1	0.3 %
45	-	1	0.3 %
48	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
52	-	2	0.6 %
60	-	4	1.1 %
69	-	1	0.3 %
70	-	1	0.3 %
75	-	1	0.3 %
80	-	1	0.3 %
90	-	14	4.0 %
100	-	7	2.0 %
110	-	2	0.6 %
120	-	4	1.1 %
130	-	1	0.3 %
135	-	1	0.3 %
141	-	1	0.3 %
144	-	1	0.3 %
146	-	1	0.3 %
150	-	7	2.0 %
166	-	1	0.3 %
172	-	1	0.3 %
173	-	2	0.6 %
177	-	2	0.6 %
180	-	102	28.9 %
200	-	1	0.3 %
300	-	1	0.3 %
999	-	9	2.5 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-5 (M)	BAD DATA	3	0.8 %

Based upon 349 valid cases out of 353 total cases.

- Mean: 98.93
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 167.45

c5cm30

Times Committed Possession Drug Para Past 30 Days

Location: 459-460 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 5. Possession of drug paraphernalia?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	151	42.8 %
1	-	10	2.8 %
2	-	4	1.1 %
3	-	3	0.8 %
4	-	4	1.1 %
5	-	8	2.3 %
8	-	2	0.6 %
9	-	1	0.3 %
10	-	5	1.4 %
11	-	1	0.3 %
12	-	1	0.3 %
15	-	7	2.0 %
16	-	1	0.3 %
20	-	7	2.0 %
23	-	1	0.3 %
26	-	1	0.3 %
28	-	1	0.3 %
30	-	134	38.0 %
70	-	1	0.3 %
99	-	7	2.0 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-5 (M)	BAD DATA	2	0.6 %

Based upon 350 valid cases out of 353 total cases.

- Mean: 15.15
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 18.67

c6cmlf

Times Committed Drug Manuf Lifetime

Location: 461-463 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 6. Manufacture or growing of drugs

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	255	72.2 %
1	-	12	3.4 %
2	-	8	2.3 %
3	-	2	0.6 %
4	-	1	0.3 %
5	-	3	0.8 %
6	-	1	0.3 %
10	-	4	1.1 %
12	-	2	0.6 %
14	-	1	0.3 %
15	-	2	0.6 %
20	-	4	1.1 %
25	-	1	0.3 %
30	-	3	0.8 %
40	-	1	0.3 %
50	-	4	1.1 %
60	-	1	0.3 %
80	-	1	0.3 %
90	-	2	0.6 %
180	-	2	0.6 %
200	-	1	0.3 %
300	-	2	0.6 %
445	-	1	0.3 %
500	-	2	0.6 %
700	-	3	0.8 %
999	-	33	9.3 %
-3 (M)	NOT APPLICABLE	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 109.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 298.14

c6cm6m

Times Committed Drug Manuf Past 6 Mos

Location: 464-466 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 6. Manufacture or growing of drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	294	83.3 %
1	-	9	2.5 %
2	-	3	0.8 %
3	-	2	0.6 %
4	-	1	0.3 %
7	-	1	0.3 %
10	-	2	0.6 %
12	-	1	0.3 %
20	-	2	0.6 %
24	-	1	0.3 %
26	-	1	0.3 %
50	-	1	0.3 %
52	-	1	0.3 %
60	-	1	0.3 %
90	-	2	0.6 %
120	-	1	0.3 %
150	-	1	0.3 %
173	-	1	0.3 %
180	-	26	7.4 %
-9 (M)	LEGITAMATE SKIP	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 16.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 49.19

c6cm30

Times Committed Drug Manuf Past 30 Days

Location:

467-468 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 6. Manufacture or growing of drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	301	85.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	8	2.3 %
2	-	1	0.3 %
3	-	2	0.6 %
4	-	1	0.3 %
5	-	1	0.3 %
8	-	3	0.8 %
10	-	1	0.3 %
12	-	1	0.3 %
20	-	3	0.8 %
23	-	1	0.3 %
30	-	28	7.9 %
-9 (M)	LEGITAMATE SKIP	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 2.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 8.39

c7cmlf # Times Committed Drug Sale Lifetime

Location: 469-471 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 7. Sale or distribution of drugs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	106	30.0 %
1	-	16	4.5 %
2	-	6	1.7 %
3	-	7	2.0 %
4	-	1	0.3 %
5	-	5	1.4 %
6	-	1	0.3 %
7	-	1	0.3 %
8	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	1	0.3 %
10	-	4	1.1 %
15	-	1	0.3 %
20	-	6	1.7 %
24	-	1	0.3 %
25	-	1	0.3 %
30	-	3	0.8 %
33	-	1	0.3 %
50	-	5	1.4 %
52	-	1	0.3 %
60	-	1	0.3 %
75	-	1	0.3 %
96	-	1	0.3 %
100	-	12	3.4 %
120	-	1	0.3 %
200	-	5	1.4 %
250	-	1	0.3 %
300	-	3	0.8 %
365	-	3	0.8 %
400	-	1	0.3 %
468	-	2	0.6 %
500	-	7	2.0 %
600	-	1	0.3 %
700	-	6	1.7 %
800	-	1	0.3 %
999	-	139	39.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 438.67
- Median: 100.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 471.31

c7cm6m	# Times Committed Drug Sale Past 6 Mos
---------------	---

Location:	472-474 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 7. Sale or distribution of drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	183	51.8 %
1	-	5	1.4 %
2	-	8	2.3 %
3	-	6	1.7 %
4	-	1	0.3 %
5	-	5	1.4 %
6	-	1	0.3 %
9	-	1	0.3 %
10	-	3	0.8 %
20	-	3	0.8 %
24	-	2	0.6 %
25	-	1	0.3 %
26	-	1	0.3 %
30	-	5	1.4 %
33	-	1	0.3 %
50	-	5	1.4 %
52	-	3	0.8 %
60	-	4	1.1 %
78	-	1	0.3 %
90	-	12	3.4 %
93	-	1	0.3 %
100	-	7	2.0 %
104	-	1	0.3 %
120	-	3	0.8 %
135	-	1	0.3 %
141	-	1	0.3 %
144	-	1	0.3 %
146	-	1	0.3 %
150	-	3	0.8 %
160	-	1	0.3 %
173	-	2	0.6 %
177	-	2	0.6 %
180	-	66	18.7 %
200	-	1	0.3 %
250	-	1	0.3 %
300	-	1	0.3 %
600	-	1	0.3 %
999	-	8	2.3 %

- Study 27963 -

Based upon 353 valid cases out of 353 total cases.

- Mean: 75.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 162.06

c7cm30

Times Committed Drug Sale Past 30 Days

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 7. Sale or distribution of drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	205	58.1 %
1	-	6	1.7 %
2	-	5	1.4 %
3	-	3	0.8 %
4	-	4	1.1 %
5	-	4	1.1 %
7	-	1	0.3 %
8	-	2	0.6 %
9	-	1	0.3 %
10	-	5	1.4 %
12	-	1	0.3 %
14	-	1	0.3 %
15	-	6	1.7 %
16	-	1	0.3 %
20	-	11	3.1 %
23	-	1	0.3 %
25	-	2	0.6 %
26	-	1	0.3 %
30	-	83	23.5 %
99	-	9	2.5 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 11.29
- Median: 0.00
- Mode: 0.00

- Study 27963 -

- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 19.08

c8cmlf

Times Committed Forgery/Fraud Lifetime

Location: 477-479 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities?
For example, the number of times you committed any of the following activities regardless of arrests.
[HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 8. Forgery/Fraud (bad checks, credit card fraud)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	222	62.9 %
1	-	33	9.3 %
2	-	12	3.4 %
3	-	8	2.3 %
4	-	3	0.8 %
5	-	7	2.0 %
6	-	3	0.8 %
7	-	2	0.6 %
9	-	1	0.3 %
10	-	6	1.7 %
11	-	1	0.3 %
12	-	2	0.6 %
15	-	2	0.6 %
16	-	1	0.3 %
18	-	1	0.3 %
20	-	7	2.0 %
24	-	1	0.3 %
25	-	2	0.6 %
30	-	2	0.6 %
31	-	1	0.3 %
36	-	1	0.3 %
40	-	1	0.3 %
50	-	3	0.8 %
75	-	1	0.3 %
100	-	3	0.8 %
150	-	1	0.3 %
200	-	3	0.8 %
250	-	1	0.3 %
300	-	3	0.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
310	-	1	0.3 %
500	-	1	0.3 %
600	-	1	0.3 %
999	-	16	4.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 58.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 213.28

c8cm6m

Times Committed Forgery/Fraud Past 6 Mos

Location: 480-482 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 8. Forgery/Fraud (bad checks, credit card fraud)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	299	84.7 %
1	-	8	2.3 %
2	-	7	2.0 %
3	-	2	0.6 %
4	-	3	0.8 %
5	-	2	0.6 %
6	-	1	0.3 %
10	-	2	0.6 %
11	-	1	0.3 %
12	-	1	0.3 %
15	-	2	0.6 %
18	-	1	0.3 %
20	-	2	0.6 %
25	-	2	0.6 %
26	-	1	0.3 %
30	-	1	0.3 %
60	-	1	0.3 %
75	-	1	0.3 %
78	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
90	-	1	0.3 %
100	-	1	0.3 %
120	-	1	0.3 %
150	-	1	0.3 %
180	-	6	1.7 %
200	-	1	0.3 %
300	-	1	0.3 %
500	-	1	0.3 %
999	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 11.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 67.54

c8cm30

Times Committed Forgery/Fraud Past 30 Days

Location: 483-485 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 8. Forgery/Fraud (bad checks, credit card fraud)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	315	89.2 %
1	-	8	2.3 %
2	-	3	0.8 %
4	-	2	0.6 %
5	-	4	1.1 %
9	-	1	0.3 %
10	-	2	0.6 %
12	-	2	0.6 %
20	-	1	0.3 %
30	-	10	2.8 %
90	-	1	0.3 %
99	-	2	0.6 %
150	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 2.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 150.00
- Standard Deviation: 12.88

c9cm1f # Times Committed Fencing Lifetime

Location: 486-488 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 9. Fencing (buying or selling stolen property)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	195	55.2 %
1	-	6	1.7 %
2	-	8	2.3 %
3	-	2	0.6 %
4	-	5	1.4 %
5	-	3	0.8 %
6	-	1	0.3 %
7	-	1	0.3 %
8	-	1	0.3 %
10	-	14	4.0 %
12	-	1	0.3 %
15	-	1	0.3 %
20	-	11	3.1 %
30	-	3	0.8 %
45	-	2	0.6 %
50	-	7	2.0 %
60	-	2	0.6 %
80	-	2	0.6 %
100	-	20	5.7 %
150	-	2	0.6 %
180	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
200	-	2	0.6 %
250	-	1	0.3 %
300	-	5	1.4 %
450	-	1	0.3 %
500	-	7	2.0 %
700	-	2	0.6 %
999	-	47	13.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 164.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 341.95

c9cm6m

Times Committed Fencing Past 6 Mos

Location: 489-491 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 9. Fencing (buying or selling stolen property)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	264	74.8 %
1	-	6	1.7 %
2	-	4	1.1 %
3	-	3	0.8 %
4	-	1	0.3 %
5	-	4	1.1 %
6	-	1	0.3 %
7	-	1	0.3 %
8	-	1	0.3 %
10	-	12	3.4 %
15	-	2	0.6 %
18	-	1	0.3 %
20	-	6	1.7 %
25	-	1	0.3 %
30	-	4	1.1 %
40	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
50	-	4	1.1 %
52	-	1	0.3 %
60	-	3	0.8 %
75	-	1	0.3 %
80	-	1	0.3 %
90	-	3	0.8 %
100	-	4	1.1 %
120	-	2	0.6 %
125	-	1	0.3 %
140	-	1	0.3 %
141	-	1	0.3 %
144	-	1	0.3 %
150	-	1	0.3 %
180	-	11	3.1 %
200	-	2	0.6 %
999	-	4	1.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 25.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 112.19

c9cm30 # Times Committed Fencing Past 30 Days

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 9. Fencing (buying or selling stolen property)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	279	79.0 %
1	-	10	2.8 %
2	-	6	1.7 %
3	-	3	0.8 %
4	-	3	0.8 %
5	-	9	2.5 %
6	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	9	2.5 %
15	-	2	0.6 %
20	-	6	1.7 %
26	-	1	0.3 %
30	-	18	5.1 %
50	-	1	0.3 %
99	-	5	1.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 4.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 13.75

c10cmlf

Times Committed Illegal Gambling Lifetime

Location: 494-496 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 10. Illegal gambling (running numbers)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	299	84.7 %
2	-	2	0.6 %
3	-	1	0.3 %
4	-	1	0.3 %
5	-	1	0.3 %
10	-	4	1.1 %
20	-	2	0.6 %
30	-	1	0.3 %
38	-	1	0.3 %
50	-	2	0.6 %
90	-	1	0.3 %
100	-	5	1.4 %
180	-	1	0.3 %
200	-	4	1.1 %
500	-	6	1.7 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
999	-	22	6.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 75.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 248.17

c10cm6m # Times Committed Illegal Gambling Past 6 Mos

Location: 497-499 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 10. Illegal gambling (running numbers)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	321	90.9 %
1	-	4	1.1 %
5	-	2	0.6 %
6	-	1	0.3 %
7	-	1	0.3 %
10	-	4	1.1 %
15	-	1	0.3 %
20	-	1	0.3 %
24	-	1	0.3 %
45	-	2	0.6 %
50	-	1	0.3 %
60	-	1	0.3 %
90	-	1	0.3 %
100	-	1	0.3 %
120	-	1	0.3 %
144	-	1	0.3 %
173	-	1	0.3 %
180	-	5	1.4 %
200	-	2	0.6 %
600	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 8.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 600.00
- Standard Deviation: 43.76

c10cm30 # Times Committed Illegal Gambling Past 30 Days

Location: 500-502 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 10. Illegal gambling (running numbers)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	327	92.6 %
1	-	5	1.4 %
2	-	1	0.3 %
3	-	1	0.3 %
5	-	1	0.3 %
7	-	1	0.3 %
10	-	1	0.3 %
20	-	4	1.1 %
23	-	1	0.3 %
26	-	1	0.3 %
30	-	8	2.3 %
99	-	1	0.3 %
999	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 4.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 53.61

c11cm1f # Times Committed Prostitution/Pimping Lifetime

Location: 503-505 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests.

- Study 27963 -

[HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 11. Prostitution or pimping

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	305	86.4 %
1	-	3	0.8 %
2	-	5	1.4 %
3	-	3	0.8 %
10	-	3	0.8 %
12	-	1	0.3 %
15	-	2	0.6 %
25	-	1	0.3 %
30	-	1	0.3 %
50	-	1	0.3 %
100	-	2	0.6 %
156	-	1	0.3 %
180	-	2	0.6 %
200	-	2	0.6 %
400	-	2	0.6 %
500	-	2	0.6 %
999	-	16	4.5 %
-3 (M)	NOT APPLICABLE	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 54.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 213.14

c11cm6m

Times Committed Prostitution/Pimping Past 6 Mos

Location: 506-508 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 11. Prostitution or pimping?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	327	92.6 %
1	-	3	0.8 %
2	-	1	0.3 %
3	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	1	0.3 %
5	-	1	0.3 %
10	-	1	0.3 %
30	-	2	0.6 %
40	-	1	0.3 %
50	-	1	0.3 %
69	-	1	0.3 %
75	-	1	0.3 %
90	-	2	0.6 %
100	-	1	0.3 %
130	-	1	0.3 %
172	-	1	0.3 %
180	-	4	1.1 %
500	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	1	0.3 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 6.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 36.09

c11cm30 # Times Committed Prostitution/Pimping Past 30 Days

Location: 509-510 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 11. Prostitution or pimping?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	333	94.3 %
1	-	1	0.3 %
3	-	1	0.3 %
5	-	1	0.3 %
8	-	1	0.3 %
10	-	3	0.8 %
20	-	2	0.6 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	-	1	0.3 %
30	-	7	2.0 %
50	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	1	0.3 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 1.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 5.45

c12cmlf # Times Committed Burglary Lifetime

Location: 511-513 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 12. Burglary/attempted burglary/breaking and entering (home, auto, business)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	230	65.2 %
1	-	35	9.9 %
2	-	24	6.8 %
3	-	9	2.5 %
4	-	3	0.8 %
5	-	2	0.6 %
6	-	4	1.1 %
8	-	1	0.3 %
10	-	8	2.3 %
12	-	1	0.3 %
15	-	1	0.3 %
20	-	6	1.7 %
30	-	2	0.6 %
40	-	2	0.6 %
50	-	4	1.1 %
80	-	2	0.6 %
100	-	3	0.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
200	-	1	0.3 %
250	-	1	0.3 %
300	-	1	0.3 %
999	-	13	3.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 42.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 189.18

c12cm6m # Times Committed Burglary Past 6 Mos

Location: 514-516 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 12. Burglary/attempted burglary/breaking and entering (home, auto, business)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	313	88.7 %
1	-	16	4.5 %
2	-	6	1.7 %
3	-	3	0.8 %
7	-	1	0.3 %
10	-	4	1.1 %
15	-	1	0.3 %
20	-	2	0.6 %
25	-	1	0.3 %
75	-	1	0.3 %
90	-	1	0.3 %
100	-	1	0.3 %
120	-	1	0.3 %
180	-	1	0.3 %
500	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 3.48
- Median: 0.00

- Study 27963 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 30.08

c12cm30 # Times Committed Burglary Past 30 Days

Location: 517-518 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 12. Burglary/attempted burglary/breaking and entering (home, auto, business)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	324	91.8 %
1	-	16	4.5 %
2	-	3	0.8 %
4	-	1	0.3 %
5	-	1	0.3 %
10	-	3	0.8 %
20	-	1	0.3 %
30	-	3	0.8 %
99	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 6.09

c13cm1f # Times Committed Larceny Lifetime

Location: 519-521 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 13. Shoplifting/larceny/embezzlement

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	171	48.4 %
1	-	31	8.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	20	5.7 %
3	-	7	2.0 %
4	-	7	2.0 %
5	-	7	2.0 %
6	-	5	1.4 %
7	-	1	0.3 %
9	-	1	0.3 %
10	-	17	4.8 %
15	-	2	0.6 %
20	-	13	3.7 %
25	-	2	0.6 %
30	-	4	1.1 %
35	-	1	0.3 %
40	-	2	0.6 %
50	-	11	3.1 %
52	-	1	0.3 %
75	-	1	0.3 %
100	-	11	3.1 %
150	-	1	0.3 %
200	-	2	0.6 %
300	-	4	1.1 %
350	-	1	0.3 %
365	-	1	0.3 %
400	-	1	0.3 %
500	-	3	0.8 %
700	-	1	0.3 %
999	-	23	6.5 %
-5 (M)	BAD DATA	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 87.40
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 253.45

c13cm6m

Times Committed Larceny Past 6 Mos

Location: 522-524 (width: 3; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 13. Shoplifting/larceny/embezzlement?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	293	83.0 %
1	-	7	2.0 %
2	-	7	2.0 %
3	-	3	0.8 %
4	-	3	0.8 %
5	-	4	1.1 %
7	-	1	0.3 %
10	-	7	2.0 %
18	-	1	0.3 %
20	-	4	1.1 %
25	-	3	0.8 %
30	-	3	0.8 %
50	-	2	0.6 %
52	-	1	0.3 %
60	-	2	0.6 %
75	-	1	0.3 %
90	-	2	0.6 %
100	-	4	1.1 %
180	-	3	0.8 %
999	-	1	0.3 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 8.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 57.39

c13cm30	# Times Committed Larceny Past 30 Days
----------------	---

Location: 525-526 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 13. Shoplifting/larceny/embezzlement?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	309	87.5 %
1	-	5	1.4 %
2	-	3	0.8 %
3	-	6	1.7 %
4	-	3	0.8 %
5	-	6	1.7 %
8	-	1	0.3 %
10	-	7	2.0 %
20	-	2	0.6 %
25	-	1	0.3 %
30	-	6	1.7 %
99	-	2	0.6 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 1.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 8.70

c14cmlf	# Times Committed Auto Theft Lifetime
----------------	--

Location: 527-529 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 14. Auto theft/car jacking

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	251	71.1 %
1	-	35	9.9 %
2	-	12	3.4 %
3	-	5	1.4 %
4	-	6	1.7 %
5	-	8	2.3 %
6	-	1	0.3 %
7	-	2	0.6 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	-	2	0.6 %
10	-	3	0.8 %
12	-	1	0.3 %
15	-	2	0.6 %
20	-	5	1.4 %
25	-	1	0.3 %
30	-	5	1.4 %
40	-	1	0.3 %
50	-	3	0.8 %
80	-	1	0.3 %
200	-	2	0.6 %
300	-	2	0.6 %
500	-	1	0.3 %
999	-	4	1.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 17.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 111.98

c14cm6m	# Times Committed Auto Theft Past 6 Mos
----------------	--

Location: 530-532 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 14. Auto theft/car jacking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	323	91.5 %
1	-	11	3.1 %
2	-	5	1.4 %
3	-	2	0.6 %
4	-	1	0.3 %
5	-	1	0.3 %
6	-	1	0.3 %
7	-	1	0.3 %
8	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	1	0.3 %
15	-	1	0.3 %
30	-	1	0.3 %
45	-	1	0.3 %
100	-	1	0.3 %
180	-	1	0.3 %
999	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 4.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 54.30

c14cm30

Times Committed Auto Theft Past 30 Days

Location: 533-534 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 14. Auto theft/car jacking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	334	94.6 %
1	-	9	2.5 %
2	-	3	0.8 %
3	-	1	0.3 %
4	-	2	0.6 %
5	-	1	0.3 %
9	-	1	0.3 %
30	-	2	0.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 2.35

- Study 27963 -

c14cmin # People Injured Auto Theft Past 30 Days

Location: 535-536 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9d. How many people were injured as a result of your involvement in 14. Auto theft/car jacking during the 6 months prior to this incarceration?[INJURED MEANS HURT BADLY ENOUGH TO REQUIRE MEDICAL ATTENTION WHETHER RECEIVED OR NOT. DO NOT INCLUDE INJURY TO SELF].

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	346	98.0 %
2	-	3	0.8 %
10	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %

Based upon 350 valid cases out of 353 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.56

c14cmdt # People Died Auto Theft Past 30 Days

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9e. How many people died as a result of your involvement in 14. Auto theft/car jacking during the 6 months prior to the arrest date on the timeline?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	347	98.3 %
1	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	5	1.4 %

Based upon 348 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

c15cmlf # Times Committed Robbery Lifetime

- Study 27963 -

Location: 539-541 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 15. Robbery/attempted robbery/mugging

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	280	79.3 %
1	-	30	8.5 %
2	-	8	2.3 %
3	-	6	1.7 %
4	-	3	0.8 %
5	-	5	1.4 %
6	-	2	0.6 %
10	-	1	0.3 %
15	-	2	0.6 %
20	-	1	0.3 %
25	-	3	0.8 %
30	-	1	0.3 %
50	-	1	0.3 %
80	-	1	0.3 %
999	-	9	2.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 26.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 157.62

c15cm6m # Times Committed Robbery Past 6 Mos

Location: 542-544 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 15. Robbery/attempted robbery/mugging?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	327	92.6 %
1	-	11	3.1 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	4	1.1 %
3	-	1	0.3 %
4	-	1	0.3 %
7	-	1	0.3 %
24	-	1	0.3 %
25	-	1	0.3 %
50	-	1	0.3 %
180	-	2	0.6 %
200	-	1	0.3 %
500	-	1	0.3 %
999	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 6.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 61.77

c15cm30

Times Committed Robbery Past 30 Days

Location: 545-547 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 15. Robbery/attempted robbery/mugging?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	337	95.5 %
1	-	5	1.4 %
3	-	2	0.6 %
4	-	1	0.3 %
24	-	1	0.3 %
25	-	1	0.3 %
30	-	3	0.8 %
50	-	1	0.3 %
99	-	1	0.3 %
100	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 1.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 8.56

c15cmin # People Injured Robbery Past 30 Days

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9d. How many people were injured as a result of your involvement in 15. Robbery/attempted robbery/mugging during the 6 months prior to this incarceration?[INJURED MEANS HURT BADLY ENOUGH TO REQUIRE MEDICAL ATTENTION WHETHER RECEIVED OR NOT. DO NOT INCLUDE INJURY TO SELF].

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	337	95.5 %
1	-	5	1.4 %
2	-	4	1.1 %
3	-	1	0.3 %
4	-	1	0.3 %
10	-	1	0.3 %
20	-	1	0.3 %
30	-	1	0.3 %
40	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 2.93

c15cmdt # People Died Robbery Past 30 Days

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9e. How many people died as a result of your involvement in 15. Robbery/attempted robbery/mugging during the 6 months prior to the arrest date on the timeline?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	351	99.4 %
1	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

c16cm1f	# Times Committed Assault Lifetime
----------------	---

Location: 552-554 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 16. Assault/aggravated assault/battery (DO NOT include rape or sexual assault)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	181	51.3 %
1	-	37	10.5 %
2	-	24	6.8 %
3	-	15	4.2 %
4	-	8	2.3 %
5	-	9	2.5 %
6	-	3	0.8 %
7	-	1	0.3 %
8	-	1	0.3 %
9	-	1	0.3 %
10	-	15	4.2 %
12	-	2	0.6 %
15	-	1	0.3 %
16	-	1	0.3 %
20	-	8	2.3 %
24	-	1	0.3 %
25	-	5	1.4 %
30	-	1	0.3 %
40	-	3	0.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
50	-	3	0.8 %
70	-	1	0.3 %
90	-	1	0.3 %
100	-	7	2.0 %
150	-	2	0.6 %
200	-	1	0.3 %
250	-	1	0.3 %
500	-	3	0.8 %
999	-	16	4.5 %
-4 (M)	DON'T KNOW	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 57.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 212.28

c16cm6m	# Times Committed Assault Past 6 Mos
----------------	---

Location: 555-557 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 16. Assault/aggravated assault/battery (DO NOT include rape or sexual assault)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	280	79.3 %
1	-	36	10.2 %
2	-	13	3.7 %
3	-	5	1.4 %
5	-	4	1.1 %
7	-	1	0.3 %
9	-	1	0.3 %
10	-	2	0.6 %
12	-	1	0.3 %
13	-	1	0.3 %
15	-	1	0.3 %
25	-	1	0.3 %
60	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
90	-	1	0.3 %
100	-	1	0.3 %
180	-	2	0.6 %
999	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 5.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 55.39

c16cm30

Times Committed Assault Past 30 Days

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 16. Assault/aggravated assault/battery (DO NOT include rape or sexual assault)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	307	87.0 %
1	-	23	6.5 %
2	-	7	2.0 %
3	-	3	0.8 %
4	-	1	0.3 %
5	-	1	0.3 %
6	-	2	0.6 %
10	-	2	0.6 %
15	-	1	0.3 %
30	-	3	0.8 %
50	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 0.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00

- Study 27963 -

- Standard Deviation: 4.02

c16cmin # People Injured Assault Past 6 Mos

Location: 560-562 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9d. How many people were injured as a result of your involvement in 16. Assault/aggravated assault/battery (DO NOT include rape or sexual assault) during the 6 months prior to this incarceration?[INJURED MEANS HURT BADLY ENOUGH TO REQUIRE MEDICAL ATTENTION WHETHER RECEIVED OR NOT. DO NOT INCLUDE INJURY TO SELF].

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	232	65.7 %
1	-	45	12.7 %
2	-	20	5.7 %
3	-	7	2.0 %
4	-	5	1.4 %
5	-	6	1.7 %
6	-	3	0.8 %
8	-	3	0.8 %
10	-	5	1.4 %
15	-	2	0.6 %
16	-	2	0.6 %
20	-	4	1.1 %
25	-	2	0.6 %
30	-	1	0.3 %
40	-	1	0.3 %
50	-	3	0.8 %
51	-	1	0.3 %
60	-	1	0.3 %
70	-	1	0.3 %
99	-	4	1.1 %
100	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-4 (M)	DON'T KNOW	1	0.3 %

Based upon 349 valid cases out of 353 total cases.

- Mean: 3.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 14.20

- Study 27963 -

c16cmdt # People Died Assault Past 6 Mos

Location: 563-564 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9e. How many people died as a result of your involvement in 16. Assault/aggravated assault/battery (DO NOT include rape or sexual assault) during the 6 months prior to the arrest date on the timeline?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	346	98.0 %
1	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	6	1.7 %

Based upon 347 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

c17cmlf # Times Committed Kidnapping Lifetime

Location: 565-567 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 17. Kidnapping/hostage taking

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	336	95.2 %
1	-	7	2.0 %
2	-	4	1.1 %
4	-	1	0.3 %
5	-	2	0.6 %
12	-	1	0.3 %
15	-	1	0.3 %
25	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00

- Study 27963 -

- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 1.74

c17cm6m # Times Committed Kidnapping Past 6 Mos

Location: 568-570 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 17. Kidnapping/hostage taking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	344	97.5 %
1	-	5	1.4 %
2	-	2	0.6 %
24	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 1.29

c17cm30 # Times Committed Kidnapping Past 30 Days

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 17. Kidnapping/hostage taking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	347	98.3 %
1	-	3	0.8 %
2	-	1	0.3 %
24	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.08

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 1.29

c17cmin # People Injured Kidnapping Past 6 Mos

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9d. How many people were injured as a result of your involvement in 17. Kidnapping/hostage taking during the 6 months prior to this incarceration?[INJURED MEANS HURT BADLY ENOUGH TO REQUIRE MEDICAL ATTENTION WHETHER RECEIVED OR NOT. DO NOT INCLUDE INJURY TO SELF].

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	341	96.6 %
1	-	8	2.3 %
2	-	2	0.6 %
5	-	1	0.3 %
12	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 0.72

c17cmdt # People Died Kidnapping Past 6 Mos

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9e. How many people died as a result of your involvement in 17. Kidnapping/hostage taking during the 6 months prior to the arrest date on the timeline?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	353	100.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00

- Study 27963 -

- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

c18cmlf # Times Committed Terrorism Lifetime

Location: 577-579 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 18. Terrorists threats/acts

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	346	98.0 %
1	-	3	0.8 %
2	-	1	0.3 %
3	-	1	0.3 %
6	-	1	0.3 %
60	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 3.21

c18cm6m # Times Committed Terrorism Past 6 Mos

Location: 580-582 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 18. Terrorists threats/acts?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	350	99.2 %
1	-	2	0.6 %
6	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.02

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.33

c18cm30

Times Committed Terrorism Past 30 Days

Location: 583-584 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 18. Terrorists threats/acts?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	351	99.4 %
1	-	1	0.3 %
6	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.32

c18cmin

People Injured Terrorism Past 6 Mos

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9d. How many people were injured as a result of your involvement in 18. Terrorists threats/acts during the 6 months prior to this incarceration?[INJURED MEANS HURT BADLY ENOUGH TO REQUIRE MEDICAL ATTENTION WHETHER RECEIVED OR NOT. DO NOT INCLUDE INJURY TO SELF].

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	352	99.7 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00

- Study 27963 -

- Standard Deviation: 0.00

c18cmdt # People Died Terrorism Past 6 Mos

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9e. How many people died as a result of your involvement in 18. Terrorists threats/acts during the 6 months prior to the arrest date on the timeline?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	352	99.7 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

c19cmlf # Times Committed Homicide Lifetime

Location: 589-591 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 19. Homicide/manslaughter/attempted homicide

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	326	92.4 %
1	-	17	4.8 %
2	-	2	0.6 %
4	-	1	0.3 %
5	-	2	0.6 %
20	-	2	0.6 %
-7 (M)	REFUSE TO ANSWER	3	0.8 %

Based upon 350 valid cases out of 353 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00

- Study 27963 -

- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.58

c19cm6m # Times Committed Homicide Past 6 Mos

Location: 592-594 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 19. Homicide/manslaughter/attempted homicide?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	342	96.9 %
1	-	6	1.7 %
2	-	1	0.3 %
4	-	2	0.6 %
-7 (M)	REFUSE TO ANSWER	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.34

c19cm30 # Times Committed Homicide Past 30 Days

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 19. Homicide/manslaughter/attempted homicide?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	345	97.7 %
1	-	4	1.1 %
2	-	1	0.3 %
4	-	1	0.3 %
-7 (M)	REFUSE TO ANSWER	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 0.03

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.26

c19cmin # People Injured Homicide Past 6 Mos

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9d. How many people were injured as a result of your involvement in 19. Homicide/manslaughter/attempted homicide during the 6 months prior to this incarceration?[INJURED MEANS HURT BADLY ENOUGH TO REQUIRE MEDICAL ATTENTION WHETHER RECEIVED OR NOT. DO NOT INCLUDE INJURY TO SELF].

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	335	94.9 %
1	-	12	3.4 %
2	-	2	0.6 %
4	-	1	0.3 %
8	-	1	0.3 %
-7 (M)	REFUSE TO ANSWER	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.53

c19cmdt # People Died Homicide Past 6 Mos

Location: 599-600 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9e. How many people died as a result of your involvement in 19. Homicide/manslaughter/attempted homicide during the 6 months prior to the arrest date on the timeline?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	341	96.6 %
1	-	9	2.5 %
2	-	1	0.3 %
-7 (M)	REFUSE TO ANSWER	2	0.6 %

- Study 27963 -

Based upon 351 valid cases out of 353 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.19

c20cm1f

Times Committed Arson Lifetime

Location: 601-603 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 20. Arson offenses

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	333	94.3 %
1	-	14	4.0 %
2	-	2	0.6 %
3	-	3	0.8 %
10	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.64

c20cm6m

Times Committed Arson Past 6 Mos

Location: 604-606 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 20. Arson offenses?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	352	99.7 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

- Study 27963 -

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

c20cm30 # Times Committed Arson Past 30 Days

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 20. Arson offenses?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	352	99.7 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

c20cmin # People Injured Arson Past 6 Mos

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9d. How many people were injured as a result of your involvement in 20. Arson offenses during the 6 months prior to this incarceration?[INJURED MEANS HURT BADLY ENOUGH TO REQUIRE MEDICAL ATTENTION WHETHER RECEIVED OR NOT. DO NOT INCLUDE INJURY TO SELF].

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	352	99.7 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00

- Study 27963 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

c20cmdt # People Died Arson Past 6 Mos

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9e. How many people died as a result of your involvement in 20. Arson offenses during the 6 months prior to the arrest date on the timeline?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	351	99.4 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

c21cm1f # Times Committed Weapons Offense Lifetime

Location: 613-615 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 21. Weapons offenses

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	240	68.0 %
1	-	37	10.5 %
2	-	10	2.8 %
3	-	8	2.3 %
4	-	4	1.1 %
5	-	4	1.1 %
6	-	1	0.3 %
8	-	1	0.3 %
10	-	5	1.4 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	1	0.3 %
25	-	1	0.3 %
50	-	3	0.8 %
60	-	1	0.3 %
100	-	3	0.8 %
180	-	2	0.6 %
365	-	1	0.3 %
400	-	1	0.3 %
700	-	1	0.3 %
999	-	29	8.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 89.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 277.05

c21cm6m

Times Committed Weapons Offense Past 6 Mos

Location: 616-618 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 21. Weapons offenses?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	302	85.6 %
1	-	17	4.8 %
2	-	3	0.8 %
4	-	1	0.3 %
6	-	1	0.3 %
30	-	4	1.1 %
50	-	1	0.3 %
65	-	1	0.3 %
90	-	2	0.6 %
100	-	1	0.3 %
141	-	1	0.3 %
150	-	1	0.3 %
160	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
180	-	15	4.2 %
999	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 13.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 65.93

c21cm30 # Times Committed Weapons Offense Past 30 Days

Location: 619-620 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 21. Weapons offenses?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	310	87.8 %
1	-	13	3.7 %
3	-	1	0.3 %
5	-	1	0.3 %
10	-	2	0.6 %
20	-	1	0.3 %
25	-	1	0.3 %
30	-	22	6.2 %
50	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 2.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 7.88

c22cm1f # Times Committed Vandalism Lifetime

Location: 621-623 (width: 3; decimal: 0)

- Study 27963 -

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 22. Vandalism/property damage/tagging

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	268	75.9 %
1	-	27	7.6 %
2	-	9	2.5 %
3	-	2	0.6 %
4	-	3	0.8 %
5	-	10	2.8 %
6	-	1	0.3 %
8	-	1	0.3 %
10	-	4	1.1 %
12	-	2	0.6 %
15	-	2	0.6 %
20	-	4	1.1 %
25	-	2	0.6 %
30	-	1	0.3 %
40	-	2	0.6 %
50	-	4	1.1 %
100	-	2	0.6 %
200	-	1	0.3 %
300	-	1	0.3 %
500	-	2	0.6 %
999	-	5	1.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 20.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 125.06

c22cm6m	# Times Committed Vandalism Past 6 Mos
---------	--

Location: 624-626 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 22. Vandalism/property damage/tagging?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	334	94.6 %
1	-	7	2.0 %
2	-	3	0.8 %
3	-	2	0.6 %
10	-	2	0.6 %
20	-	2	0.6 %
30	-	1	0.3 %
75	-	1	0.3 %
120	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 120.00
- Standard Deviation: 7.85

c22cm30

Times Committed Vandalism Past 30 Days

Location:

627-628 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 22. Vandalism/property damage/tagging?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	339	96.0 %
1	-	5	1.4 %
2	-	5	1.4 %
10	-	1	0.3 %
20	-	1	0.3 %
30	-	2	0.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00

- Study 27963 -

- Standard Deviation: 2.55

c23cm1f # Times Committed Sex Offense Lifetime

Location: 629-631 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 23. Sex offenses (rape/sex assault/sex w/ minors)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	346	98.0 %
1	-	4	1.1 %
2	-	1	0.3 %
4	-	1	0.3 %
-5 (M)	BAD DATA	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.26

c23cm6m # Times Committed Sex Offense Past 6 Mos

Location: 632-634 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 23. Sex offenses (rape/sex assault/sex w/ minors)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	351	99.4 %
1	-	2	0.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 27963 -

- Standard Deviation: 0.08

c23cm30 # Times Committed Sex Offense Past 30 Days

Location: 635-636 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 23. Sex offenses (rape/sex assault/sex w/ minors)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	352	99.7 %
1	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

c23cmin # People Injured Sex Offense Past 6 Mos

Location: 637-638 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 9d. How many people were injured as a result of your involvement in 23. Sex offenses (rape/sex assault/sex w/ minors) during the 6 months prior to this incarceration?[INJURED MEANS HURT BADLY ENOUGH TO REQUIRE MEDICAL ATTENTION WHETHER RECEIVED OR NOT. DO NOT INCLUDE INJURY TO SELF].

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	353	100.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

c23cmdt # People Died Sex Offense Past 6 Mos

Location: 639-640 (width: 2; decimal: 0)

- Study 27963 -

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9e. How many people died as a result of your involvement in 23. Sex offenses (rape/sex assault/sex w/ minors) during the 6 months prior to the arrest date on the timeline?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	353	100.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

c24cmlf # Times Committed Probation/Parole Violation Lifetime

Location: 641-643 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 24. Probation/parole violations

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	77	21.8 %
1	-	78	22.1 %
2	-	43	12.2 %
3	-	27	7.6 %
4	-	23	6.5 %
5	-	16	4.5 %
6	-	10	2.8 %
7	-	6	1.7 %
8	-	6	1.7 %
9	-	1	0.3 %
10	-	10	2.8 %
12	-	2	0.6 %
13	-	1	0.3 %
15	-	2	0.6 %
20	-	5	1.4 %
21	-	2	0.6 %
22	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
25	-	1	0.3 %
27	-	1	0.3 %
30	-	5	1.4 %
37	-	1	0.3 %
50	-	6	1.7 %
60	-	1	0.3 %
61	-	1	0.3 %
90	-	1	0.3 %
100	-	5	1.4 %
180	-	2	0.6 %
365	-	3	0.8 %
720	-	1	0.3 %
999	-	12	3.4 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-5 (M)	BAD DATA	1	0.3 %
-4 (M)	DON'T KNOW	1	0.3 %

Based upon 350 valid cases out of 353 total cases.

- Mean: 46.63
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 187.68

c24cm6m

Times Committed Probation/Parole Violation Past 6 Mos

Location: 644-646 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 24. Probation/parole violations?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	167	47.3 %
1	-	122	34.6 %
2	-	26	7.4 %
3	-	6	1.7 %
4	-	5	1.4 %
10	-	2	0.6 %
15	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	4	1.1 %
30	-	1	0.3 %
90	-	1	0.3 %
100	-	1	0.3 %
135	-	1	0.3 %
150	-	1	0.3 %
180	-	7	2.0 %
999	-	4	1.1 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %

Based upon 349 valid cases out of 353 total cases.

- Mean: 17.44
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 109.53

c24cm30

Times Committed Probation/Parole Violation Past 30 Days

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 24. Probation/parole violations?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	195	55.2 %
1	-	118	33.4 %
2	-	11	3.1 %
3	-	3	0.8 %
5	-	3	0.8 %
10	-	2	0.6 %
15	-	2	0.6 %
20	-	2	0.6 %
30	-	10	2.8 %
99	-	3	0.8 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %

Based upon 349 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 2.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 10.46

othoff Specify Other Offense Committed

Location: 649-668 (width: 20; decimal: 0)

Variable Type: character

Question: 25. Other offenses_____

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	331	93.8 %
CHILD ABUSE	1	0.3 %
CHILD NEGLECT	1	0.3 %
CONSPIRACY	1	0.3 %
DOMESTIC	1	0.3 %
DRIVING W/SUSP LICEN	1	0.3 %
FALSE POL RPT/PERJUR	1	0.3 %
FELONY EVASION	1	0.3 %
IDENT. THEFT	1	0.3 %
MAKING ALC IN PRISON	1	0.3 %
NON-PYMT CHILD SUPPO	1	0.3 %
OBSTRUCTION OF JUSTI	1	0.3 %
PANDERING	1	0.3 %
PRETRIAL VIOLATION	1	0.3 %
RACKETEERING	1	0.3 %
RODE IN/DROVE STOLEN	1	0.3 %
SERVING MINORS	1	0.3 %
SPEEDING/RECKLESS DR	1	0.3 %
SUICIDE ATTEMPTS	1	0.3 %
TRAF VIOL-FRAUD TAG	1	0.3 %
escape	1	0.3 %
traffic violat	1	0.3 %
trespassing	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

c25cmlf # Times Committed Other Offense Lifetime

Location: 669-671 (width: 3; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9a. How many times during your life have you ever been involved in the following illegal activities? For example, the number of times you committed any of the following activities regardless of arrests. [HAND RESPONDENT CRIME CARD; RECORD RESPONSES IN "CRIME CHART"; IF "00" SKIP TO NEXT ACTIVITY] 25. Other offenses

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	314	89.0 %
1	-	10	2.8 %
3	-	2	0.6 %
4	-	3	0.8 %
5	-	2	0.6 %
50	-	1	0.3 %
55	-	1	0.3 %
180	-	1	0.3 %
700	-	1	0.3 %
999	-	2	0.6 %
-1 (M)	VARIABLE NOT ON FORM	16	4.5 %

Based upon 337 valid cases out of 353 total cases.

- Mean: 8.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 86.21

c25cm6m # Times Committed Other Offense Past 6 Mos

Location: 672-674 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9b. Using the card, tell me how many times in the last 6 months prior to this incarceration you were involved in 25. Other offenses?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	324	91.8 %
1	-	6	1.7 %
2	-	1	0.3 %
60	-	1	0.3 %
172	-	1	0.3 %
180	-	2	0.6 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %
-1 (M)	VARIABLE NOT ON FORM	16	4.5 %

- Study 27963 -

Based upon 335 valid cases out of 353 total cases.

- Mean: 1.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 17.03

c25cm30

Times Committed Other Offense Past 30 Days

Location: 675-676 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9c. For the same crime, tell me how many times in the 30 days prior to this incarceration you were involved in 25. Other offenses?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	325	92.1 %
1	-	5	1.4 %
20	-	1	0.3 %
28	-	1	0.3 %
30	-	2	0.6 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-1 (M)	VARIABLE NOT ON FORM	16	4.5 %

Based upon 334 valid cases out of 353 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 2.98

c25cmin

People Injured Other Offense Past 6 Mos

Location: 677-678 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9d. How many people were injured as a result of your involvement in 25. Other offenses during the 6 months prior to this incarceration?[INJURED MEANS HURT BADLY ENOUGH TO REQUIRE MEDICAL ATTENTION WHETHER RECEIVED OR NOT. DO NOT INCLUDE INJURY TO SELF].

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	327	92.6 %
1	-	3	0.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-3 (M)	NOT APPLICABLE	4	1.1 %
-1 (M)	VARIABLE NOT ON FORM	16	4.5 %

Based upon 330 valid cases out of 353 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

c25cmdt # People Died Other Offense Past 6 Mos

Location: 679-680 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9e. How many people died as a result of your involvement in 25. Other offenses during the 6 months prior to the arrest date on the timeline?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	329	93.2 %
-8 (M)	ACCIDENTAL SKIP	4	1.1 %
-3 (M)	NOT APPLICABLE	4	1.1 %
-1 (M)	VARIABLE NOT ON FORM	16	4.5 %

Based upon 329 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

jhumed # Nights in Jail Hospital Medical Problems Past 6 Mos

Location: 681-683 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 10a. During the time that you have been incarcerated in the past 6 months, how many nights did you spend in the hospital unit because of: 1. medical problems

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	325	92.1 %
1	-	11	3.1 %
2	-	3	0.8 %
3	-	3	0.8 %
4	-	3	0.8 %
6	-	1	0.3 %
7	-	2	0.6 %
9	-	1	0.3 %
10	-	1	0.3 %
14	-	1	0.3 %
24	-	1	0.3 %
180	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 9.73

jhuemot	# Nights in Jail Hospital Emotional Problems Past 6 Mos
----------------	--

Location: 684-686 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 10a. During the time that you have been incarcerated in the past 6 months, how many nights did you spend in the hospital unit because of: 2. mental or emotional problems

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	342	96.9 %
1	-	2	0.6 %
2	-	4	1.1 %
23	-	1	0.3 %
28	-	1	0.3 %
60	-	2	0.6 %
180	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.02
- Median: 0.00

- Study 27963 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 10.73

jhumsa # Nights in Jail Hospital Substance Use Past 6 Mos

Location: 687-689 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 10a. During the time that you have been incarcerated in the past 6 months, how many nights did you spend in the hospital unit because of: 3. substance abuse (including detox)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	345	97.7 %
1	-	3	0.8 %
3	-	1	0.3 %
7	-	2	0.6 %
14	-	1	0.3 %
60	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 3.32

jipsy # Times Indiv Psych Session During Incarceration Past 6 Mos

Location: 690-692 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 10b. During the time you have been incarcerated in the past 6 months, how many times did you visit a psychiatrist, psychologist, psychiatric social worker, or other mental health professional for an individual session because of mental or emotional problems?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	231	65.4 %
1	-	47	13.3 %
2	-	23	6.5 %
3	-	15	4.2 %
4	-	8	2.3 %
5	-	3	0.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	10	2.8 %
8	-	3	0.8 %
10	-	1	0.3 %
11	-	1	0.3 %
12	-	3	0.8 %
24	-	3	0.8 %
25	-	1	0.3 %
28	-	1	0.3 %
90	-	1	0.3 %
180	-	2	0.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 2.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 14.64

jgpsy

Times Group Psych Session During Incarceration Past 6 Mos

Location: 693-695 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 10c. During the time you have been incarcerated in the past 6 months, how many times did you attend a group session with a psychiatrist, psychologist, psychiatric social worker or other mental health professional because of mental or emotional problems?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	327	92.6 %
1	-	7	2.0 %
2	-	5	1.4 %
3	-	1	0.3 %
4	-	1	0.3 %
7	-	1	0.3 %
8	-	2	0.6 %
10	-	1	0.3 %
13	-	1	0.3 %
15	-	1	0.3 %
20	-	1	0.3 %
24	-	1	0.3 %
28	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	-	1	0.3 %
32	-	1	0.3 %
180	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 10.16

jisa	# Times Indiv Subs Abuse Session During Incarceration Past 6 Mos
------	--

Location: 696-698 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 10d. During the time you have been incarcerated in the past 6 months, how many times did you visit a substance abuse counselor for individual sessions?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	305	86.4 %
1	-	24	6.8 %
2	-	10	2.8 %
3	-	3	0.8 %
4	-	2	0.6 %
5	-	2	0.6 %
6	-	3	0.8 %
8	-	1	0.3 %
14	-	1	0.3 %
30	-	1	0.3 %
100	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.68
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 5.66

jgsa	# Times Group Subs Abuse Session During Incarceration Past 6 Mos
------	--

- Study 27963 -

Location: 699-701 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 10e. During the time you have been incarcerated in the past 6 months, how many times did you attend a group session primarily for substance abuse? (Do not include 12-step support groups that you attended in a residential program.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	155	43.9 %
1	-	26	7.4 %
2	-	20	5.7 %
3	-	19	5.4 %
4	-	15	4.2 %
5	-	9	2.5 %
6	-	5	1.4 %
7	-	14	4.0 %
8	-	9	2.5 %
9	-	6	1.7 %
10	-	12	3.4 %
11	-	3	0.8 %
12	-	10	2.8 %
13	-	8	2.3 %
14	-	6	1.7 %
15	-	6	1.7 %
16	-	1	0.3 %
17	-	1	0.3 %
20	-	5	1.4 %
21	-	1	0.3 %
24	-	3	0.8 %
25	-	1	0.3 %
27	-	1	0.3 %
28	-	2	0.6 %
30	-	3	0.8 %
35	-	2	0.6 %
36	-	1	0.3 %
40	-	2	0.6 %
48	-	1	0.3 %
50	-	2	0.6 %
60	-	1	0.3 %
80	-	1	0.3 %
100	-	1	0.3 %
132	-	1	0.3 %

- Study 27963 -

Based upon 353 valid cases out of 353 total cases.

- Mean: 6.13
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 132.00
- Standard Deviation: 12.87

health

Overall Health Rating

Location: 702-703 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 1. How would you rate your overall health right now?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	POOR	19	5.4 %
2	FAIR	52	14.7 %
3	GOOD	121	34.3 %
4	VERY GOOD	91	25.8 %
5	EXCELLENT	70	19.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 3.40
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.12

painlf

Pain/Discomfort Lifetime

Location: 704-705 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2. Not counting the effects from alcohol or other drug use, In your lifetime have you ever experienced a. a lot of physical pain or discomfort?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	230	65.2 %
1	YES	123	34.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.35

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

dprslf	Depression Lifetime
--------	---------------------

Location: 706-707 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2. Not counting the effects from alcohol or other drug use, In your lifetime have you ever experienced b. serious depression (for two weeks or more at a time)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	179	50.7 %
1	YES	174	49.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

anxlf	Anxiety/Tension Lifetime
-------	--------------------------

Location: 708-709 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2. Not counting the effects from alcohol or other drug use, In your lifetime have you ever experienced c. serious anxiety or tension?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	185	52.4 %
1	YES	168	47.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

- Study 27963 -

hluc1f	Hallucinations Lifetime
--------	-------------------------

Location: 710-711 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2. Not counting the effects from alcohol or other drug use, In your lifetime have you ever experienced d. hallucinations (hearing or seeing things that others thought were imaginary)?

Value	Label	Unweighted Frequency	%
0	NO	326	92.4 %
1	YES	27	7.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

concl1f	Trouble Understand/Concentrate/ Remember Lifetime
---------	---

Location: 712-713 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2. Not counting the effects from alcohol or other drug use, In your lifetime have you ever experienced e. trouble understanding, concentrating, or remembering?

Value	Label	Unweighted Frequency	%
0	NO	196	55.5 %
1	YES	157	44.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

viol1f	Trouble Controlling Violent Behavior Lifetime
--------	---

Location: 714-715 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

2. Not counting the effects from alcohol or other drug use, In your lifetime have you ever experienced f. trouble controlling violent behavior?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	268	75.9 %
1	YES	85	24.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

sidelf

Suicide Thoughts Lifetime

Location:

716-717 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2. Not counting the effects from alcohol or other drug use, In your lifetime have you ever experienced g. serious thoughts of suicide?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	296	83.9 %
1	YES	57	16.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

sattlf

Suicide Attempts Lifetime

Location:

718-719 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2. Not counting the effects from alcohol or other drug use, In your lifetime have you ever experienced h. attempts at suicide?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	294	83.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	YES	59	16.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

nbirth # Times Given Birth

Location: 720-721 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 3. If female, how many times have you given birth? [IF R IS MALE, WRITE -3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	15	4.2 %
1	-	20	5.7 %
2	-	39	11.0 %
3	-	32	9.1 %
4	-	21	5.9 %
5	-	12	3.4 %
6	-	3	0.8 %
7	-	4	1.1 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %
-6 (M)	MULTIPLE RESPONSE	1	0.3 %
-3 (M)	NOT APPLICABLE	205	58.1 %

Based upon 146 valid cases out of 353 total cases.

- Mean: 2.63
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.65

brthprb # Times Baby Born Early/With Problems

Location: 722-723 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 3. If female, how many times have you given birth? [IF R IS MALE, WRITE -3] a. How many of these times was the baby born early or with health problems?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	90	25.5 %
1	-	25	7.1 %
2	-	12	3.4 %
3	-	2	0.6 %
4	-	1	0.3 %
5	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	220	62.3 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %
-3 (M)	NOT APPLICABLE	1	0.3 %

Based upon 131 valid cases out of 353 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.88

abuse6m **Physically/Sexually/Emotionally Abused Past 6 Mos**

Location: 724-725 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 4. During the 6 months prior to the arrest date on the timeline: (circle yes or no for a-b) a. Were you attacked with a weapon, beaten or sexually abused?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	292	82.7 %
1	YES	60	17.0 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

- Study 27963 -

argue6m Physically/Verbally Threatened Someone Past 6 Mos

Location: 726-727 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 4. During the 6 months prior to the arrest date on the timeline: (circle yes or no for a-b) b. Did you have an argument in which you physically or verbally threatened someone?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	213	60.3 %
1	YES	138	39.1 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

phosplf # Times Hospitalized for Psych Problems Lifetime

Location: 728-730 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. How many times in your life have you been hospitalized for psychiatric/emotional problems?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	283	80.2 %
1	-	26	7.4 %
2	-	16	4.5 %
3	-	9	2.5 %
4	-	5	1.4 %
5	-	1	0.3 %
6	-	3	0.8 %
7	-	1	0.3 %
9	-	1	0.3 %
15	-	2	0.6 %
20	-	1	0.3 %
32	-	1	0.3 %
99	-	2	0.6 %
100	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 1.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 9.43

hhosplf # Times Hospitalized for Health Problems Lifetime

Location: 731-732 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 6. How many times in your life have you been hospitalized for physical health problems?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	131	37.1 %
1	-	71	20.1 %
2	-	44	12.5 %
3	-	28	7.9 %
4	-	20	5.7 %
5	-	10	2.8 %
6	-	12	3.4 %
7	-	3	0.8 %
8	-	6	1.7 %
9	-	1	0.3 %
10	-	9	2.5 %
12	-	4	1.1 %
15	-	5	1.4 %
20	-	2	0.6 %
22	-	1	0.3 %
25	-	1	0.3 %
50	-	3	0.8 %
75	-	1	0.3 %
99	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 3.25
- Median: 1.00

- Study 27963 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 8.56

htxphys Hospital TX for Physical Complaint past 30 Days

Location: 733-738 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) a. Inpatient Treatment for: 1. Physical complaint

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	336	95.2 %
1	YES	14	4.0 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-3 (M)	NOT APPLICABLE	2	0.6 %

Based upon 350 valid cases out of 353 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

htxphdy # Nights Hospital TX for Physical Complaint past 30 Days

Location: 739-740 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) a. Inpatient Treatment for: 1. Physical complaint If yes, altogether for how many nights/days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	4	1.1 %
2	-	3	0.8 %
3	-	2	0.6 %
6	-	1	0.3 %
7	-	1	0.3 %
14	-	2	0.6 %
21	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	LEGITAMATE SKIP	338	95.8 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 14 valid cases out of 353 total cases.

- Mean: 5.57
- Median: 2.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 6.31

htxment Hospital TX for Mental/Emot Difficulty past 30 Days

Location: 741-742 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) a. Inpatient Treatment for: 3. Mental or emotional difficulties

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	346	98.0 %
1	YES	7	2.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

htxmndy # Nights Hospital TX for Mental/Emot Difficulty past 30 Days

Location: 743-744 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) a. Inpatient Treatment for: 3. Mental or emotional difficulties If yes, altogether for how many nights/days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	4	1.1 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	2	0.6 %
10	-	1	0.3 %
14	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	345	97.7 %

Based upon 8 valid cases out of 353 total cases.

- Mean: 4.00
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 14.00
- Standard Deviation: 5.07

htxsubs Hospital TX for Alc/Subs Use past 30 Days

Location: 745-746 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) a. Inpatient Treatment for: 5. Alcohol or substance abuse

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	340	96.3 %
1	YES	13	3.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

htxsudy # Nights Hospital TX for Alc/Subs Use past 30 Days

Location: 747-748 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) a. Inpatient Treatment for: 5. Alcohol or substance abuse If yes, altogether for how many nights/days?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2	0.6 %
1	-	3	0.8 %
2	-	1	0.3 %
3	-	1	0.3 %
7	-	1	0.3 %
10	-	2	0.6 %
30	-	5	1.4 %
-9 (M)	LEGITAMATE SKIP	338	95.8 %

Based upon 15 valid cases out of 353 total cases.

- Mean: 12.33
- Median: 7.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 13.32

otxphys	Outpatient TX for Physical Complaint past 30 Days
----------------	--

Location: 749-750 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) b. Outpatient Treatment for: 1. Physical complaint

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	309	87.5 %
1	YES	44	12.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

otxphdy	# Nights Outpatient TX for Physical Complaint past 30 Days
----------------	---

Location: 751-752 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) b. Outpatient Treatment for: 1. Physical complaint If yes, altogether for how many nights/days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	18	5.1 %
2	-	10	2.8 %
3	-	5	1.4 %
4	-	3	0.8 %
5	-	2	0.6 %
8	-	2	0.6 %
9	-	1	0.3 %
14	-	1	0.3 %
30	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	309	87.5 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 43 valid cases out of 353 total cases.

- Mean: 3.35
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 4.94

otxment

Outpatient TX for Mental/Emot Difficulty past 30 Days

Location: 753-754 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) b. Outpatient Treatment for: 3. Mental or emotional difficulties

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	333	94.3 %
1	YES	20	5.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

- Study 27963 -

otxmndy # Nights Outpatient TX for Mental/Emot Difficulty past 30 Days

Location: 755-756 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) b. Outpatient Treatment for: 3. Mental or emotional difficulties If yes, altogether for how many nights/days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.3 %
1	-	4	1.1 %
2	-	4	1.1 %
4	-	3	0.8 %
5	-	1	0.3 %
8	-	2	0.6 %
9	-	1	0.3 %
20	-	1	0.3 %
30	-	1	0.3 %
65	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	333	94.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 19 valid cases out of 353 total cases.

- Mean: 8.89
- Median: 4.00
- Minimum: 0.00
- Maximum: 65.00
- Standard Deviation: 15.50

otxsubs Outpatient TX for Alc/Subs Use past 30 Days

Location: 757-758 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) b. Outpatient Treatment for: 5. Alcohol or substance abuse

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	320	90.7 %
1	YES	33	9.3 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

otxsudy # Nights Outpatient TX for Alcohol/Substance Use past 30 Days

Location: 759-760 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) b. Outpatient Treatment for: 5. Alcohol or substance abuse If yes, altogether for how many nights/days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.3 %
1	-	6	1.7 %
2	-	4	1.1 %
3	-	1	0.3 %
4	-	7	2.0 %
5	-	2	0.6 %
8	-	3	0.8 %
9	-	1	0.3 %
14	-	1	0.3 %
15	-	3	0.8 %
21	-	1	0.3 %
24	-	1	0.3 %
30	-	3	0.8 %
-9 (M)	LEGITAMATE SKIP	319	90.4 %

Based upon 34 valid cases out of 353 total cases.

- Mean: 8.29
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 9.07

etxphys ER TX for Physical Complaint Past 30 Days

Location: 761-762 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) c. Emergency Room Treatment for: 1. Physical complaint

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	308	87.3 %
1	YES	45	12.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

etxphdy # ER Admissions ER for Physical Complaint Past 30 Days

Location: 763-765 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) c. Emergency Room Treatment for: 1. Physical complaint If yes, altogether for how many nights/days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.3 %
1	-	31	8.8 %
2	-	4	1.1 %
3	-	4	1.1 %
4	-	1	0.3 %
5	-	1	0.3 %
6	-	1	0.3 %
13	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	308	87.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 44 valid cases out of 353 total cases.

- Mean: 1.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 2.09

- Study 27963 -

etxment ER TX for Mental/Emot Difficulty Past 30 Days

Location: 766-767 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) c. Emergency Room Treatment for: 3. Mental or emotional difficulties

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	343	97.2 %
1	YES	9	2.5 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

etxmndy # ER Admissions for Mental/Emot Difficulty Past 30 Days

Location: 768-770 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) c. Emergency Room Treatment for: 3. Mental or emotional difficulties If yes, altogether for how many nights/days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	6	1.7 %
3	-	1	0.3 %
4	-	1	0.3 %
20	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	343	97.2 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 9 valid cases out of 353 total cases.

- Mean: 3.67
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00

- Study 27963 -

- Standard Deviation: 6.22

etxsubs ER TX for Alc/Subs Use Past 30 Days

Location: 771-772 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) c. Emergency Room Treatment for: 5. Alcohol or substance abuse

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	342	96.9 %
1	YES	10	2.8 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

etxsudy # ER Admissions for Alc/Subs Use Past 30 Days

Location: 773-775 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the past 30 days prior to the arrest date on the timeline, did you receive: (circle yes or no, for all yes responses, record the number of nights/days) c. Emergency Room Treatment for: 5. Alcohol or substance abuse If yes, altogether for how many nights/days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	6	1.7 %
2	-	2	0.6 %
3	-	1	0.3 %
4	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	342	96.9 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 10 valid cases out of 353 total cases.

- Mean: 1.70
- Median: 1.00
- Mode: 1.00

- Study 27963 -

- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.06

msdp1 #1 Most Serious Drug Before TX

Location: 776-777 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 1. Now I'd like to ask you about your drug and alcohol use. Remember that this information is confidential. Please look over this list of drugs and tell me which ones caused you the most serious problems before you entered this treatment. (Read categories.) [HAND "DRUG CARD" TO RESPONDENT, USE CODE NUMBERS FROM "DRUG HISTORY CHART"] a. First most serious?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	ALCOHOL	89	25.2 %
2	TOBACCO	18	5.1 %
3	INHALANTS	3	0.8 %
4	MARIJUANA/HASHISH	25	7.1 %
5	HALLUCINOGENS/LSD/PSYCHEDELICS/PCP/MUSHROOMS/PEYOTE	4	1.1 %
6	CRACK/FREEBASE	57	16.1 %
7	COCAINE (BY ITSELF)	32	9.1 %
8	HEROIN AND COCAINE (MIXED TOGETHER)	6	1.7 %
9	HEROIN AND METH (MIXED TOGETHER)	2	0.6 %
10	HEROIN (BY ITSELF)	16	4.5 %
12	OTHER OPIATES/OPIUM/MORPHINE/DEMEROL/DILAUDID/PERCODAN/	2	0.6 %
13	METHAMPHETAMINE/SPEED/ICE/ECSTASY/CRYSTAL	80	22.7 %
15	LIBRIUM/VALIUM/MINOR TRANQUILIZERS	1	0.3 %
16	BARBITUATES	1	0.3 %
20	OTHER	1	0.3 %
-3 (M)	NOT APPLICABLE	16	4.5 %

Based upon 337 valid cases out of 353 total cases.

- Mean: 6.41
- Median: 6.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 4.66

msdp2 #2 Most Serious Drug Before TX

Location: 778-779 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 1. Now I'd like to ask you about your drug and alcohol use. Remember that this information is confidential. Please look over this list of drugs and tell me which ones caused you the most serious problems before you entered this treatment. (Read categories.) [HAND "DRUG CARD" TO RESPONDENT, USE CODE NUMBERS FROM "DRUG HISTORY CHART"] b. Second most serious?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	ALCOHOL	58	16.4 %
2	TOBACCO	33	9.3 %
4	MARIJUANA/HASHISH	54	15.3 %
5	HALLUCINOGENS/LSD/PSYCHEDELICS/PCP/MUSHROOMS/PEYOTE	7	2.0 %
6	CRACK/FREEBASE	15	4.2 %
7	COCAINE (BY ITSELF)	49	13.9 %
8	HEROIN AND COCAINE (MIXED TOGETHER)	4	1.1 %
9	HEROIN AND METH (MIXED TOGETHER)	3	0.8 %
10	HEROIN (BY ITSELF)	6	1.7 %
11	STREET METHADONE	1	0.3 %
12	OTHER OPIATES/OPIUM/MORPHINE/DEMEROL/DILAUDID/PERCODAN/	3	0.8 %
13	METHAMPHETAMINE/SPEED/ICE/ECSTASY/CRYSTAL	32	9.1 %
14	OTHER AMPHETAMINES/UPPERS/DIET PILLS	1	0.3 %
15	LIBRIUM/VALIUM/MINOR TRANQUILIZERS	3	0.8 %
18	NON-PRESCRIPTION GHB	1	0.3 %
20	OTHER	1	0.3 %
-9 (M)	LEGITIMATE SKIP	2	0.6 %
-3 (M)	NOT APPLICABLE	80	22.7 %

Based upon 271 valid cases out of 353 total cases.

- Mean: 5.49
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 4.16

msdp3 #3 Most Serious Drug Before TX

Location: 780-781 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 1. Now I'd like to ask you about your drug and alcohol use. Remember that this information is confidential. Please look over this list of drugs and tell me which ones caused you the most serious problems before you entered this treatment. (Read categories.) [HAND "DRUG CARD" TO RESPONDENT, USE CODE NUMBERS FROM "DRUG HISTORY CHART"] c. Third most serious?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	ALCOHOL	33	9.3 %
2	TOBACCO	32	9.1 %
3	INHALANTS	1	0.3 %
4	MARIJUANA/HASHISH	40	11.3 %
5	HALLUCINOGENS/LSD/PSYCHEDELICS/PCP/MUSHROOMS/PEYOTE	7	2.0 %
6	CRACK/FREEBASE	9	2.5 %
7	COCAINE (BY ITSELF)	20	5.7 %
8	HEROIN AND COCAINE (MIXED TOGETHER)	4	1.1 %
9	HEROIN AND METH (MIXED TOGETHER)	1	0.3 %
10	HEROIN (BY ITSELF)	3	0.8 %
12	OTHER OPIATES/OPIUM/MORPHINE/DEMEROL/DILAUDID/PERCODAN/	5	1.4 %
13	METHAMPHETAMINE/SPEED/ICE/ECSTASY/CRYSTAL	13	3.7 %
15	LIBRIUM/VALIUM/MINOR TRANQUILIZERS	2	0.6 %
20	OTHER	1	0.3 %
-9 (M)	LEGITIMATE SKIP	1	0.3 %
-6 (M)	MULTIPLE RESPONSE	1	0.3 %
-3 (M)	NOT APPLICABLE	180	51.0 %

Based upon 171 valid cases out of 353 total cases.

- Mean: 4.91
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.89

age1alc

Age 1st Alcohol Use

Location: 782-783 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] (1) Alcohol

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	2	0.6 %
4	-	3	0.8 %
5	-	5	1.4 %
6	-	4	1.1 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	7	2.0 %
8	-	8	2.3 %
9	-	10	2.8 %
10	-	9	2.5 %
11	-	21	5.9 %
12	-	48	13.6 %
13	-	51	14.4 %
14	-	37	10.5 %
15	-	53	15.0 %
16	-	32	9.1 %
17	-	16	4.5 %
18	-	20	5.7 %
19	-	7	2.0 %
21	-	6	1.7 %
22	-	1	0.3 %
23	-	2	0.6 %
24	-	1	0.3 %
30	-	2	0.6 %
-3 (M)	NOT APPLICABLE	8	2.3 %

Based upon 345 valid cases out of 353 total cases.

- Mean: 13.61
- Median: 14.00
- Mode: 15.00
- Minimum: 2.00
- Maximum: 30.00
- Standard Deviation: 3.66

alc6m	Alcohol Use Past 6 Mos
--------------	-------------------------------

Location: 784-785 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (1) Alcohol. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	91	25.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	ONLY 1-3 TIMES	40	11.3 %
2	ABOUT 1 TIME PER MONTH	13	3.7 %
3	ABOUT 2-3 TIMES PER MONTH	29	8.2 %
4	ABOUT 1 TIME PER WEEK	19	5.4 %
5	ABOUT 2-6 TIMES PER WEEK	69	19.5 %
6	ABOUT EVERY DAY	84	23.8 %
-9 (M)	LEGITAMATE SKIP	8	2.3 %

Based upon 345 valid cases out of 353 total cases.

- Mean: 3.12
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.43

alc30d

Alcohol Use Past 30 days

Location: 786-787 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
 [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]
 FOR EACH SEPARATE DRUG USED, ASK:
 [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
 c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (1) Alcohol ?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	113	32.0 %
1	1: UNKNOWN	18	5.1 %
2	ABOUT 1 TIME PER MONTH	30	8.5 %
3	ABOUT 2-3 TIMES PER MONTH	16	4.5 %
4	ABOUT 1 TIME PER WEEK	24	6.8 %
5	ABOUT 2-6 TIMES PER WEEK	58	16.4 %
6	ABOUT EVERY DAY	84	23.8 %
-9 (M)	LEGITAMATE SKIP	10	2.8 %

- Study 27963 -

Based upon 343 valid cases out of 353 total cases.

- Mean: 2.96
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.50

age1tob

Age 1st Tobacco Use

Location: 788-789 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] (2) Tobacco

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	2	0.6 %
6	-	2	0.6 %
7	-	3	0.8 %
8	-	8	2.3 %
9	-	16	4.5 %
10	-	21	5.9 %
11	-	30	8.5 %
12	-	38	10.8 %
13	-	42	11.9 %
14	-	32	9.1 %
15	-	27	7.6 %
16	-	29	8.2 %
17	-	20	5.7 %
18	-	19	5.4 %
19	-	4	1.1 %
20	-	3	0.8 %
21	-	2	0.6 %
22	-	2	0.6 %
23	-	4	1.1 %
24	-	3	0.8 %
25	-	3	0.8 %
26	-	1	0.3 %
27	-	2	0.6 %
30	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	-	3	0.8 %
37	-	1	0.3 %
42	-	1	0.3 %
-3 (M)	NOT APPLICABLE	34	9.6 %

Based upon 319 valid cases out of 353 total cases.

- Mean: 14.25
- Median: 13.00
- Mode: 13.00
- Minimum: 5.00
- Maximum: 42.00
- Standard Deviation: 4.80

tob6m Tobacco Use Past 6 Mos

Location: 790-791 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (2) Tobacco. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	46	13.0 %
1	ONLY 1-3 TIMES	3	0.8 %
2	ABOUT 1 TIME PER MONTH	2	0.6 %
3	ABOUT 2-3 TIMES PER MONTH	1	0.3 %
4	ABOUT 1 TIME PER WEEK	5	1.4 %
5	ABOUT 2-6 TIMES PER WEEK	9	2.5 %
6	ABOUT EVERY DAY	253	71.7 %
-9 (M)	LEGITAMATE SKIP	34	9.6 %

Based upon 319 valid cases out of 353 total cases.

- Mean: 4.99
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.16

- Study 27963 -

tob30d	Tobacco Use Past 30 days
--------	--------------------------

Location: 792-793 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
 [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]
 FOR EACH SEPARATE DRUG USED, ASK:
 [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
 c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (2) Tobacco?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

Value	Label	Unweighted Frequency	%
0	NEVER/NOT USED	52	14.7 %
2	ABOUT 1 TIME PER MONTH	4	1.1 %
4	ABOUT 1 TIME PER WEEK	4	1.1 %
5	ABOUT 2-6 TIMES PER WEEK	9	2.5 %
6	ABOUT EVERY DAY	250	70.8 %
-9 (M)	LEGITAMATE SKIP	34	9.6 %

Based upon 319 valid cases out of 353 total cases.

- Mean: 4.92
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.23

age1inh	Age 1st Inhalant Use
---------	----------------------

Location: 794-795 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] (3) Inhalants (glue, spray paint, toluene, liquid paper, etc.)

Value	Label	Unweighted Frequency	%
8	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	2	0.6 %
12	-	7	2.0 %
13	-	10	2.8 %
14	-	7	2.0 %
15	-	7	2.0 %
16	-	8	2.3 %
17	-	3	0.8 %
18	-	1	0.3 %
19	-	1	0.3 %
20	-	2	0.6 %
22	-	3	0.8 %
23	-	1	0.3 %
24	-	1	0.3 %
32	-	1	0.3 %
-3 (M)	NOT APPLICABLE	298	84.4 %

Based upon 55 valid cases out of 353 total cases.

- Mean: 15.42
- Median: 15.00
- Mode: 13.00
- Minimum: 8.00
- Maximum: 32.00
- Standard Deviation: 3.98

inh6m Inhalant Use Past 6 Mos

Location: 796-797 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (3) Inhalants (glue, spray paint, toluene, liquid paper, etc.). [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	53	15.0 %
4	ABOUT 1 TIME PER WEEK	1	0.3 %
5	ABOUT 2-6 TIMES PER WEEK	1	0.3 %
-9 (M)	LEGITAMATE SKIP	298	84.4 %

- Study 27963 -

Based upon 55 valid cases out of 353 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.86

inh30d

Inhalant Use Past 30 days

Location: 798-799 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).

[RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]

FOR EACH SEPARATE DRUG USED, ASK:

[TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]

c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (3) Inhalants (glue, spray paint, toluene, liquid paper, etc.)?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	53	15.0 %
4	ABOUT 1 TIME PER WEEK	2	0.6 %
-9 (M)	LEGITAMATE SKIP	298	84.4 %

Based upon 55 valid cases out of 353 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.76

age1mj

Age 1st Marijuana Use

Location: 800-801 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG

- Study 27963 -

HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] (4) Marijuana/Hashish

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1	0.3 %
5	-	2	0.6 %
7	-	5	1.4 %
8	-	2	0.6 %
9	-	8	2.3 %
10	-	8	2.3 %
11	-	21	5.9 %
12	-	44	12.5 %
13	-	48	13.6 %
14	-	50	14.2 %
15	-	44	12.5 %
16	-	36	10.2 %
17	-	10	2.8 %
18	-	20	5.7 %
19	-	8	2.3 %
20	-	3	0.8 %
21	-	2	0.6 %
22	-	2	0.6 %
23	-	4	1.1 %
24	-	1	0.3 %
25	-	1	0.3 %
27	-	1	0.3 %
28	-	2	0.6 %
30	-	1	0.3 %
35	-	1	0.3 %
-3 (M)	NOT APPLICABLE	28	7.9 %

Based upon 325 valid cases out of 353 total cases.

- Mean: 14.31
- Median: 14.00
- Mode: 14.00
- Minimum: 1.00
- Maximum: 35.00
- Standard Deviation: 3.64

mj6m

Marijuana Use Past 6 Mos

Location: 802-803 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (4) Marijuana/Hashish. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	138	39.1 %
1	ONLY 1-3 TIMES	34	9.6 %
2	ABOUT 1 TIME PER MONTH	8	2.3 %
3	ABOUT 2-3 TIMES PER MONTH	13	3.7 %
4	ABOUT 1 TIME PER WEEK	15	4.2 %
5	ABOUT 2-6 TIMES PER WEEK	35	9.9 %
6	ABOUT EVERY DAY	82	23.2 %
-9 (M)	LEGITAMATE SKIP	28	7.9 %

Based upon 325 valid cases out of 353 total cases.

- Mean: 2.51
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.61

mj30d Marijuana Use Past 30 days

Location: 804-805 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
[RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]
FOR EACH SEPARATE DRUG USED, ASK:
[TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (4) Marijuana/Hashish ?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	156	44.2 %
1	1: UNKNOWN	9	2.5 %
2	ABOUT 1 TIME PER MONTH	22	6.2 %
3	ABOUT 2-3 TIMES PER MONTH	9	2.5 %
4	ABOUT 1 TIME PER WEEK	15	4.2 %
5	ABOUT 2-6 TIMES PER WEEK	32	9.1 %
6	ABOUT EVERY DAY	82	23.2 %
-9 (M)	LEGITAMATE SKIP	28	7.9 %

Based upon 325 valid cases out of 353 total cases.

- Mean: 2.44
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.63

age1hlc

Age 1st Hallucinogen Use

Location: 806-807 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] (5)
Hallucinogens/LSD/Psychedelics/PCP/Mushrooms/Peyote

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	1	0.3 %
11	-	1	0.3 %
12	-	5	1.4 %
13	-	18	5.1 %
14	-	18	5.1 %
15	-	17	4.8 %
16	-	32	9.1 %
17	-	27	7.6 %
18	-	19	5.4 %
19	-	10	2.8 %
20	-	7	2.0 %
21	-	6	1.7 %
22	-	5	1.4 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	-	2	0.6 %
24	-	1	0.3 %
25	-	1	0.3 %
26	-	1	0.3 %
30	-	2	0.6 %
35	-	1	0.3 %
-3 (M)	NOT APPLICABLE	179	50.7 %

Based upon 174 valid cases out of 353 total cases.

- Mean: 16.72
- Median: 16.00
- Mode: 16.00
- Minimum: 3.00
- Maximum: 35.00
- Standard Deviation: 3.54

hluc6m Hallucinogen Use Past 6 Mos

Location: 808-809 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (5) Hallucinogens/LSD/Psychedelics/PCP/Mushrooms/Peyote. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	151	42.8 %
1	ONLY 1-3 TIMES	11	3.1 %
2	ABOUT 1 TIME PER MONTH	2	0.6 %
3	ABOUT 2-3 TIMES PER MONTH	4	1.1 %
4	ABOUT 1 TIME PER WEEK	1	0.3 %
5	ABOUT 2-6 TIMES PER WEEK	1	0.3 %
6	ABOUT EVERY DAY	3	0.8 %
-9 (M)	LEGITAMATE SKIP	180	51.0 %

Based upon 173 valid cases out of 353 total cases.

- Mean: 0.31
- Median: 0.00

- Study 27963 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.04

hluc30d

Hallucinogen Use Past 30 Days

Location: 810-811 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
 [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]
 FOR EACH SEPARATE DRUG USED, ASK:
 [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
 c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (5) Hallucinogens/LSD/Psychedelics/PCP/Mushrooms/Peyote?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	160	45.3 %
2	ABOUT 1 TIME PER MONTH	6	1.7 %
3	ABOUT 2-3 TIMES PER MONTH	2	0.6 %
4	ABOUT 1 TIME PER WEEK	1	0.3 %
5	ABOUT 2-6 TIMES PER WEEK	1	0.3 %
6	ABOUT EVERY DAY	3	0.8 %
-9 (M)	LEGITAMATE SKIP	180	51.0 %

Based upon 173 valid cases out of 353 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.02

age1crk

Age 1st Crack Use

Location: 812-813 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG

- Study 27963 -

HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] (6) Crack/Freebase

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	1	0.3 %
11	-	2	0.6 %
12	-	3	0.8 %
13	-	5	1.4 %
14	-	9	2.5 %
15	-	6	1.7 %
16	-	12	3.4 %
17	-	13	3.7 %
18	-	14	4.0 %
19	-	11	3.1 %
20	-	16	4.5 %
21	-	7	2.0 %
22	-	12	3.4 %
23	-	8	2.3 %
24	-	6	1.7 %
25	-	17	4.8 %
26	-	8	2.3 %
27	-	8	2.3 %
28	-	5	1.4 %
29	-	5	1.4 %
30	-	10	2.8 %
31	-	2	0.6 %
32	-	4	1.1 %
33	-	1	0.3 %
34	-	1	0.3 %
35	-	3	0.8 %
36	-	1	0.3 %
37	-	1	0.3 %
38	-	2	0.6 %
39	-	1	0.3 %
40	-	2	0.6 %
41	-	1	0.3 %
42	-	1	0.3 %
43	-	2	0.6 %
45	-	1	0.3 %
47	-	1	0.3 %
48	-	1	0.3 %
59	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-3 (M)	NOT APPLICABLE	149	42.2 %

Based upon 204 valid cases out of 353 total cases.

- Mean: 23.09
- Median: 22.00
- Mode: 25.00
- Minimum: 7.00
- Maximum: 59.00
- Standard Deviation: 7.87

crck6m Crack Use Past 6 Mos

Location: 814-815 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (6) Crack/Freebase. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	98	27.8 %
1	ONLY 1-3 TIMES	20	5.7 %
2	ABOUT 1 TIME PER MONTH	6	1.7 %
3	ABOUT 2-3 TIMES PER MONTH	8	2.3 %
4	ABOUT 1 TIME PER WEEK	3	0.8 %
5	ABOUT 2-6 TIMES PER WEEK	17	4.8 %
6	ABOUT EVERY DAY	50	14.2 %
-9 (M)	LEGITAMATE SKIP	150	42.5 %
-5 (M)	BAD DATA	1	0.3 %

Based upon 202 valid cases out of 353 total cases.

- Mean: 2.24
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.61

- Study 27963 -

crck30d **Crack Use Past 30 days**

Location: 816-817 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
[RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.]
FOR EACH SEPARATE DRUG USED, ASK:
[TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (6) Crack/Freebase?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	114	32.3 %
1	1: UNKNOWN	7	2.0 %
2	ABOUT 1 TIME PER MONTH	10	2.8 %
3	ABOUT 2-3 TIMES PER MONTH	7	2.0 %
4	ABOUT 1 TIME PER WEEK	2	0.6 %
5	ABOUT 2-6 TIMES PER WEEK	13	3.7 %
6	ABOUT EVERY DAY	50	14.2 %
-9 (M)	LEGITAMATE SKIP	150	42.5 %

Based upon 203 valid cases out of 353 total cases.

- Mean: 2.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.63

age1coc **Age 1st Cocaine Use**

Location: 818-819 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] (7) Cocaine (by itself)

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	1	0.3 %
11	-	1	0.3 %
12	-	6	1.7 %
13	-	2	0.6 %
14	-	17	4.8 %
15	-	15	4.2 %
16	-	26	7.4 %
17	-	24	6.8 %
18	-	27	7.6 %
19	-	14	4.0 %
20	-	22	6.2 %
21	-	15	4.2 %
22	-	14	4.0 %
23	-	10	2.8 %
24	-	4	1.1 %
25	-	13	3.7 %
26	-	2	0.6 %
27	-	4	1.1 %
28	-	7	2.0 %
29	-	2	0.6 %
30	-	6	1.7 %
31	-	2	0.6 %
32	-	2	0.6 %
33	-	1	0.3 %
35	-	5	1.4 %
37	-	1	0.3 %
38	-	1	0.3 %
40	-	3	0.8 %
42	-	1	0.3 %
44	-	1	0.3 %
45	-	1	0.3 %
54	-	1	0.3 %
-3 (M)	NOT APPLICABLE	101	28.6 %
. (M)	-	1	0.3 %

Based upon 251 valid cases out of 353 total cases.

- Mean: 20.63
- Median: 19.00
- Mode: 18.00
- Minimum: 9.00

- Study 27963 -

- Maximum: 54.00
- Standard Deviation: 6.58

coc6m Cocaine Use Past 6 Mos

Location: 820-821 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (7) Cocaine (by itself). [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	147	41.6 %
1	ONLY 1-3 TIMES	25	7.1 %
2	ABOUT 1 TIME PER MONTH	11	3.1 %
3	ABOUT 2-3 TIMES PER MONTH	11	3.1 %
4	ABOUT 1 TIME PER WEEK	6	1.7 %
5	ABOUT 2-6 TIMES PER WEEK	20	5.7 %
6	ABOUT EVERY DAY	30	8.5 %
-9 (M)	LEGITAMATE SKIP	102	28.9 %
-5 (M)	BAD DATA	1	0.3 %

Based upon 250 valid cases out of 353 total cases.

- Mean: 1.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.24

coc30d Cocaine Use Past 30 days

Location: 822-823 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
[RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]
FOR EACH SEPARATE DRUG USED, ASK:

- Study 27963 -

[TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]

c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (7) Cocaine (by itself)?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	166	47.0 %
1	1: UNKNOWN	5	1.4 %
2	ABOUT 1 TIME PER MONTH	17	4.8 %
3	ABOUT 2-3 TIMES PER MONTH	7	2.0 %
4	ABOUT 1 TIME PER WEEK	5	1.4 %
5	ABOUT 2-6 TIMES PER WEEK	18	5.1 %
6	ABOUT EVERY DAY	33	9.3 %
-9 (M)	LEGITAMATE SKIP	102	28.9 %

Based upon 251 valid cases out of 353 total cases.

- Mean: 1.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.29

ag1coin

Age 1st Injected Cocaine

Location: 824-825 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first time you injected (7) Cocaine (by itself)? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE "0" FOR THOSE NEVER INJECTED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	1	0.3 %
12	-	1	0.3 %
13	-	1	0.3 %
14	-	1	0.3 %
15	-	1	0.3 %
16	-	2	0.6 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	5	1.4 %
18	-	11	3.1 %
19	-	5	1.4 %
20	-	4	1.1 %
21	-	2	0.6 %
22	-	1	0.3 %
23	-	4	1.1 %
24	-	2	0.6 %
25	-	3	0.8 %
26	-	4	1.1 %
27	-	1	0.3 %
28	-	3	0.8 %
29	-	5	1.4 %
30	-	3	0.8 %
31	-	2	0.6 %
32	-	1	0.3 %
33	-	3	0.8 %
35	-	2	0.6 %
37	-	1	0.3 %
38	-	1	0.3 %
40	-	2	0.6 %
-8 (M)	ACCIDENTAL SKIP	9	2.5 %
-3 (M)	NOT APPLICABLE	272	77.1 %

Based upon 72 valid cases out of 353 total cases.

- Mean: 23.53
- Median: 23.00
- Mode: 18.00
- Minimum: 3.00
- Maximum: 40.00
- Standard Deviation: 7.21

coinj30

Injected Cocaine Past 30 days

Location: 826-827 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]

- Study 27963 -

FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT (7) Cocaine (by itself)? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	59	16.7 %
1	ONLY 1-3 TIMES	1	0.3 %
2	ABOUT 1 TIME PER MONTH	5	1.4 %
3	ABOUT 2-3 TIMES PER MONTH	2	0.6 %
5	ABOUT 2-6 TIMES PER WEEK	1	0.3 %
6	ABOUT EVERY DAY	3	0.8 %
-9 (M)	LEGITAMATE SKIP	273	77.3 %
-8 (M)	ACCIDENTAL SKIP	9	2.5 %

Based upon 71 valid cases out of 353 total cases.

- Mean: 0.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.46

age1hco

Age 1st Heroin & Cocaine Use

Location: 828-829 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] (8) Heroin and Cocaine (mixed together)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	1	0.3 %
12	-	2	0.6 %
13	-	1	0.3 %
16	-	1	0.3 %
17	-	4	1.1 %
18	-	7	2.0 %
19	-	2	0.6 %
20	-	5	1.4 %
22	-	1	0.3 %
23	-	5	1.4 %
25	-	3	0.8 %
26	-	3	0.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
27	-	3	0.8 %
28	-	2	0.6 %
30	-	2	0.6 %
31	-	2	0.6 %
32	-	1	0.3 %
33	-	1	0.3 %
35	-	2	0.6 %
40	-	3	0.8 %
41	-	1	0.3 %
42	-	1	0.3 %
-3 (M)	NOT APPLICABLE	300	85.0 %

Based upon 53 valid cases out of 353 total cases.

- Mean: 24.17
- Median: 23.00
- Mode: 18.00
- Minimum: 9.00
- Maximum: 42.00
- Standard Deviation: 7.96

hcoc6m

Heroin & Cocaine Use Past 6 Mos

Location: 830-831 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (8) Heroin and Cocaine (mixed together). [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	34	9.6 %
1	ONLY 1-3 TIMES	5	1.4 %
2	ABOUT 1 TIME PER MONTH	2	0.6 %
3	ABOUT 2-3 TIMES PER MONTH	5	1.4 %
4	ABOUT 1 TIME PER WEEK	1	0.3 %
5	ABOUT 2-6 TIMES PER WEEK	4	1.1 %
6	ABOUT EVERY DAY	2	0.6 %
-9 (M)	LEGITAMATE SKIP	300	85.0 %

- Study 27963 -

Based upon 53 valid cases out of 353 total cases.

- Mean: 1.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.85

hcoc30d Heroin & Cocaine Use Past 30 days

Location: 832-833 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).

[RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.]

FOR EACH SEPARATE DRUG USED, ASK:

[TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]

c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (8) Heroin and Cocaine (mixed together)?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	37	10.5 %
1	1: UNKNOWN	2	0.6 %
2	ABOUT 1 TIME PER MONTH	5	1.4 %
3	ABOUT 2-3 TIMES PER MONTH	2	0.6 %
4	ABOUT 1 TIME PER WEEK	1	0.3 %
5	ABOUT 2-6 TIMES PER WEEK	3	0.8 %
6	ABOUT EVERY DAY	3	0.8 %
-9 (M)	LEGITAMATE SKIP	300	85.0 %

Based upon 53 valid cases out of 353 total cases.

- Mean: 1.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.87

ag1hcin Age 1st Injected Heroin & Cocaine

- Study 27963 -

Location: 834-835 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first time you injected (8) Heroin and Cocaine (mixed together)? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE "0" FOR THOSE NEVER INJECTED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	2	0.6 %
13	-	1	0.3 %
17	-	3	0.8 %
18	-	4	1.1 %
19	-	1	0.3 %
20	-	4	1.1 %
23	-	5	1.4 %
25	-	1	0.3 %
26	-	3	0.8 %
27	-	1	0.3 %
28	-	1	0.3 %
31	-	2	0.6 %
35	-	1	0.3 %
38	-	1	0.3 %
40	-	2	0.6 %
41	-	1	0.3 %
44	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-3 (M)	NOT APPLICABLE	318	90.1 %

Based upon 34 valid cases out of 353 total cases.

- Mean: 24.47
- Median: 23.00
- Mode: 23.00
- Minimum: 12.00
- Maximum: 44.00
- Standard Deviation: 8.60

hcinj30 Injected Heroin & Cocaine Past 30 days

Location: 836-837 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT (8) Heroin and Cocaine (mixed together)? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	28	7.9 %
2	ABOUT 1 TIME PER MONTH	1	0.3 %
3	ABOUT 2-3 TIMES PER MONTH	2	0.6 %
5	ABOUT 2-6 TIMES PER WEEK	1	0.3 %
6	ABOUT EVERY DAY	2	0.6 %
-9 (M)	LEGITAMATE SKIP	318	90.1 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 34 valid cases out of 353 total cases.

- Mean: 0.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.75

age1hmo Age 1st Heroin & Meth Use

Location: 838-839 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] (9) Heroin and Meth (mixed together)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	1	0.3 %
13	-	1	0.3 %
16	-	1	0.3 %
17	-	1	0.3 %
18	-	3	0.8 %
19	-	1	0.3 %
20	-	3	0.8 %
22	-	2	0.6 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	-	1	0.3 %
25	-	2	0.6 %
29	-	1	0.3 %
32	-	1	0.3 %
38	-	3	0.8 %
39	-	1	0.3 %
40	-	1	0.3 %
47	-	1	0.3 %
-3 (M)	NOT APPLICABLE	329	93.2 %

Based upon 24 valid cases out of 353 total cases.

- Mean: 25.25
- Median: 22.00
- Minimum: 9.00
- Maximum: 47.00
- Standard Deviation: 10.00

hmth6m Heroin & Meth Use Past 6 Mos

Location: 840-841 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (9) Heroin and Meth (mixed together). [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	16	4.5 %
1	ONLY 1-3 TIMES	1	0.3 %
2	ABOUT 1 TIME PER MONTH	1	0.3 %
3	ABOUT 2-3 TIMES PER MONTH	3	0.8 %
4	ABOUT 1 TIME PER WEEK	1	0.3 %
6	ABOUT EVERY DAY	2	0.6 %
-9 (M)	LEGITAMATE SKIP	329	93.2 %

Based upon 24 valid cases out of 353 total cases.

- Mean: 1.17
- Median: 0.00

- Study 27963 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.95

hmth30d

Heroin & Meth Use Past 30 days

Location: 842-843 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).

[RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]

FOR EACH SEPARATE DRUG USED, ASK:

[TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]

c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (9) Heroin and Meth (mixed together)?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	16	4.5 %
2	ABOUT 1 TIME PER MONTH	2	0.6 %
3	ABOUT 2-3 TIMES PER MONTH	3	0.8 %
6	ABOUT EVERY DAY	3	0.8 %
-9 (M)	LEGITAMATE SKIP	329	93.2 %

Based upon 24 valid cases out of 353 total cases.

- Mean: 1.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.12

ag1hmin

Age 1st Injected Heroin & Meth

Location: 844-845 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]

- Study 27963 -

FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first time you injected (9) Heroin and Meth (mixed together)? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE "0" FOR THOSE NEVER INJECTED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	2	0.6 %
17	-	1	0.3 %
18	-	3	0.8 %
19	-	1	0.3 %
20	-	4	1.1 %
25	-	2	0.6 %
29	-	1	0.3 %
38	-	3	0.8 %
39	-	1	0.3 %
40	-	1	0.3 %
47	-	1	0.3 %
-3 (M)	NOT APPLICABLE	333	94.3 %

Based upon 20 valid cases out of 353 total cases.

- Mean: 25.75
- Median: 20.00
- Mode: 20.00
- Minimum: 13.00
- Maximum: 47.00
- Standard Deviation: 10.39

hminj30 Injected Heroin & Meth Past 30 days

Location: 846-847 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT (9) Heroin and Meth (mixed together)? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	13	3.7 %
2	ABOUT 1 TIME PER MONTH	2	0.6 %
3	ABOUT 2-3 TIMES PER MONTH	1	0.3 %
5	ABOUT 2-6 TIMES PER WEEK	1	0.3 %
6	ABOUT EVERY DAY	3	0.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	LEGITAMATE SKIP	333	94.3 %

Based upon 20 valid cases out of 353 total cases.

- Mean: 1.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.35

age1her	Age 1st Heroin Use
---------	--------------------

Location: 848-849 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] (10) Heroin (by itself)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	2	0.6 %
13	-	2	0.6 %
14	-	1	0.3 %
15	-	2	0.6 %
16	-	2	0.6 %
17	-	6	1.7 %
18	-	7	2.0 %
19	-	6	1.7 %
20	-	6	1.7 %
21	-	7	2.0 %
22	-	5	1.4 %
23	-	5	1.4 %
24	-	1	0.3 %
25	-	4	1.1 %
26	-	7	2.0 %
27	-	3	0.8 %
28	-	3	0.8 %
29	-	2	0.6 %
30	-	3	0.8 %
31	-	3	0.8 %
32	-	3	0.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	-	2	0.6 %
37	-	1	0.3 %
38	-	1	0.3 %
39	-	1	0.3 %
41	-	1	0.3 %
-3 (M)	NOT APPLICABLE	267	75.6 %

Based upon 86 valid cases out of 353 total cases.

- Mean: 23.17
- Median: 22.00
- Minimum: 12.00
- Maximum: 41.00
- Standard Deviation: 6.39

her6m

Heroin Use Past 6 Mos

Location: 850-851 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (10) Heroin (by itself). [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	50	14.2 %
1	ONLY 1-3 TIMES	9	2.5 %
3	ABOUT 2-3 TIMES PER MONTH	1	0.3 %
4	ABOUT 1 TIME PER WEEK	4	1.1 %
5	ABOUT 2-6 TIMES PER WEEK	5	1.4 %
6	ABOUT EVERY DAY	16	4.5 %
-9 (M)	LEGITAMATE SKIP	267	75.6 %
-5 (M)	BAD DATA	1	0.3 %

Based upon 85 valid cases out of 353 total cases.

- Mean: 1.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 27963 -

- Maximum: 6.00
- Standard Deviation: 2.49

her30d

Heroin Use Past 30 days

Location: 852-853 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
 [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]
 FOR EACH SEPARATE DRUG USED, ASK:
 [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
 c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (10) Heroin (by itself)?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	55	15.6 %
2	ABOUT 1 TIME PER MONTH	4	1.1 %
3	ABOUT 2-3 TIMES PER MONTH	1	0.3 %
4	ABOUT 1 TIME PER WEEK	2	0.6 %
5	ABOUT 2-6 TIMES PER WEEK	4	1.1 %
6	ABOUT EVERY DAY	20	5.7 %
-9 (M)	LEGITAMATE SKIP	267	75.6 %

Based upon 86 valid cases out of 353 total cases.

- Mean: 1.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.62

ag1hein

Age 1st Injected Heroin

Location: 854-855 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED,

- Study 27963 -

ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first
time you injected (10) Heroin (by itself)? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE
"0" FOR THOSE NEVER INJECTED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	2	0.6 %
13	-	2	0.6 %
15	-	1	0.3 %
16	-	2	0.6 %
17	-	4	1.1 %
18	-	5	1.4 %
19	-	4	1.1 %
20	-	1	0.3 %
21	-	3	0.8 %
22	-	1	0.3 %
23	-	2	0.6 %
24	-	1	0.3 %
25	-	2	0.6 %
26	-	4	1.1 %
29	-	1	0.3 %
30	-	3	0.8 %
31	-	3	0.8 %
32	-	2	0.6 %
33	-	1	0.3 %
38	-	2	0.6 %
40	-	1	0.3 %
41	-	1	0.3 %
-3 (M)	NOT APPLICABLE	305	86.4 %

Based upon 48 valid cases out of 353 total cases.

- Mean: 23.46
- Median: 21.50
- Mode: 18.00
- Minimum: 12.00
- Maximum: 41.00
- Standard Deviation: 7.57

heinj30	Injected Heroin Past 30 days
----------------	-------------------------------------

Location: 856-857 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT (10) Heroin (by itself)? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	29	8.2 %
2	ABOUT 1 TIME PER MONTH	4	1.1 %
3	ABOUT 2-3 TIMES PER MONTH	1	0.3 %
5	ABOUT 2-6 TIMES PER WEEK	2	0.6 %
6	ABOUT EVERY DAY	12	3.4 %
-9 (M)	LEGITAMATE SKIP	305	86.4 %

Based upon 48 valid cases out of 353 total cases.

- Mean: 1.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.64

age1mth

Age 1st Methadone Use

Location:

858-859 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] (11) Street Methadone

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	1	0.3 %
17	-	2	0.6 %
18	-	1	0.3 %
19	-	1	0.3 %
21	-	2	0.6 %
22	-	4	1.1 %
23	-	1	0.3 %
26	-	1	0.3 %
27	-	2	0.6 %
28	-	1	0.3 %
30	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
32	-	1	0.3 %
37	-	1	0.3 %
39	-	1	0.3 %
40	-	2	0.6 %
48	-	1	0.3 %
-3 (M)	NOT APPLICABLE	330	93.5 %

Based upon 23 valid cases out of 353 total cases.

- Mean: 26.65
- Median: 23.00
- Mode: 22.00
- Minimum: 15.00
- Maximum: 48.00
- Standard Deviation: 8.88

mthd6m	Street Methadone Use Past 6 Mos
---------------	--

Location: 860-861 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (11) Street Methadone. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	17	4.8 %
1	ONLY 1-3 TIMES	2	0.6 %
3	ABOUT 2-3 TIMES PER MONTH	1	0.3 %
5	ABOUT 2-6 TIMES PER WEEK	1	0.3 %
6	ABOUT EVERY DAY	2	0.6 %
-9 (M)	LEGITAMATE SKIP	330	93.5 %

Based upon 23 valid cases out of 353 total cases.

- Mean: 0.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00

- Study 27963 -

- Standard Deviation: 1.99

mthd30d Street Methadone Use Past 30 days

Location: 862-863 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
[RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]
FOR EACH SEPARATE DRUG USED, ASK:
[TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (11) Street Methadone?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	18	5.1 %
3	ABOUT 2-3 TIMES PER MONTH	1	0.3 %
5	ABOUT 2-6 TIMES PER WEEK	1	0.3 %
6	ABOUT EVERY DAY	3	0.8 %
-9 (M)	LEGITAMATE SKIP	330	93.5 %

Based upon 23 valid cases out of 353 total cases.

- Mean: 1.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.26

ag1mtin Age 1st Injected Methadone

Location: 864-865 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first time you injected (11) Street Methadone? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE "0" FOR THOSE NEVER INJECTED]

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	1	0.3 %
22	-	1	0.3 %
25	-	1	0.3 %
40	-	1	0.3 %
-3 (M)	NOT APPLICABLE	349	98.9 %

Based upon 4 valid cases out of 353 total cases.

- Mean: 26.00
- Median: 23.50
- Minimum: 17.00
- Maximum: 40.00
- Standard Deviation: 9.90

mtinj30 Injected Methadone Past 30 days

Location: 866-867 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT ((11) Street Methadone? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	4	1.1 %
-9 (M)	LEGITAMATE SKIP	349	98.9 %

Based upon 4 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

age1opi Age 1st Other Opiate Use

Location: 868-869 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] (12) Other Opiates/Opium/Morphine/Demerol/Dilaudid/Percodan/Viocodin/Oxycotin

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	1	0.3 %
9	-	1	0.3 %
12	-	1	0.3 %
13	-	4	1.1 %
14	-	6	1.7 %
15	-	4	1.1 %
16	-	3	0.8 %
17	-	9	2.5 %
18	-	6	1.7 %
19	-	8	2.3 %
20	-	4	1.1 %
21	-	4	1.1 %
22	-	3	0.8 %
23	-	5	1.4 %
25	-	8	2.3 %
26	-	1	0.3 %
27	-	2	0.6 %
28	-	2	0.6 %
29	-	2	0.6 %
30	-	3	0.8 %
31	-	3	0.8 %
32	-	1	0.3 %
33	-	2	0.6 %
35	-	3	0.8 %
36	-	1	0.3 %
40	-	1	0.3 %
47	-	1	0.3 %
48	-	1	0.3 %
-3 (M)	NOT APPLICABLE	263	74.5 %

Based upon 90 valid cases out of 353 total cases.

- Mean: 22.00
- Median: 20.00
- Mode: 17.00
- Minimum: 6.00
- Maximum: 48.00
- Standard Deviation: 7.77

- Study 27963 -

opiat6m Other Opiate Use Past 6 Mos

Location: 870-871 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (12) Other Opiates/Opium/Morphine/Demerol/Dilaudid/Percodan/Viocodin/Oxycotin. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	58	16.4 %
1	ONLY 1-3 TIMES	7	2.0 %
3	ABOUT 2-3 TIMES PER MONTH	6	1.7 %
4	ABOUT 1 TIME PER WEEK	2	0.6 %
5	ABOUT 2-6 TIMES PER WEEK	7	2.0 %
6	ABOUT EVERY DAY	10	2.8 %
-9 (M)	LEGITAMATE SKIP	263	74.5 %

Based upon 90 valid cases out of 353 total cases.

- Mean: 1.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.24

opiat30d Other Opiate Use Past 30 days

Location: 872-873 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
[RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]
FOR EACH SEPARATE DRUG USED, ASK:
[TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (12) Other Opiates/Opium/Morphine/Demerol/Dilaudid/Percodan/Viocodin/Oxycotin?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1"]

- Study 27963 -

FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	66	18.7 %
1	1: UNKNOWN	1	0.3 %
2	ABOUT 1 TIME PER MONTH	3	0.8 %
3	ABOUT 2-3 TIMES PER MONTH	1	0.3 %
4	ABOUT 1 TIME PER WEEK	3	0.8 %
5	ABOUT 2-6 TIMES PER WEEK	6	1.7 %
6	ABOUT EVERY DAY	10	2.8 %
-9 (M)	LEGITAMATE SKIP	263	74.5 %

Based upon 90 valid cases out of 353 total cases.

- Mean: 1.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.23

ag1opin

Age 1st Injected Other Opiates

Location: 874-875 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first time you injected (12) Other Opiates/Opium/Morphine/Demerol/Dilaudid/Percodan/Viocodin/Oxycotin? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE "0" FOR THOSE NEVER INJECTED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	1	0.3 %
18	-	1	0.3 %
19	-	1	0.3 %
21	-	1	0.3 %
22	-	1	0.3 %
25	-	3	0.8 %
27	-	1	0.3 %
28	-	1	0.3 %
30	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
31	-	1	0.3 %
32	-	1	0.3 %
36	-	1	0.3 %
46	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-3 (M)	NOT APPLICABLE	335	94.9 %

Based upon 15 valid cases out of 353 total cases.

- Mean: 26.80
- Median: 25.00
- Mode: 25.00
- Minimum: 17.00
- Maximum: 46.00
- Standard Deviation: 7.61

opinj30 Injected Other Opiates Past 30 days

Location: 876-877 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT (12) Other Opiates/Opium/Morphine/Demerol/Dilaudid/Percodan/Viocodin/Oxycotin? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	9	2.5 %
3	ABOUT 2-3 TIMES PER MONTH	1	0.3 %
6	ABOUT EVERY DAY	4	1.1 %
-9 (M)	LEGITAMATE SKIP	335	94.9 %
-8 (M)	ACCIDENTAL SKIP	4	1.1 %

Based upon 14 valid cases out of 353 total cases.

- Mean: 1.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.79

- Study 27963 -

age1met Age 1st Methamphetamine Use

Location: 878-879 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] (13)
Methamphetamine/Speed/Ice/Ecstasy/Crystal

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	1	0.3 %
11	-	3	0.8 %
12	-	5	1.4 %
13	-	6	1.7 %
14	-	13	3.7 %
15	-	17	4.8 %
16	-	9	2.5 %
17	-	19	5.4 %
18	-	20	5.7 %
19	-	12	3.4 %
20	-	10	2.8 %
21	-	8	2.3 %
22	-	5	1.4 %
23	-	10	2.8 %
24	-	5	1.4 %
25	-	6	1.7 %
26	-	5	1.4 %
27	-	3	0.8 %
28	-	3	0.8 %
29	-	3	0.8 %
30	-	5	1.4 %
31	-	2	0.6 %
33	-	1	0.3 %
34	-	2	0.6 %
35	-	3	0.8 %
36	-	3	0.8 %
37	-	2	0.6 %
38	-	2	0.6 %
40	-	1	0.3 %
41	-	1	0.3 %
42	-	2	0.6 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	-	1	0.3 %
54	-	1	0.3 %
-3 (M)	NOT APPLICABLE	164	46.5 %

Based upon 189 valid cases out of 353 total cases.

- Mean: 21.01
- Median: 19.00
- Mode: 18.00
- Minimum: 10.00
- Maximum: 54.00
- Standard Deviation: 7.52

meta6m	Methamphetamine Use Past 6 Mos
---------------	---------------------------------------

Location: 880-881 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (13) Methamphetamine/Speed/Ice/Ecstasy/Crystal. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	70	19.8 %
1	ONLY 1-3 TIMES	19	5.4 %
2	ABOUT 1 TIME PER MONTH	3	0.8 %
3	ABOUT 2-3 TIMES PER MONTH	12	3.4 %
4	ABOUT 1 TIME PER WEEK	7	2.0 %
5	ABOUT 2-6 TIMES PER WEEK	20	5.7 %
6	ABOUT EVERY DAY	58	16.4 %
-9 (M)	LEGITAMATE SKIP	164	46.5 %

Based upon 189 valid cases out of 353 total cases.

- Mean: 2.84
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.64

- Study 27963 -

meta30d Methamphetamine Use Past 30 days

Location: 882-883 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
 [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]
 FOR EACH SEPARATE DRUG USED, ASK:
 [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
 c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (13) Methamphetamine/Speed/Ice/Ecstasy/Crystal?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	85	24.1 %
1	1: UNKNOWN	4	1.1 %
2	ABOUT 1 TIME PER MONTH	9	2.5 %
3	ABOUT 2-3 TIMES PER MONTH	6	1.7 %
4	ABOUT 1 TIME PER WEEK	4	1.1 %
5	ABOUT 2-6 TIMES PER WEEK	16	4.5 %
6	ABOUT EVERY DAY	65	18.4 %
-9 (M)	LEGITAMATE SKIP	164	46.5 %

Based upon 189 valid cases out of 353 total cases.

- Mean: 2.78
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.76

ag1mein Age 1st Injected Methamphetamine

Location: 884-885 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
 FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first

- Study 27963 -

time you injected (13) Methamphetamine/Speed/Ice/Ecstasy/Crystal? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE "0" FOR THOSE NEVER INJECTED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	1	0.3 %
13	-	5	1.4 %
15	-	1	0.3 %
16	-	3	0.8 %
17	-	8	2.3 %
18	-	4	1.1 %
19	-	5	1.4 %
20	-	3	0.8 %
21	-	2	0.6 %
22	-	2	0.6 %
23	-	2	0.6 %
24	-	2	0.6 %
25	-	1	0.3 %
26	-	2	0.6 %
27	-	3	0.8 %
29	-	2	0.6 %
30	-	5	1.4 %
31	-	2	0.6 %
33	-	1	0.3 %
35	-	2	0.6 %
36	-	1	0.3 %
37	-	3	0.8 %
38	-	2	0.6 %
43	-	1	0.3 %
46	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-3 (M)	NOT APPLICABLE	286	81.0 %

Based upon 64 valid cases out of 353 total cases.

- Mean: 23.84
- Median: 21.50
- Mode: 17.00
- Minimum: 12.00
- Maximum: 46.00
- Standard Deviation: 8.29

meinj30

Injected Methamphetamine Past 30 days

Location:

886-887 (width: 2; decimal: 0)

- Study 27963 -

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT (13) Methamphetamine/Speed/Ice/Ecstasy/Crystal? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	28	7.9 %
1	ONLY 1-3 TIMES	1	0.3 %
2	ABOUT 1 TIME PER MONTH	4	1.1 %
3	ABOUT 2-3 TIMES PER MONTH	1	0.3 %
4	ABOUT 1 TIME PER WEEK	2	0.6 %
5	ABOUT 2-6 TIMES PER WEEK	7	2.0 %
6	ABOUT EVERY DAY	20	5.7 %
-9 (M)	LEGITAMATE SKIP	286	81.0 %
-8 (M)	ACCIDENTAL SKIP	4	1.1 %

Based upon 63 valid cases out of 353 total cases.

- Mean: 2.78
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.74

age1amp Age 1st Other Amphetamine Use

Location: 888-889 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] (14) Other Amphetamines/Uppers/Diet Pills

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	1	0.3 %
8	-	1	0.3 %
12	-	2	0.6 %
13	-	5	1.4 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	-	4	1.1 %
15	-	5	1.4 %
16	-	5	1.4 %
17	-	8	2.3 %
18	-	8	2.3 %
19	-	1	0.3 %
20	-	1	0.3 %
23	-	1	0.3 %
24	-	2	0.6 %
25	-	3	0.8 %
27	-	2	0.6 %
29	-	1	0.3 %
31	-	1	0.3 %
32	-	1	0.3 %
-3 (M)	NOT APPLICABLE	301	85.3 %

Based upon 52 valid cases out of 353 total cases.

- Mean: 17.81
- Median: 17.00
- Minimum: 7.00
- Maximum: 32.00
- Standard Deviation: 5.33

amph6m Other Amphetamine Use Past 6 Mos

Location: 890-891 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (14) Other Amphetamines/Uppers/Diet Pills. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	46	13.0 %
1	ONLY 1-3 TIMES	1	0.3 %
3	ABOUT 2-3 TIMES PER MONTH	1	0.3 %
6	ABOUT EVERY DAY	4	1.1 %
-9 (M)	LEGITAMATE SKIP	301	85.3 %

- Study 27963 -

Based upon 52 valid cases out of 353 total cases.

- Mean: 0.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.65

amph30d	Other Amphetamine Use Past 30 days
---------	------------------------------------

Location: 892-893 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).

[RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]

FOR EACH SEPARATE DRUG USED, ASK:

[TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]

c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (14) Other Amphetamines/Uppers/Diet Pills?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	48	13.6 %
4	ABOUT 1 TIME PER WEEK	1	0.3 %
5	ABOUT 2-6 TIMES PER WEEK	1	0.3 %
6	ABOUT EVERY DAY	2	0.6 %
-9 (M)	LEGITAMATE SKIP	301	85.3 %

Based upon 52 valid cases out of 353 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.43

ag1amin	Age 1st Injected Other Amphetamine
---------	------------------------------------

Location: 894-895 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first time you injected (14) Other Amphetamines/Uppers/Diet Pills? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE "0" FOR THOSE NEVER INJECTED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	2	0.6 %
18	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-3 (M)	NOT APPLICABLE	347	98.3 %

Based upon 3 valid cases out of 353 total cases.

- Mean: 14.67
- Median: 13.00
- Mode: 13.00
- Minimum: 13.00
- Maximum: 18.00
- Standard Deviation: 2.89

aminj30 Injected Other Amphetamine Past 30 days

Location: 896-897 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT (14) Other Amphetamines/Uppers/Diet Pills? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	3	0.8 %
-9 (M)	LEGITAMATE SKIP	347	98.3 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %

Based upon 3 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00

- Study 27963 -

- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

age1lib Age 1st Librium Use

Location: 898-899 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] (15) Librium/Valium/Minor Tranquilizers

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	1	0.3 %
13	-	2	0.6 %
14	-	7	2.0 %
15	-	9	2.5 %
16	-	4	1.1 %
17	-	9	2.5 %
19	-	3	0.8 %
20	-	6	1.7 %
21	-	4	1.1 %
22	-	1	0.3 %
23	-	4	1.1 %
24	-	3	0.8 %
26	-	2	0.6 %
27	-	2	0.6 %
28	-	2	0.6 %
29	-	1	0.3 %
30	-	2	0.6 %
31	-	1	0.3 %
32	-	1	0.3 %
35	-	3	0.8 %
36	-	1	0.3 %
38	-	1	0.3 %
40	-	1	0.3 %
45	-	1	0.3 %
-3 (M)	NOT APPLICABLE	282	79.9 %

Based upon 71 valid cases out of 353 total cases.

- Mean: 21.28
- Median: 20.00

- Study 27963 -

- Minimum: 10.00
- Maximum: 45.00
- Standard Deviation: 7.49

lib6m	Librium Use Past 6 Mos
-------	------------------------

Location: 900-901 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
 b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (15) Librium/Valium/Minor Tranquilizers. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

Value	Label	Unweighted Frequency	%
0	NEVER/NOT USED	42	11.9 %
1	ONLY 1-3 TIMES	8	2.3 %
2	ABOUT 1 TIME PER MONTH	1	0.3 %
3	ABOUT 2-3 TIMES PER MONTH	2	0.6 %
4	ABOUT 1 TIME PER WEEK	4	1.1 %
5	ABOUT 2-6 TIMES PER WEEK	6	1.7 %
6	ABOUT EVERY DAY	8	2.3 %
-9 (M)	LEGITAMATE SKIP	282	79.9 %

Based upon 71 valid cases out of 353 total cases.

- Mean: 1.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.27

lib30d	Librium Use Past 30 days
--------	--------------------------

Location: 902-903 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
 [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.]
 FOR EACH SEPARATE DRUG USED, ASK:
 [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]

- Study 27963 -

c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (15) Librium/Valium/Minor Tranquilizers?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	44	12.5 %
1	1: UNKNOWN	2	0.6 %
2	ABOUT 1 TIME PER MONTH	6	1.7 %
3	ABOUT 2-3 TIMES PER MONTH	2	0.6 %
4	ABOUT 1 TIME PER WEEK	4	1.1 %
5	ABOUT 2-6 TIMES PER WEEK	6	1.7 %
6	ABOUT EVERY DAY	7	2.0 %
-9 (M)	LEGITAMATE SKIP	282	79.9 %

Based upon 71 valid cases out of 353 total cases.

- Mean: 1.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.22

ag1lbin

Age 1st Injected Librium

Location: 904-905 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first time you injected (15) Librium/Valium/Minor Tranquilizers? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE "0" FOR THOSE NEVER INJECTED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	1	0.3 %
15	-	1	0.3 %
17	-	1	0.3 %
30	-	1	0.3 %
32	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-3 (M)	NOT APPLICABLE	346	98.0 %

Based upon 5 valid cases out of 353 total cases.

- Mean: 21.40
- Median: 17.00
- Minimum: 13.00
- Maximum: 32.00
- Standard Deviation: 8.91

Ibinj30 Injected Librium Past 30 days

Location: 906-907 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT (15) Librium/Valium/Minor Tranquilizers? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	5	1.4 %
-9 (M)	LEGITAMATE SKIP	346	98.0 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

Based upon 5 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

age1bar Age 1st Barbiturate Use

Location: 908-909 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] (16) Barbiturates

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	-	3	0.8 %
15	-	1	0.3 %
16	-	1	0.3 %
17	-	1	0.3 %
18	-	1	0.3 %
19	-	2	0.6 %
20	-	2	0.6 %
23	-	1	0.3 %
24	-	1	0.3 %
27	-	1	0.3 %
40	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-3 (M)	NOT APPLICABLE	337	95.5 %

Based upon 15 valid cases out of 353 total cases.

- Mean: 20.00
- Median: 19.00
- Mode: 14.00
- Minimum: 14.00
- Maximum: 40.00
- Standard Deviation: 6.75

barb6m

Barbiturate Use Past 6 Mos

Location: 910-911 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (16) Barbiturates. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	12	3.4 %
1	ONLY 1-3 TIMES	1	0.3 %
4	ABOUT 1 TIME PER WEEK	1	0.3 %
5	ABOUT 2-6 TIMES PER WEEK	1	0.3 %
-9 (M)	LEGITAMATE SKIP	337	95.5 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

- Study 27963 -

Based upon 15 valid cases out of 353 total cases.

- Mean: 0.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.59

barb30d

Barbiturate Use Past 30 days

Location: 912-913 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
 [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]
 FOR EACH SEPARATE DRUG USED, ASK:
 [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
 c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (16) Barbiturates?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	12	3.4 %
2	ABOUT 1 TIME PER MONTH	1	0.3 %
4	ABOUT 1 TIME PER WEEK	1	0.3 %
5	ABOUT 2-6 TIMES PER WEEK	1	0.3 %
-9 (M)	LEGITAMATE SKIP	337	95.5 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 15 valid cases out of 353 total cases.

- Mean: 0.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.62

ag1bain

Age 1st Injected Barbiturate

Location: 914-915 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first time you injected (16) Barbiturates? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE "0" FOR THOSE NEVER INJECTED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	1	0.3 %
17	-	2	0.6 %
20	-	1	0.3 %
30	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-3 (M)	NOT APPLICABLE	347	98.3 %

Based upon 5 valid cases out of 353 total cases.

- Mean: 19.80
- Median: 17.00
- Mode: 17.00
- Minimum: 15.00
- Maximum: 30.00
- Standard Deviation: 5.97

bainj30 Injected Barbiturate Past 30 days

Location: 916-917 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT (16) Barbiturates? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	5	1.4 %
-9 (M)	LEGITAMATE SKIP	347	98.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 5 valid cases out of 353 total cases.

- Mean: 0.00

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

age1sed

Age 1st Other Sedative Use

Location: 918-919 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] (17) Other Sedatives/Hypnotics/Quaaludes

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	2	0.6 %
13	-	1	0.3 %
14	-	3	0.8 %
15	-	2	0.6 %
16	-	5	1.4 %
17	-	3	0.8 %
18	-	2	0.6 %
20	-	3	0.8 %
24	-	1	0.3 %
25	-	1	0.3 %
27	-	1	0.3 %
37	-	1	0.3 %
-3 (M)	NOT APPLICABLE	328	92.9 %

Based upon 25 valid cases out of 353 total cases.

- Mean: 17.80
- Median: 16.00
- Mode: 16.00
- Minimum: 10.00
- Maximum: 37.00
- Standard Deviation: 5.70

sed6m

Other Sedative Use Past 6 Mos

Location: 920-921 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG

- Study 27963 -

HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (17) Other Sedatives/Hypnotics/Quaaludes. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	21	5.9 %
1	ONLY 1-3 TIMES	2	0.6 %
2	ABOUT 1 TIME PER MONTH	1	0.3 %
3	ABOUT 2-3 TIMES PER MONTH	1	0.3 %
-9 (M)	LEGITAMATE SKIP	328	92.9 %

Based upon 25 valid cases out of 353 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.74

sed30d

Other Sedative Use Past 30 days

Location: 922-923 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
[RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]
FOR EACH SEPARATE DRUG USED, ASK:
[TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (17) Other Sedatives/Hypnotics/Quaaludes?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	23	6.5 %
1	1: UNKNOWN	1	0.3 %
3	ABOUT 2-3 TIMES PER MONTH	1	0.3 %
-9 (M)	LEGITAMATE SKIP	328	92.9 %

Based upon 25 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.62

ag1sdin Age 1st Injected Other Sedative

Location: 924-925 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first time you injected (17) Other Sedatives/Hypnotics/Quaaludes? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE "0" FOR THOSE NEVER INJECTED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-3 (M)	NOT APPLICABLE	353	100.0 %

Based upon 0 valid cases out of 353 total cases.

sdinj30 Injected Other Sedative Past 30 days

Location: 926-927 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT (17) Other Sedatives/Hypnotics/Quaaludes? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	LEGITAMATE SKIP	353	100.0 %

Based upon 0 valid cases out of 353 total cases.

age1ghb Age 1st Non-prescription GHB Use

Location: 928-929 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] (18) Non-prescription GHB

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	2	0.6 %
17	-	1	0.3 %
18	-	1	0.3 %
20	-	1	0.3 %
21	-	2	0.6 %
27	-	1	0.3 %
30	-	1	0.3 %
34	-	1	0.3 %
-3 (M)	NOT APPLICABLE	343	97.2 %

Based upon 10 valid cases out of 353 total cases.

- Mean: 22.00
- Median: 20.50
- Minimum: 16.00
- Maximum: 34.00
- Standard Deviation: 6.25

ghb6m

Non-prescription GHB Use Past 6 Mos

Location:

930-931 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (18) Non-prescription GHB. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	10	2.8 %
-9 (M)	LEGITAMATE SKIP	343	97.2 %

Based upon 10 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 27963 -

- Maximum: 0.00
- Standard Deviation: 0.00

ghb30d Non-prescription GHB Use Past 30 days

Location: 932-933 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
[RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]
FOR EACH SEPARATE DRUG USED, ASK:
[TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (18) Non-prescription GHB?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	10	2.8 %
-9 (M)	LEGITAMATE SKIP	343	97.2 %

Based upon 10 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

ag1gbin Age 1st Injected Non-prescription GHB

Location: 934-935 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first time you injected (18) Non-prescription GHB? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE "0" FOR THOSE NEVER INJECTED]

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %
-3 (M)	NOT APPLICABLE	350	99.2 %

Based upon 1 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

gbinj30 Injected Non-prescription GHB Past 30 days

Location: 936-937 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT (18) Non-prescription GHB? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	1	0.3 %
-9 (M)	LEGITAMATE SKIP	350	99.2 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

Based upon 1 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

age1ket Age 1st Ketamine Use

Location: 938-939 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] (19) Ketamine

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	1	0.3 %
15	-	1	0.3 %
16	-	4	1.1 %
17	-	3	0.8 %
18	-	1	0.3 %
19	-	2	0.6 %
20	-	1	0.3 %
21	-	1	0.3 %
22	-	4	1.1 %
25	-	1	0.3 %
27	-	1	0.3 %
29	-	1	0.3 %
30	-	1	0.3 %
43	-	1	0.3 %
-3 (M)	NOT APPLICABLE	330	93.5 %

Based upon 23 valid cases out of 353 total cases.

- Mean: 20.96
- Median: 19.00
- Minimum: 13.00
- Maximum: 43.00
- Standard Deviation: 6.57

ket6m

Ketamine Use Past 6 Mos

Location:

940-941 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used (19) Ketamine. [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	23	6.5 %
-9 (M)	LEGITAMATE SKIP	330	93.5 %

- Study 27963 -

Based upon 23 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

ket30d

Ketamine Use Past 30 days

Location: 942-943 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).

[RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.]

FOR EACH SEPARATE DRUG USED, ASK:

[TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]

c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use (19) Ketamine?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	23	6.5 %
-9 (M)	LEGITAMATE SKIP	330	93.5 %

Based upon 23 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

ag1ktin

Age 1st Injected Ketamine

Location: 944-945 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED,

- Study 27963 -

ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first
time you injected (19) Ketamine? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE "0"
FOR THOSE NEVER INJECTED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
29	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %
-3 (M)	NOT APPLICABLE	350	99.2 %

Based upon 1 valid cases out of 353 total cases.

- Mean: 29.00
- Median: 29.00
- Mode: 29.00
- Minimum: 29.00
- Maximum: 29.00
- Standard Deviation: 0.00

ktinj30 Injected Ketamine Past 30 days

Location: 946-947 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT (19) Ketamine? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	1	0.3 %
-9 (M)	LEGITAMATE SKIP	350	99.2 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

Based upon 1 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

othdrug Other Specified Drug

Location: 948-997 (width: 50; decimal: 0)

- Study 27963 -

Variable Type:

character

Question:

(20) Other (specify)_____

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	338	95.8 %
BROMPTON'S MIXTURE-METH, HEROIN, OPIUM, BENZO	1	0.3 %
COCAINE & METH (MIXED TOGETHER)	1	0.3 %
CODINE PROMENTHOSENE	1	0.3 %
DMT & ACID	1	0.3 %
DXM (ROBITUSSIN)	1	0.3 %
DXM(20), MOONFLOWER(20), INJ ALC (24)	1	0.3 %
KEBINENOL	1	0.3 %
LIQUID G	1	0.3 %
LIQUID RUSH	1	0.3 %
MARIJUANA & COCAINE	1	0.3 %
MIX MARIJUANA & ECSTESY	1	0.3 %
PRESCRIPTION NARCOTICS- CODIENE	1	0.3 %
THC	1	0.3 %
anti depresant	1	0.3 %
sleep meds	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

age10th

Age 1st Other Drug Use

Location:

998-999 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] Other (specify)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	1	0.3 %
12	-	1	0.3 %
13	-	1	0.3 %
15	-	1	0.3 %
16	-	2	0.6 %
17	-	3	0.8 %
18	-	2	0.6 %
19	-	1	0.3 %
20	-	1	0.3 %
21	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	-	1	0.3 %
24	-	1	0.3 %
31	-	1	0.3 %
-3 (M)	NOT APPLICABLE	336	95.2 %

Based upon 17 valid cases out of 353 total cases.

- Mean: 17.82
- Median: 17.00
- Mode: 17.00
- Minimum: 6.00
- Maximum: 31.00
- Standard Deviation: 5.41

othd6m Other Drug Use Past 6 Mos

Location: 1000-1001 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C & D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
b. Using answers from this card, tell me how often during the LAST 6 MONTHS prior to the arrest date on the timeline you used Other (specify). [RECORD RESPONSE IN "DRUG HISTORY CHART"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	13	3.7 %
1	ONLY 1-3 TIMES	2	0.6 %
5	ABOUT 2-6 TIMES PER WEEK	1	0.3 %
6	ABOUT EVERY DAY	1	0.3 %
-9 (M)	LEGITAMATE SKIP	336	95.2 %

Based upon 17 valid cases out of 353 total cases.

- Mean: 0.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.82

othd30d Other Drug Use Past 30 days

Location: 1002-1003 (width: 2; decimal: 0)

- Study 27963 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice).
 [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.]
 FOR EACH SEPARATE DRUG USED, ASK:
 [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT]
 c. In the LAST 30 DAYS before to the arrest date on the timeline, how often did you use Other (specify)?

[RECORD RESPONSE IN "DRUG HISTORY CHART"; DO NOT USE RESPONSE CODE "1" FOR THIS MONTHLY ITEM BECAUSE IT OVERLAPS WITH CODES 2 & 3]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	14	4.0 %
1	1: UNKNOWN	1	0.3 %
5	ABOUT 2-6 TIMES PER WEEK	1	0.3 %
6	ABOUT EVERY DAY	1	0.3 %
-9 (M)	LEGITAMATE SKIP	336	95.2 %

Based upon 17 valid cases out of 353 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.83

ag1otin Age 1st Injected Other Drug

Location: 1004-1005 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question:

2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - d. How old were you the first time you injected Other (specify)? [RECORD AGE IN "DRUG HISTORY CHART," AND WRITE "0" FOR THOSE NEVER INJECTED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	1	0.3 %
18	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	1	0.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-3 (M)	NOT APPLICABLE	349	98.9 %

Based upon 3 valid cases out of 353 total cases.

- Mean: 18.00
- Median: 18.00
- Minimum: 12.00
- Maximum: 24.00
- Standard Deviation: 6.00

othinj30 Injected Other Drug Past 30 days

Location: 1006-1007 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 2a. For each drug that you have EVER USED (for non-medical use), tell me how old you were the first time you ever tried it (i.e., of your own choice). [RECORD AGE AT FIRST USE IN "DRUG HISTORY CHART"; WRITE "-3" FOR THOSE DRUGS NEVER USED. FOR DRUGS NEVER USED, YOU CAN SKIP PARTS A, B, C #& D FOR THAT DRUG.] FOR EACH SEPARATE DRUG USED, ASK: [TAKE BACK "DRUG CARD" - HAND "ALCOHOL AND DRUG USE CARD" TO RESPONDENT] FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK - e. And how often in those last 30 days did you INJECT Other (specify)? [USE "ALCOHOL AND DRUG USE CARD"]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NEVER/NOT USED	3	0.8 %
-9 (M)	LEGITAMATE SKIP	349	98.9 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 3 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

alcdys Days Drank Alcohol Past 30 Days

Location: 1008-1009 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

3. Altogether, on how many of those 30 days did you drink any beer, malt beverage, wine, wine coolers, fortified wine or hard liquor? ["HARD LIQUOR" INCLUDES WHISKEY, RUM, VODKA, GIN, ETC.]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	118	33.4 %
1	-	27	7.6 %
2	-	19	5.4 %
3	-	15	4.2 %
4	-	15	4.2 %
5	-	5	1.4 %
6	-	4	1.1 %
7	-	2	0.6 %
8	-	9	2.5 %
10	-	8	2.3 %
12	-	7	2.0 %
13	-	1	0.3 %
14	-	1	0.3 %
15	-	8	2.3 %
16	-	2	0.6 %
20	-	20	5.7 %
21	-	1	0.3 %
22	-	1	0.3 %
23	-	1	0.3 %
25	-	4	1.1 %
26	-	2	0.6 %
27	-	3	0.8 %
28	-	3	0.8 %
29	-	1	0.3 %
30	-	75	21.2 %
-3 (M)	NOT APPLICABLE	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 10.54
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 12.29

alctype

Type Alcohol Drank Most Often Past 30 Days

Location:

1010-1011 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 4. In those 30 days which did you drink the most often?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	BEER	105	29.7 %
2	MALT LIQUOR, MALT BEVERAGES, OR REGULAR WINE COOLERS	15	4.2 %
3	WINE	4	1.1 %
4	FORTIFIED WINE, OR FORTIFIED WINE COOLERS	3	0.8 %
5	HARD LIQUOR	104	29.5 %
-9 (M)	LEGITIMATE SKIP	15	4.2 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-6 (M)	MULTIPLE RESPONSE	2	0.6 %
-3 (M)	NOT APPLICABLE	104	29.5 %

Based upon 231 valid cases out of 353 total cases.

- Mean: 2.94
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.93

alcprb1 Alcohol Use Affected Physical Health Past 6 Mos

Location: 1012-1013 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "ALCOHOL" a. your physical health.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	198	56.1 %
2	RARELY	53	15.0 %
3	SOMETIMES	46	13.0 %
4	OFTEN	19	5.4 %
5	ALWAYS	20	5.7 %
-3 (M)	NOT APPLICABLE	17	4.8 %

Based upon 336 valid cases out of 353 total cases.

- Mean: 1.84
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Study 27963 -

- Maximum: 5.00
- Standard Deviation: 1.21

alcprb2 Alcohol Use Affected Relations w/Family or Friends Past 6 Mos

Location: 1014-1015 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "ALCOHOL" b. your relations with family or friends.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	166	47.0 %
2	RARELY	46	13.0 %
3	SOMETIMES	49	13.9 %
4	OFTEN	43	12.2 %
5	ALWAYS	32	9.1 %
-3 (M)	NOT APPLICABLE	17	4.8 %

Based upon 336 valid cases out of 353 total cases.

- Mean: 2.19
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.41

alcprb3 Alcohol Use Affected General Attitude/Emot Health Past 6 Mos

Location: 1016-1017 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "ALCOHOL" c. your general attitude or emotional health.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	153	43.3 %
2	RARELY	39	11.0 %
3	SOMETIMES	75	21.2 %
4	OFTEN	39	11.0 %
5	ALWAYS	30	8.5 %
-3 (M)	NOT APPLICABLE	17	4.8 %

Based upon 336 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 2.27
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.37

alcprb4 Alcohol Use Affected Attention/ Concentration Past 6 Mos

Location: 1018-1019 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "ALCOHOL" d. your attention and concentration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	155	43.9 %
2	RARELY	58	16.4 %
3	SOMETIMES	63	17.8 %
4	OFTEN	29	8.2 %
5	ALWAYS	30	8.5 %
-3 (M)	NOT APPLICABLE	18	5.1 %

Based upon 335 valid cases out of 353 total cases.

- Mean: 2.17
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.33

alcprb5 Alcohol Use Affected Work Past 6 Mos

Location: 1020-1021 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "ALCOHOL" e. going to work or finding a job.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	228	64.6 %
2	RARELY	30	8.5 %
3	SOMETIMES	32	9.1 %
4	OFTEN	14	4.0 %
5	ALWAYS	32	9.1 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-3 (M)	NOT APPLICABLE	17	4.8 %

Based upon 336 valid cases out of 353 total cases.

- Mean: 1.79
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.33

alcprb6 Alcohol Use Affected Money Past 6 Mos

Location: 1022-1023 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "ALCOHOL" f. money and finances.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	219	62.0 %
2	RARELY	36	10.2 %
3	SOMETIMES	39	11.0 %
4	OFTEN	19	5.4 %
5	ALWAYS	23	6.5 %
-3 (M)	NOT APPLICABLE	17	4.8 %

Based upon 336 valid cases out of 353 total cases.

- Mean: 1.78
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.25

alcprb7 Alcohol Use Affected Fights Past 6 Mos

Location: 1024-1025 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "ALCOHOL" g. fights or arguments.

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	149	42.2 %
2	RARELY	46	13.0 %
3	SOMETIMES	58	16.4 %
4	OFTEN	51	14.4 %
5	ALWAYS	32	9.1 %
-3 (M)	NOT APPLICABLE	17	4.8 %

Based upon 336 valid cases out of 353 total cases.

- Mean: 2.32
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.41

alcprb8 Alcohol Use Affected Police/Legal Trouble Past 6 Mos

Location: 1026-1027 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "ALCOHOL" h. police or legal trouble.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	175	49.6 %
2	RARELY	56	15.9 %
3	SOMETIMES	51	14.4 %
4	OFTEN	29	8.2 %
5	ALWAYS	25	7.1 %
-3 (M)	NOT APPLICABLE	17	4.8 %

Based upon 336 valid cases out of 353 total cases.

- Mean: 2.03
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.30

drgprb1 Drug Use Affected Physical Health Past 6 Mos

Location: 1028-1029 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "OTHER DRUGS" a. your physical health.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	129	36.5 %
2	RARELY	51	14.4 %
3	SOMETIMES	59	16.7 %
4	OFTEN	47	13.3 %
5	ALWAYS	60	17.0 %
-3 (M)	NOT APPLICABLE	6	1.7 %
. (M)	-	1	0.3 %

Based upon 346 valid cases out of 353 total cases.

- Mean: 2.59
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.52

drgprb2 Drug Use Affected Relations w/Family or Friends Past 6 Mos

Location: 1030-1031 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "OTHER DRUGS" b. your relations with family or friends.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	98	27.8 %
2	RARELY	28	7.9 %
3	SOMETIMES	60	17.0 %
4	OFTEN	74	21.0 %
5	ALWAYS	87	24.6 %
-3 (M)	NOT APPLICABLE	6	1.7 %

Based upon 347 valid cases out of 353 total cases.

- Mean: 3.07
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.56

- Study 27963 -

drgprb3 Drug Use Affected General Attitude/Emot Health Past 6 Mos

Location: 1032-1033 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "OTHER DRUGS" c. your general attitude or emotional health.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	91	25.8 %
2	RARELY	41	11.6 %
3	SOMETIMES	60	17.0 %
4	OFTEN	72	20.4 %
5	ALWAYS	83	23.5 %
-3 (M)	NOT APPLICABLE	6	1.7 %

Based upon 347 valid cases out of 353 total cases.

- Mean: 3.04
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.53

drgprb4 Drug Use Affected Attention/ Concentration Past 6 Mos

Location: 1034-1035 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "OTHER DRUGS" d. your attention and concentration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	87	24.6 %
2	RARELY	28	7.9 %
3	SOMETIMES	84	23.8 %
4	OFTEN	61	17.3 %
5	ALWAYS	86	24.4 %
-4 (M)	DON'T KNOW	1	0.3 %
-3 (M)	NOT APPLICABLE	6	1.7 %

Based upon 346 valid cases out of 353 total cases.

- Mean: 3.09
- Median: 3.00

- Study 27963 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.50

drgprb5 Drug Use Affected Work Past 6 Mos

Location: 1036-1037 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "OTHER DRUGS" e. going to work or finding a job.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	157	44.5 %
2	RARELY	33	9.3 %
3	SOMETIMES	48	13.6 %
4	OFTEN	27	7.6 %
5	ALWAYS	82	23.2 %
-3 (M)	NOT APPLICABLE	6	1.7 %

Based upon 347 valid cases out of 353 total cases.

- Mean: 2.55
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.65

drgprb6 Drug Use Affected Money Past 6 Mos

Location: 1038-1039 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "OTHER DRUGS" f. money and finances.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	142	40.2 %
2	RARELY	35	9.9 %
3	SOMETIMES	46	13.0 %
4	OFTEN	38	10.8 %
5	ALWAYS	85	24.1 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-3 (M)	NOT APPLICABLE	6	1.7 %

- Study 27963 -

Based upon 346 valid cases out of 353 total cases.

- Mean: 2.68
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.66

drgprb7 **Drug Use Affected Fights Past 6 Mos**

Location: 1040-1041 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "OTHER DRUGS" g. fights or arguments.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	116	32.9 %
2	RARELY	49	13.9 %
3	SOMETIMES	65	18.4 %
4	OFTEN	55	15.6 %
5	ALWAYS	62	17.6 %
-3 (M)	NOT APPLICABLE	6	1.7 %

Based upon 347 valid cases out of 353 total cases.

- Mean: 2.71
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.51

drgprb8 **Drug Use Affected Police/Legal Trouble Past 6 Mos**

Location: 1042-1043 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Tell me how often you think drinking alcohol or using other drugs have led to problems in each of the following areas of your life. "OTHER DRUGS" h. police or legal trouble.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	94	26.6 %
2	RARELY	55	15.6 %
3	SOMETIMES	61	17.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	OFTEN	47	13.3 %
5	ALWAYS	90	25.5 %
-3 (M)	NOT APPLICABLE	6	1.7 %

Based upon 347 valid cases out of 353 total cases.

- Mean: 2.95
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.56

drugod	# Drug Overdoses Lifetime
---------------	----------------------------------

Location: 1044-1045 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 6. How many times have you ever overdosed on drugs? (Requires medical intervention)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	282	79.9 %
1	-	30	8.5 %
2	-	17	4.8 %
3	-	9	2.5 %
4	-	4	1.1 %
5	-	5	1.4 %
6	-	2	0.6 %
10	-	1	0.3 %
19	-	1	0.3 %
20	-	2	0.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.11

Istdrod	# Months Since Last Drug Overdose
----------------	--

Location: 1046-1048 (width: 3; decimal: 0)

- Study 27963 -

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

6. How many times have you ever overdosed on drugs? (Requires medical intervention) *IF "1" OR MORE, ASK a and b: a. How long has it been since the last time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.3 %
3	-	1	0.3 %
4	-	5	1.4 %
5	-	1	0.3 %
9	-	1	0.3 %
11	-	1	0.3 %
12	-	6	1.7 %
14	-	2	0.6 %
22	-	1	0.3 %
23	-	1	0.3 %
24	-	6	1.7 %
27	-	1	0.3 %
30	-	1	0.3 %
36	-	2	0.6 %
44	-	1	0.3 %
48	-	5	1.4 %
60	-	3	0.8 %
72	-	5	1.4 %
84	-	4	1.1 %
96	-	3	0.8 %
120	-	2	0.6 %
132	-	2	0.6 %
144	-	5	1.4 %
156	-	1	0.3 %
168	-	2	0.6 %
180	-	3	0.8 %
192	-	1	0.3 %
252	-	1	0.3 %
268	-	1	0.3 %
336	-	1	0.3 %
420	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	282	79.9 %

Based upon 71 valid cases out of 353 total cases.

- Mean: 79.41
- Median: 48.00

- Study 27963 -

- Minimum: 0.00
- Maximum: 420.00
- Standard Deviation: 82.41

intdrod # Times Intentionally Overdosed on Drugs

Location: 1049-1050 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 6. How many times have you ever overdosed on drugs? (Requires medical intervention) *IF "1" OR MORE, ASK a and b: b. How many times have you intentionally overdosed on drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	50	14.2 %
1	-	10	2.8 %
2	-	3	0.8 %
4	-	3	0.8 %
5	-	4	1.1 %
-9 (M)	LEGITAMATE SKIP	283	80.2 %

Based upon 70 valid cases out of 353 total cases.

- Mean: 0.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.41

suprob1 Stress Because of Alc/Drug Use Past 30 Days

Location: 1051-1052 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. During the 30 days prior to the arrest date on the timeline, how stressful were things for you because of your use of alcohol or other drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NOT AT ALL	101	28.6 %
2	SOMEWHAT	65	18.4 %
3	CONSIDERABLY	53	15.0 %
4	EXTREMELY	123	34.8 %
-3 (M)	NOT APPLICABLE	11	3.1 %

Based upon 342 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 2.58
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.25

suprob2 Gave Up Activities Because of Alc/Drug Use Past 30 Days

Location: 1053-1054 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 8. During the 30 days prior to the arrest date on the timeline, did your use of alcohol or other drugs cause you to reduce or give up important activities?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NOT AT ALL	125	35.4 %
2	SOMEWHAT	62	17.6 %
3	CONSIDERABLY	50	14.2 %
4	EXTREMELY	104	29.5 %
-3 (M)	NOT APPLICABLE	12	3.4 %

Based upon 341 valid cases out of 353 total cases.

- Mean: 2.39
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.26

suprob3 Emotional Problems Because of Alc/Drug Use Past 30 Days

Location: 1055-1056 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 9. During the 30 days prior to the arrest date on the timeline, did your use of alcohol or other drugs cause you to have emotional problems?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NOT AT ALL	126	35.7 %
2	SOMEWHAT	75	21.2 %
3	CONSIDERABLY	57	16.1 %
4	EXTREMELY	83	23.5 %
-3 (M)	NOT APPLICABLE	12	3.4 %

- Study 27963 -

Based upon 341 valid cases out of 353 total cases.

- Mean: 2.28
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.20

qtsubs # Times Quit Alc/Drugs for >=3 Mos

Location: 1057-1058 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 10. How many TIMES have you ever quit using alcohol or other drugs for at least 3 months or longer?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	22	6.2 %
1	-	52	14.7 %
2	-	51	14.4 %
3	-	59	16.7 %
4	-	36	10.2 %
5	-	32	9.1 %
6	-	17	4.8 %
7	-	11	3.1 %
8	-	8	2.3 %
9	-	5	1.4 %
10	-	15	4.2 %
11	-	3	0.8 %
12	-	7	2.0 %
13	-	5	1.4 %
14	-	1	0.3 %
15	-	5	1.4 %
16	-	1	0.3 %
17	-	2	0.6 %
18	-	1	0.3 %
20	-	4	1.1 %
24	-	2	0.6 %
26	-	1	0.3 %
30	-	3	0.8 %
50	-	2	0.6 %
99	-	3	0.8 %
-4 (M)	DON'T KNOW	3	0.8 %
-3 (M)	NOT APPLICABLE	2	0.6 %

- Study 27963 -

Based upon 348 valid cases out of 353 total cases.

- Mean: 5.90
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 10.58

qtctrk

Times Quit On Own

Location:1059-1060 (width: 2; decimal: 0)

Variable Type:numeric

Range of Missing Values (M):-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:10. How many TIMES have you ever quit using alcohol or other drugs for at least 3 months or longer?
*IF "1" OR MORE, ASK a and b: a. How many times did you quit - (1) on your own (without help)?

Value	Label	Unweighted Frequency	%
0	-	123	34.8 %
1	-	47	13.3 %
2	-	53	15.0 %
3	-	35	9.9 %
4	-	16	4.5 %
5	-	15	4.2 %
6	-	7	2.0 %
7	-	5	1.4 %
8	-	3	0.8 %
9	-	1	0.3 %
10	-	8	2.3 %
11	-	1	0.3 %
12	-	3	0.8 %
13	-	1	0.3 %
15	-	1	0.3 %
16	-	1	0.3 %
18	-	1	0.3 %
30	-	2	0.6 %
50	-	2	0.6 %
99	-	2	0.6 %
-9 (M)	LEGITAMATE SKIP	24	6.8 %
-4 (M)	DON'T KNOW	2	0.6 %

Based upon 327 valid cases out of 353 total cases.

- Mean: 3.22

- Study 27963 -

- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.15

qtx

Times Quit in Community TX

Location:1061-1062 (width: 2; decimal: 0)

Variable Type:numeric

Range of Missing Values (M):-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:10. How many TIMES have you ever quit using alcohol or other drugs for at least 3 months or longer?
*IF "1" OR MORE, ASK a and b: a. How many times did you quit - (2) in a community based treatment program?

Value	Label	Unweighted Frequency	%
0	-	244	69.1 %
1	-	42	11.9 %
2	-	13	3.7 %
3	-	11	3.1 %
4	-	7	2.0 %
5	-	6	1.7 %
6	-	3	0.8 %
7	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	24	6.8 %
-4 (M)	DON'T KNOW	2	0.6 %

Based upon 327 valid cases out of 353 total cases.

- Mean: 0.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.25

qtjIntx

Times Quit in Jail (no TX)

Location:

1063-1064 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

10. How many TIMES have you ever quit using alcohol or other drugs for at least 3 months or longer?
*IF "1" OR MORE, ASK a and b: a. How many times did you quit - (3) in jail/prison (no treatment)?

Value	Label	Unweighted Frequency	%
0	-	156	44.2 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	68	19.3 %
2	-	32	9.1 %
3	-	24	6.8 %
4	-	15	4.2 %
5	-	10	2.8 %
6	-	5	1.4 %
7	-	3	0.8 %
8	-	4	1.1 %
10	-	2	0.6 %
11	-	1	0.3 %
12	-	1	0.3 %
20	-	4	1.1 %
26	-	1	0.3 %
99	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	22	6.2 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-4 (M)	DON'T KNOW	3	0.8 %

Based upon 327 valid cases out of 353 total cases.

- Mean: 1.97
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 6.25

qtjltx	# Times Quit in Jail TX
---------------	--------------------------------

Location: 1065-1066 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 10. How many TIMES have you ever quit using alcohol or other drugs for at least 3 months or longer?
*IF "1" OR MORE, ASK a and b: a. How many times did you quit - (4) in a jail/prison treatment program?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	250	70.8 %
1	-	50	14.2 %
2	-	10	2.8 %
3	-	13	3.7 %
4	-	4	1.1 %
8	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	LEGITAMATE SKIP	21	5.9 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-4 (M)	DON'T KNOW	3	0.8 %

Based upon 328 valid cases out of 353 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.93

qtother	# Times Quit Other Way
---------	------------------------

Location: 1067-1068 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 10. How many TIMES have you ever quit using alcohol or other drugs for at least 3 months or longer?
*IF "1" OR MORE, ASK a and b: a. How many times did you quit - (5) some other way? (specify)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	298	84.4 %
1	-	16	4.5 %
2	-	7	2.0 %
3	-	2	0.6 %
4	-	6	1.7 %
-9 (M)	LEGITAMATE SKIP	22	6.2 %
-4 (M)	DON'T KNOW	2	0.6 %

Based upon 329 valid cases out of 353 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.67

qtother1	Other Specified Way Quit Drugs
----------	--------------------------------

Location: 1069-1118 (width: 50; decimal: 0)

Variable Type: character

- Study 27963 -

Question:

10. How many TIMES have you ever quit using alcohol or other drugs for at least 3 months or longer?
 *IF "1" OR MORE, ASK a and b: a. How many times did you quit - (5) some other way?
 (specify)_____

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	327	92.6 %
EACH CHILD BORN	1	0.3 %
HUSBAND'S HELP	1	0.3 %
INPATIENT	1	0.3 %
INPATIENT FOLLOWED BY OUTPATIENT	1	0.3 %
NO TX- HALFWAY HOUSE	1	0.3 %
OFF PROBATION	1	0.3 %
ON OWN, PREGNANT	1	0.3 %
ON PROBATION	1	0.3 %
PAROLE	3	0.8 %
POLICE INTERVENTION/FAMILY THREATS (2 EACH)	1	0.3 %
PREGNANCY	1	0.3 %
PREGNANCY FOR 5 MO	1	0.3 %
PRIVATE REHAB	1	0.3 %
PROBATION	3	0.8 %
court ordered program	1	0.3 %
half way house	1	0.3 %
parole	2	0.6 %
probation	3	0.8 %
supervised release	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

Ingqt	Longest Ever Able to Stay Clean (Months)
--------------	---

Location: 1119-1121 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 10. How many TIMES have you ever quit using alcohol or other drugs for at least 3 months or longer?
 *IF "1" OR MORE, ASK a and b: b. What is the longest time you were ever able to stay "clean and sober"?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.3 %
1	-	2	0.6 %
2	-	2	0.6 %
3	-	8	2.3 %
4	-	4	1.1 %
5	-	6	1.7 %
6	-	20	5.7 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	3	0.8 %
8	-	6	1.7 %
9	-	17	4.8 %
10	-	4	1.1 %
11	-	6	1.7 %
12	-	29	8.2 %
13	-	2	0.6 %
14	-	1	0.3 %
15	-	3	0.8 %
16	-	4	1.1 %
17	-	2	0.6 %
18	-	20	5.7 %
19	-	2	0.6 %
20	-	7	2.0 %
21	-	1	0.3 %
22	-	3	0.8 %
24	-	38	10.8 %
25	-	1	0.3 %
26	-	2	0.6 %
27	-	1	0.3 %
28	-	3	0.8 %
30	-	7	2.0 %
31	-	1	0.3 %
33	-	1	0.3 %
35	-	2	0.6 %
36	-	30	8.5 %
38	-	1	0.3 %
39	-	1	0.3 %
40	-	2	0.6 %
41	-	1	0.3 %
42	-	6	1.7 %
43	-	1	0.3 %
48	-	15	4.2 %
52	-	1	0.3 %
54	-	2	0.6 %
60	-	17	4.8 %
63	-	1	0.3 %
65	-	1	0.3 %
66	-	1	0.3 %
72	-	11	3.1 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
78	-	2	0.6 %
84	-	8	2.3 %
90	-	1	0.3 %
96	-	5	1.4 %
97	-	1	0.3 %
108	-	3	0.8 %
112	-	1	0.3 %
117	-	1	0.3 %
120	-	5	1.4 %
126	-	1	0.3 %
132	-	1	0.3 %
144	-	3	0.8 %
150	-	1	0.3 %
156	-	1	0.3 %
168	-	1	0.3 %
384	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	13	3.7 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-4 (M)	DON'T KNOW	3	0.8 %

Based upon 336 valid cases out of 353 total cases.

- Mean: 35.06
- Median: 24.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 384.00
- Standard Deviation: 37.23

satximp Importance of Subs Abuse TX After Release

Location: 1122-1123 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 11. How important is it for you to continue to get substance abuse treatment after you are released?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NOT AT ALL	72	20.4 %
2	SOMEWHAT	60	17.0 %
3	CONSIDERABLY	39	11.0 %
4	EXTREMELY	179	50.7 %
-4 (M)	DON'T KNOW	2	0.6 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-3 (M)	NOT APPLICABLE	1	0.3 %

Based upon 350 valid cases out of 353 total cases.

- Mean: 2.93
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.23

ndrgtx # Times in Substance Abuse TX program

Location: 1124-1126 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program?
[DO NOT INCLUDE NA, CA, OR AA]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	124	35.1 %
1	-	89	25.2 %
2	-	52	14.7 %
3	-	31	8.8 %
4	-	16	4.5 %
5	-	17	4.8 %
6	-	6	1.7 %
7	-	4	1.1 %
8	-	1	0.3 %
9	-	1	0.3 %
11	-	2	0.6 %
12	-	2	0.6 %
13	-	1	0.3 %
17	-	1	0.3 %
18	-	1	0.3 %
20	-	1	0.3 %
24	-	1	0.3 %
29	-	1	0.3 %
32	-	1	0.3 %
104	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 2.32
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 104.00
- Standard Deviation: 6.50

ninptx	# Times Entered Inpatient TX
--------	------------------------------

Location: 1127-1128 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] (1) Inpatient treatment(in a hospital setting)?

Value	Label	Unweighted Frequency	%
0	-	174	49.3 %
1	-	43	12.2 %
2	-	10	2.8 %
3	-	9	2.5 %
4	-	2	0.6 %
5	-	2	0.6 %
6	-	1	0.3 %
8	-	1	0.3 %
10	-	2	0.6 %
20	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	108	30.6 %

Based upon 245 valid cases out of 353 total cases.

- Mean: 0.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.85

ag1intx	Age 1st Admission to Inpatient TX
---------	-----------------------------------

Location: 1129-1130 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how

- Study 27963 -

many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] *ASK b & c ONLY FOR TREATMENTS WITH "1" OR MORE ADMISSIONS: b. How old were you the first time you entered (1) Inpatient treatment(in a hospital setting)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	3	0.8 %
13	-	1	0.3 %
14	-	1	0.3 %
15	-	2	0.6 %
16	-	3	0.8 %
17	-	2	0.6 %
18	-	3	0.8 %
19	-	1	0.3 %
20	-	3	0.8 %
21	-	2	0.6 %
22	-	1	0.3 %
23	-	7	2.0 %
24	-	3	0.8 %
25	-	3	0.8 %
26	-	3	0.8 %
28	-	5	1.4 %
29	-	4	1.1 %
30	-	5	1.4 %
31	-	2	0.6 %
32	-	2	0.6 %
33	-	2	0.6 %
34	-	1	0.3 %
35	-	2	0.6 %
36	-	1	0.3 %
38	-	1	0.3 %
39	-	1	0.3 %
40	-	2	0.6 %
41	-	1	0.3 %
42	-	2	0.6 %
44	-	1	0.3 %
45	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	282	79.9 %

Based upon 71 valid cases out of 353 total cases.

- Mean: 26.30
- Median: 26.00
- Mode: 23.00

- Study 27963 -

- Minimum: 12.00
- Maximum: 45.00
- Standard Deviation: 8.37

mosintx Months Treated in Inpatient TX

Location: 1131-1133 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] *ASK b & c ONLY FOR TREATMENTS WITH "1" OR MORE ADMISSIONS: c. Altogether, how many months have you been treated in (1) Inpatient treatment (in a hospital setting)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	10	2.8 %
1	-	21	5.9 %
2	-	12	3.4 %
3	-	7	2.0 %
4	-	5	1.4 %
5	-	3	0.8 %
6	-	2	0.6 %
8	-	1	0.3 %
9	-	1	0.3 %
12	-	5	1.4 %
16	-	1	0.3 %
18	-	1	0.3 %
20	-	1	0.3 %
24	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	281	79.6 %
-4 (M)	DON'T KNOW	1	0.3 %

Based upon 71 valid cases out of 353 total cases.

- Mean: 3.77
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 5.03

nrestx # Times Entered Residential TX

Location: 1134-1135 (width: 2; decimal: 0)

- Study 27963 -

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] (2) Residential/therapeutic community?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	139	39.4 %
1	-	56	15.9 %
2	-	22	6.2 %
3	-	14	4.0 %
4	-	5	1.4 %
5	-	2	0.6 %
6	-	3	0.8 %
8	-	1	0.3 %
10	-	1	0.3 %
15	-	1	0.3 %
24	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	108	30.6 %

Based upon 245 valid cases out of 353 total cases.

- Mean: 1.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 2.24

ag1rstx Age 1st Admission to Residential TX

Location: 1136-1137 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] *ASK b & c ONLY FOR TREATMENTS WITH "1" OR MORE ADMISSIONS: b. How old were you the first time you entered (2) Residential/therapeutic community?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2	0.6 %
2	-	1	0.3 %
4	-	1	0.3 %
12	-	2	0.6 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	4	1.1 %
16	-	4	1.1 %
17	-	3	0.8 %
18	-	2	0.6 %
19	-	1	0.3 %
20	-	2	0.6 %
21	-	7	2.0 %
22	-	3	0.8 %
23	-	10	2.8 %
24	-	4	1.1 %
25	-	5	1.4 %
26	-	8	2.3 %
27	-	6	1.7 %
28	-	5	1.4 %
30	-	5	1.4 %
31	-	2	0.6 %
32	-	3	0.8 %
33	-	3	0.8 %
34	-	2	0.6 %
35	-	4	1.1 %
36	-	1	0.3 %
37	-	2	0.6 %
38	-	2	0.6 %
39	-	1	0.3 %
41	-	1	0.3 %
42	-	1	0.3 %
44	-	2	0.6 %
45	-	3	0.8 %
47	-	1	0.3 %
52	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	245	69.4 %
-8 (M)	ACCIDENTAL SKIP	4	1.1 %

Based upon 104 valid cases out of 353 total cases.

- Mean: 26.14
- Median: 26.00
- Mode: 23.00
- Minimum: 0.00
- Maximum: 52.00
- Standard Deviation: 9.61

- Study 27963 -

mosrstx	Months Treated in Residential TX
---------	----------------------------------

Location: 1138-1140 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] *ASK b & c ONLY FOR TREATMENTS WITH "1" OR MORE ADMISSIONS: c. Altogether, how many months have you been treated in (2) Residential/therapeutic community?

Value	Label	Unweighted Frequency	%
0	-	8	2.3 %
1	-	15	4.2 %
2	-	8	2.3 %
3	-	16	4.5 %
4	-	6	1.7 %
5	-	3	0.8 %
6	-	9	2.5 %
7	-	5	1.4 %
8	-	3	0.8 %
9	-	6	1.7 %
10	-	2	0.6 %
12	-	6	1.7 %
13	-	1	0.3 %
18	-	6	1.7 %
20	-	1	0.3 %
21	-	1	0.3 %
22	-	1	0.3 %
24	-	2	0.6 %
36	-	2	0.6 %
40	-	1	0.3 %
41	-	1	0.3 %
48	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	245	69.4 %
-8 (M)	ACCIDENTAL SKIP	4	1.1 %

Based upon 104 valid cases out of 353 total cases.

- Mean: 7.79
- Median: 4.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 48.00

- Study 27963 -

- Standard Deviation: 9.42

nontx # Times Entered Other Institutional TX

Location: 1141-1142 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] (3) Other institutional treatment (such as VA or state hospital or in-prison program)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	179	50.7 %
1	-	38	10.8 %
2	-	17	4.8 %
3	-	5	1.4 %
4	-	4	1.1 %
-9 (M)	LEGITAMATE SKIP	110	31.2 %

Based upon 243 valid cases out of 353 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.84

ag1ontx Age 1st Admission to Other Institutional TX

Location: 1143-1144 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] *ASK b & c ONLY FOR TREATMENTS WITH "1" OR MORE ADMISSIONS: b. How old were you the first time you entered (3) Other institutional treatment (such as VA or state hospital or in-prison program)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	1	0.3 %
14	-	2	0.6 %
15	-	1	0.3 %
17	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	2	0.6 %
19	-	1	0.3 %
20	-	2	0.6 %
21	-	2	0.6 %
22	-	1	0.3 %
23	-	4	1.1 %
24	-	5	1.4 %
25	-	8	2.3 %
26	-	1	0.3 %
27	-	1	0.3 %
28	-	1	0.3 %
29	-	2	0.6 %
30	-	1	0.3 %
32	-	2	0.6 %
34	-	2	0.6 %
36	-	2	0.6 %
37	-	2	0.6 %
38	-	1	0.3 %
39	-	1	0.3 %
40	-	1	0.3 %
42	-	2	0.6 %
43	-	1	0.3 %
44	-	1	0.3 %
46	-	1	0.3 %
47	-	1	0.3 %
49	-	2	0.6 %
54	-	2	0.6 %
-9 (M)	LEGITAMATE SKIP	289	81.9 %
-8 (M)	ACCIDENTAL SKIP	7	2.0 %

Based upon 57 valid cases out of 353 total cases.

- Mean: 29.28
- Median: 25.00
- Mode: 25.00
- Minimum: 4.00
- Maximum: 54.00
- Standard Deviation: 10.79

mosontx

Months Treated in Other Institutional TX

Location:

1145-1147 (width: 3; decimal: 0)

- Study 27963 -

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] *ASK b & c ONLY FOR TREATMENTS WITH "1" OR MORE ADMISSIONS: c. Altogether, how many months have you been treated in (3) Other institutional treatment (such as VA or state hospital or in-prison program)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	5	1.4 %
1	-	11	3.1 %
2	-	3	0.8 %
3	-	7	2.0 %
4	-	3	0.8 %
5	-	2	0.6 %
6	-	7	2.0 %
7	-	1	0.3 %
8	-	4	1.1 %
9	-	3	0.8 %
10	-	4	1.1 %
12	-	4	1.1 %
19	-	1	0.3 %
21	-	1	0.3 %
22	-	1	0.3 %
24	-	1	0.3 %
30	-	1	0.3 %
36	-	1	0.3 %
60	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	286	81.0 %
-8 (M)	ACCIDENTAL SKIP	6	1.7 %

Based upon 61 valid cases out of 353 total cases.

- Mean: 7.67
- Median: 5.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 10.02

nodftx # Times Entered Outpatient TX

Location: 1148-1149 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] (4) Outpatient?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	164	46.5 %
1	-	46	13.0 %
2	-	15	4.2 %
3	-	9	2.5 %
4	-	1	0.3 %
5	-	4	1.1 %
6	-	1	0.3 %
7	-	1	0.3 %
20	-	1	0.3 %
30	-	1	0.3 %
99	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	109	30.9 %

Based upon 244 valid cases out of 353 total cases.

- Mean: 1.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 6.77

ag1dftx

Age 1st Admission to Outpatient TX

Location: 1150-1151 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] *ASK b & c ONLY FOR TREATMENTS WITH "1" OR MORE ADMISSIONS: b. How old were you the first time you entered (4) Outpatient?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	1	0.3 %
6	-	1	0.3 %
12	-	2	0.6 %
13	-	1	0.3 %
14	-	1	0.3 %
15	-	3	0.8 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	2	0.6 %
18	-	5	1.4 %
19	-	2	0.6 %
20	-	8	2.3 %
21	-	2	0.6 %
22	-	4	1.1 %
23	-	4	1.1 %
24	-	4	1.1 %
25	-	7	2.0 %
26	-	4	1.1 %
27	-	1	0.3 %
28	-	2	0.6 %
30	-	4	1.1 %
31	-	1	0.3 %
32	-	2	0.6 %
33	-	1	0.3 %
34	-	1	0.3 %
35	-	4	1.1 %
36	-	3	0.8 %
37	-	1	0.3 %
38	-	1	0.3 %
39	-	1	0.3 %
40	-	3	0.8 %
41	-	1	0.3 %
42	-	1	0.3 %
43	-	1	0.3 %
47	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	273	77.3 %

Based upon 80 valid cases out of 353 total cases.

- Mean: 25.51
- Median: 24.50
- Mode: 20.00
- Minimum: 2.00
- Maximum: 47.00
- Standard Deviation: 8.89

mosdftx

Months Treated in Outpatient TX

Location: 1152-1154 (width: 3; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] *ASK b & c ONLY FOR TREATMENTS WITH "1" OR MORE ADMISSIONS: c. Altogether, how many months have you been treated in (4) Outpatient?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3	0.8 %
1	-	6	1.7 %
2	-	7	2.0 %
3	-	13	3.7 %
4	-	6	1.7 %
5	-	5	1.4 %
6	-	18	5.1 %
7	-	1	0.3 %
8	-	2	0.6 %
9	-	2	0.6 %
10	-	2	0.6 %
12	-	4	1.1 %
13	-	1	0.3 %
15	-	1	0.3 %
18	-	3	0.8 %
21	-	1	0.3 %
24	-	2	0.6 %
30	-	2	0.6 %
36	-	1	0.3 %
90	-	1	0.3 %
96	-	1	0.3 %
264	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	270	76.5 %

Based upon 83 valid cases out of 353 total cases.

- Mean: 12.31
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 264.00
- Standard Deviation: 31.74

nomtx	# Times Entered Outpatient Methadone TX
--------------	--

Location: 1155-1156 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] (5) Outpatient methadone?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	229	64.9 %
1	-	6	1.7 %
2	-	4	1.1 %
3	-	1	0.3 %
4	-	1	0.3 %
5	-	3	0.8 %
-9 (M)	LEGITAMATE SKIP	109	30.9 %

Based upon 244 valid cases out of 353 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.69

ag1mstx

Age 1st Admission to Outpatient Methadone TX

Location: 1157-1158 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] (5) Outpatient methadone?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	1	0.3 %
22	-	1	0.3 %
26	-	2	0.6 %
27	-	2	0.6 %
29	-	1	0.3 %
30	-	1	0.3 %
31	-	1	0.3 %
32	-	1	0.3 %
34	-	1	0.3 %
36	-	1	0.3 %
38	-	2	0.6 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	338	95.8 %

Based upon 15 valid cases out of 353 total cases.

- Mean: 30.27
- Median: 30.00
- Minimum: 18.00
- Maximum: 40.00
- Standard Deviation: 6.23

mosomtx

Months Treated in Outpatient Methadone TX

Location: 1159-1161 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] *ASK b & c ONLY FOR TREATMENTS WITH "1" OR MORE ADMISSIONS: c. Altogether, how many months have you been treated in (5) Outpatient methadone?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1	0.3 %
3	-	1	0.3 %
4	-	2	0.6 %
6	-	1	0.3 %
24	-	3	0.8 %
32	-	1	0.3 %
35	-	1	0.3 %
42	-	1	0.3 %
48	-	2	0.6 %
72	-	1	0.3 %
96	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	338	95.8 %

Based upon 15 valid cases out of 353 total cases.

- Mean: 30.87
- Median: 24.00
- Mode: 24.00
- Minimum: 1.00
- Maximum: 96.00
- Standard Deviation: 27.43

- Study 27963 -

othtx1 1st Other Specified Treatment Program

Location: 1162-1211 (width: 50; decimal: 0)

Variable Type: character

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] (6) Other? (specify) _____

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	347	98.3 %
ARP	1	0.3 %
BOOT CAMP	1	0.3 %
CLASS ON DRUG & ALCOHOL WHEN 18 ORDERED BY COURT	1	0.3 %
DUI CLASS	1	0.3 %
HALFWAY HOUSE	1	0.3 %
PAROLE	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

nothtxa # Times Entered Other TX (1)

Location: 1212-1213 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] (6) Other? (specify)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	237	67.1 %
1	-	6	1.7 %
-9 (M)	LEGITAMATE SKIP	110	31.2 %

Based upon 243 valid cases out of 353 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

ag1otxa Age 1st Admission to Other TX (1)

Location: 1214-1215 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] *ASK b & c ONLY FOR TREATMENTS WITH "1" OR MORE ADMISSIONS: b. How old were you the first time you entered (6) Other? (specify)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	1	0.3 %
23	-	1	0.3 %
26	-	1	0.3 %
27	-	1	0.3 %
28	-	1	0.3 %
42	-	1	0.3 %
-9 (M)	LEGITAMATE SKIP	347	98.3 %

Based upon 6 valid cases out of 353 total cases.

- Mean: 27.33
- Median: 26.50
- Minimum: 18.00
- Maximum: 42.00
- Standard Deviation: 8.04

mosotxa **Months Treated in Other TX (1)**

Location: 1216-1218 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. How many TIMES before now have you ever been in a substance abuse treatment program? [DO NOT INCLUDE NA, CA, OR AA] *IF "1" OR MORE, ASK a-c; IF "0", SKIP TO 13 a. Tell me how many TIMES you have ever been in each type of treatment program? [RECORD ANSWERS IN "DRUG TREATMENT CHART"] *ASK b & c ONLY FOR TREATMENTS WITH "1" OR MORE ADMISSIONS: c. Altogether, how many months have you been treated in (6) Other? (specify)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.3 %
1	-	1	0.3 %
2	-	1	0.3 %
3	-	1	0.3 %
4	-	1	0.3 %
6	-	2	0.6 %
-9 (M)	LEGITAMATE SKIP	346	98.0 %

Based upon 7 valid cases out of 353 total cases.

- Mean: 3.14

- Study 27963 -

- Median: 3.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.34

resptx Person Responsible for Current TX

Location: 1219-1220 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 13. Who was mainly responsible for you entering this current treatment?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	JUDGE	43	12.2 %
2	COURT OFFICER	3	0.8 %
3	SUBSTANCE ABUSE REFERRAL UNIT	14	4.0 %
4	CORRECTIONAL CLASSIFICATION	38	10.8 %
5	MYSELF	220	62.3 %
6	OTHER CRIMINAL JUSTICE OFFICER	4	1.1 %
7	OTHER	26	7.4 %
-9 (M)	LEGITIMATE SKIP	2	0.6 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-4 (M)	DON'T KNOW	2	0.6 %

Based upon 348 valid cases out of 353 total cases.

- Mean: 4.45
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.53

resptx1 Other Specified Person Responsible for Current TX

Location: 1221-1270 (width: 50; decimal: 0)

Variable Type: character

Question: 13. Who was mainly responsible for you entering this current treatment? 7. Other (specify)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	332	94.1 %
CASE MANAGER	1	0.3 %
CASE MANAGER, CJ	1	0.3 %
CASE MGR.	2	0.6 %
CM	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
COUNSELORS	1	0.3 %
DAUGHTER & SON	1	0.3 %
HOME CONFINEMENT	1	0.3 %
JUDGE & SELF	1	0.3 %
MENTAL HEALTH	1	0.3 %
NDRI	1	0.3 %
PAROLE	3	0.8 %
PAROLE BOARD	1	0.3 %
PO	1	0.3 %
case manag	1	0.3 %
my wife	1	0.3 %
parole	3	0.8 %

Based upon 353 valid cases out of 353 total cases.

slfhlp **Ever Gone to Self Help Meetings**

Location: 1271-1272 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: 14. Have you ever gone to self-help meetings like AA, NA, CA, etc.? [INCLUDE NON-12-STEP GROUPS SUCH AS RATIONAL RECOVERY AND SMART]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	94	26.6 %
1	YES	259	73.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

nshlpm **# Self Help Meetings Attended Lifetime**

Location: 1273-1274 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: 14. Have you ever gone to self-help meetings like AA, NA, CA, etc.? [INCLUDE NON-12-STEP GROUPS SUCH AS RATIONAL RECOVERY AND SMART] *IF YES, ASK a and b: a. About how many meetings have you ever attended? Was it:

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.3 %
1	1-5	42	11.9 %
2	6-10	27	7.6 %
3	11-25	42	11.9 %
4	26-100	68	19.3 %
5	OVER 100	78	22.1 %
6	6: Unknown	1	0.3 %
-9 (M)	LEGITAMATE SKIP	94	26.6 %

Based upon 259 valid cases out of 353 total cases.

- Mean: 3.44
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.45

shlp30d Attended Self Help Meetings Past 30 Days

Location: 1275-1276 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 14. Have you ever gone to self-help meetings like AA, NA, CA, etc.? [INCLUDE NON-12-STEP GROUPS SUCH AS RATIONAL RECOVERY AND SMART] *IF YES, ASK a and b: b. Did you attend any self-help group meetings in the last 30 days prior to the arrest date on the timeline?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	206	58.4 %
1	YES	51	14.4 %
-9 (M)	LEGITAMATE SKIP	94	26.6 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

Based upon 257 valid cases out of 353 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

medins Have Medical Insurance

Location: 1277-1278 (width: 2; decimal: 0)

- Study 27963 -

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 15. Did you have medical insurance during the 6 months prior to the arrest date on the timeline?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	224	63.5 %
1	YES	126	35.7 %
-9 (M)	LEGITAMATE SKIP	2	0.6 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 350 valid cases out of 353 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

intend Interview End Time

Location: 1279-1283 (width: 5; decimal: 0)

Variable Type: character

Question: A. END TIME

Based upon 353 valid cases out of 353 total cases.

intenda AM or PM

Location: 1284-1285 (width: 2; decimal: 0)

Variable Type: character

Question: A. END TIME am/pm

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	18	5.1 %
-8	1	0.3 %
AM	177	50.1 %
PM	157	44.5 %

Based upon 353 valid cases out of 353 total cases.

intpriv Private Location- Only Interviewer and Client Present

Location: 1286-1287 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: B. DID THIS INTERVIEW TAKE PLACE IN A PRIVATE LOCATION WITH ONLY YOU AND THE CLIENT PRESENT?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	22	6.2 %
1	YES	326	92.4 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %
-1 (M)	VARIABLE NOT ON FORM	4	1.1 %

Based upon 348 valid cases out of 353 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

intrela Reliability of Part A

Location: 1288-1289 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: C. HOW RELIABLE DO YOU FEEL THE RESPONDENT'S ANSWERS WERE IN: PART A
(SOCIODEMPGRAPHIC BACKGROUND

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	SOMEWHAT RELIABLE	3	0.8 %
2	MOSTLY RELIABLE	18	5.1 %
3	RELIABLE	297	84.1 %
-8 (M)	ACCIDENTAL SKIP	5	1.4 %
-1 (M)	VARIABLE NOT ON FORM	30	8.5 %

Based upon 318 valid cases out of 353 total cases.

- Mean: 2.92
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.30

intrelb Reliability of Part B

Location: 1290-1291 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: C. HOW RELIABLE DO YOU FEEL THE RESPONDENT'S ANSWERS WERE IN: PART B (CRIMINAL
HISTORY

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NOT RELIABLE	1	0.3 %
1	SOMEWHAT RELIABLE	9	2.5 %
2	MOSTLY RELIABLE	43	12.2 %
3	RELIABLE	265	75.1 %
-8 (M)	ACCIDENTAL SKIP	5	1.4 %
-1 (M)	VARIABLE NOT ON FORM	30	8.5 %

Based upon 318 valid cases out of 353 total cases.

- Mean: 2.80
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.49

intrelc

Reliability of Part C

Location: 1292-1293 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: C. HOW RELIABLE DO YOU FEEL THE RESPONDENT'S ANSWERS WERE IN: PART C (HEALTH AND PSYCHOLOGICAL STATUS

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NOT RELIABLE	1	0.3 %
1	SOMEWHAT RELIABLE	8	2.3 %
2	MOSTLY RELIABLE	36	10.2 %
3	RELIABLE	273	77.3 %
-8 (M)	ACCIDENTAL SKIP	5	1.4 %
-1 (M)	VARIABLE NOT ON FORM	30	8.5 %

Based upon 318 valid cases out of 353 total cases.

- Mean: 2.83
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.46

intreld

Reliability of Part D

Location: 1294-1295 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: C. HOW RELIABLE DO YOU FEEL THE RESPONDENT'S ANSWERS WERE IN: PART D (DRUG AND TREATMENT HISTORY

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NOT RELIABLE	1	0.3 %
1	SOMEWHAT RELIABLE	11	3.1 %
2	MOSTLY RELIABLE	33	9.3 %
3	RELIABLE	273	77.3 %
-8 (M)	ACCIDENTAL SKIP	5	1.4 %
-1 (M)	VARIABLE NOT ON FORM	30	8.5 %

Based upon 318 valid cases out of 353 total cases.

- Mean: 2.82
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.49

mini1 Major Depression 1 (depressed/down) -past 2 weeks

Location: 1296-1297 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 1. Have you been consistently depressed or down, most of the day, nearly every day, for the past 2 weeks?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	280	79.3 %
1	YES	73	20.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

mini1a Major Depression 1a (depressed/down) -lifetime

Location: 1298-1299 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

1a. At any time in your life, were you ever consistently depressed or down, most of the day, nearly every day, for 2 weeks?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	138	39.1 %
1	YES	215	60.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mini2

Major Depression 2 (less interested) -past 2 weeks

Location: 1300-1301 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2. In the past 2 weeks, have you been less interested in most things or less able to enjoy the things you used to enjoy most of the time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	225	63.7 %
1	YES	128	36.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

mini2a

Major Depression 2a (less interested) -lifetime

Location: 1302-1303 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

2a. At any time in your life, were you less interested in most things or less able to enjoy the things you used to enjoy most of the time for a two week period?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	104	29.5 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	YES	249	70.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

mini3 **Major Depression w/Psychotic 1 (two years) -past 2 years**

Location: 1304-1305 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 3. Have you felt sad, low, or depressed most of the time for the last two years?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	239	67.7 %
1	YES	113	32.0 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

mini3a **Major Depression w/Psychotic 1a (two years) -lifetime**

Location: 1306-1307 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 3a. At any point in your life, have you felt sad, low, or depressed most of the time for two years?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	193	54.7 %
1	YES	159	45.0 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini4 Suicide 1 -past month

Location: 1308-1309 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 4. In the past month, did you think you would be better off dead or wish you were dead?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	324	91.8 %
1	YES	29	8.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

mini4a Suicide 1a -ever

Location: 1310-1311 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 4a. At any time in your life have you thought that you would be better off dead or wish you were dead?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	216	61.2 %
1	YES	137	38.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

- Study 27963 -

mini5 Manic 1 (up) -ever

Location: 1312-1313 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Have you ever had a period of time when you were feeling up, hyper, or so full of energy or full of yourself that you got into trouble or that other people thought you were not your usual self? DO NOT consider times when you were intoxicated on drugs or alcohol.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	192	54.4 %
1	YES	160	45.3 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini5a Manic 1a (up) -past month

Location: 1314-1315 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 5. Have you ever had a period of time when you were feeling up, hyper, or so full of energy or full of yourself that you got into trouble or that other people thought you were not your usual self? DO NOT consider times when you were intoxicated on drugs or alcohol. *5a. Has this happened in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	305	86.4 %
1	YES	47	13.3 %
-7 (M)	REFUSE TO ANSWER	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

- Study 27963 -

mini6 Manic 2 (irritable) -ever

Location: 1316-1317 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 6. Have you ever been so irritable, grouchy, or annoyed for several days, that you had arguments, verbal or physical fights, or shouted at people outside your family? Have you or others noticed that you have been more irritable or overreacted, compared to other people, even when you thought you were right to act this way?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	132	37.4 %
1	YES	221	62.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

mini6a Manic 2a (irritable) -past month

Location: 1318-1319 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 6. Have you ever been so irritable, grouchy, or annoyed for several days, that you had arguments, verbal or physical fights, or shouted at people outside your family? Have you or others noticed that you have been more irritable or overreacted, compared to other people, even when you thought you were right to act this way? *6a. Has this happened in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	284	80.5 %
1	YES	69	19.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

mini7_1 Panic 1A -lifetime

Location: 1320-1321 (width: 2; decimal: 0)

- Study 27963 -

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. Note this question is in 2 parts: A. Have you had one or more occasions when you felt intensely anxious, frightened, uncomfortable, or uneasy even when most people would not feel that way?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	166	47.0 %
1	YES	178	50.4 %
-8 (M)	ACCIDENTAL SKIP	9	2.5 %

Based upon 344 valid cases out of 353 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini7_2 **Panic 1B -lifetime -worst w/in 10 min**

Location: 1322-1323 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. Note this question is in 2 parts: A. Have you had one or more occasions when you felt intensely anxious, frightened, uncomfortable, or uneasy even when most people would not feel that way? B. If yes, did these intense feelings get to be their worst within 10 minutes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	235	66.6 %
1	YES	109	30.9 %
-8 (M)	ACCIDENTAL SKIP	9	2.5 %

Based upon 344 valid cases out of 353 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

mini7 **Panic 1 -code**

Location: 1324-1325 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

7. Note this question is in 2 parts: A. Have you had one or more occasions when you felt intensely anxious, frightened, uncomfortable, or uneasy even when most people would not feel that way? B. If yes, did these intense feelings get to be their worst within 10 minutes? **IF BOTH 7A AND B ARE YES, CODE YES. IF EITHER A OR B IS NO, CODE NO.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	242	68.6 %
1	YES	111	31.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

mini7a

Panic 2a -past month

Location:

1326-1327 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

7. Note this question is in 2 parts: A. Have you had one or more occasions when you felt intensely anxious, frightened, uncomfortable, or uneasy even when most people would not feel that way? *7a. Have you had one or more of these occasions in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	246	69.7 %
1	YES	67	19.0 %
-8 (M)	ACCIDENTAL SKIP	40	11.3 %

Based upon 313 valid cases out of 353 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

mini7b

Panic 2b -past month -worst w/in 10 min

Location:

1328-1329 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

7. Note this question is in 2 parts: A. Have you had one or more occasions when you felt intensely anxious, frightened, uncomfortable, or uneasy even when most people would not feel that way? *7a.

- Study 27963 -

Have you had one or more of these occasions in the last month? *7b. If yes, did these intense feelings get to be their worst within 10 minutes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	279	79.0 %
1	YES	55	15.6 %
-8 (M)	ACCIDENTAL SKIP	19	5.4 %

Based upon 334 valid cases out of 353 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

mini7c	Panic 2 -code
--------	---------------

Location: 1330-1331 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 7. Note this question is in 2 parts: A. Have you had one or more occasions when you felt intensely anxious, frightened, uncomfortable, or uneasy even when most people would not feel that way? *7a. Have you had one or more of these occasions in the last month? *7b. If yes, did these intense feelings get to be their worst within 10 minutes? **IF BOTH a AND b ARE YES, CODE YES. IF EITHER a OR b IS NO, CODE NO

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	292	82.7 %
1	YES	58	16.4 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %

Based upon 350 valid cases out of 353 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

mini8	Agoraphobia 1 -lifetime
-------	-------------------------

Location: 1332-1333 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

8. Do you feel anxious or uneasy in places or situations where you might have the panic like symptoms we just spoke about? Or do you feel anxious or uneasy in situations where help might not be available or escape might be difficult? Examples include: o Being in a crowd; standing in a line; being alone away from home or alone at home; crossing a bridge; traveling in a bus, train, or car.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	207	58.6 %
1	YES	146	41.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mini8a

Agoraphobia 1a -past month

Location: 1334-1335 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

8. Do you feel anxious or uneasy in places or situations where you might have the panic like symptoms we just spoke about? Or do you feel anxious or uneasy in situations where help might not be available or escape might be difficult? Examples include: o Being in a crowd; standing in a line; being alone away from home or alone at home; crossing a bridge; traveling in a bus, train, or car. *8a. Have you felt this way in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	259	73.4 %
1	YES	94	26.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

mini9

Generalized Anxiety 1 -past 6 months

Location: 1336-1337 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

9. Have you worried excessively or been anxious about several things over the past 6 months?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	116	32.9 %
1	YES	237	67.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

mini9a Generalized Anxiety 1a -past 6 months -most days

Location: 1338-1339 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 9. Have you worried excessively or been anxious about several things over the past 6 months? **IF NO TO Q9, ANSWER NO TO Q9a AND ASK Q10. IF YES ASK 9A & THEN SKIP TO Q11. 9a. Are these worries present most days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	189	53.5 %
1	YES	162	45.9 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini10 Generalized Anxiety 2 -ever

Location: 1340-1341 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: *10. Have you ever worried excessively or been anxious about several things?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	73	20.7 %
1	YES	277	78.5 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8 (M)	ACCIDENTAL SKIP	3	0.8 %

Based upon 350 valid cases out of 353 total cases.

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

mini10a Generalized Anxiety 2a -ever -most days

Location: 1342-1343 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: 10. Have you ever worried excessively or been anxious about several things? IF NO TO Q10, ANSWER NO TO Q10a AND ASK Q11. 10a. Were those worries present most days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	151	42.8 %
1	YES	189	53.5 %
-8 (M)	ACCIDENTAL SKIP	12	3.4 %
. (M)	-	1	0.3 %

Based upon 340 valid cases out of 353 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini11 Social Phobia 1 -past month

Location: 1344-1345 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 11. In the past month, were you afraid or embarrassed when others were watching you, or when you were the focus of attention? Were you afraid of being humiliated? Examples include: o Speaking in public; eating in public or with others; writing while someone watches; being in social situations.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	232	65.7 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	YES	121	34.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

mini11a	Social Phobia 1a -ever
----------------	-------------------------------

Location: 1346-1347 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 11a. At any time in your life, were you afraid or embarrassed when others were watching you, or when you were the focus of attention? Were you afraid of being humiliated? Examples include: o Speaking in public; eating in public or with others; writing while someone watches; being in social situations.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	142	40.2 %
1	YES	210	59.5 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mini12	OCD 1 (thoughts/impulses) -past month
---------------	--

Location: 1348-1349 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12. In the past month, have you been bothered by thoughts, impulses, or images that you couldn't get rid of that were unwanted, distasteful, inappropriate, intrusive, or distressing? Examples include: o Were you afraid that you would act on some impulse that would be really shocking?; Did you worry a lot about being dirty, contaminated or having germs?; Did you worry a lot about contaminating others, or that you would harm someone even though you did not want to?; Did you have any fears or superstitions that you would be responsible for things going wrong?; Were you obsessed with

- Study 27963 -

sexual thoughts, images, or impulses?; Did you hoard or collect lots of things?; Did you have religious obsessions?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	273	77.3 %
1	YES	80	22.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

mini12a

OCD 1a (thoughts/impulses) -ever

Location: 1350-1351 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 12a. At any time in your life, have you been bothered by thoughts, impulses, or images that you couldn't get rid of that were unwanted, distasteful, inappropriate, intrusive, or distressing? Examples include: o Were you afraid that you would act on some impulse that would be really shocking?; Did you worry a lot about being dirty, contaminated or having germs?; Did you worry a lot about contaminating others, or that you would harm someone even though you did not want to?; Did you have any fears or superstitions that you would be responsible for things going wrong?; Were you obsessed with sexual thoughts, images, or impulses?; Did you hoard or collect lots of things?; Did you have religious obsessions?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	220	62.3 %
1	YES	133	37.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mini13

OCD 2 (repetitive) -past month

Location: 1352-1353 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

13. In the past month, did you do something repeatedly without being able to resist doing it? Examples include: o Washing or cleaning excessively; counting or rechecking things over and over; repeating, collecting, or arranging things; other superstitious rituals.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	251	71.1 %
1	YES	102	28.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

mini13a

OCD 2a (repetitive) -ever

Location: 1354-1355 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 13a. At any time in your life, did you do something repeatedly without being able to resist doing it? Examples include: o Washing or cleaning excessively; counting or rechecking things over and over; repeating, collecting, or arranging things; other superstitious rituals.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	193	54.7 %
1	YES	159	45.0 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini14

PTSD 1 -ever

Location: 1356-1357 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 14. Have you ever experienced or witnessed or had to deal with an extremely traumatic event that included actual or threatened death or serious injury to you or someone else? Examples include: o

- Study 27963 -

Serious accidents; sexual or physical assault; terrorist attack; being held hostage; kidnapping; fire; discovering a body; sudden death of someone close to you; war; natural disaster.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	138	39.1 %
1	YES	215	60.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mini15a PTSD 1a- re-experienced- ever

Location: 1358-1359 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 14. Have you ever experienced or witnessed or had to deal with an extremely traumatic event that included actual or threatened death or serious injury to you or someone else? Examples include: o Serious accidents; sexual or physical assault; terrorist attack; being held hostage; kidnapping; fire; discovering a body; sudden death of someone close to you; war; natural disaster. **IF NO TO Q14, ANSWER NO TO Q15a and 15b. 15a. Have you ever re-experienced the awful event in a distressing way? Examples include: o Dreams; intense recollections; flashbacks; physical reactions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	201	56.9 %
1	YES	137	38.8 %
-1 (M)	VARIABLE NOT ON FORM	15	4.2 %

Based upon 338 valid cases out of 353 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mini15b PTSD 1b- re-experienced- past month

Location: 1360-1361 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

14. Have you ever experienced or witnessed or had to deal with an extremely traumatic event that included actual or threatened death or serious injury to you or someone else? Examples include: o Serious accidents; sexual or physical assault; terrorist attack; being held hostage; kidnapping; fire; discovering a body; sudden death of someone close to you; war; natural disaster. **IF NO TO Q14, ANSWER NO TO Q15a and 15b. 15a. Have you ever re-experienced the awful event in a distressing way? Examples include: o Dreams; intense recollections; flashbacks; physical reactions. **IF NO TO Q15a, ANSWER NO TO Q15b. 15b. Have you re-experienced the awful event in a distressing way in the past month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	283	80.2 %
1	YES	55	15.6 %
-1 (M)	VARIABLE NOT ON FORM	15	4.2 %

Based upon 338 valid cases out of 353 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

mini16

Psychotic 1 (spying) -ever

Location: 1362-1363 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 16. Have you ever believed that people were spying on you, or that someone was plotting against you, or trying to hurt you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	195	55.2 %
1	YES	157	44.5 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini16a

Psychotic 1a (spying) -past month

Location: 1364-1365 (width: 2; decimal: 0)

- Study 27963 -

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 16. Have you ever believed that people were spying on you, or that someone was plotting against you, or trying to hurt you? *16a. Have you felt this way in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	313	88.7 %
1	YES	39	11.0 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

mini17 Psychotic 2 (read mind/hear thoughts) -ever

Location: 1366-1367 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 17. Have you ever believed that someone was reading your mind or could hear your thoughts, or that you could actually read someone's mind or hear what another person was thinking?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	299	84.7 %
1	YES	54	15.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

mini17a Psychotic 2a (read mind/hear thoughts) -past month

Location: 1368-1369 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 17. Have you ever believed that someone was reading your mind or could hear your thoughts, or that you could actually read someone's mind or hear what another person was thinking? *17a. Have you felt this way in the last month?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	329	93.2 %
1	YES	24	6.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

mini18 Psychotic 3 (thoughts put in your mind) -ever

Location: 1370-1371 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 18. Have you ever believed that someone or some force outside of yourself put thoughts in your mind that were not your own, or made you act in a way that was not your usual self? Or, have you ever felt that you were possessed?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	312	88.4 %
1	YES	41	11.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

mini18a Psychotic 3a (thoughts put in your mind) -past month

Location: 1372-1373 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 18. Have you ever believed that someone or some force outside of yourself put thoughts in your mind that were not your own, or made you act in a way that was not your usual self? Or, have you ever felt that you were possessed? *18a. Have you felt this way in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	335	94.9 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	YES	18	5.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

mini19 Psychotic 4 (special messages) -ever

Location: 1374-1375 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 19. Have you ever believed that you were being sent special messages through the TV, radio, or newspaper? Did you ever believe that someone you did not personally know was particularly interested in you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	330	93.5 %
1	YES	23	6.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

mini19a Psychotic 4a (special messages) -past month

Location: 1376-1377 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 19. Have you ever believed that you were being sent special messages through the TV, radio, or newspaper? Did you ever believe that someone you did not personally know was particularly interested in you? *19a. Have you felt this way in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	345	97.7 %
1	YES	8	2.3 %

- Study 27963 -

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

mini20 **Psychotic 5 (strange beliefs) -ever**

Location: 1378-1379 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 20. Have your relatives or friends ever considered any of your beliefs strange or unusual?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	254	72.0 %
1	YES	99	28.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

mini20a **Psychotic 5a (strange beliefs) -past month**

Location: 1380-1381 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 20. Have your relatives or friends ever considered any of your beliefs strange or unusual? *20a.
Have you felt this way in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	324	91.8 %
1	YES	29	8.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 27963 -

- Maximum: 1.00
- Standard Deviation: 0.27

mini21 Psychotic 6 (heard things) -ever

Location: 1382-1383 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 21. Have you ever heard things other people couldn't hear, such as voices?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	302	85.6 %
1	YES	51	14.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

mini21a Psychotic 6a (heard things) -past month

Location: 1384-1385 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 21. Have you ever heard things other people couldn't hear, such as voices? *21a. Have you felt this way in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	329	93.2 %
1	YES	23	6.5 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

mini22 Psychotic 7 (visions) -ever

- Study 27963 -

Location: 1386-1387 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 22. Have you ever had visions when you were awake or have you ever seen things other people couldn't see?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	296	83.9 %
1	YES	57	16.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

mini22a Psychotic 7a (visions) -past month

Location: 1388-1389 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 22. Have you ever had visions when you were awake or have you ever seen things other people couldn't see? *22a. Have you felt this way in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	335	94.9 %
1	YES	18	5.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

mhsf23 Talked to MH professional -ever

Location: 1390-1391 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 23. Have you ever talked to a psychiatrist, psychologist, therapist, social worker, or counselor about an emotional problem?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	128	36.3 %
1	YES	225	63.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

mhsf23a **Talked to MH professional -past month**

Location: 1392-1393 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 23. Have you ever talked to a psychiatrist, psychologist, therapist, social worker, or counselor about an emotional problem? *23a. Have you done this in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	282	79.9 %
1	YES	71	20.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

mhsf24 **Needed MH help -ever**

Location: 1394-1395 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 24. Have you ever felt you needed help with your emotional problems, or have other people told you that you should get help for your emotional problems?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	136	38.5 %
1	YES	217	61.5 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mhsf24a Needed MH help -past month

Location: 1396-1397 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 24. Have you ever felt you needed help with your emotional problems, or have other people told you that you should get help for your emotional problems? *24a. Has this happened in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	274	77.6 %
1	YES	79	22.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

mhsf25 MH Medication -ever

Location: 1398-1399 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 25. Have you ever been advised to take medication for anxiety, depression, hearing voices or for any other emotional problem?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	175	49.6 %
1	YES	178	50.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Study 27963 -

- Maximum: 1.00
- Standard Deviation: 0.50

mhsf25a **MH Medication -past month**

Location: 1400-1401 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 25. Have you ever been advised to take medication for anxiety, depression, hearing voices or for any other emotional problem? *25a. Has this happened in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	291	82.4 %
1	YES	62	17.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

mhsf26 **Psych er or psych hosp -ever**

Location: 1402-1403 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 26. Have you ever been seen in a psychiatric emergency room or been hospitalized for psychiatric reasons?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	290	82.2 %
1	YES	63	17.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

mhsf26a **Psych er or psych hosp -past month**

Location: 1404-1405 (width: 2; decimal: 0)

- Study 27963 -

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 26. Have you ever been seen in a psychiatric emergency room or been hospitalized for psychiatric reasons? *26a. Has this happened in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	349	98.9 %
1	YES	4	1.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

mhsf27 **Schizophrenia 1 -ever**

Location: 1406-1407 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 27. Have you ever heard voices no one else could hear or seen objects or things which others could not see?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	292	82.7 %
1	YES	61	17.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

mhsf27a **Schizophrenia 1a -past month**

Location: 1408-1409 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: 27. Have you ever heard voices no one else could hear or seen objects or things which others could not see? *27a. Has this happened in the last month?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	329	93.2 %
1	YES	23	6.5 %
. (M)	-	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

mhsf28 **Depressive disorders 1 (depressed) -ever**

Location: 1410-1411 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 28. Have you ever been depressed for weeks at a time, lost interest or pleasure in most activities, had trouble concentrating and making decisions, or thought about killing yourself?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	205	58.1 %
1	YES	148	41.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mhsf28a **Depressive disorders 1a (attempt suicide) -ever**

Location: 1412-1413 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 28. Have you ever been depressed for weeks at a time, lost interest or pleasure in most activities, had trouble concentrating and making decisions, or thought about killing yourself? **IF NO TO Q28, ANSWER NO TO Q28a, Q29, & Q29a. 28a. Did you ever attempt to kill yourself?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	291	82.4 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	YES	61	17.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

mhsf29 **Depressive disorders 2 (depressed) -past month**

Location: 1414-1415 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 29. Have you felt this way (depressed for weeks at a time, etc.) in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	299	84.7 %
1	YES	42	11.9 %
-8 (M)	ACCIDENTAL SKIP	12	3.4 %

Based upon 341 valid cases out of 353 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

mhsf29a **Depressive disorders 2a (attempt suicide) -past month**

Location: 1416-1417 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 29. Have you felt this way (depressed for weeks at a time, etc.) in the last month? **IF NO TO Q29, ANSWER NO TO Q29a. 29a. Have you tried to kill yourself in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	352	99.7 %
1	YES	1	0.3 %

- Study 27963 -

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

mhsf30

PTSD 1 -ever

Location: 1418-1419 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 30. Have you ever had nightmares or flashbacks as a result of being involved in some traumatic/terrible event? Examples include: o Warfare, gang fights, fire, domestic violence, rape, incest, car accident, being shot or stabbed.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	180	51.0 %
1	YES	173	49.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mhsf30a

PTSD 1a -past month

Location: 1420-1421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 30. Have you ever had nightmares or flashbacks as a result of being involved in some traumatic/terrible event? Examples include: o Warfare, gang fights, fire, domestic violence, rape, incest, car accident, being shot or stabbed. *30a. Have you had these nightmares or flashbacks in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	288	81.6 %
1	YES	64	18.1 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

mhsf31 **Phobias 1 -ever**

Location: 1422-1423 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 31. Have you ever experienced any strong fears? Examples include: o Heights, insects, animals, dirt, attending social events, being in a crowd, being alone, being in places where it may be hard to escape or get help.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	185	52.4 %
1	YES	168	47.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mhsf31a **Phobias 1a -past month**

Location: 1424-1425 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 31. Have you ever experienced any strong fears? Examples include: o Heights, insects, animals, dirt, attending social events, being in a crowd, being alone, being in places where it may be hard to escape or get help. *31a. Have you experienced these strong fears in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	287	81.3 %
1	YES	66	18.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00

- Study 27963 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

mhsf32 Intermittent Explosive Disorders 1 -ever

Location: 1426-1427 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 32. Have you ever given in to an aggressive urge or impulse, on more than one occasion, that resulted in serious harm to others or led to the destruction of property?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	211	59.8 %
1	YES	142	40.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mhsf32a Intermittent Explosive Disorders 1a -past month

Location: 1428-1429 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 32. Have you ever given in to an aggressive urge or impulse, on more than one occasion, that resulted in serious harm to others or led to the destruction of property? *32a. Have you given into these impulses in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	345	97.7 %
1	YES	8	2.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

- Study 27963 -

mhsf33 Delusional Disorders 1 -ever

Location: 1430-1431 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 33. Have you ever felt that people had something against you, without them necessarily saying so, or that someone or some group may be trying to influence your thoughts or behavior?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	189	53.5 %
1	YES	164	46.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mhsf33a Delusional Disorders1a -past month

Location: 1432-1433 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 33. Have you ever felt that people had something against you, without them necessarily saying so, or that someone or some group may be trying to influence your thoughts or behavior? *33a. Have you felt this way in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	272	77.1 %
1	YES	81	22.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

mhsf34 Sexual and Gender Identity Disorders 1 -ever

Location: 1434-1435 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

34. Have you ever experienced any emotional problems associated with your sexual interests, your sexual activities, or your choice of sexual partner?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	299	84.7 %
1	YES	54	15.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

mhsf34a

Sexual and Gender Identity Disorders 1a -past month

Location: 1436-1437 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

34. Have you ever experienced any emotional problems associated with your sexual interests, your sexual activities, or your choice of sexual partner? *34a. Have you felt this way in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	339	96.0 %
1	YES	14	4.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

mhsf35

Eating Disorders 1 -ever

Location: 1438-1439 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

35. Was there ever a period in your life when you spent a lot of time thinking and worrying about gaining weight, becoming fat, or controlling your eating? Examples include: o Repeatedly dieting or fasting, engaging in much exercise to compensate for binge eating, taking enemas, or forcing yourself to throw up.

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	209	59.2 %
1	YES	144	40.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mhsf35a **Eating Disorders 1a -past month**

Location: 1440-1441 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 35. Was there ever a period in your life when you spent a lot of time thinking and worrying about gaining weight, becoming fat, or controlling your eating? Examples include: o Repeatedly dieting or fasting, engaging in much exercise to compensate for binge eating, taking enemas, or forcing yourself to throw up. *35a. Has this happened in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	249	70.5 %
1	YES	104	29.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

mhsf36 **Manic Episode 1 -ever**

Location: 1442-1443 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 36. Have you ever had a period of time when you were so full of energy and your ideas came very rapidly, when you talked nearly non-stop, when you moved quickly from one activity to another, when you needed little sleep, and believed you could do almost anything?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	159	45.0 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	YES	193	54.7 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mhsf36a **Manic Episode 1a -past month**

Location: 1444-1445 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 36. Have you ever had a period of time when you were so full of energy and your ideas came very rapidly, when you talked nearly non-stop, when you moved quickly from one activity to another, when you needed little sleep, and believed you could do almost anything? *36a. Have you had a period like this in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	283	80.2 %
1	YES	69	19.5 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

mhsf37 **Panic Disorder 1 -ever**

Location: 1446-1447 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 37. Have you ever had spells or attacks when you suddenly felt anxious, frightened, uneasy to the extent that you began sweating, your heart began to beat rapidly, you were shaking or trembling, your stomach was upset, you felt dizzy or unsteady, as if you would faint?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	201	56.9 %
1	YES	151	42.8 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mhsf37a **Panic Disorder 1a -past month**

Location: 1448-1449 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 37. Have you ever had spells or attacks when you suddenly felt anxious, frightened, uneasy to the extent that you began sweating, your heart began to beat rapidly, you were shaking or trembling, your stomach was upset, you felt dizzy or unsteady, as if you would faint? *37a. Have you had these spells or attacks in the last 6 months?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	267	75.6 %
1	YES	85	24.1 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

mhsf38 **OCD 1 -ever**

Location: 1450-1451 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 38. Have you ever had a persistent, lasting thought or impulse to do something over and over that caused you considerable distress and interfered with normal routines, work, or your social relations? Examples include: o Repeatedly counting things, checking and rechecking on things you had done,

- Study 27963 -

washing and rewashing your hands, praying, or maintaining a very rigid schedule of daily activities from which you could not deviate.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	249	70.5 %
1	YES	104	29.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

mhsf38a

OCD 1a -past month

Location: 1452-1453 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 38. Have you ever had a persistent, lasting thought or impulse to do something over and over that caused you considerable distress and interfered with normal routines, work, or your social relations? Examples include: o Repeatedly counting things, checking and rechecking on things you had done, washing and rewashing your hands, praying, or maintaining a very rigid schedule of daily activities from which you could not deviate. *38a. Has this happened in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	304	86.1 %
1	YES	49	13.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

mhsf39

Pathological Gambling 1 -ever

Location: 1454-1455 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 39. Have you ever lost considerable sums of money through gambling or had problems at work, in school, with your family and friends as a result of your gambling?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	270	76.5 %
1	YES	83	23.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

mhsf39a **Pathological Gambling 1a -past month**

Location: 1456-1457 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 39. Have you ever lost considerable sums of money through gambling or had problems at work, in school, with your family and friends as a result of your gambling? *39a. Has this happened in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	345	97.7 %
1	YES	8	2.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

mhsf40 **Learning Disorder 1 -ever**

Location: 1458-1459 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 40. Have you ever been told by teachers, guidance counselors, or others that you have a special learning problem?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	276	78.2 %
1	YES	76	21.5 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

mhsf40a **Learning Disorder 1a -past month**

Location: 1460-1461 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 40. Have you ever been told by teachers, guidance counselors, or others that you have a special learning problem? *40a. Have you been told this in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	341	96.6 %
1	YES	12	3.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

gain41 **IDS 1 (problems w/sleeping) -past 12 months**

Location: 1462-1463 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 41. During the past 12 months have you had significant problems with: Sleeping, such as bad dreams, sleeping restlessly or falling asleep during the day?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	179	50.7 %
1	YES	174	49.3 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gain41a **IDS 1a (problems w/sleeping) -ever**

Location: 1464-1465 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 41. During the past 12 months have you had significant problems with: Sleeping, such as bad dreams, sleeping restlessly or falling asleep during the day? *41a. Have you ever had significant problems like these with sleeping?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	127	36.0 %
1	YES	223	63.2 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %

Based upon 350 valid cases out of 353 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

gain42 **IDS 2 (trapped/lonely/sad) -past 12 months**

Location: 1466-1467 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 42. During the past 12 months have you had significant problems with: Feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	179	50.7 %
1	YES	174	49.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00

- Study 27963 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gain42a **IDS 2a (trapped/lonely/sad) -ever**

Location: 1468-1469 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 42. During the past 12 months have you had significant problems with: Feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future? *42a. Have you ever had significant problems with feelings like these?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	109	30.9 %
1	YES	243	68.8 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

gain43 **IDS 3 (thoughts of suicide) -past 12 months**

Location: 1470-1471 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 43. During the past 12 months have you had significant problems with: Thoughts about ending your life or committing suicide?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	331	93.8 %
1	YES	22	6.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

- Study 27963 -

gain43a **IDS 3a (plan for suicide) -past 12 months**

Location: 1472-1473 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 43. During the past 12 months have you had significant problems with: Thoughts about ending your life or committing suicide? **IF NO TO Q43, ANSWER NO TO Q43a AND PROCEED TO Q44. 43a. Have you made a specific plan about how to kill yourself and gotten the things you need to carry out your plan in the last 12 months? **SKIP TO Q44a.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	346	98.0 %
1	YES	7	2.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

gain44 **IDS 3b (thoughts of suicide) -ever**

Location: 1474-1475 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 44. Have you ever had significant problems with thoughts about ending your life or committing suicide?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	263	74.5 %
1	YES	88	24.9 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

gain44a **IDS 3c (plan for suicide) -ever**

Location: 1476-1477 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 44a. Have you ever made a specific plan about how to kill yourself and gotten the things you need to carry out your plan?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	303	85.8 %
1	YES	45	12.7 %
-8 (M)	ACCIDENTAL SKIP	5	1.4 %

Based upon 348 valid cases out of 353 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

gain45 **IDS 4 (anxious) -past 12 months**

Location: 1478-1479 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 45. During the past 12 months have you had significant problems with: Feeling very anxious, nervous, tense, fearful, scared, panicked or like something bad was going to happen?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	198	56.1 %
1	YES	155	43.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gain45a **IDS 4a (anxious) -ever**

Location: 1480-1481 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 45. During the past 12 months have you had significant problems with: Feeling very anxious, nervous, tense, fearful, scared, panicked or like something bad was going to happen? *45a. Have you ever had significant problems with feelings like these?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	132	37.4 %
1	YES	220	62.3 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.62
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

gain46 **IDS 5 (the past) -past 12 months**

Location: 1482-1483 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 46. During the past 12 months have you had significant problems: When something reminded you of the past, so that you became very distressed and upset?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	143	40.5 %
1	YES	210	59.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

gain46a **IDS 5a (the past) -ever**

Location: 1484-1485 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 46. During the past 12 months have you had significant problems: When something reminded you of the past, so that you became very distressed and upset? *46a. Have you ever had significant problems with feeling this way when something reminded you of the past?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	102	28.9 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	YES	251	71.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

gain47 **IDS 5b (the past) -past 12 months**

Location: 1486-1487 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 47. During the past 12 months have you had significant problems with: Being overly troubled in your thoughts, dreams, or feelings, or have you felt anxious about a stressful event from your past?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	176	49.9 %
1	YES	177	50.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gain47a **IDS 5c (the past) -ever**

Location: 1488-1489 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 47. During the past 12 months have you had significant problems with: Being overly troubled in your thoughts, dreams, or feelings, or have you felt anxious about a stressful event from your past? *47a. Have you ever had significant problems with feelings like these about a stressful event from you past?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	136	38.5 %
1	YES	217	61.5 %

- Study 27963 -

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

gain48 EDS 1 (hard time paying attention) -past 12 months

Location: 1490-1491 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 48. During the past 12 months have you done the following 2 or more times: Have you had a hard time paying attention at school, work, home, or prison?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	168	47.6 %
1	YES	185	52.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gain48a EDS 1a (hard time paying attention) -ever

Location: 1492-1493 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 48. During the past 12 months have you done the following 2 or more times: Have you had a hard time paying attention at school, work, home, or prison? *48a. Have you ever had a hard time paying attention at school, work, home, or prison 2 or more times?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	118	33.4 %
1	YES	235	66.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.67
- Median: 1.00

- Study 27963 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

gain49 **EDS 2 (hard time listening) -past 12 months**

Location: 1494-1495 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 49. During the past 12 months have you done the following 2 or more times: Have you had a hard time listening to instructions at school, work, home, or prison?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	188	53.3 %
1	YES	165	46.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gain49a **EDS 2a (hard time listening) -ever**

Location: 1496-1497 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 49. During the past 12 months have you done the following 2 or more times: Have you had a hard time listening to instructions at school, work, home, or prison? *49a. Have you ever had a hard time listening to instructions at school, work, home, or prison 2 or more times?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	132	37.4 %
1	YES	221	62.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

- Study 27963 -

gain50 **EDS 3 (bully) -past 12 months**

Location: 1498-1499 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 50. During the past 12 months have you done the following 2 or more times: Have you been a bully or threatened other people?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	284	80.5 %
1	YES	69	19.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

gain50a **EDS 3a (bully) -ever**

Location: 1500-1501 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 50. During the past 12 months have you done the following 2 or more times: Have you been a bully or threatened other people? *50a. Have you ever been a bully or threatened people 2 or more times?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	200	56.7 %
1	YES	153	43.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gain51 **EDS 4 (lied/conned) -past 12 months**

Location: 1502-1503 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

51. During the past 12 months have you done the following 2 or more times: Have you lied or conned to get things you wanted or to avoid having to do something?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	184	52.1 %
1	YES	169	47.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gain51a

EDS 4a (lied/conned) -ever

Location: 1504-1505 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 51. During the past 12 months have you done the following 2 or more times: Have you lied or conned to get things you wanted or to avoid having to do something? *51a. Have you ever done that 2 or more times?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	71	20.1 %
1	YES	281	79.6 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

gain52

EDS 5 (fight) -past 12 months

Location: 1506-1507 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 52. During the past 12 months have you done the following 2 or more times: Hit someone or gotten into a physical fight?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	259	73.4 %
1	YES	94	26.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

gain52a	EDS 5a (fight) -ever
---------	----------------------

Location: 1508-1509 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 52. During the past 12 months have you done the following 2 or more times: Hit someone or gotten into a physical fight? *52a. Have you ever done that 2 or more times?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	59	16.7 %
1	YES	293	83.0 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

gain53	SDS 1 (hide using alc/drugs) -past 12 months
--------	--

Location: 1510-1511 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 53. During the past 12 months have you: Tried to hide that you were using alcohol, marijuana or other drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	245	69.4 %
1	YES	108	30.6 %

- Study 27963 -

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

gain53a **SDS 1a (hide using alc/drugs) -ever**

Location: 1512-1513 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 53. During the past 12 months have you: Tried to hide that you were using alcohol, marijuana or other drugs? *53a. Have you ever tried to hide that you were using alcohol or other drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	83	23.5 %
1	YES	270	76.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

gain54 **SDS 2 (others complained alc/drugs) -past 12 months**

Location: 1514-1515 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 54. During the past 12 months have you: Had your parents, family, partner, co workers, classmates, friends, or fellow inmates complained about your alcohol, marijuana or other drug use?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	231	65.4 %
1	YES	122	34.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00

- Study 27963 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

gain54a SDS 2a (others complained alc/drugs) -ever

Location: 1516-1517 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 54. During the past 12 months have you: Had your parents, family, partner, co workers, classmates, friends, or fellow inmates complained about your alcohol, marijuana or other drug use? *54a. Have you ever had others complain about your use of alcohol or other drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	53	15.0 %
1	YES	299	84.7 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

gain55 SDS 3 (weekly use of alc/drugs) -past 12 months

Location: 1518-1519 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 55. During the past 12 months have you: Used alcohol, marijuana or other drugs weekly?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	214	60.6 %
1	YES	139	39.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

- Study 27963 -

gain55a SDS 3a (weekly use of alc/drugs) -ever

Location: 1520-1521 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 55. During the past 12 months have you: Used alcohol, marijuana or other drugs weekly? *55a. Have you ever used alcohol or other drugs weekly?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	13	3.7 %
1	YES	339	96.0 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

gain56 SDS 4 (kept using alc/drugs) -past 12 months

Location: 1522-1523 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 56. During the past 12 months have you: Kept using alcohol, marijuana or other drugs even after you knew it could get you into fights or other kinds of legal trouble?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	191	54.1 %
1	YES	162	45.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gain56a SDS 4a (kept using alc/drugs) -ever

Location: 1524-1525 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

56. During the past 12 months have you: Kept using alcohol, marijuana or other drugs even after you knew it could get you into fights or other kinds of legal trouble? *56a. Have you ever used alcohol or other drugs after you knew it could get you into fights or other kinds of legal trouble?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	20	5.7 %
1	YES	333	94.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

gain57

SDS 5 (time getting/using alc/drugs) -past 12 months

Location:

1526-1527 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

57. During the past 12 months have you: Spent a lot of time getting alcohol, marijuana or other drugs, using them, or feeling the effects of them (high, sick)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	215	60.9 %
1	YES	138	39.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

gain57a

SDS 5 (time getting/using alc/drugs) -ever

Location:

1528-1529 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

57. During the past 12 months have you: Spent a lot of time getting alcohol, marijuana or other drugs, using them, or feeling the effects of them (high, sick)? *57a. Have you ever spent a lot of time getting alcohol, marijuana or other drugs, using them, or feeling the effects of them (high, sick)?

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	42	11.9 %
1	YES	311	88.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

pd58	ASPD 1 (work) -lifetime
-------------	--------------------------------

Location: 1530-1531 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 58. Over the course of your life, have you rarely been able to stay in a job for more than a few months or have you felt that working is for idiots?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	232	65.7 %
1	YES	120	34.0 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

pd58a	ASPD 1a (work) -past month
--------------	-----------------------------------

Location: 1532-1533 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 58. Over the course of your life, have you rarely been able to stay in a job for more than a few months or have you felt that working is for idiots? *58a. Have you changed jobs or felt this way in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	330	93.5 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	YES	21	5.9 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

pd59 ASPD 2 (felt bad) -lifetime

Location: 1534-1535 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 59. Over the course of your life, have you felt bad when you hurt or mistreated someone?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	30	8.5 %
1	YES	322	91.2 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

pd59a ASPD 2a (felt bad) -past month

Location: 1536-1537 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 59. Over the course of your life, have you felt bad when you hurt or mistreated someone? *59a. Have you felt this way in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	211	59.8 %
1	YES	140	39.7 %
-8 (M)	ACCIDENTAL SKIP	2	0.6 %

- Study 27963 -

Based upon 351 valid cases out of 353 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

pd60 ASPD 3 (lied/conned) -lifetime

Location: 1538-1539 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 60. Over the course of your life, you have lied or conned people in order to serve your purpose?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	89	25.2 %
1	YES	263	74.5 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

pd60a ASPD 3a (lied/conned) -past month

Location: 1540-1541 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 60. Over the course of your life, you have lied or conned people in order to serve your purpose?

*60a. Have you lied or conned to serve your purpose in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	294	83.3 %
1	YES	58	16.4 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.16

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

pd61 BPD 1 (love/hate) -lifetime

Location: 1542-1543 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 61. Over the course of your life, have you shifted back and forth between strong love and strong hate for the people you are closest to?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	138	39.1 %
1	YES	214	60.6 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

pd61a BPD 1a (love/hate) -past month

Location: 1544-1545 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 61. Over the course of your life, have you shifted back and forth between strong love and strong hate for the people you are closest to? *61a. Have your feeling shifted like that in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	250	70.8 %
1	YES	102	28.9 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 27963 -

- Maximum: 1.00
- Standard Deviation: 0.45

pd62 BPD 2 (reckless) -lifetime

Location: 1546-1547 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 62. Over the course of your life, have you recklessly given in to urges to do things that were sure to get you in trouble?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	85	24.1 %
1	YES	267	75.6 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

pd62a BPD 2a (reckless) -past month

Location: 1548-1549 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 62. Over the course of your life, have you recklessly given in to urges to do things that were sure to get you in trouble? *62a. Have you recklessly given in to these urges in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	304	86.1 %
1	YES	48	13.6 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

- Study 27963 -

pd63 BPD 3 (abandoned) -lifetime

Location: 1550-1551 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 63. Over the course of your life, have you made desperate efforts to avoid feeling abandoned or to avoid being abandoned (e.g., repeatedly called someone to reassure yourself that he or she still cared, begged them not to leave you, clung to them physically, or hurt yourself to keep them from leaving you)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	176	49.9 %
1	YES	176	49.9 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.50
- Median: 0.50
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

pd63a BPD 3a (abandoned) -past month

Location: 1552-1553 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: 63. Over the course of your life, have you made desperate efforts to avoid feeling abandoned or to avoid being abandoned (e.g., repeatedly called someone to reassure yourself that he or she still cared, begged them not to leave you, clung to them physically, or hurt yourself to keep them from leaving you)? *63a. Have you made these desperate attempts in the in the last month?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	302	85.6 %
1	YES	50	14.2 %
-8 (M)	ACCIDENTAL SKIP	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

gs1 GS 1 (fights) -past 12 months

- Study 27963 -

Location: 1554-1555 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: GS1 (fights)- past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	126	35.7 %
1	YES	35	9.9 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 161 valid cases out of 353 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

gs1a **GS 1a (fights) -lifetime**

Location: 1556-1557 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: GS1a (fights)- lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	46	13.0 %
1	YES	115	32.6 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 161 valid cases out of 353 total cases.

- Mean: 0.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

gs2 **GS 2 (alc/drugs caused problems) -past 12 months**

Location: 1558-1559 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: GS2 (alc/drugs caused problems work/school/home)- past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	104	29.5 %
1	YES	57	16.1 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 161 valid cases out of 353 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

gs2a **GS 2a (alc/drugs caused problems) -lifetime**

Location: 1560-1561 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: GS2a (alc/drugs caused problems work/school/home)- lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	34	9.6 %
1	YES	126	35.7 %
-8 (M)	ACCIDENTAL SKIP	4	1.1 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 160 valid cases out of 353 total cases.

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

gs3 **GS 3 (withdrawal problems) -past 12 months**

Location: 1562-1563 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: GS3 (withdrawal probs alc/drugs)- past 12 months

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	127	36.0 %
1	YES	34	9.6 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 161 valid cases out of 353 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

gs3a **GS 3a (withdrawal problems) -lifetime**

Location: 1564-1565 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: GS3a (withdrawal probs alc/drugs)- lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	75	21.2 %
1	YES	86	24.4 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 161 valid cases out of 353 total cases.

- Mean: 0.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gs4 **GS 4 (pushed/grabbed) -past 12 months**

Location: 1566-1567 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: GS4 (pushed/grabbed someone)- past 12 months

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	97	27.5 %
1	YES	64	18.1 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 161 valid cases out of 353 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

gs4a **GS 4a (pushed/grabbed) -lifetime**

Location: 1568-1569 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: GS4a (pushed/grabbed someone)- lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	18	5.1 %
1	YES	142	40.2 %
-8 (M)	ACCIDENTAL SKIP	4	1.1 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 160 valid cases out of 353 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

gs5 **GS 5 (stolen from a store) -past 12 months**

Location: 1570-1571 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: GS5 (shoplifted)- past 12 months

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	137	38.8 %
1	YES	24	6.8 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 161 valid cases out of 353 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

gs5a **GS 5a (stolen from a store) -lifetime**

Location: 1572-1573 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: GS5a (shoplifted)- lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	30	8.5 %
1	YES	129	36.5 %
-8 (M)	ACCIDENTAL SKIP	5	1.4 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 159 valid cases out of 353 total cases.

- Mean: 0.81
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

gs6 **GS 6 (sold/distributed/made drugs) -past 12 months**

Location: 1574-1575 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: GS6 (sold/distributed/made drugs)- past 12 months

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	117	33.1 %
1	YES	44	12.5 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 161 valid cases out of 353 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

gs6a	GS 6a (sold/distributed/made drugs) -lifetime
-------------	--

Location: 1576-1577 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: GS6a (sold/distributed/made drugs)- lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	43	12.2 %
1	YES	116	32.9 %
-8 (M)	ACCIDENTAL SKIP	5	1.4 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 159 valid cases out of 353 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

gs7	GS 7 (driven under influence) -past 12 months
------------	--

Location: 1578-1579 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: GS7 (driven under influence alc/drugs)- past 12 months

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	115	32.6 %
1	YES	46	13.0 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 161 valid cases out of 353 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

gs7a **GS 7a (driven under influence) -lifetime**

Location: 1580-1581 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: GS7a (driven under influence alc/drugs)- lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	20	5.7 %
1	YES	141	39.9 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 161 valid cases out of 353 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

gs8 **GS 8 (damaged/destroyed property) -past 12 months**

Location: 1582-1583 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: GS8 (damaged/destroyed property)- past 12 months

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	136	38.5 %
1	YES	25	7.1 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 161 valid cases out of 353 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

gs8a	GS 8a (damaged/destroyed property) -lifetime
-------------	---

Location: 1584-1585 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: GS8a (damaged/destroyed property)- lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	54	15.3 %
1	YES	107	30.3 %
-8 (M)	ACCIDENTAL SKIP	3	0.8 %
-1 (M)	VARIABLE NOT ON FORM	189	53.5 %

Based upon 161 valid cases out of 353 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

editdate	Edit Date
-----------------	------------------

Location: 1586-1596 (width: 11; decimal: 0)
Variable Type: character
Question: Edit Date

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	4	1.1 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
01-Apr-2006	8	2.3 %
01-Aug-2006	19	5.4 %
01-Dec-2005	5	1.4 %
01-Jun-2006	1	0.3 %
01-Mar-2006	13	3.7 %
02-Aug-2005	21	5.9 %
02-Dec-2005	3	0.8 %
02-Dec-2006	5	1.4 %
02-Feb-2006	2	0.6 %
02-Jun-2006	1	0.3 %
02-Mar-2006	2	0.6 %
02-Nov-2006	11	3.1 %
04-Dec-2006	5	1.4 %
04-Nov-2005	5	1.4 %
05-Dec-2005	3	0.8 %
06-Dec-2005	4	1.1 %
06-Dec-2006	3	0.8 %
06-Jan-2006	3	0.8 %
06-Jun-2006	1	0.3 %
07-Dec-2005	1	0.3 %
07-Mar-2006	3	0.8 %
09-Jun-2005	10	2.8 %
10-Aug-2005	1	0.3 %
10-Feb-2006	3	0.8 %
10-May-2007	15	4.2 %
10-May-2017	1	0.3 %
10-Nov-2005	1	0.3 %
11-Aug-2005	10	2.8 %
13-Apr-2006	4	1.1 %
13-Oct-2005	2	0.6 %
14-Dec-2005	1	0.3 %
14-Feb-2006	1	0.3 %
14-Jun-2006	1	0.3 %
14-Mar-2006	3	0.8 %
14-Oct-2005	3	0.8 %
15-Dec-2005	2	0.6 %
15-Feb-2006	11	3.1 %
15-Feb-2007	3	0.8 %
15-Jan-2007	1	0.3 %
15-Jul-2005	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
15-Nov-2005	3	0.8 %
16-Dec-2005	4	1.1 %
16-Jan-2006	2	0.6 %
16-May-2006	1	0.3 %
16-Nov-2005	13	3.7 %
16-Oct-2005	12	3.4 %
17-Nov-2005	3	0.8 %
18-Aug-2005	4	1.1 %
18-Jul-2006	2	0.6 %
18-Mar-2007	14	4.0 %
19-Aug-2005	10	2.8 %
19-Dec-2006	6	1.7 %
19-Jan-2006	1	0.3 %
20-Jun-2006	2	0.6 %
21-Dec-2005	2	0.6 %
22-Aug-2005	8	2.3 %
22-Jul-2005	1	0.3 %
22-Jun-2006	2	0.6 %
23-Sep-2005	4	1.1 %
24-Aug-2005	2	0.6 %
24-Feb-2006	3	0.8 %
24-Mar-2006	2	0.6 %
25-Aug-2005	1	0.3 %
26-May-2006	1	0.3 %
27-Apr-2006	2	0.6 %
27-Jul-2005	4	1.1 %
28-Apr-2006	11	3.1 %
28-Aug-2006	2	0.6 %
29-Oct-2006	8	2.3 %
30-Aug-2005	6	1.7 %
30-Jun-2005	16	4.5 %
30-Mar-2006	1	0.3 %
30-Sep-2005	3	0.8 %

Based upon 353 valid cases out of 353 total cases.

d1bi1t	Bipolar I Lifetime
---------------	---------------------------

Location: 1597-1598 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Bipolar I Lifetime

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	341	96.6 %
3	Threshold	12	3.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.07
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.36

d1bi1lta Bipolar I Lifetime- Episodes

Location: 1599-1600 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: Bipolar I Lifetime- Episodes

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Recurrent	11	3.1 %
-9 (M)	Legitimate Skip	341	96.6 %
-8 (M)	Accidental Skip	1	0.3 %

Based upon 11 valid cases out of 353 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

d1bi1ltb Bipolar I Lifetime- Cycling

Location: 1601-1602 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: Bipolar I Lifetime- Cycling

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Without Rapid Cycling	8	2.3 %
1	With Rapid Cycling	4	1.1 %
-9 (M)	Legitimate Skip	341	96.6 %

- Study 27963 -

Based upon 12 valid cases out of 353 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

d1bi1ltc

Bipolar I Lifetime- Pattern

Location: 1603-1604 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Bipolar I Lifetime- Pattern

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Without Seasonal Pattern'	12	3.4 %
-9 (M)	Legitimate Skip	341	96.6 %

Based upon 12 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

d1bi1ltd

Bipolar I Lifetime- Remission

Location: 1605-1606 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Bipolar I Lifetime- Remission

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	In Partial Remission	5	1.4 %
7	In Full Remission	4	1.1 %
-9 (M)	Legitimate Skip	344	97.5 %

Based upon 9 valid cases out of 353 total cases.

- Mean: 6.44
- Median: 6.00
- Mode: 6.00
- Minimum: 6.00

- Study 27963 -

- Maximum: 7.00
- Standard Deviation: 0.53

d1bi1pm Bipolar I Past Month

Location: 1607-1608 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Bipolar I Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	10	2.8 %
3	Present	3	0.8 %
-9 (M)	Legitimate Skip	340	96.3 %

Based upon 13 valid cases out of 353 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.88

d1bi1pmb Bipolar I Past Month- Current Episode

Location: 1609-1610 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Bipolar I Past Month- Current Episode

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Hypomanic	1	0.3 %
4	Major Depressive	2	0.6 %
-9 (M)	Legitimate Skip	350	99.2 %

Based upon 3 valid cases out of 353 total cases.

- Mean: 3.67
- Median: 4.00
- Mode: 4.00
- Minimum: 3.00
- Maximum: 4.00
- Standard Deviation: 0.58

d1bi1pmb Bipolar I Past Month- Major Depressive Type

- Study 27963 -

Location: 1611-1612 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Bipolar I Past Month- Major Depressive Type

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Melancholic	1	0.3 %
-9 (M)	Legitimate Skip	66	18.7 %
-1 (M)	Variable Not on Form	286	81.0 %

Based upon 1 valid cases out of 353 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

d1bi1pmc **Bipolar I Past Month- Current Severity**

Location: 1613-1614 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Bipolar I Past Month- Current Severity

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Moderate	3	0.8 %
-9 (M)	Legitimate Skip	350	99.2 %

Based upon 3 valid cases out of 353 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

d2bi2lt **Bipolar II Lifetime**

Location: 1615-1616 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Bipolar II Lifetime

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	349	98.9 %
2	Sub-Threshold	1	0.3 %
3	Threshold	3	0.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.02
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.19

d2bi2lta Bipolar II Lifetime- Cycling

Location: 1617-1618 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: Bipolar II Lifetime- Cycling

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Without Rapid Cycling	3	0.8 %
-9 (M)	Legitimate Skip	350	99.2 %

Based upon 3 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

d2bi2ltb Bipolar II Lifetime- Pattern

Location: 1619-1620 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: Bipolar II Lifetime- Pattern

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Without Seasonal Pattern'	3	0.8 %
-9 (M)	Legitimate Skip	350	99.2 %

Based upon 3 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

d2bi2ltc Bipolar II Lifetime- Remission

Location: 1621-1622 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Bipolar II Lifetime- Remission

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	In Partial Remission	2	0.6 %
7	In Full Remission	1	0.3 %
-9 (M)	Legitimate Skip	350	99.2 %

Based upon 3 valid cases out of 353 total cases.

- Mean: 6.33
- Median: 6.00
- Mode: 6.00
- Minimum: 6.00
- Maximum: 7.00
- Standard Deviation: 0.58

d2bi2pm Bipolar II Past Month

Location: 1623-1624 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Bipolar II Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	3	0.8 %
-9 (M)	Legitimate Skip	350	99.2 %

Based upon 3 valid cases out of 353 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

- Study 27963 -

d2bi2pma Bipolar II Past Month- Current Episode

Location: 1625-1626 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Bipolar II Past Month- Current Episode

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Legitimate Skip	353	100.0 %

Based upon 0 valid cases out of 353 total cases.

d2bi2pmb Bipolar II Past Month- Major Depressive Type

Location: 1627-1628 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Bipolar II Past Month- Major Depressive Type

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Legitimate Skip	353	100.0 %

Based upon 0 valid cases out of 353 total cases.

d2bi2pmc Bipolar II Past Month- Current Severity

Location: 1629-1630 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Bipolar II Past Month- Current Severity

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Legitimate Skip	353	100.0 %

Based upon 0 valid cases out of 353 total cases.

d5biolt Other Bipolar Disorder Lifetime

Location: 1631-1632 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Other Bipolar Disorder Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Inadequate Information	1	0.3 %
1	Absent	348	98.6 %
3	Threshold	2	0.6 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8 (M)	Accidental Skip	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.16

d5biopm Other Bipolar Disorder Past Month

Location: 1633-1634 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: Other Bipolar Disorder Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	1	0.3 %
3	Present	1	0.3 %
-9 (M)	Legitimate Skip	349	98.9 %
-8 (M)	Accidental Skip	2	0.6 %

Based upon 2 valid cases out of 353 total cases.

- Mean: 2.00
- Median: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 1.41

d5bioa Other Bipolar Disorder Type

Location: 1635-1636 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: Other Bipolar Disorder Type

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Intermittent Hypomanic Episodes	1	0.3 %
5	Other	1	0.3 %
-9 (M)	Legitimate Skip	349	98.9 %
-8 (M)	Accidental Skip	2	0.6 %

- Study 27963 -

Based upon 2 valid cases out of 353 total cases.

- Mean: 3.50
- Median: 3.50
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 2.12

d6mddl Major Depressive Disorder Lifetime

Location: 1637-1638 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Major Depressive Disorder Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	255	72.2 %
2	Sub-Threshold	9	2.5 %
3	Threshold	89	25.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.53
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.87

d6mddlta Major Depressive Disorder Lifetime- Episodes

Location: 1639-1640 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Major Depressive Disorder Lifetime- Episodes

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Single Episode	25	7.1 %
2	Recurrent	65	18.4 %
-9 (M)	Legitimate Skip	261	73.9 %
-8 (M)	Accidental Skip	2	0.6 %

Based upon 90 valid cases out of 353 total cases.

- Mean: 1.72
- Median: 2.00

- Study 27963 -

- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.45

d6mddlth Major Depressive Disorder Lifetime- Pattern

Location: 1641-1642 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Major Depressive Disorder Lifetime- Pattern

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Without Seasonal Pattern'	84	23.8 %
1	With Seasonal Pattern	3	0.8 %
-9 (M)	Legitimate Skip	262	74.2 %
-8 (M)	Accidental Skip	4	1.1 %

Based upon 87 valid cases out of 353 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

d6mddlthc Major Depressive Disorder Lifetime- Remission

Location: 1643-1644 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Major Depressive Disorder Lifetime- Remission

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	In Partial Remission	23	6.5 %
7	In Full Remission	40	11.3 %
-9 (M)	Legitimate Skip	281	79.6 %
-8 (M)	Accidental Skip	9	2.5 %

Based upon 63 valid cases out of 353 total cases.

- Mean: 6.63
- Median: 7.00
- Mode: 7.00
- Minimum: 6.00
- Maximum: 7.00

- Study 27963 -

- Standard Deviation: 0.49

d6mddpm Major Depressive Disorder Past Month

Location: 1645-1646 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Major Depressive Disorder Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	61	17.3 %
2	-	2	0.6 %
3	Present	22	6.2 %
-9 (M)	Legitimate Skip	261	73.9 %
-8 (M)	Accidental Skip	7	2.0 %

Based upon 85 valid cases out of 353 total cases.

- Mean: 1.54
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.88

d6mddpma Major Depressive Disorder Past Month- Current Episode

Location: 1647-1648 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Major Depressive Disorder Past Month- Current Episode

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Neither Melancholic, Atypical, Nor catatonic	6	1.7 %
1	Melancholic	6	1.7 %
2	Atypical	2	0.6 %
-9 (M)	Legitimate Skip	322	91.2 %
-8 (M)	Accidental Skip	17	4.8 %

Based upon 14 valid cases out of 353 total cases.

- Mean: 0.71
- Median: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.73

- Study 27963 -

d6mddpmb Major Depressive Disorder Past Month- Current Severity

Location: 1649-1650 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Major Depressive Disorder Past Month- Current Severity

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mild	2	0.6 %
2	Moderate	18	5.1 %
3	Severe, without psychotic features	3	0.8 %
4	With mood-congruent psychotic features	1	0.3 %
-9 (M)	Legitimate Skip	322	91.2 %
-8 (M)	Accidental Skip	7	2.0 %

Based upon 24 valid cases out of 353 total cases.

- Mean: 2.12
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.61

a35ddlt Dysthymic Disorder Lifetime

Location: 1651-1652 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Dysthymic Disorder Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Inadequate Information	1	0.3 %
1	Absent	332	94.1 %
2	Sub-Threshold	5	1.4 %
3	Threshold	15	4.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.10
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.42

- Study 27963 -

a35ddlta Dysthymic Disorder- Onset

Location: 1653-1654 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Dysthymic Disorder- Onset

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Early Onset	6	1.7 %
2	Late Onset	10	2.8 %
-9 (M)	Legitimate Skip	337	95.5 %

Based upon 16 valid cases out of 353 total cases.

- Mean: 1.62
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

a35ddlta Dysthymic Disorder- Features

Location: 1655-1656 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Dysthymic Disorder- Features

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Without Atypical Features	12	3.4 %
1	With Atypical Features	4	1.1 %
-9 (M)	Legitimate Skip	337	95.5 %

Based upon 16 valid cases out of 353 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

d9ddlt Depressive Disorder NOS Lifetime

Location: 1657-1658 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

Depressive Disorder NOS Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Inadequate Information	1	0.3 %
1	Absent	350	99.2 %
3	Threshold	2	0.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.16

d9ddpm

Depressive Disorder NOS Past Month

Location: 1659-1660 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Depressive Disorder NOS Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	1	0.3 %
3	Present	1	0.3 %
-9 (M)	Legitimate Skip	351	99.4 %

Based upon 2 valid cases out of 353 total cases.

- Mean: 2.00
- Median: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 1.41

d9dda

Depressive Disorder NOS Type

Location: 1661-1662 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Depressive Disorder NOS Type

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Postpsychotic Depressive Disorder of Schizophrenia	1	0.3 %
4	Minor Depressive Disorder	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	Other	1	0.3 %
-9 (M)	Legitimate Skip	350	99.2 %

Based upon 3 valid cases out of 353 total cases.

- Mean: 3.67
- Median: 4.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 2.52

a38mdmcl Mood Disorder Due to a General Medical Condition Lifetime

Location: 1663-1664 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Mood Disorder Due to a General Medical Condition Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	350	99.2 %
3	Threshold	3	0.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.02
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.18

a38mdmcp Mood Disorder Due to a General Medical Condition Past Month

Location: 1665-1666 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Mood Disorder Due to a General Medical Condition Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	2	0.6 %
3	Present	1	0.3 %
-9 (M)	Legitimate Skip	350	99.2 %

Based upon 3 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 1.67
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 1.15

a38mdmca

Mood Disorder Due to a General Medical Condition Type

Location: 1667-1668 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Mood Disorder Due to a General Medical Condition Type

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	With Major Depressive-like Episode	1	0.3 %
4	With Mixed Features	1	0.3 %
-9 (M)	Legitimate Skip	350	99.2 %
-8 (M)	Accidental Skip	1	0.3 %

Based upon 2 valid cases out of 353 total cases.

- Mean: 2.50
- Median: 2.50
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 2.12

a38spgmc

Specify GMC

Location: 1669-1718 (width: 50; decimal: 0)

Variable Type: character

Question: Specify GMC

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	350	99.2 %
CHRONIC MONO	1	0.3 %
HEP C	1	0.3 %
PREGNANCY	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

a40simdl

Substance-Induced Mood Disorder Lifetime

Location: 1719-1720 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Substance-Induced Mood Disorder Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	328	92.9 %
3	Threshold	25	7.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.14
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.51

a40simdp Substance-Induced Mood Disorder Past Month

Location: 1721-1722 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Substance-Induced Mood Disorder Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	22	6.2 %
3	Present	2	0.6 %
-9 (M)	Legitimate Skip	328	92.9 %
-8 (M)	Accidental Skip	1	0.3 %

Based upon 24 valid cases out of 353 total cases.

- Mean: 1.17
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.56

a40simda Substance-Induced Mood Disorder Type

Location: 1723-1724 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Substance-Induced Mood Disorder Type

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	With Depressive Features	14	4.0 %
2	With Manic Features	10	2.8 %
3	With Mixed Features	1	0.3 %
-9 (M)	Legitimate Skip	328	92.9 %

Based upon 25 valid cases out of 353 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.59

a40spsu Specify Substance

Location: 1725-1774 (width: 50; decimal: 0)
 Variable Type: character
 Question: Specify Substance

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	16	4.5 %
-9	329	93.2 %
COCAINE	1	0.3 %
METH	3	0.8 %
METHAMPHETAMINE	4	1.1 %

Based upon 353 valid cases out of 353 total cases.

c5schlt Schizophrenia Lifetime

Location: 1775-1776 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Schizophrenia Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	349	98.9 %
3	Threshold	4	1.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.02
- Median: 1.00
- Mode: 1.00

- Study 27963 -

- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.21

c5schpm Schizophrenia Past Month

Location: 1777-1778 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Schizophrenia Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	1	0.3 %
3	Present	3	0.8 %
-9 (M)	Legitimate Skip	349	98.9 %

Based upon 4 valid cases out of 353 total cases.

- Mean: 2.50
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 1.00

c16bpdlt Brief Psychotic Disorder Lifetime

Location: 1779-1780 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Brief Psychotic Disorder Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	351	99.4 %
3	Threshold	2	0.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.15

c16bpdpm Brief Psychotic Disorder Past Month

- Study 27963 -

Location: 1781-1782 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Brief Psychotic Disorder Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	2	0.6 %
-9 (M)	Legitimate Skip	351	99.4 %

Based upon 2 valid cases out of 353 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

c18pdmcl Psychotic Disorder Due to a General Medical Condition Lifetime

Location: 1783-1784 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Psychotic Disorder Due to a GMC Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	353	100.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

c18pdmcp Psychotic Disorder Due to a General Medical Condition Past Month

Location: 1785-1786 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Psychotic Disorder Due to a GMC Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Legitimate Skip	353	100.0 %

- Study 27963 -

Based upon 0 valid cases out of 353 total cases.

c18pdmca Psychotic Disorder Due to a General Medical Condition Type

Location: 1787-1788 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Psychotic Disorder Due to a GMC Type

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Legitimate Skip	353	100.0 %

Based upon 0 valid cases out of 353 total cases.

c18spgmc Specify GMC

Location: 1789-1838 (width: 50; decimal: 0)
 Variable Type: character
 Question: Specify GMC

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	353	100.0 %

Based upon 353 valid cases out of 353 total cases.

c20sipdl Substance-Induced Psychotic Disorder Lifetime

Location: 1839-1840 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Substance-Induced Psychotic Disorder Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	342	96.9 %
3	Threshold	11	3.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.06
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.35

c20sipdp Substance-Induced Psychotic Disorder Past Month

Location: 1841-1842 (width: 2; decimal: 0)

- Study 27963 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Substance-Induced Psychotic Disorder Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	11	3.1 %
-9 (M)	Legitimate Skip	342	96.9 %

Based upon 11 valid cases out of 353 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

c20sipda Substance-Induced Psychotic Disorder Type

Location: 1843-1844 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Substance-Induced Psychotic Disorder Type

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	With Delusions	3	0.8 %
2	With Hallucinations	8	2.3 %
-9 (M)	Legitimate Skip	342	96.9 %

Based upon 11 valid cases out of 353 total cases.

- Mean: 1.73
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.47

c20spsu Specify Substance

Location: 1845-1894 (width: 50; decimal: 0)
 Variable Type: character
 Question: Specify Substance

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	6	1.7 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	342	96.9 %
AMPHETAMINE	1	0.3 %
COCAINE	2	0.6 %
METH	1	0.3 %
METHAMPHETAMINE	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

c22pdl **Psychotic Disorder NOS Lifetime**

Location: 1895-1896 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: Psychotic Disorder NOS Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	347	98.3 %
3	Threshold	6	1.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.03
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.26

c22pdp **Psychotic Disorder NOS Past Month**

Location: 1897-1898 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: Psychotic Disorder NOS Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	1	0.3 %
3	Present	5	1.4 %
-9 (M)	Legitimate Skip	347	98.3 %

Based upon 6 valid cases out of 353 total cases.

- Mean: 2.67
- Median: 3.00
- Mode: 3.00

- Study 27963 -

- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.82

tcuds	Total Score from TCUDS
-------	------------------------

Location: 1899-1900 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Total Score from TCUDS

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	35	9.9 %
1	-	17	4.8 %
2	-	21	5.9 %
3	-	30	8.5 %
4	-	25	7.1 %
5	-	33	9.3 %
6	-	26	7.4 %
7	-	34	9.6 %
8	-	54	15.3 %
9	-	78	22.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 5.50
- Median: 6.00
- Mode: 9.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 3.06

f3pdlf	Panic Disorder Lifetime
--------	-------------------------

Location: 1901-1902 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Panic Disorder Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	313	88.7 %
2	Sub-Threshold	3	0.8 %
3	Threshold	37	10.5 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 1.22
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.62

f3pdlt **Panic Disorder Type**

Location: 1903-1904 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Panic Disorder Type

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Without Agoraphobia	19	5.4 %
2	With Agoraphobia	17	4.8 %
3	3: Unknown	1	0.3 %
-9 (M)	Legitimate Skip	316	89.5 %

Based upon 37 valid cases out of 353 total cases.

- Mean: 1.51
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.56

f3pdp **Panic Disorder Past Month**

Location: 1905-1906 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Panic Disorder Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	18	5.1 %
2	2: Unknown	2	0.6 %
3	Present	15	4.2 %
-9 (M)	Legitimate Skip	316	89.5 %
-8 (M)	Accidental Skip	2	0.6 %

Based upon 35 valid cases out of 353 total cases.

- Mean: 1.91

- Study 27963 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.98

f9awopdl Agoraphobia without History of Panic Disorder Lifetime

Location: 1907-1908 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Agoraphobia without History of Panic Disorder Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	346	98.0 %
2	Sub-Threshold	2	0.6 %
3	Threshold	5	1.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.03
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.25

f9awopdp Agoraphobia without History of Panic Disorder Past Month

Location: 1909-1910 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Agoraphobia without History of Panic Disorder Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	1	0.3 %
3	Present	5	1.4 %
-9 (M)	Legitimate Skip	347	98.3 %

Based upon 6 valid cases out of 353 total cases.

- Mean: 2.67
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.82

f14oclt **Obsessive Compulsive Lifetime**

Location: 1911-1912 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Obsessive Compulsive Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	336	95.2 %
3	Threshold	17	4.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.10
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.43

f14ocpm **Obsessive Compulsive Past Month**

Location: 1913-1914 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Obsessive Compulsive Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	5	1.4 %
3	Present	12	3.4 %
-9 (M)	Legitimate Skip	336	95.2 %

Based upon 17 valid cases out of 353 total cases.

- Mean: 2.41
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.94

f20pslt **Posttraumatic Stress Lifetime**

Location: 1915-1916 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Posttraumatic Stress Lifetime

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Inadequate Information	3	0.8 %
1	Absent	296	83.9 %
2	Subthreshold	8	2.3 %
3	Threshold	46	13.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.69

f20pspm Posttraumatic Stress Past Month

Location: 1917-1918 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Posttraumatic Stress Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	17	4.8 %
3	Present	29	8.2 %
-9 (M)	Legitimate Skip	307	87.0 %

Based upon 46 valid cases out of 353 total cases.

- Mean: 2.26
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.98

f24galt Generalized Anxiety Lifetime

Location: 1919-1920 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Generalized Anxiety Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	327	92.6 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Subthreshold	6	1.7 %
3	Threshold	20	5.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.13
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.48

f26admcl Anxiety Disorder Due to GMC Lifetime

Location: 1921-1922 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Anxiety Disorder Due to GMC Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	352	99.7 %
3	Threshold	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.11

f26admcp Anxiety Disorder Due to GMC Past Month

Location: 1923-1924 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Anxiety Disorder Due to GMC Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Present	1	0.3 %
-9 (M)	Legitimate Skip	352	99.7 %

Based upon 1 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

f26admca Anxiety Disorder Due to GMC Type

Location: 1925-1926 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Anxiety Disorder Due to GMC

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	With Panic Attacks	1	0.3 %
-9 (M)	Legitimate Skip	352	99.7 %

Based upon 1 valid cases out of 353 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

f26spgmc Specify GMC

Location: 1927-1976 (width: 50; decimal: 0)
 Variable Type: character
 Question: Specify GMC

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	1	0.3 %
-9	352	99.7 %

Based upon 353 valid cases out of 353 total cases.

f29siadl Substance-Induced Anxiety Disorder Lifetime

Location: 1977-1978 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Substance-Induced Anxiety Disorder Lifetime

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	345	97.7 %
3	Threshold	8	2.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.05
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.30

f29siadp Substance-Induced Anxiety Disorder Past Month

Location: 1979-1980 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Substance-Induced Anxiety Disorder Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	7	2.0 %
3	Present	1	0.3 %
-9 (M)	Legitimate Skip	345	97.7 %

Based upon 8 valid cases out of 353 total cases.

- Mean: 1.25
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.71

f29siada Substance-Induced Anxiety Disorder Type

Location: 1981-1982 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Substance-Induced Anxiety Disorder Type

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	With Generalized Anxiety	2	0.6 %
2	With Panic Attacks	5	1.4 %
3	With Obsessive-Compulsive Symptoms	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	With Phobic Symptoms	1	0.3 %
-9 (M)	Legitimate Skip	344	97.5 %

Based upon 9 valid cases out of 353 total cases.

- Mean: 2.11
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.93

f29spsu	Specify Substance
----------------	--------------------------

Location: 1983-2032 (width: 50; decimal: 0)
Variable Type: character
Question: Specify Substance

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	3	0.8 %
-9	344	97.5 %
CAFFFEINE	1	0.3 %
COCAINE	2	0.6 %
COUGH SYRUP	1	0.3 %
cocaine	1	0.3 %
crack	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

f31adlt	Anxiety Disorder NOS Lifetime
----------------	--------------------------------------

Location: 2033-2034 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: Anxiety Disorder NOS Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Inadequate Information	1	0.3 %
1	Absent	344	97.5 %
3	Threshold	8	2.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.04

- Study 27963 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.30

f31adpm Anxiety Disorder NOS Past Month

Location: 2035-2036 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Anxiety Disorder NOS Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	3	0.8 %
3	Present	5	1.4 %
-9 (M)	Legitimate Skip	345	97.7 %

Based upon 8 valid cases out of 353 total cases.

- Mean: 2.25
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 1.04

h2anlt Anorexia Nervosa Lifetime

Location: 2037-2038 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Anorexia Nervosa Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	347	98.3 %
2	Sub-Threshold	4	1.1 %
3	Threshold	2	0.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.02
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.18

- Study 27963 -

h2anpm Anorexia Nervosa Past Month

Location: 2039-2040 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Anorexia Nervosa Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	2	0.6 %
3	Present	1	0.3 %
-9 (M)	Legitimate Skip	350	99.2 %

Based upon 3 valid cases out of 353 total cases.

- Mean: 1.67
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 1.15

h5bnlt Bulimia Nervosa Lifetime

Location: 2041-2042 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Bulimia Nervosa Lifetime

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	342	96.9 %
2	Sub-Threshold	3	0.8 %
3	Threshold	8	2.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.05
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.31

h5bnpm Bulimia Nervosa Past Month

Location: 2043-2044 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 27963 -

Question:

Bulimia Nervosa Past Month

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	5	1.4 %
3	Present	2	0.6 %
-9 (M)	Legitimate Skip	345	97.7 %
-8 (M)	Accidental Skip	1	0.3 %

Based upon 7 valid cases out of 353 total cases.

- Mean: 1.57
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.98

diff1

Interviewer's Diagnosis, If Different from SCID Diagnosis 1

Location:

2045-2144 (width: 100; decimal: 0)

Variable Type:

character

Question:

Interviewer's Diagnosis, If Different from SCID Diagnosis 1

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	300	85.0 %
ADJ DISORDER W/MXD ANXIETY & DEPRESSED MODE 309.28	1	0.3 %
ADJUSTMENT DISORDER	1	0.3 %
ALCOHOL DEP. (C.E.)	1	0.3 %
ALCOHOL DEPENDENCE	1	0.3 %
ALCOHOL DEPENDENCE (CE)	1	0.3 %
AMPHET. DEP.	1	0.3 %
ANTISOCIAL PD	2	0.6 %
ANTISOCIAL PERSONALITY DISORDER	1	0.3 %
ASPD	7	2.0 %
B.P.D.	1	0.3 %
BIPOLAR D/O	2	0.6 %
BORDERLINE P.D.	2	0.6 %
BULIMIA NERVOSA- NON PURGING TYPE	1	0.3 %
Bi-polar; rapid cycle	1	0.3 %
CANNABIS DEP (CE)	1	0.3 %
COCAINE DEP	1	0.3 %
ETOH Dependence	1	0.3 %
GAD	1	0.3 %
Hx of Alcohol dependence	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Hx of PTSD	1	0.3 %
Hx of major depression, recurrent	1	0.3 %
I don't think she has PDST. I think she was confused	1	0.3 %
METH DEP	1	0.3 %
MJ Abuse	1	0.3 %
NO PSYCHOLOGICAL OR MENTAL PROBLEMS	1	0.3 %
PSYCHOTIC NOS	1	0.3 %
R/O ADJUSTMENT D/O	1	0.3 %
R/O ALCOHOL DEPENDENCE	1	0.3 %
R/O PTSD	1	0.3 %
R/O SCHIZOAFFECTIVE: SHE HAD DIFFICULTY EXPRESSING HERSELF ELOQUENTLY & ANSWERED INCONSISTENTLY	1	0.3 %
R/O schizon affect D/O	1	0.3 %
R/O schizophrenia (she had little insight RE sx)	1	0.3 %
Ro schizo affective	1	0.3 %
SCHIZOPHRENIA	1	0.3 %
SIMPLE BEREAVEMENT	1	0.3 %
SOCIAL ANXIETY D/O	1	0.3 %
SUBSTANCE DEPENDENCE	2	0.6 %
SUBSTANCE INDUCED MOOD W/MANIC 08.3.1.2	1	0.3 %
Schizo affective D/O	1	0.3 %
V65.2 MALINGERING	1	0.3 %
alcohol abuse	1	0.3 %
cannabis abuse	1	0.3 %
rule out PTSD	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

diff1a

Interviewer Diagnosis 1, yes no

Location: 2145-2146 (width: 2; decimal: 0)

Variable Type: numeric

Question: Interviewer Diagnosis 1, yes no

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	324	91.8 %
1	YES	29	8.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00

- Study 27963 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

diff2 Interviewer's Diagnosis, If Different from SCID Diagnosis 2

Location: 2147-2196 (width: 50; decimal: 0)

Variable Type: character

Question: Interviewer's Diagnosis, If Different from SCID Diagnosis 2

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	337	95.5 %
A.S.P.D.	2	0.6 %
ANTISOCIAL P.D.	1	0.3 %
ASPD	1	0.3 %
BORDERLINE P.D.	1	0.3 %
BPD	3	0.8 %
COCAINE DEP (CE)	1	0.3 %
COCAINE DEPENDENCE (SFR)	1	0.3 %
DYSTHIMIC D/O	1	0.3 %
Hallucinogen abuse	1	0.3 %
I'm was unclear b/c it has been so long since she	1	0.3 %
SUBSTANCE INDUCED PSYCHOTIC D/O 15.3.1.(2)	1	0.3 %
VS. POSTPARTUM DEPRESSION	1	0.3 %
psychotix dx present but difficult to tease out	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

diff2a Interviewer Diagnosis 2, yes no

Location: 2197-2198 (width: 2; decimal: 0)

Variable Type: numeric

Question: Interviewer Diagnosis 2, yes no

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	343	97.2 %
1	YES	10	2.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

- Study 27963 -

diff3 Interviewer's Diagnosis, If Different from SCID Diagnosis 3

Location: 2199-2248 (width: 50; decimal: 0)
 Variable Type: character
 Question: Interviewer's Diagnosis, If Different from SCID Diagnosis 3

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	348	98.6 %
ANTISOCIAL PD	1	0.3 %
SUBSTANCE INDUCED ANXIETY W/PANIC ATTACKS 34.3.1.2	1	0.3 %
VS. SUBSTANCE INDUCED MOOD D/O	1	0.3 %
mood dx from drug use & very inconsistent answerin	1	0.3 %
was not on meds and has has tx	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

diff3a Interviewer Diagnosis 3, yes no

Location: 2249-2250 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Interviewer Diagnosis 3, yes no

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	351	99.4 %
1	YES	2	0.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

anytxpm Have you been in any tx in past month

Location: 2251-2450 (width: 200; decimal: 0)
 Variable Type: character
 Question: OVERVIEW OF PRESENT ILLNESS IF UNKNOWN: Have you been in any kind of treatment in the past month?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	82	23.2 %
Masked	271	76.8 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

currtxtst Current Treatment Status (Past Month)

Location: 2451-2452 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -4 , -3 , .

Question: OVERVIEW OF PRESENT ILLNESS CURRENT TREATMENT STATUS (PAST MONTH):

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Current Inpatient	109	30.9 %
2	Current Outpatient	27	7.6 %
3	Other (e.g., 12-step program)	61	17.3 %
4	No Current Treatment	53	15.0 %
-9 (M)	Legitimate Skip	4	1.1 %
-8 (M)	Accidental Skip	97	27.5 %
. (M)	-	2	0.6 %

Based upon 250 valid cases out of 353 total cases.

- Mean: 2.23
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.22

datadmit Date Admitted to Program

Location: 2453-2502 (width: 50; decimal: 0)

Variable Type: character

Question: OVERVIEW OF PRESENT ILLNESS IF CURRENTLY IN TREATMENT: DATE ADMITTED TO PROGRAM FOR PRESENT ILNESS: _____

Based upon 353 valid cases out of 353 total cases.

weeks Number weeks since admission

Location: 2503-2504 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -4 , -3 , .

Question: OVERVIEW OF PRESENT ILLNESS Number of weeks since admission to facility

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< 1 Week	12	3.4 %
2	1-4 Weeks	90	25.5 %
3	> 4 Weeks	189	53.5 %
-9 (M)	Legitimate Skip	31	8.8 %
-8 (M)	Accidental Skip	22	6.2 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9	2.5 %

Based upon 291 valid cases out of 353 total cases.

- Mean: 2.61
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.57

entpro When entered program

Location: 2505-2604 (width: 100; decimal: 0)

Variable Type: character

Question: OVERVIEW OF PRESENT ILLNESS When did you enter this program?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	161	45.6 %
Masked	192	54.4 %

Based upon 353 valid cases out of 353 total cases.

compl Chief Complaint and Description of Presenting Problem

Location: 2605-2804 (width: 200; decimal: 0)

Variable Type: character

Question:

CHIEF COMPLAINT
AND DESCRIPTION OF
PRESENTING PROBLEM

What led to your coming here (this time)? (What's the major problem you've been having trouble with?)

IF DOES NOT GIVE DETAILS OF
PRESENTING PROBLEM:
Tell me more about that. (What do
you mean by . . .?)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	4	1.1 %
Masked	349	98.9 %

Based upon 353 valid cases out of 353 total cases.

onset1 Onset of Present Illness- when began

- Study 27963 -

Location: 2805-3004 (width: 200; decimal: 0)
 Variable Type: character
 Question:

ONSET OF PRESENT ILLNESS
 OR EXACERBATION

When did this begin? (When did you first notice that something was wrong?)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	36	10.2 %
Masked	317	89.8 %

Based upon 353 valid cases out of 353 total cases.

onset2 When Last Felt OK

Location: 3005-3204 (width: 200; decimal: 0)
 Variable Type: character
 Question:

ONSET OF PRESENT ILLNESS
 OR EXACERBATION

When were you last feeling OK (your usual self)?

Based upon 353 valid cases out of 353 total cases.

neworrec New Sxs or Recurrence

Location: 3205-3404 (width: 200; decimal: 0)
 Variable Type: character
 Question:

NEW SXS OR RECURRENCE

Is this something new or a return of something you had before?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	86	24.4 %
Masked	267	75.6 %

Based upon 353 valid cases out of 353 total cases.

new2 What made you come for help now?

Location: 3405-3604 (width: 200; decimal: 0)
 Variable Type: character
 Question:

NEW SXS OR RECURRENCE

- Study 27963 -

(What made you come for help now?)

Based upon 353 valid cases out of 353 total cases.

environ	Environmental Context and Possible Precipitants of Present Illness or Exacerbation
Location:	3605-3804 (width: 200; decimal: 0)
Variable Type:	character
Question:	ENVIRONMENTAL CONTEXT AND POSSIBLE PRECIPITANTS OF PRESENT ILLNESS OR EXACERBAT (USE THIS INFORMATION FOR CODING AXIS IV.) What was going on in your life when this began? Did anything happen or change just before all this started? (Do you think this had anything to do with your [F

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	47	13.3 %
Masked	306	86.7 %

Based upon 353 valid cases out of 353 total cases.

course	Course of Present Illness or Exacerbation
Location:	3805-4004 (width: 200; decimal: 0)
Variable Type:	character
Question:	COURSE OF PRESENT ILLNESS OR EXACERBATION After it started, what happened next? (Did other things start to bother you?)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	166	47.0 %
Masked	187	53.0 %

Based upon 353 valid cases out of 353 total cases.

worst	When Felt the Worst
Location:	4005-4204 (width: 200; decimal: 0)
Variable Type:	character
Question:	COURSE OF PRESENT ILLNESS OR EXACERBATION After it started, what happened next? (Did other things start to bother you?)

- Study 27963 -

Since this began, when have you felt the worst?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	80	22.7 %
Masked	273	77.3 %

Based upon 353 valid cases out of 353 total cases.

worst2 When Felt the Worst in Last Year

Location: 4205-4404 (width: 200; decimal: 0)

Variable Type: character

Question: COURSE OF PRESENT ILLNESS
OR EXACERBATION

After it started, what happened next? (Did other things start to bother you?)

Since this began, when have you felt the worst?

IF MORE THAN A YEAR AGO: In the
last year, when have you felt the worst?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	217	61.5 %
Masked	136	38.5 %

Based upon 353 valid cases out of 353 total cases.

txhispsy Treatment History- Psychiatric Problems

Location: 4405-4604 (width: 200; decimal: 0)

Variable Type: character

Question: TREATMENT HISTORY When was the first time you saw someone for emotional or psychiatric problems? (What was that for? What treatment(s) did you get? What medications? (THE LIFE CHART ON PAGE vi OF OVERVIEW MAY BE USED TO DOCUMENT A COMPLICATED HISTORY OF PSYCHOPATHOLOGY AND TREATMENT)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	33	9.3 %
Masked	320	90.7 %

Based upon 353 valid cases out of 353 total cases.

txdralc Treatment History- Drugs or Alcohol

Location: 4605-4804 (width: 200; decimal: 0)

Variable Type: character

Question: TREATMENT HISTORY When was the first time you saw someone for emotional or psychiatric problems? (What was that for? What treatment(s) did you get? What medications? What about

- Study 27963 -

treatment for drugs or alcohol? (THE LIFE CHART ON PAGE vi OF OVERVIEW MAY BE USED TO DOCUMENT A COMPLICATED HISTORY OF PSYCHOPATHOLOGY AND TREATMENT)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	58	16.4 %
Masked	295	83.6 %

Based upon 353 valid cases out of 353 total cases.

hosptime Number of Previous Psychiatric Hospitalizations

Location: 4805-4806 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

HOSPITALIZATION HISTORY

Have you ever been a patient in a psychiatric hospital?

IF YES: What was that for? (How many times?)

IF GIVES AN INADEQUATE ANSWER, CHALLENGE GENTLY:
e.g. Wasn't there something else?
People don't usually go to psychiatric hospitals just because they are
(tired/nervous/OWN WORDS)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	292	82.7 %
1	-	28	7.9 %
2	-	11	3.1 %
3	-	4	1.1 %
4	-	2	0.6 %
5	5 or more times	9	2.5 %
-8 (M)	Accidental Skip	2	0.6 %
. (M)	-	5	1.4 %

Based upon 346 valid cases out of 353 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.97

- Study 27963 -

hospspec Specify Psychiatric Problem

Location: 4807-5006 (width: 200; decimal: 0)

Variable Type: character

Question:

HOSPITALIZATION HISTORY

Have you ever been a patient in a psychiatric hospital?

IF YES: What was that for?

IF GIVES AN INADEQUATE
ANSWER, CHALLENGE GENTLY:
e.g. Wasn't there something else?
People don't usually go to psychiatric
hospitals just because they are
(tired/nervous/OWN WORDS)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	247	70.0 %
Masked	106	30.0 %

Based upon 353 valid cases out of 353 total cases.

hospmmed Hospital Treatment for Medical Problem- Specify

Location: 5007-5206 (width: 200; decimal: 0)

Variable Type: character

Question:

HOSPITALIZATION HISTORY

Have you ever been a patient in a psychiatric hospital?

IF YES: What was that for? (How
many times?)

IF GIVES AN INADEQUATE
ANSWER, CHALLENGE GENTLY:
e.g. Wasn't there something else?
People don't usually go to psychiatric
hospitals just because they are
(tired/nervous/OWN WORDS)

Have you ever been in a hospital for treatment of a medical problem?

IF YES: What was that for?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	28	7.9 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Masked	325	92.1 %

Based upon 353 valid cases out of 353 total cases.

othprob1

Other Problems Last Month

Location: 5207-5406 (width: 200; decimal: 0)

Variable Type: character

Question:

OTHER CURRENT PROBLEMS

Have you had any other problems in the last month?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	24	6.8 %
"feeling up & down"	1	0.3 %
"solemn"	1	0.3 %
0	17	4.8 %
0 "I'M FINE"	1	0.3 %
ACI	1	0.3 %
ANGRY	1	0.3 %
ANGRY, DEP. ABOUT BEING IN HERE	1	0.3 %
ANXIETY, BIPOLAR	1	0.3 %
APPED. OUT 12, 9- BIT FACE BY DOG	1	0.3 %
APPENDICITIS, CIRROHSIS, ANXIETY	1	0.3 %
ATTITUDE- ADVERSITY DEALING WITH IT	1	0.3 %
BACK PROBLEMS	1	0.3 %
BACK PROBLEMS, BLOOD PRESSURE	1	0.3 %
BEING HERE	1	0.3 %
BEING INCARCERATED	1	0.3 %
BIPOLAR, OCD	1	0.3 %
BLACK EYE- HIT BY A BASEBALL	1	0.3 %
CAN'T STOP MOVING, GRIND TEETH	1	0.3 %
CHILDREN ARE WITH MOM- BEING HERE- OCT 18TH	1	0.3 %
CONFUSED- REALITY KNOCKING FEEL ??	1	0.3 %
DAUGHTER RAN AWAY	1	0.3 %
DEAL WITH EVERYTHING IN JAIL	1	0.3 %
DEPRESSED	1	0.3 %
DEPRESSION	1	0.3 %
DR YEE- SEE ABOVE	1	0.3 %
FAMILY WOULDN'T TALK TO HER	1	0.3 %
FINANCIAL CONCERNS	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
GETTING OUT OF METHADONE	1	0.3 %
HEALTH, INMATE PROBLEMS, ASTHMA	1	0.3 %
HEART, BLOOD PRESSURE	1	0.3 %
LAST MONTH HAS BEEN VERY GOOD	1	0.3 %
LITHIUM PROBLEMS W/MOOD	1	0.3 %
LUMP IN BREAST- WAITING FOR MAMMOGRAM	1	0.3 %
MENOPAUSE	1	0.3 %
MESS (?)	1	0.3 %
NO	144	40.8 %
NO (DON'T SLEEP WELL)	1	0.3 %
NO PROBLEMS	4	1.1 %
NO PROBS.	2	0.6 %
NO- FEELS VERY UNSTABLE MENTALLY	1	0.3 %
NO- HEAR VOICES	1	0.3 %
NO- JUST FRUSTRATED W/SCHOOL	1	0.3 %
NO- JUST PROBLEMS WITH OTHER INMATES	1	0.3 %
NO- LONELY	1	0.3 %
NONE	19	5.4 %
NOT SLEEPING, NO APPETITE	1	0.3 %
NOTHING	3	0.8 %
OKAY	1	0.3 %
OVER MEDICATED	1	0.3 %
PROBLEM WITH ANOTHER INMATE TRYING TO DEAL WITH IT RIGHT	1	0.3 %
PROBLEMS SLEEPING, ISOLATING SELF, DON'T SOCIALIZE WITH PEOPLE	1	0.3 %
RELATIONSHIP PROBLEMS- FAMILY PROBLEMS	1	0.3 %
RHEUMATOID ARTHRITIS- HAD FOR 7 YEARS	1	0.3 %
SEG- FOR NOT URINATING 21 DAYS	1	0.3 %
SET UP ARRANGEMENTS TO SEE KIDS	1	0.3 %
SPIDER BITE	1	0.3 %
STRESSED B/C DON'T SEE DAUGHTER & WORRY ABOUT HER	1	0.3 %
TRYING TO COPE W/EMOTIONS ON OWN	1	0.3 %
WORRIED ABOUT HOME, PIPE BROKE AT HOME- CAN'T BE THERE TO FIX IT- 3 CHILDREN- ALL BOYS	1	0.3 %
anxiety, trouble sleeping	1	0.3 %
asthma & arthritis	1	0.3 %
been fine	1	0.3 %
behavior problems	1	0.3 %
denies	10	2.8 %
dep/anx	1	0.3 %
depressed	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
difficult with family out of state	1	0.3 %
feeling depressed & anxiety	1	0.3 %
feeling like loosing mind	1	0.3 %
moody	1	0.3 %
no	52	14.7 %
no, just miss kids/family	1	0.3 %
none	7	2.0 %
not since in TC	1	0.3 %
okay	1	0.3 %
physical	1	0.3 %
physical, medical problems	1	0.3 %
stress	1	0.3 %
up & down	1	0.3 %
wanted to go home	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

othprob2

Mood

Location: 5407-5606 (width: 200; decimal: 0)

Variable Type: character

Question: OTHER CURRENT PROBLEMS

What's your mood been like?

Based upon 353 valid cases out of 353 total cases.

othprob3

Physical Health

Location: 5607-5806 (width: 200; decimal: 0)

Variable Type: character

Question: OTHER CURRENT PROBLEMS

How has your physical health been? (Have you had any medical problems?) (USE THIS INFORMATION TO

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	33	9.3 %
Masked	320	90.7 %

Based upon 353 valid cases out of 353 total cases.

medvit

Medication/Vitamins- Type/Amount

- Study 27963 -

Location: 5807-6006 (width: 200; decimal: 0)
 Variable Type: character
 Question:

OTHER CURRENT PROBLEMS

Do you take any medication or vitamins (other than those you've already told me about?)

IF YES: How much and how often do
 you take (MEDICATION)? (Has there
 been any change in the amount you
 have been taking?)

Based upon 353 valid cases out of 353 total cases.

alcdrug	Type/Quantity of Alcohol/Drugs
---------	--------------------------------

Location: 6007-6206 (width: 200; decimal: 0)
 Variable Type: character
 Question:

OTHER CURRENT PROBLEMS

Do you take any medication or vitamins (other than those you've already told me about?)

How much have you been drinking (alcohol)
 (in the past month)? Have you been taking any drugs (in the past month)? (What about mari-juana, cocaine)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	45	12.7 %
\$200-300 EVERYDAY FOR PAST 2-3 MONTHS	1	0.3 %
) NONE IN PAST	1	0.3 %
0	18	5.1 %
0 ALCOHOL, 0 DRUG	1	0.3 %
0 ALCOHOL, 0 DRUGS- 8-9 MONTHS	1	0.3 %
0 ALCOHOL, CRACK- 15GRAMS 20 WK	1	0.3 %
0 ALCOHOL, NO MARIJUANA- 11/9/03 STOPPED	1	0.3 %
0 ALCOHOL; COCAINE, HEROIN, CRACK EVERYDAY 500 WK	1	0.3 %
0, 0	1	0.3 %
1 TX MONTH, COCAINE- COUPLE TX A WEEK- 500 A WEEK	1	0.3 %
10-12 DRINKS IN 30 DAYS, 3X FOR 30 DAYS	1	0.3 %
12 PACK A DAY- BEER, NO STREET DRUGS	1	0.3 %
12 PACK EACH FRI & SAT, OXYCODIN- COUPLE 80'S A DAY, VICODIN 10-15 PILLS A DAY	1	0.3 %
12 PACK OF BEER A DAY, \$60-100 A DAY OF COCAINE	1	0.3 %
12 PACK WK, 100 DOLLARES OF DRUGS WH	1	0.3 %
2 32 OZ BOTTLES- CISCO (LIKE WINE- SRONGER), 105 MG METHADONE, HEROIN- 3 BUNDLES- 10 DAYS	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2 COUPLE OF GRAMS A DAY COCAINE, NO ALCOHOL, MARIJUANA RARELY	1	0.3 %
2X A MONTH (ALCOHOL) NONE (DRUGS)	1	0.3 %
3-4 TIMES A WEEK- HARD LIQUOR- 1 PINT, MARIJUANA- DAILY- 3-4X- 50-100 A DAY	1	0.3 %
400 OZ FO BEER A DAY, 1/2 PINT OF HARD LIQUOR, 500 OF COCAINE A DAY, MARIJUANA OCCASIONALLY	1	0.3 %
6-8 BEERS A DAY	1	0.3 %
ALCOHOL- 3X 5-10 DRINKS- EVERYTHING, 1X WEEKLY COCAINE & MARIJUANA	1	0.3 %
ALCOHOL- EVERYDAY- \$60, MARIJUANA- 2 GRAMS A WEEK, COCAINE- 20 GRAMS A WK	1	0.3 %
ALCOHOL- SOMETIMES, COCAINE- USED AS MUCH AS SHE COULD GET- EVERY DAY- ALL DAY	1	0.3 %
BEER- COUPLE 40 OZ BEER A DAY, COCAINE, HEROIN DAILY	1	0.3 %
BEER- EVERYDAY AT LEAST 12 PACK, MARIJUANA ONCE IN A WHILE	1	0.3 %
BEFORE CAME IN ALCOHOL HEROIN	1	0.3 %
CASE BEER & 1 PINT HARD ALCOHOL DAILY	1	0.3 %
COCAIN??- MINIMAL, MARIJUANA- QUARTER A DAY	1	0.3 %
COCAINE- 2X A MONTH, MARIJUANA EVERYDAY	1	0.3 %
COCAINE- EVERY OTHER DAY- \$300 A WK, ALCOHOL- LITTLE BIT	1	0.3 %
COUPLE DRINKS- BEER & SHOTS- 2-3 TX MONTH 6-12, MARIJUANA DAILY, COCAINE 2X 3X TIME MONTHLY	1	0.3 %
COUPLE TIMES A WK- COCAINE	1	0.3 %
CRACK COCAINE- \$200 A DAY- PROSTITUTION, NO ALCOHOL	1	0.3 %
CRACK, MARIJUANA- ALL DAY EVERY DAY	1	0.3 %
CRACK- ONCE EVERY COUPLE OF WKS- COUPLE HUNDRED DOLLARS WORTH	1	0.3 %
CURRENTLY INCARCERATED	5	1.4 %
DRINK- VERY LITTLE, MARIJUANA- DAILY- \$60-\$70 A DAY	1	0.3 %
EVERY DAY- ALCOHOL- BEER, VODKA, HEROIN & COCAINE- 500-1000 DAY	1	0.3 %
EVERY DAY- DRINKING, COCAINE, CRACK	1	0.3 %
EVERY WEEKEND- A LOT- MARIJUANA- WEED- EVERY OTHER DAY	1	0.3 %
EVERYDAY- \$300 PROSTITUTION, COUPLE BEERS ONCE IN A WHILE	1	0.3 %
EVERYDAY- ALCOHOL ALL DAY, MARIJUANA \$50 WEEK, COCAINE- EVERY OTHER DAY- \$500 WK	1	0.3 %
EVERYDAY- BEER- HARD LIQUOR- COCAINE- EVERY 2-3 DAYS \$300	1	0.3 %
EVERYDAY- COUPLE BEERS/SHOTS, WEEKENDS- GET DRUNK, MARIJUANA EVERYDAY- 10-20 BLUNTS A DAY	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
HARDLY DRANK, MARIJUANA- MAINTAIN LEVEL OF MOOD- JOINT A DAY- HASH	1	0.3 %
HASN'T USED IN 3 YRS	1	0.3 %
HENESSY- ONCE IN WHILE, MARIJUANA EVERY DAY- 2 OZ A DAY	1	0.3 %
JUNE-OCT- DRINKING A LOT- 4X WEEK BEER- 8-12 BEERS- MARIJUANA- 2X-3X WEEK- 3 GRAMS A WK	1	0.3 %
MARCH 24 2006	1	0.3 %
MARIJUANA- 1 TX A WEEK \$100 A WK, ALCOHOL OCCASIONALLY	1	0.3 %
MARIJUANA- EVERYDAY- 14 GRAMS A DAY, COCAINE- COUPLE GRAMS A MONTH	1	0.3 %
N/A	1	0.3 %
NO	68	19.3 %
NO (LAST TIME 11/07/05)	1	0.3 %
NO ALCOHOL FOR COUPLE OF YEAR, 4-20'S A DAY	1	0.3 %
NO ALCOHOL, COCAINE EVERY DAY	1	0.3 %
NO ALCOHOL, COCAINE EVERYDAY ALL DAY 10,000 A WK	1	0.3 %
NO ALCOHOL, HEROIN \$200-400 WK, CRACK 300-400 WK, KLOPININ?? & XANAX	1	0.3 %
NO ALCOHOL, HEROIN 1/2 GRAM A DAY- \$60 A DAY EVERYDAY, MARIJUANA- A LITTLE	1	0.3 %
NO ALCOHOL, HEROIN- 10 GRAMS, COCAINE- NOT TOO MUCH	1	0.3 %
NO ALCOHOL, MARIJUANA 2-3 JOINTS WEEK, COCAINE & HEROIN- \$200 A DAY	1	0.3 %
NO ALCOHOL, MARIJUANA 7X A DAY \$100 A DAY	1	0.3 %
NO ALCOHOL, NO DRUG	1	0.3 %
NO ALCOHOL, NO DRUGS	2	0.6 %
NO DRINKING, DAILY- GRAM COCAINE, 2 GRAM HEROIN	1	0.3 %
NO DRUGS	1	0.3 %
NO DRUGS OR ALCOHOL	1	0.3 %
NO DRUGS/ALCOHOL	1	0.3 %
NO ETOH OR DRUGS	1	0.3 %
NO ETOH, NO SA	4	1.1 %
NO ETOH, NO SA IN LAST MONTH	1	0.3 %
NO, NO	2	0.6 %
NO- NOT SINCE 99	1	0.3 %
NONE	37	10.5 %
NONE IN PAST MONTH	1	0.3 %
NONE, NONE	1	0.3 %
NONE- 6 MONTHS CLEAN	1	0.3 %
NONE- NO DRUGS	1	0.3 %
NOT MUCH ALCOHOL- MARIJUANA \$100 A DAY- 3 MONTHS	1	0.3 %
NOTHING FOR THE YEAR BEFORE CAME IN	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
OCCASIONAL DRINKS, MARIJUANA EVERYDAY- \$200 A DAY- RELAXATION	1	0.3 %
ONCE A WEEKEND- 1 PINT, MARIJUANA- EVERYDAY \$100 A DAY	1	0.3 %
PINT E & J EVERY OTHER DAY, COCAINE- \$500-\$600 WK, HEROIN- 3 BUNDLES WK- \$100 WK	1	0.3 %
PINT EVERY 2 DAYS- CONAC- MARIJUANA- 2 CIGAR PACK A DAY	1	0.3 %
SIX PACK & LITES OF BACARDI EVERY OTHER- OUNCE MARIJUANA \$100 A DAY	1	0.3 %
SIX PACK A DAY, HEROIN \$300 WEEK, COCAINE \$500 WEEK, MARIJUANA \$200 WEEK	1	0.3 %
VERY LITTLE ALCOHOL, MARIJUANA- DAILY- 300 WK, COCAINE \$500 A DAY	1	0.3 %
VODKA- COUPLE DRINKS A DAY, COCAINE, VIICODIN	1	0.3 %
WEEKENDS- 2-3 BEERS- PINT OF HARD LIQUOR AND DRINKS AT CLUBS, MARIJUANA 2-3 JOINTS A DAY EVERY DAY	1	0.3 %
WEEKENDS- MIXED DRINKS- A LOT, NOT USING ANY DRUGS	1	0.3 %
WORK OUT- LIFT WEIGHTS, RUN- 1MILE EVERY OTHER DAY, PLAY CARDS, READ	1	0.3 %
denies	17	4.8 %
go to work, go to tx	1	0.3 %
no	65	18.4 %
none	4	1.1 %

Based upon 353 valid cases out of 353 total cases.

freetime

How Spending Free Time

Location: 6207-6406 (width: 200; decimal: 0)

Variable Type: character

Question: CURRENT SOCIAL FUNCTIONING

How have you been spending your free time?

Based upon 353 valid cases out of 353 total cases.

whowith

Who Spends Time With

Location: 6407-6606 (width: 200; decimal: 0)

Variable Type: character

Question: CURRENT SOCIAL FUNCTIONING

How have you been spending your free time?

Who do you spend time with?

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	42	11.9 %
Masked	311	88.1 %

Based upon 353 valid cases out of 353 total cases.

currdx Most Likely Current Diagnosis

Location: 6607-6806 (width: 200; decimal: 0)

Variable Type: character

Question: MOST LIKELY CURRENT DIAGNOSIS:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	144	40.8 %
Masked	209	59.2 %

Based upon 353 valid cases out of 353 total cases.

ruleout Diagnosis That Need to be Ruled Out

Location: 6807-7006 (width: 200; decimal: 0)

Variable Type: character

Question: DIAGNOSES THAT NEED TO BE RULED OUT:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	248	70.3 %
ADHD, BIPOLAR	1	0.3 %
ADHD, Intermittenet explosive D/O	1	0.3 %
ALCOHOL DEPENDENCE, COCAINE DEPENDENCE, CANNABIS DEPENDENCE	1	0.3 %
ALCOHOL DEPENDENCE, SPECIFIC PHOBIA	1	0.3 %
ANXIETY D/O	1	0.3 %
ASPD	6	1.7 %
Anxiety D/O, Mood D/O	1	0.3 %
BI-POLAR	4	1.1 %
BI-POLAR, SCHIZOAFFECTIVE	1	0.3 %
BIPOAR, DEPRESSION	1	0.3 %
BIPOLAR	1	0.3 %
BIPOLAR D/O	2	0.6 %
BIPOLAR, ADHD	1	0.3 %
BORDERLINE MOOD D/O	1	0.3 %
Bipolar D/O	1	0.3 %
CURRENT DEP	1	0.3 %
DEPRESSION	2	0.6 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
DEPRESSION, AMPHETAMINE DEP, DYSTHYMIA	1	0.3 %
DEPRESSION, ANXIETY, PTSD	1	0.3 %
DEPRESSION, ANY ANXIETY, SUBSTANCE ABUSE/DEP	1	0.3 %
DEPRESSION?	1	0.3 %
DEPRESSIVE D/O & MOOD D/O	1	0.3 %
DRUG DEPENDENCE, ASPD, BPD	1	0.3 %
DRUGS	1	0.3 %
DYSTHYMIA, MAJOR DEPRESSION	1	0.3 %
Dep	1	0.3 %
Drug Abuse	1	0.3 %
HX OF BIPOLAR	1	0.3 %
INTERMITTENT EXPLOSIVE D/O, ETOH DEPENDENCE IN REMISSION	1	0.3 %
MAJOR DEP (OTHER MOOD D/O)	1	0.3 %
MAJOR DEP.	1	0.3 %
MAJOR DEPRESSION	19	5.4 %
MAJOR DEPRESSION W/PSYCHOTIC FEATURES, BIPOLAR	1	0.3 %
MAJOR DEPRESSION, ANXIETY	2	0.6 %
MAJOR DEPRESSION, GENERAL ANXIETY, PTSD	1	0.3 %
MAJOR DEPRESSION, PTSD, ANXIETY	1	0.3 %
METH DEP	1	0.3 %
MOOD D/O	3	0.8 %
MOOD D/O (DEPRESSION)	1	0.3 %
Mood D/O	6	1.7 %
NONE	1	0.3 %
PAST DEP, ASPD	1	0.3 %
PAST MAJOR DEPRESSION	1	0.3 %
PSYCHOSIS NOS, ANXIETY	1	0.3 %
PSYCHOTIC D/O- WHETHER DRUG RELATED OR NOT	1	0.3 %
PSYCHOTIC S/O	1	0.3 %
PTSD	5	1.4 %
PTSD, MAJOR DEPRESSION	1	0.3 %
Psychotic D/O	1	0.3 %
anxiety D/O	1	0.3 %
bi-polar	1	0.3 %
bi-polar, schizophrena	1	0.3 %
bipolar	4	1.1 %
dysthymia	1	0.3 %
mood D/O	1	0.3 %
mood D/o	1	0.3 %
other mood D/O	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
psychotic d/o	1	0.3 %
psychotic features	3	0.8 %
w/ psychotic features	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

lifeage1

Life Chart- Age 1

Location: 7007-7010 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Life Chart- Age (or date) 1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1	0.3 %
3	-	2	0.6 %
5	-	4	1.1 %
6	-	3	0.8 %
7	-	1	0.3 %
8	-	2	0.6 %
9	-	1	0.3 %
10	-	6	1.7 %
11	-	8	2.3 %
12	-	10	2.8 %
13	-	11	3.1 %
14	-	3	0.8 %
15	-	14	4.0 %
16	-	10	2.8 %
17	-	6	1.7 %
18	-	14	4.0 %
19	-	3	0.8 %
20	-	5	1.4 %
21	-	3	0.8 %
23	-	1	0.3 %
25	-	3	0.8 %
28	-	2	0.6 %
30	-	1	0.3 %
32	-	1	0.3 %
35	-	1	0.3 %
36	-	1	0.3 %
37	-	1	0.3 %
40	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
41	-	1	0.3 %
1967	-	1	0.3 %
1984	-	1	0.3 %
1987	-	1	0.3 %
1989	-	1	0.3 %
1992	-	1	0.3 %
1993	-	1	0.3 %
1995	-	1	0.3 %
2002	-	1	0.3 %
2005	-	1	0.3 %
-4 (M)	Don't Know	1	0.3 %
. (M)	-	223	63.2 %

Based upon 129 valid cases out of 353 total cases.

- Mean: 153.43
- Median: 15.00
- Minimum: 1.00
- Maximum: 2005.00
- Standard Deviation: 505.10

lifedes1	Life Chart- Description 1
-----------------	----------------------------------

Location: 7011-7210 (width: 200; decimal: 0)
Variable Type: character
Question: Life Chart- Description (symptoms, triggering events) 1

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	215	60.9 %
Masked	138	39.1 %

Based upon 353 valid cases out of 353 total cases.

lifetx1	Life Chart- Treatment 1
----------------	--------------------------------

Location: 7211-7310 (width: 100; decimal: 0)
Variable Type: character
Question: Life Chart- Treatment 1

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	264	74.8 %
0	2	0.6 %
1996	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2001, 2002, 2004	1	0.3 %
2002	1	0.3 %
2004	1	0.3 %
2005	1	0.3 %
90 days	1	0.3 %
AA	1	0.3 %
CURRENT TX	1	0.3 %
DRUG TREATMENT	1	0.3 %
EVENTUALLY SEVERAL I/P & O/P TX	1	0.3 %
HOSPITALIZATION	2	0.6 %
IN JAIL	1	0.3 %
INPT 1998	1	0.3 %
INPT THEN O/P	1	0.3 %
JAIL (NOW)	1	0.3 %
LOTS	1	0.3 %
MANY XS	1	0.3 %
MEDICATION	1	0.3 %
MEDS	1	0.3 %
Masked	10	2.8 %
N/A	6	1.7 %
NO	3	0.8 %
NONE	11	3.1 %
NONE TIL INCARCERATED	1	0.3 %
NONE UNTIL NOW	2	0.6 %
NOT UNTIL 12/04 AGE 33	1	0.3 %
O/P	3	0.8 %
O/P & MEDS FOR BRIEF PERIOD	1	0.3 %
O/P TX	1	0.3 %
O/P TX 2 YRS & PROZAC	1	0.3 %
ON & OFF	1	0.3 %
ONCE 11 OR 18	1	0.3 %
OUTPT., MEDS	1	0.3 %
SOME ALCOHOL TX	1	0.3 %
THERAPY	1	0.3 %
YES	1	0.3 %
individual	1	0.3 %
jail	1	0.3 %
lots	2	0.6 %
meds	3	0.8 %
meds, therapy	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
methodone 1974	1	0.3 %
no	1	0.3 %
none	6	1.7 %
none til now	2	0.6 %
o/p	1	0.3 %
prison	1	0.3 %
some	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

lifeage2

Life Chart- Age 2

Location: 7311-7314 (width: 4; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question: Life Chart- Age (or date) 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	1	0.3 %
7	-	2	0.6 %
9	-	2	0.6 %
10	-	2	0.6 %
11	-	2	0.6 %
12	-	3	0.8 %
13	-	4	1.1 %
14	-	2	0.6 %
15	-	6	1.7 %
16	-	3	0.8 %
17	-	2	0.6 %
18	-	7	2.0 %
19	-	2	0.6 %
20	-	4	1.1 %
21	-	1	0.3 %
23	-	1	0.3 %
24	-	2	0.6 %
25	-	5	1.4 %
27	-	1	0.3 %
29	-	1	0.3 %
30	-	1	0.3 %
32	-	2	0.6 %
33	-	1	0.3 %
34	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	-	2	0.6 %
37	-	1	0.3 %
38	-	1	0.3 %
39	-	1	0.3 %
43	-	1	0.3 %
47	-	1	0.3 %
1968	-	1	0.3 %
1985	-	1	0.3 %
1989	-	1	0.3 %
1999	-	1	0.3 %
2001	-	1	0.3 %
2005	-	1	0.3 %
-4 (M)	Don't Know	1	0.3 %
. (M)	-	281	79.6 %

Based upon 71 valid cases out of 353 total cases.

- Mean: 186.83
- Median: 18.00
- Mode: 18.00
- Minimum: 4.00
- Maximum: 2005.00
- Standard Deviation: 552.18

lifedes2	Life Chart- Description 2
-----------------	----------------------------------

Location: 7315-7514 (width: 200; decimal: 0)
Variable Type: character
Question: Life Chart- Description (symptoms, triggering events) 2

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	276	78.2 %
Masked	77	21.8 %

Based upon 353 valid cases out of 353 total cases.

lifetx2	Life Chart- Treatment 2
----------------	--------------------------------

Location: 7515-7614 (width: 100; decimal: 0)
Variable Type: character
Question: Life Chart- Treatment 2

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	299	84.7 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1	0.3 %
04-05	1	0.3 %
1991	1	0.3 %
2000	1	0.3 %
5/04- SUB TX	1	0.3 %
HOSP	1	0.3 %
HOSPITAL	1	0.3 %
HOSPITAL, PAXIL	1	0.3 %
HOSPITALIZED	1	0.3 %
IN JAIL	1	0.3 %
INDIVIDUAL COUPLE XS	1	0.3 %
JAIL (NOW)	1	0.3 %
MEDICATION	2	0.6 %
MEDS	3	0.8 %
MINIMAL	1	0.3 %
Masked	8	2.3 %
N/A	5	1.4 %
NO	2	0.6 %
NONE	4	1.1 %
NONE- COULDN'T AFFORD	1	0.3 %
O/P	4	1.1 %
OUTPT. THERAPY	1	0.3 %
SAW PSYCHIATRIST BRIEFLY	1	0.3 %
SUBSTANCE TX	1	0.3 %
THERAPY	1	0.3 %
YES	1	0.3 %
hospital	2	0.6 %
individual	1	0.3 %
lots	1	0.3 %
meds	2	0.6 %
no	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

lifeage3	Life Chart- Age 3
Location:	7615-7618 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	Life Chart- Age (or date) 3

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	1	0.3 %
11	-	1	0.3 %
13	-	4	1.1 %
14	-	1	0.3 %
15	-	4	1.1 %
16	-	3	0.8 %
17	-	2	0.6 %
18	-	1	0.3 %
21	-	2	0.6 %
22	-	2	0.6 %
23	-	1	0.3 %
25	-	1	0.3 %
30	-	2	0.6 %
31	-	2	0.6 %
32	-	1	0.3 %
33	-	1	0.3 %
45	-	1	0.3 %
1969	-	1	0.3 %
1990	-	2	0.6 %
1999	-	1	0.3 %
2001	-	1	0.3 %
2002	-	1	0.3 %
2004	-	2	0.6 %
. (M)	-	315	89.2 %

Based upon 38 valid cases out of 353 total cases.

- Mean: 436.11
- Median: 21.50
- Minimum: 10.00
- Maximum: 2004.00
- Standard Deviation: 815.80

lifedes3

Life Chart- Description 3

Location: 7619-7818 (width: 200; decimal: 0)

Variable Type: character

Question: Life Chart- Description (symptoms, triggering events) 3

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	310	87.8 %
Masked	43	12.2 %

- Study 27963 -

Based upon 353 valid cases out of 353 total cases.

lifetx3 Life Chart- Treatment 3

Location: 7819-7918 (width: 100; decimal: 0)

Variable Type: character

Question: Life Chart- Treatment 3

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	327	92.6 %
Masked	26	7.4 %

Based upon 353 valid cases out of 353 total cases.

lifeage4 Life Chart- Age 4

Location: 7919-7922 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Life Chart- Age (or date) 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	1	0.3 %
13	-	3	0.8 %
15	-	2	0.6 %
16	-	1	0.3 %
17	-	2	0.6 %
18	-	2	0.6 %
20	-	1	0.3 %
21	-	1	0.3 %
22	-	1	0.3 %
23	-	1	0.3 %
28	-	1	0.3 %
29	-	1	0.3 %
32	-	1	0.3 %
1990	-	1	0.3 %
2001	-	1	0.3 %
2005	-	4	1.1 %
. (M)	-	329	93.2 %

Based upon 24 valid cases out of 353 total cases.

- Mean: 514.67
- Median: 20.50
- Mode: 2005.00

- Study 27963 -

- Minimum: 11.00
- Maximum: 2005.00
- Standard Deviation: 877.10

lifedes4 Life Chart- Description 4

Location: 7923-8122 (width: 200; decimal: 0)
 Variable Type: character
 Question: Life Chart- Description (symptoms, triggering events) 4

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	328	92.9 %
Masked	25	7.1 %

Based upon 353 valid cases out of 353 total cases.

lifetx4 Life Chart- Treatment 4

Location: 8123-8222 (width: 100; decimal: 0)
 Variable Type: character
 Question: Life Chart- Treatment 4

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	338	95.8 %
Masked	15	4.2 %

Based upon 353 valid cases out of 353 total cases.

lifeage5 Life Chart- Age 5

Location: 8223-8226 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Life Chart- Age (or date) 5

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	1	0.3 %
13	-	1	0.3 %
15	-	1	0.3 %
18	-	3	0.8 %
19	-	2	0.6 %
20	-	1	0.3 %
31	-	1	0.3 %
32	-	1	0.3 %
2001	-	1	0.3 %
2002	-	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2005	-	1	0.3 %
. (M)	-	339	96.0 %

Based upon 14 valid cases out of 353 total cases.

- Mean: 444.43
- Median: 19.00
- Mode: 18.00
- Minimum: 11.00
- Maximum: 2005.00
- Standard Deviation: 844.50

lifedes5	Life Chart- Description 5
-----------------	----------------------------------

Location: 8227-8426 (width: 200; decimal: 0)
 Variable Type: character
 Question: Life Chart- Description (symptoms, triggering events) 5

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	338	95.8 %
Masked	15	4.2 %

Based upon 353 valid cases out of 353 total cases.

lifetx5	Life Chart- Treatment 5
----------------	--------------------------------

Location: 8427-8526 (width: 100; decimal: 0)
 Variable Type: character
 Question: Life Chart- Treatment 5

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	345	97.7 %
DRUG PROG	1	0.3 %
LAST USE	1	0.3 %
N/A	3	0.8 %
NO	2	0.6 %
NONE	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

lifeage6	Life Chart- Age 6
-----------------	--------------------------

Location: 8527-8528 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

- Study 27963 -

Question:

Life Chart- Age (or date) 6

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	1	0.3 %
19	-	2	0.6 %
21	-	2	0.6 %
29	-	1	0.3 %
. (M)	-	347	98.3 %

Based upon 6 valid cases out of 353 total cases.

- Mean: 20.33
- Median: 20.00
- Minimum: 13.00
- Maximum: 29.00
- Standard Deviation: 5.16

lifedes6

Life Chart- Description 6

Location:

8529-8728 (width: 200; decimal: 0)

Variable Type:

character

Question:

Life Chart- Description (symptoms, triggering events) 6

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	347	98.3 %
BOYFRIEND- INTRO TO DRUGS/SELLING	1	0.3 %
DISTHYMIC/STOPPED USING- PREGNANT	1	0.3 %
INCARCERATED- DIDN'T CARE (APATHY) SELFISH, SENSE OF ENTITLEMENT	1	0.3 %
Masked	1	0.3 %
OUT OF JAIL	1	0.3 %
STARTED USING COCAINE	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

lifetx6

Life Chart- Treatment 6

Location:

8729-8828 (width: 100; decimal: 0)

Variable Type:

character

Question:

Life Chart- Treatment 6

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	351	99.4 %
DRUG TX	1	0.3 %
N/A	1	0.3 %

- Study 27963 -

Based upon 353 valid cases out of 353 total cases.

lifeage7 **Life Chart- Age 7**

Location: 8829-8830 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Life Chart- Age (or date) 7

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	1	0.3 %
20	-	1	0.3 %
23	-	1	0.3 %
34	-	1	0.3 %
35	-	1	0.3 %
. (M)	-	348	98.6 %

Based upon 5 valid cases out of 353 total cases.

- Mean: 26.00
- Median: 23.00
- Minimum: 18.00
- Maximum: 35.00
- Standard Deviation: 7.97

lifedes7 **Life Chart- Description 7**

Location: 8831-9030 (width: 200; decimal: 0)
 Variable Type: character
 Question: Life Chart- Description (symptoms, triggering events) 7

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	348	98.6 %
BEEN SOBER (INCARCERATION)- ONCE RELEASED, STARTED DRINKING- WENT BACK TO PRISON	1	0.3 %
FIRST IN TROUBLE W/LAW	1	0.3 %
STARTED DRINKING AGAIN	1	0.3 %
STARTED USING METHAMPHETAMINE	1	0.3 %
STOPPED USING- PREGNANT	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

lifetx7 **Life Chart- Treatment 7**

Location: 9031-9130 (width: 100; decimal: 0)
 Variable Type: character
 Question: Life Chart- Treatment 7

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	351	99.4 %
AA, COG. ED, ETOH RECOVERY PROGRAM	1	0.3 %
N/A	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

lifeage8 **Life Chart- Age 8**

Location: 9131-9132 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Life Chart- Age (or date) 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	-	1	0.3 %
37	-	1	0.3 %
39	-	1	0.3 %
. (M)	-	350	99.2 %

Based upon 3 valid cases out of 353 total cases.

- Mean: 32.67
- Median: 37.00
- Minimum: 22.00
- Maximum: 39.00
- Standard Deviation: 9.29

lifedes8 **Life Chart- Description 8**

Location: 9133-9332 (width: 200; decimal: 0)

Variable Type: character

Question: Life Chart- Description (symptoms, triggering events) 8

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	350	99.2 %
FIRST ARREST	1	0.3 %
TREATMENT IN PRISON	1	0.3 %
VIOLATED REST ORDER AGAINST G/F- WENT	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

lifetx8 **Life Chart- Treatment 8**

Location: 9333-9432 (width: 100; decimal: 0)

Variable Type: character

- Study 27963 -

Question:

Life Chart- Treatment 8

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	352	99.7 %
Masked	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

screen1 **Ever 5+ Drinks on One Occasion**

Location: 9433-9434 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

SCID SCREENING MODULE

Now I want to ask you some more specific questions about problems you may have had. We'll go into more detail about them later.

RESPOND TO POSITIVE RESPONSES WITH: We'll talk more about that later.

1. Has there been any time in your life when you had five or more drinks (beer, wine, or liquor) on one occasion?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	44	12.5 %
2	Sub-Threshold	3	0.8 %
3	Threshold	306	86.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 2.74
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.66

screen2 **Ever Used Street Drugs**

Location: 9435-9436 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

SCID SCREENING MODULE

Now I want to ask you some more specific questions about problems you may have had.

- Study 27963 -

We'll go into more detail about them later.

RESPOND TO POSITIVE RESPONSES WITH: We'll talk more about that later.

2. Have you ever used street drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	4	1.1 %
2	Sub-Threshold	2	0.6 %
3	Threshold	347	98.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 2.97
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.22

screen3 **Ever Hooked on Prescribed Meds**

Location: 9437-9438 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question:

SCID SCREENING MODULE

Now I want to ask you some more specific questions about problems you may have had.
We'll go into more detail about them later.

RESPOND TO POSITIVE RESPONSES WITH: We'll talk more about that later.

3. Have you ever gotten "hooked" on a prescribed medicine or taken a lot more of it than you were supposed to?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	271	76.8 %
2	Sub-Threshold	2	0.6 %
3	Threshold	80	22.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00

- Study 27963 -

- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.84

screen4 **Ever Panic Attack**

Location: 9439-9440 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

SCID SCREENING MODULE

Now I want to ask you some more specific questions about problems you may have had. We'll go into more detail about them later.

RESPOND TO POSITIVE RESPONSES WITH: We'll talk more about that later.

4. Have you ever had a panic attack, when you suddenly felt frightened or anxious or suddenly developed a lot of physical symptoms?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	217	61.5 %
2	Sub-Threshold	6	1.7 %
3	Threshold	130	36.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.75
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.96

screen5 **Ever Afraid going out o/t house alone, being in crowds, etc**

Location: 9441-9442 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

SCID SCREENING MODULE

Now I want to ask you some more specific questions about problems you may have had. We'll go into more detail about them later.

RESPOND TO POSITIVE RESPONSES WITH: We'll talk more about that later.

- Study 27963 -

5. Were you ever afraid of going out of the house alone, being in crowds, standing in a line, or traveling on buses or trains?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	208	58.9 %
2	Sub-Threshold	38	10.8 %
3	Threshold	85	24.1 %
4	4: Unknown	21	5.9 %
5	5: Unknown	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.78
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.02

screen8

Ever Bothered by thoughts that didn't make sense

Location: 9443-9444 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question:

SCID SCREENING MODULE

Now I want to ask you some more specific questions about problems you may have had. We'll go into more detail about them later.

RESPOND TO POSITIVE RESPONSES WITH: We'll talk more about that later.

8. Have you ever been bothered by thoughts that didn't make any sense and kept coming back to you even when you tried not to have them?

IF NOT SURE WHAT IS MEANT: Thoughts like hurting someone even though you really didn't want to or being contaminated by germs or dirt.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	294	83.3 %
2	Sub-Threshold	8	2.3 %
3	Threshold	50	14.2 %
. (M)	-	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.71

screen9 **Had to do something over and over**

Location: 9445-9446 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question:

SCID SCREENING MODULE

Now I want to ask you some more specific questions about problems you may have had. We'll go into more detail about them later.

RESPOND TO POSITIVE RESPONSES WITH: We'll talk more about that later.

9. Was there ever anything that you had to do over and over again and couldn't resist doing, like washing your hands again and again, counting up to a certain number, or checking something several times to make sure that you'd done it right?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	296	83.9 %
2	Sub-Threshold	6	1.7 %
3	Threshold	49	13.9 %
-8 (M)	Accidental Skip	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.70

screen10 **Past 6m- particularly nervous or anxious**

Location: 9447-9448 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question:

SCID SCREENING MODULE

- Study 27963 -

Now I want to ask you some more specific questions about problems you may have had. We'll go into more detail about them later.

RESPOND TO POSITIVE RESPONSES WITH: We'll talk more about that later.

10. In the last six months, have you been particularly nervous or anxious?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	241	68.3 %
2	Sub-Threshold	13	3.7 %
3	Threshold	98	27.8 %
-8 (M)	Accidental Skip	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 1.59
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.89

screen11 **Ever weighed much less than should**

Location: 9449-9450 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1
Question:

SCID SCREENING MODULE

Now I want to ask you some more specific questions about problems you may have had. We'll go into more detail about them later.

RESPOND TO POSITIVE RESPONSES WITH: We'll talk more about that later.

11. Have you ever had a time when you weighed much less than other people thought you ought to weigh?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	292	82.7 %
2	Sub-Threshold	4	1.1 %
3	Threshold	56	15.9 %
-8 (M)	Accidental Skip	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 1.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.74

screen12 Eating out of control

Location: 9451-9452 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

SCID SCREENING MODULE

Now I want to ask you some more specific questions about problems you may have had. We'll go into more detail about them later.

RESPOND TO POSITIVE RESPONSES WITH: We'll talk more about that later.

12. Have you often had times when your eating was out of control?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent	297	84.1 %
2	Sub-Threshold	5	1.4 %
3	Threshold	49	13.9 %
-8 (M)	Accidental Skip	2	0.6 %

Based upon 351 valid cases out of 353 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.70

complete Overall Completeness of Information

Location: 9453-9454 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Overall completeness of information: (circle one)

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Poor	10	2.8 %
2	Fair	40	11.3 %
3	Good	190	53.8 %
4	Excellent	98	27.8 %
-8 (M)	Accidental Skip	15	4.2 %

Based upon 338 valid cases out of 353 total cases.

- Mean: 3.11
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.72

pdborder

Personality Disorders- Borderline

Location: 9455-9456 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

Personality Disorders (Boxed numbers indicate threshold required for a diagnosis)

01 Borderline (P.1- P.4)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	101	28.6 %
1	-	99	28.0 %
2	-	48	13.6 %
3	-	34	9.6 %
4	-	21	5.9 %
5	-	21	5.9 %
6	-	16	4.5 %
7	-	8	2.3 %
8	-	4	1.1 %
9	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.92
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00

- Study 27963 -

- Standard Deviation: 2.03

pdanti Personality Disorders- Antisocial

Location: 9457-9458 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

Personality Disorders (Boxed numbers indicate threshold required for a diagnosis)

02 Antisocial (P.9- P. 12)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	154	43.6 %
1	-	26	7.4 %
2	-	19	5.4 %
3	-	31	8.8 %
4	-	33	9.3 %
5	-	44	12.5 %
6	-	28	7.9 %
7	-	18	5.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 2.27
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.43

aspddiag Antisocial PD diagnosis on SCID?

Location: 9459-9460 (width: 2; decimal: 0)

Variable Type: numeric

Question: Antisocial PD diagnosis on SCID?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	199	56.4 %
1	YES	154	43.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00

- Study 27963 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

cursoic1

Current Suicide

Location:

9461-9462 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

Current MDE, thoughts of own suicide

Value	Label	Unweighted Frequency	%
0	No	48	13.6 %
1	Yes	9	2.5 %
-9 (M)	Legitimate Skip	280	79.3 %
. (M)	-	16	4.5 %

Based upon 57 valid cases out of 353 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

cursoic2		Current Suicide		
Location:	9463-9464 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	Current MDE, suicidal ideation			
	Value	Label	Unweighted Frequency	%
	0	No	57	16.1 %
	-9 (M)	Legitimate Skip	280	79.3 %
	. (M)	-	16	4.5 %

Based upon 57 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

- Study 27963 -

cursuic3 Current Suicide

Location: 9465-9466 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Current MDE, specific plan

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	57	16.1 %
-9 (M)	Legitimate Skip	280	79.3 %
. (M)	-	16	4.5 %

Based upon 57 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

cursuic4 Current Suicide

Location: 9467-9468 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Current MDE, suicide attempt

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	57	16.1 %
-9 (M)	Legitimate Skip	280	79.3 %
. (M)	-	16	4.5 %

Based upon 57 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

passuic1 Past Suicide

Location: 9469-9470 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

- Study 27963 -

Question:

Past MDE, thoughts of own suicide

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	17	4.8 %
1	Yes	50	14.2 %
-9 (M)	Legitimate Skip	271	76.8 %
. (M)	-	15	4.2 %

Based upon 67 valid cases out of 353 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

passuic2

Past Suicide

Location:

9471-9472 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

Past MDE, suicidal ideation

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	41	11.6 %
1	Yes	25	7.1 %
-9 (M)	Legitimate Skip	271	76.8 %
-8 (M)	Accidental Skip	1	0.3 %
. (M)	-	15	4.2 %

Based upon 66 valid cases out of 353 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

passuic3

Past Suicide

Location:

9473-9474 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

Past MDE, specific plan

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	57	16.1 %
1	Yes	10	2.8 %
-9 (M)	Legitimate Skip	271	76.8 %
. (M)	-	15	4.2 %

Based upon 67 valid cases out of 353 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

passuic4

Past Suicide

Location: 9475-9476 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Past MDE, suicide attempt

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	43	12.2 %
1	Yes	24	6.8 %
-9 (M)	Legitimate Skip	271	76.8 %
. (M)	-	15	4.2 %

Based upon 67 valid cases out of 353 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

age

Participant Age in Years

Location: 9477-9478 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Participant age in years

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	3	0.8 %
20	6	1.7 %
21	11	3.1 %
22	9	2.5 %
23	13	3.7 %
24	13	3.7 %
25	11	3.1 %
26	13	3.7 %
27	15	4.2 %
28	18	5.1 %
29	14	4.0 %
30	16	4.5 %
31	11	3.1 %
32	4	1.1 %
33	10	2.8 %
34	14	4.0 %
35	10	2.8 %
36	9	2.5 %
37	14	4.0 %
38	8	2.3 %
39	14	4.0 %
40	17	4.8 %
41	11	3.1 %
42	9	2.5 %
43	11	3.1 %
44	13	3.7 %
45	8	2.3 %
46	7	2.0 %
47	2	0.6 %
48	5	1.4 %
49	6	1.7 %
50	3	0.8 %
51	6	1.7 %
52	3	0.8 %
53	3	0.8 %
54	2	0.6 %
55	1	0.3 %
56	2	0.6 %
57	1	0.3 %
58	1	0.3 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
59	1	0.3 %
62	2	0.6 %
63	1	0.3 %
65	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 34.80
- Median: 34.00
- Mode: 28.00
- Minimum: 7.00
- Maximum: 65.00
- Standard Deviation: 9.73

minia	MINI Section A Dep/Suic/Manic Score
--------------	--

Location: 9479-9480 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Section A Dep/Suic/Manic Score

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	71	20.1 %
1	72	20.4 %
2	88	24.9 %
3	54	15.3 %
4	36	10.2 %
5	22	6.2 %
6	10	2.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 2.05
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.61

minib	MINI Section B Anx/Phobia/PTSD Score
--------------	---

Location: 9481-9482 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Section B Anx/Phobia/PTSD Score

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	33	9.3 %
1	29	8.2 %
2	38	10.8 %
3	56	15.9 %
4	53	15.0 %
5	38	10.8 %
6	34	9.6 %
7	39	11.0 %
8	20	5.7 %
9	13	3.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 4.05
- Median: 4.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 2.48

minic	MINI Section C Psychotic Score
--------------	---------------------------------------

Location: 9483-9484 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Section C Psychotic Score

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	149	42.2 %
1	89	25.2 %
2	51	14.4 %
3	21	5.9 %
4	12	3.4 %
5	14	4.0 %
6	9	2.5 %
7	8	2.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.37
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.75

- Study 27963 -

minitot	MINI Total Score
---------	------------------

Location: 9485-9486 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Total Score

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	15	4.2 %
1	19	5.4 %
2	21	5.9 %
3	28	7.9 %
4	24	6.8 %
5	30	8.5 %
6	27	7.6 %
7	35	9.9 %
8	26	7.4 %
9	18	5.1 %
10	16	4.5 %
11	22	6.2 %
12	19	5.4 %
13	8	2.3 %
14	12	3.4 %
15	10	2.8 %
16	6	1.7 %
17	5	1.4 %
18	4	1.1 %
19	2	0.6 %
20	3	0.8 %
21	2	0.6 %
22	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 7.46
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 4.81

minizone	MINI Zone Score
----------	-----------------

Location: 9487-9488 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Zone Score

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Zone 1: No further assessment needed (unless yes to suicide)	137	38.8 %
2	Zone 2: Need for asmt determined by ag policy (unless suic)	122	34.6 %
3	Zone 3: Assessment Required	94	26.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.88
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.80

mhsftot

MHSF Total Score

Location: 9489-9490 (width: 2; decimal: 0)

Variable Type: numeric

Question: MHSF Total Score

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	15	4.2 %
1	23	6.5 %
2	35	9.9 %
3	22	6.2 %
4	26	7.4 %
5	27	7.6 %
6	16	4.5 %
7	39	11.0 %
8	20	5.7 %
9	28	7.9 %
10	30	8.5 %
11	22	6.2 %
12	14	4.0 %
13	12	3.4 %
14	11	3.1 %
15	5	1.4 %
16	5	1.4 %
17	3	0.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 6.81
- Median: 7.00

- Study 27963 -

- Mode: 7.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 4.21

mhsfref **MHSF Suggests Referral?**

Location: 9491-9492 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Suggests Referral?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	25	7.1 %
1	YES	328	92.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

gainssn **GAIN-SS Total Score New, No SA questions**

Location: 9493-9494 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: GAIN-SS Total Score New, No SA questions

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	39	11.0 %
1	36	10.2 %
2	39	11.0 %
3	44	12.5 %
4	51	14.4 %
5	29	8.2 %
6	42	11.9 %
7	32	9.1 %
8	25	7.1 %
9	14	4.0 %
10	2	0.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 4.01

- Study 27963 -

- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.64

asptot **Anti-social Total Score Lifetime**

Location: 9495-9496 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): .
 Question: Anti-social Total Score Lifetime

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	9	2.5 %
1	75	21.2 %
2	174	49.3 %
3	94	26.6 %
. (M)	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.76

asptot2 **Anti-social Total Score Past Month**

Location: 9497-9498 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): .
 Question: Anti-social Total Score Past Month

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	190	53.8 %
1	109	30.9 %
2	49	13.9 %
3	4	1.1 %
. (M)	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.62

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.76

bpdttot Boderline Total Score Lifetime

Location: 9499-9500 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): .
 Question: Boderline Total Score Lifetime

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	38	10.8 %
1	82	23.2 %
2	121	34.3 %
3	111	31.4 %
. (M)	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 1.87
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.98

bpdttot2 Boderline Total Score Past Month

Location: 9501-9502 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): .
 Question: Boderline Total Score Past Month

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	224	63.5 %
1	72	20.4 %
2	40	11.3 %
3	16	4.5 %
. (M)	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.57

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.86

asplife Antisocial PD lifetime?

Location: 9503-9504 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Antisocial PD lifetime?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	10	2.8 %
1	YES	343	97.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

bpdlife Borderline PD lifetime?

Location: 9505-9506 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Borderline PD lifetime?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	39	11.0 %
1	YES	314	89.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

gainref GAIN suggests Referral - Total score of 3 and higher

Location: 9507-9508 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 27963 -

Range of Missing Values (M): .

Question: GAIN suggests Referral - Total score of 3 and higher

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	87	24.6 %
1	YES	265	75.1 %
. (M)	-	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

miniref **MINI Suggests Referall - Total score 6 and higher**

Location: 9509-9510 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Suggests Referall - Total score 6 and higher

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	114	32.3 %
1	YES	239	67.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

bpddiag **Boderline PD Diagnosis on SCID?**

Location: 9511-9512 (width: 2; decimal: 0)

Variable Type: numeric

Question: Boderline PD Diagnosis on SCID?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	303	85.8 %
1	YES	50	14.2 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

currsuic Any current suicide (thoughts, feelings, attempts)?

Location: 9513-9514 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Any current suicide (thoughts, feelings, attempts)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	344	97.5 %
1	YES	9	2.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

pastsuic Any past suicide (thoughts, feelings, attempts)?

Location: 9515-9516 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Any past suicide (thoughts, feelings, attempts)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	291	82.4 %
1	YES	62	17.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

mhsftot1 Score of 1 or higher on MHSF

- Study 27963 -

Location: 9517-9518 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 1 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	15	4.2 %
1	YES	338	95.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

mhsftot2 **Score of 2 or higher on MHSF**

Location: 9519-9520 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 2 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	38	10.8 %
1	YES	315	89.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

mhsftot3 **Score of 3 or higher on MHSF**

Location: 9521-9522 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 3 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	73	20.7 %
1	YES	280	79.3 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

mhsftot4 **Score of 4 or higher on MHSF**

Location: 9523-9524 (width: 2; decimal: 0)

Variable Type: numeric

Question: Score of 4 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	95	26.9 %
1	YES	258	73.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

mhsftot5 **Score of 5 or higher on MHSF**

Location: 9525-9526 (width: 2; decimal: 0)

Variable Type: numeric

Question: Score of 5 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	121	34.3 %
1	YES	232	65.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

mhsftot6 **Score of 6 or higher on MHSF**

- Study 27963 -

Location: 9527-9528 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 6 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	148	41.9 %
1	YES	205	58.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mhsftot7 **Score of 7 or higher on MHSF**

Location: 9529-9530 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 7 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	164	46.5 %
1	YES	189	53.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mhsftot8 **Score of 8 or higher on MHSF**

Location: 9531-9532 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 8 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	203	57.5 %
1	YES	150	42.5 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mhsftot9 **Score of 9 or higher on MHSF**

Location: 9533-9534 (width: 2; decimal: 0)

Variable Type: numeric

Question: Score of 9 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	223	63.2 %
1	YES	130	36.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

mhsfto10 **Score of 10 or higher on MHSF**

Location: 9535-9536 (width: 2; decimal: 0)

Variable Type: numeric

Question: Score of 10 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	251	71.1 %
1	YES	102	28.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

mhsfto11 **Score of 11 or higher on MHSF**

- Study 27963 -

Location: 9537-9538 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 11 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	281	79.6 %
1	YES	72	20.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

mhsfto12 **Score of 12 or higher on MHSF**

Location: 9539-9540 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 12 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	303	85.8 %
1	YES	50	14.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

mhsfto13 **Score of 13 or higher on MHSF**

Location: 9541-9542 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 13 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	317	89.8 %
1	YES	36	10.2 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

mhsfto14 **Score of 14 or higher on MHSF**

Location: 9543-9544 (width: 2; decimal: 0)

Variable Type: numeric

Question: Score of 14 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	329	93.2 %
1	YES	24	6.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

mhsfto15 **Score of 15 or higher on MHSF**

Location: 9545-9546 (width: 2; decimal: 0)

Variable Type: numeric

Question: Score of 15 or higher on MHSF

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	340	96.3 %
1	YES	13	3.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

minitot5 **Score of 5 or more on the MINI**

- Study 27963 -

Location: 9547-9548 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 5 or more on the MINI?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	107	30.3 %
1	YES	246	69.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

minitot6 **Score of 6 or more on the MINI**

Location: 9549-9550 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 6 or more on the MINI?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	137	38.8 %
1	YES	216	61.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

minitot7 **Score of 7 or more on the MINI**

Location: 9551-9552 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 7 or more on the MINI?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	164	46.5 %
1	YES	189	53.5 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

minitot8 **Score of 8 or more on the MINI**

Location: 9553-9554 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 8 or more on the MINI?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	199	56.4 %
1	YES	154	43.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

minitot9 **Score of 9 or more on the MINI**

Location: 9555-9556 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 9 or more on the MINI?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	225	63.7 %
1	YES	128	36.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

minito10 **Score of 10 or more on the MINI**

- Study 27963 -

Location: 9557-9558 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 10 or more on the MINI?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	243	68.8 %
1	YES	110	31.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

minito11 **Score of 11 or more on the MINI**

Location: 9559-9560 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 11 or more on the MINI?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	259	73.4 %
1	YES	94	26.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

minito12 **Score of 12 or more on the MINI**

Location: 9561-9562 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 12 or more on the MINI?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	281	79.6 %
1	YES	72	20.4 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

minito13 Score of 13 or more on the MINI

Location: 9563-9564 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 13 or more on the MINI?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	300	85.0 %
1	YES	53	15.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

gainssn1 Score of 1 or higher on Corrected GAIN-SS Score, no SA questions

Location: 9565-9566 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 1 or higher on Corrected GAIN

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	39	11.0 %
1	YES	314	89.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

gainssn2 Score of 2 or higher on Corrected GAIN-SS Score, no SA questions

- Study 27963 -

Location: 9567-9568 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 2 or higher on Corrected GAIN

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	75	21.2 %
1	YES	278	78.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

gainssn3 **Score of 3 or higher on Corrected GAIN-SS Score, no SA questions**

Location: 9569-9570 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 3 or higher on Corrected GAIN

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	114	32.3 %
1	YES	239	67.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

gainssn4 **Score of 4 or higher on Corrected GAIN-SS Score, no SA questions**

Location: 9571-9572 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 4 or higher on Corrected GAIN

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	158	44.8 %
1	YES	195	55.2 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gainssn5 **Score of 5 or higher on Corrected GAIN-SS Score, no SA questions**

Location: 9573-9574 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 5 or higher on Corrected GAIN

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	197	55.8 %
1	YES	156	44.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gainssn6 **Score of 6 or higher on Corrected GAIN-SS Score, no SA questions**

Location: 9575-9576 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 6 or higher on Corrected GAIN

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	238	67.4 %
1	YES	115	32.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

gainssn7 **Score of 7 or higher on Corrected GAIN-SS Score, no SA questions**

- Study 27963 -

Location: 9577-9578 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 7 or higher on Corrected GAIN

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	280	79.3 %
1	YES	73	20.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

gainssn8 **Score of 8 or higher on Corrected GAIN-SS Score, no SA questions**

Location: 9579-9580 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): .
 Question: Score of 8 or higher on Corrected GAIN

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	254	72.0 %
1	YES	79	22.4 %
. (M)	-	20	5.7 %

Based upon 333 valid cases out of 353 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

sciddia1 **SCID diagnosis without ASPD, BPD but with Suicide?**

Location: 9581-9582 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: SCID diagnosis without ASPD, BPD but with Suicide?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	189	53.5 %

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	YES	164	46.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

sciddi1a **SCID Diagnosis with Suicide and ASPD and BPD?**

Location: 9583-9584 (width: 2; decimal: 0)

Variable Type: numeric

Question: SCID Diagnosis with Suicide and ASPD and BPD?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	110	31.2 %
1	YES	243	68.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

sciddia2 **SCID diagnosis FINAL Inclusive?**

Location: 9585-9586 (width: 2; decimal: 0)

Variable Type: numeric

Question: SCID diagnosis FINAL Inclusive?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	99	28.0 %
1	YES	254	72.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00

- Study 27963 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

gssn1a **GAIN-SS Sensitivity, cut off score of 1**

Location: 9587-9588 (width: 2; decimal: 0)
Variable Type: numeric
Question: GAIN-SS Sensitivity, cut off score of 1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	120	34.0 %
1	YES	233	66.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

gssn1b **GAIN-SS Specificity, cut off score of 1**

Location: 9589-9590 (width: 2; decimal: 0)
Variable Type: numeric
Question: GAIN-SS Specificity, cut off score of 1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	328	92.9 %
1	YES	25	7.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

gssn1c **GAIN-SS Overall Accuracy cut off score of 1**

Location: 9591-9592 (width: 2; decimal: 0)
Variable Type: numeric
Question: GAIN-SS Overall Accuracy cut off score of 1

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	95	26.9 %
1	YES	258	73.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

gssn2a **GAIN-SS Sensitivity, cut off score of 2**

Location: 9593-9594 (width: 2; decimal: 0)

Variable Type: numeric

Question: GAIN-SS Sensitivity, cut off score of 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	133	37.7 %
1	YES	220	62.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.62
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

gssn2b **GAIN-SS Specificity, cut off score of 2**

Location: 9595-9596 (width: 2; decimal: 0)

Variable Type: numeric

Question: GAIN-SS Specificity, cut off score of 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	312	88.4 %
1	YES	41	11.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.12
- Median: 0.00

- Study 27963 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

gssn2c **GAIN-SS Overall Accuracy, cut off score of 2**

Location: 9597-9598 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: GAIN-SS Overall Accuracy cut off score of 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	92	26.1 %
1	YES	261	73.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

gssn3a **GAIN-SS Sensitivity, cut off score of 3**

Location: 9599-9600 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: GAIN-SS Sensitivity, cut off score of 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	158	44.8 %
1	YES	195	55.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gssn3b **GAIN-SS Specificity, cut off score of 3**

Location: 9601-9602 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 27963 -

Question:

GAIN-SS Specificity, cut off score of 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	298	84.4 %
1	YES	55	15.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

gssn3c

GAIN-SS Overall Accuracy, cut off score of 3

Location:

9603-9604 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

GAIN-SS Overall Accuracy cut off score of 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	103	29.2 %
1	YES	250	70.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

gssn4a

GAIN-SS Sensitivity, cut off score of 4

Location:

9605-9606 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

GAIN-SS Sensitivity, cut off score of 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	190	53.8 %
1	YES	163	46.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.46

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gssn4b **GAIN-SS Specificity, cut off score of 4**

Location: 9607-9608 (width: 2; decimal: 0)
Variable Type: numeric
Question: GAIN-SS Specificity, cut off score of 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	286	81.0 %
1	YES	67	19.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

gssn4c **GAIN-SS Overall Accuracy, cut off score of 4**

Location: 9609-9610 (width: 2; decimal: 0)
Variable Type: numeric
Question: GAIN-SS Overall Accuracy cut off score of 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	123	34.8 %
1	YES	230	65.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

gssn5a **GAIN-SS Sensitivity, cut off score of 5**

Location: 9611-9612 (width: 2; decimal: 0)
Variable Type: numeric

- Study 27963 -

Question:

GAIN-SS Sensitivity, cut off score of 5

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	220	62.3 %
1	YES	133	37.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

gssn5b

GAIN-SS Specificity, cut off score of 5

Location:

9613-9614 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

GAIN-SS Specificity, cut off score of 5

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	277	78.5 %
1	YES	76	21.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

gssn5c

GAIN-SS Overall Accuracy, cut off score of 5

Location:

9615-9616 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

GAIN-SS Overall Accuracy cut off score of 5

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	144	40.8 %
1	YES	209	59.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.59

- Study 27963 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

gssn6a **GAIN-SS Sensitivity, cut off score of 6**

Location: 9617-9618 (width: 2; decimal: 0)
Variable Type: numeric
Question: GAIN-SS Sensitivity, cut off score of 6

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	253	71.7 %
1	YES	100	28.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

gssn6b **GAIN-SS Specificity, cut off score of 6**

Location: 9619-9620 (width: 2; decimal: 0)
Variable Type: numeric
Question: GAIN-SS Specificity, cut off score of 6

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	269	76.2 %
1	YES	84	23.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

gssn6c **GAIN-SS Overall Accuracy, cut off score of 6**

Location: 9621-9622 (width: 2; decimal: 0)
Variable Type: numeric

- Study 27963 -

Question:

GAIN-SS Overall Accuracy cut off score of 6

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	169	47.9 %
1	YES	184	52.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gssn7a

GAIN-SS Sensitivity, cut off score of 7

Location:

9623-9624 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

GAIN-SS Sensitivity, cut off score of 7

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	287	81.3 %
1	YES	66	18.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

gssn7b

GAIN-SS Specificity, cut off score of 7

Location:

9625-9626 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

GAIN-SS Specificity, cut off score of 7

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	261	73.9 %
1	YES	92	26.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.26

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

gssn7c

GAIN-SS Overall Accuracy, cut off score of 7

Location: 9627-9628 (width: 2; decimal: 0)
Variable Type: numeric
Question: GAIN-SS Overall Accuracy cut off score of 7

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	195	55.2 %
1	YES	158	44.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gssn8a

GAIN-SS Sensitivity, cut off score of 8

Location: 9629-9630 (width: 2; decimal: 0)
Variable Type: numeric
Question: GAIN-SS Sensitivity, cut off score of 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	286	81.0 %
1	YES	67	19.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

gssn8b

GAIN-SS Specificity, cut off score of 8

Location: 9631-9632 (width: 2; decimal: 0)
Variable Type: numeric

- Study 27963 -

Question:

GAIN-SS Specificity, cut off score of 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	271	76.8 %
1	YES	82	23.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

gssn8c

GAIN-SS Overall Accuracy, cut off score of 8

Location:

9633-9634 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

GAIN-SS Overall Accuracy cut off score of 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	204	57.8 %
1	YES	149	42.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mshf2d

MHSF Sensitivity, cut off score of 2

Location:

9635-9636 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MHSF Sensitivity, cut off score of 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	109	30.9 %
1	YES	244	69.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.69

- Study 27963 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

mshf2e MHSF Specificity, cut off score of 2

Location: 9637-9638 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Specificity, cut off score of 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	325	92.1 %
1	YES	28	7.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

mshf2f MHSF Overall Accuracy, cut off score of 2

Location: 9639-9640 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Overall Accuracy, cut off score of 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	81	22.9 %
1	YES	272	77.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

mshf2g MHSF Sensitivity, cut off score of 3

Location: 9641-9642 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 27963 -

Question:

MHSF Sensitivity, cut off score of 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	126	35.7 %
1	YES	227	64.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

mshf2h

MHSF Specificity, cut off score of 3

Location:

9643-9644 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MHSF Specificity, cut off score of 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	307	87.0 %
1	YES	46	13.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

mshf2i

MHSF Overall Accuracy, cut off score of 3

Location:

9645-9646 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MHSF Overall Accuracy, cut off score of 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	80	22.7 %
1	YES	273	77.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.77

- Study 27963 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

mshf2j **MHSF Sensitivity, cut off score of 4**

Location: 9647-9648 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Sensitivity, cut off score of 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	141	39.9 %
1	YES	212	60.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mshf2k **MHSF Specificity, cut off score of 4**

Location: 9649-9650 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Specificity, cut off score of 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	300	85.0 %
1	YES	53	15.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

mshf2l **MHSF Overall Accuracy, cut off score of 4**

Location: 9651-9652 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 27963 -

Question:

MHSF Overall Accuracy, cut off score of 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	88	24.9 %
1	YES	265	75.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

mshf2m

MHSF Sensitivity, cut off score of 5

Location:

9653-9654 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MHSF Sensitivity, cut off score of 5

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	159	45.0 %
1	YES	194	55.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mshf2n

MHSF Specificity, cut off score of 5

Location:

9655-9656 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MHSF Specificity, cut off score of 5

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	292	82.7 %
1	YES	61	17.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.17

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

mshf2o **MHSF Overall Accuracy, cut off score of 5**

Location: 9657-9658 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Overall Accuracy, cut off score of 5

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	98	27.8 %
1	YES	255	72.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

mshf2p **MHSF Sensitivity, cut off score of 6**

Location: 9659-9660 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Sensitivity, cut off score of 6

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	178	50.4 %
1	YES	175	49.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mshf2q **MHSF Specificity, cut off score of 6**

Location: 9661-9662 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 27963 -

Question:

MHSF Specificity, cut off score of 6

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	284	80.5 %
1	YES	69	19.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

mshf2r

MHSF Overall Accuracy, cut off score of 6

Location:

9663-9664 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MHSF Overall Accuracy, cut off score of 6

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	110	31.2 %
1	YES	243	68.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

mshf2s

MHSF Sensitivity, cut off score of 7

Location:

9665-9666 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MHSF Sensitivity, cut off score of 7

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	190	53.8 %
1	YES	163	46.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.46

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mshf2t **MHSF Specificity, cut off score of 7**

Location: 9667-9668 (width: 2; decimal: 0)
Variable Type: numeric
Question: MHSF Specificity, cut off score of 7

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	280	79.3 %
1	YES	73	20.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

mshf2u **MHSF Overall Accuracy, cut off score of 7**

Location: 9669-9670 (width: 2; decimal: 0)
Variable Type: numeric
Question: MHSF Overall Accuracy, cut off score of 7

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	117	33.1 %
1	YES	236	66.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

mshf2v **MHSF Sensitivity, cut off score of 8**

Location: 9671-9672 (width: 2; decimal: 0)
Variable Type: numeric

- Study 27963 -

Question:

MHSF Sensitivity, cut off score of 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	218	61.8 %
1	YES	135	38.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mshf2w

MHSF Specificity, cut off score of 8

Location:

9673-9674 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MHSF Specificity, cut off score of 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	269	76.2 %
1	YES	84	23.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

mshf2x

MHSF Overall Accuracy, cut off score of 8

Location:

9675-9676 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MHSF Overall Accuracy, cut off score of 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	134	38.0 %
1	YES	219	62.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.62

- Study 27963 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mini2d **MINI Sensitivity, cut off score of 5**

Location: 9677-9678 (width: 2; decimal: 0)
Variable Type: numeric
Question: MINI Sensitivity, cut off score of 5

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	153	43.3 %
1	YES	200	56.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini2e **MINI Specificity, cut off score of 5**

Location: 9679-9680 (width: 2; decimal: 0)
Variable Type: numeric
Question: MINI Specificity, cut off score of 5

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	300	85.0 %
1	YES	53	15.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

mini2f **MINI Overall Accuracy, cut off score of 5**

Location: 9681-9682 (width: 2; decimal: 0)
Variable Type: numeric

- Study 27963 -

Question:

MINI Overall Accuracy, cut off score of 5

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	100	28.3 %
1	YES	253	71.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

mini2g

MINI Sensitivity, cut off score of 6

Location:

9683-9684 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MINI Sensitivity, cut off score of 6

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	176	49.9 %
1	YES	177	50.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini2h

MINI Specificity, cut off score of 6

Location:

9685-9686 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MINI Specificity, cut off score of 6

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	293	83.0 %
1	YES	60	17.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.17

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

mini2i **MINI Overall Accuracy, cut off score of 6**

Location: 9687-9688 (width: 2; decimal: 0)
Variable Type: numeric
Question: MINI Overall Accuracy, cut off score of 6

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	116	32.9 %
1	YES	237	67.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

mini2j **MINI Sensitivity, cut off score of 7**

Location: 9689-9690 (width: 2; decimal: 0)
Variable Type: numeric
Question: MINI Sensitivity, cut off score of 7

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	194	55.0 %
1	YES	159	45.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini2k **MINI Specificity, cut off score of 7**

Location: 9691-9692 (width: 2; decimal: 0)
Variable Type: numeric

- Study 27963 -

Question:

MINI Specificity, cut off score of 7

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	284	80.5 %
1	YES	69	19.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

mini2l

MINI Overall Accuracy, cut off score of 7

Location:

9693-9694 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MINI Overall Accuracy, cut off score of 7

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	125	35.4 %
1	YES	228	64.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

mini2m

MINI Sensitivity, cut off score of 8

Location:

9695-9696 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MINI Sensitivity, cut off score of 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	219	62.0 %
1	YES	134	38.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.38

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mini2n **MINI Specificity, cut off score of 8**

Location: 9697-9698 (width: 2; decimal: 0)
Variable Type: numeric
Question: MINI Specificity, cut off score of 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	274	77.6 %
1	YES	79	22.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

mini2o **MINI Overall Accuracy, cut off score of 8**

Location: 9699-9700 (width: 2; decimal: 0)
Variable Type: numeric
Question: MINI Overall Accuracy, cut off score of 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	140	39.7 %
1	YES	213	60.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mini2p **MINI Sensitivity, cut off score of 9**

Location: 9701-9702 (width: 2; decimal: 0)
Variable Type: numeric

- Study 27963 -

Question:

MINI Sensitivity, cut off score of 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	241	68.3 %
1	YES	112	31.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

mini2q

MINI Specificity, cut off score of 9

Location:

9703-9704 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MINI Specificity, cut off score of 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	270	76.5 %
1	YES	83	23.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

mini2r

MINI Overall Accuracy, cut off score of 9

Location:

9705-9706 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

MINI Overall Accuracy, cut off score of 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	158	44.8 %
1	YES	195	55.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.55

- Study 27963 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mhsf25r **Reverse scoring MHSF25, medication ever REVERSED**

Location: 9707-9708 (width: 2; decimal: 0)

Variable Type: numeric

Question: Reverse scoring MHSF25, medication ever REVERSED

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	YES	178	50.4 %
1	NO	175	49.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mhsf40r **Reverse scoring MHSF40, learning disorder ever REVERSED**

Location: 9709-9710 (width: 2; decimal: 0)

Variable Type: numeric

Question: Reverse scoring MHSF40, learning disorder ever REVERSED

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	YES	76	21.5 %
1	NO	277	78.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.78
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

screen6 **Score on 6 questions screener**

Location: 9711-9712 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Question:

Score on 6 questions screener

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	17	4.8 %
2	89	25.2 %
3	108	30.6 %
4	108	30.6 %
5	28	7.9 %
6	3	0.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 3.14
- Median: 3.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.06

screen6a

Score of 1 or higher on 6 question screener

Location:

9713-9714 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Score of 1 or higher on 6 question screener

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	YES	353	100.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

screen6b

Score of 2 or higher on 6 question screener

Location:

9715-9716 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Score of 2 or higher on 6 question screener

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	17	4.8 %
1	YES	336	95.2 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

screen6c **Score of 3 or higher on 6 question screener**

Location: 9717-9718 (width: 2; decimal: 0)

Variable Type: numeric

Question: Score of 3 or higher on 6 question screener

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	106	30.0 %
1	YES	247	70.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

screen6d **Score of 4 or higher on 6 question screener**

Location: 9719-9720 (width: 2; decimal: 0)

Variable Type: numeric

Question: Score of 4 or higher on 6 question screener

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	214	60.6 %
1	YES	139	39.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

screen6e **Score of 5 or higher on 6 question screener**

- Study 27963 -

Location: 9721-9722 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 5 or higher on 6 question screener

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	322	91.2 %
1	YES	31	8.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

screen6f **Score of 6 or higher on 6 question screener**

Location: 9723-9724 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 6 or higher on 6 question screener

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	350	99.2 %
1	YES	3	0.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

s61a **CODSI-MD Sensitivity, cut off score of 1**

Location: 9725-9726 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: CODSI-MD Sensitivity, cut off score of 1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	99	28.0 %
1	YES	254	72.0 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

s61b **CODSI-MD Specificity, cut off score of 1**

Location: 9727-9728 (width: 2; decimal: 0)
Variable Type: numeric
Question: CODSI-MD Specificity, cut off score of 1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	353	100.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

s61c **CODSI-MD Overall Accuracy, cut off score of 1**

Location: 9729-9730 (width: 2; decimal: 0)
Variable Type: numeric
Question: CODSI-MD Overall Accuracy, cut off score of 1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	99	28.0 %
1	YES	254	72.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

s62a **CODSI-MD Sensitivity, cut off score of 2**

Location: 9731-9732 (width: 2; decimal: 0)

- Study 27963 -

Variable Type: numeric

Question: CODSI-MD Sensitivity, cut off score of 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	107	30.3 %
1	YES	246	69.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

s62b **CODSI-MD Specificity, cut off score of 2**

Location: 9733-9734 (width: 2; decimal: 0)

Variable Type: numeric

Question: CODSI-MD Specificity, cut off score of 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	344	97.5 %
1	YES	9	2.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

s62c **CODSI-MD Overall Accuracy, cut off score of 2**

Location: 9735-9736 (width: 2; decimal: 0)

Variable Type: numeric

Question: CODSI-MD Overall Accuracy, cut off score of 2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	98	27.8 %
1	YES	255	72.2 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

s63a **CODSI-MD Sensitivity, cut off score of 3**

Location: 9737-9738 (width: 2; decimal: 0)
Variable Type: numeric
Question: CODSI-MD Sensitivity, cut off score of 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	147	41.6 %
1	YES	206	58.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

s63b **CODSI-MD Specificity, cut off score of 3**

Location: 9739-9740 (width: 2; decimal: 0)
Variable Type: numeric
Question: CODSI-MD Specificity, cut off score of 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	295	83.6 %
1	YES	58	16.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

s63c **CODSI-MD Overall Accuracy, cut off score of 3**

- Study 27963 -

Location: 9741-9742 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: CODSI-MD Overall Accuracy, cut off score of 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	89	25.2 %
1	YES	264	74.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

s64a **CODSI-MD Sensitivity, cut off score of 4**

Location: 9743-9744 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: CODSI-MD Sensitivity, cut off score of 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	231	65.4 %
1	YES	122	34.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

s64b **CODSI-MD Specificity, cut off score of 4**

Location: 9745-9746 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: CODSI-MD Specificity, cut off score of 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	271	76.8 %
1	YES	82	23.2 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

s64c **CODSI-MD Overall Accuracy, cut off score of 4**

Location: 9747-9748 (width: 2; decimal: 0)
Variable Type: numeric
Question: CODSI-MD Overall Accuracy, cut off score of 4

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	149	42.2 %
1	YES	204	57.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

s65a **CODSI-MD Sensitivity, cut off score of 5**

Location: 9749-9750 (width: 2; decimal: 0)
Variable Type: numeric
Question: CODSI-MD Sensitivity, cut off score of 5

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	325	92.1 %
1	YES	28	7.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

s65b **CODSI-MD Specificity, cut off score of 5**

- Study 27963 -

Location: 9751-9752 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: CODSI-MD Specificity, cut off score of 5

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	257	72.8 %
1	YES	96	27.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

s65c **CODSI-MD Overall Accuracy, cut off score of 5**

Location: 9753-9754 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: CODSI-MD Overall Accuracy, cut off score of 5

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	200	56.7 %
1	YES	153	43.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

s66a **CODSI-MD Sensitivity, cut off score of 6**

Location: 9755-9756 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: CODSI-MD Sensitivity, cut off score of 6

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	350	99.2 %
1	YES	3	0.8 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

s66b **CODSI-MD Specificity, cut off score of 6**

Location: 9757-9758 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: CODSI-MD Specificity, cut off score of 6

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	254	72.0 %
1	YES	99	28.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

s66c **CODSI-MD Overall Accuracy, cut off score of 6**

Location: 9759-9760 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: CODSI-MD Overall Accuracy, cut off score of 6

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	251	71.1 %
1	YES	102	28.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

scidsev2 **SCID Severe Diagnosis, Bipolar, MD, Schizo, and Suicide Potential**

- Study 27963 -

Location: 9761-9762 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: SCID Severe Diagnosis, Bipolar, MD, Schizo, and Suicide Potential

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	229	64.9 %
1	YES	124	35.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

mshf9as MHSF Sensitivity, cut off score of 9 Severe Diagnoses Only

Location: 9763-9764 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Sensitivity, cut off score of 9 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	275	77.9 %
1	YES	78	22.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

mshf9bs MHSF Specificity, cut off score of 9 Severe Diagnoses Only

Location: 9765-9766 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Specificity, cut off score of 9 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	176	49.9 %
1	YES	177	50.1 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mshf9cs **MHSF Overall Accuracy, cut off score of 9 Severe Diagnoses Only**

Location: 9767-9768 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Overall Accuracy, cut off score of 9 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	98	27.8 %
1	YES	255	72.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

mshf10as **MHSF Sensitivity, cut off score of 10 Severe Diagnoses Only**

Location: 9769-9770 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Sensitivity, cut off score of 10 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	285	80.7 %
1	YES	68	19.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

mshf10bs **MHSF Specificity, cut off score of 10 Severe Diagnoses Only**

- Study 27963 -

Location: 9771-9772 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Specificity, cut off score of 10 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	158	44.8 %
1	YES	195	55.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mshf10cs **MHSF Overall Accuracy, cut off score of 10 Severe Diagnoses Only**

Location: 9773-9774 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Overall Accuracy, cut off score of 10 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	90	25.5 %
1	YES	263	74.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

mshf11as **MHSF Sensitivity, cut off score of 11 Severe Diagnoses Only**

Location: 9775-9776 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Sensitivity, cut off score of 11 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	303	85.8 %
1	YES	50	14.2 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

mshf11bs **MHSF Specificity, cut off score of 11 Severe Diagnoses Only**

Location: 9777-9778 (width: 2; decimal: 0)

Variable Type: numeric

Question: MHSF Specificity, cut off score of 11 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	146	41.4 %
1	YES	207	58.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mshf11cs **MHSF Overall Accuracy, cut off score of 11 Severe Diagnoses Only**

Location: 9779-9780 (width: 2; decimal: 0)

Variable Type: numeric

Question: MHSF Overall Accuracy, cut off score of 11 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	96	27.2 %
1	YES	257	72.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

mshf12as **MHSF Sensitivity, cut off score of 12 Severe Diagnoses Only**

- Study 27963 -

Location: 9781-9782 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Sensitivity, cut off score of 12 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	319	90.4 %
1	YES	34	9.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

mshf12bs **MHSF Specificity, cut off score of 12 Severe Diagnoses Only**

Location: 9783-9784 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Specificity, cut off score of 12 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	140	39.7 %
1	YES	213	60.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mshf12cs **MHSF Overall Accuracy, cut off score of 12 Severe Diagnoses Only**

Location: 9785-9786 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Overall Accuracy, cut off score of 12 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	106	30.0 %
1	YES	247	70.0 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

mshf13as **MHSF ensitivity, cut off score of 13 Severe Diagnoses Only**

Location: 9787-9788 (width: 2; decimal: 0)

Variable Type: numeric

Question: MHSF Sensitivity, cut off score of 13 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	328	92.9 %
1	YES	25	7.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

mshf13bs **MHSF Specificity, cut off score of 13 Severe Diagnoses Only**

Location: 9789-9790 (width: 2; decimal: 0)

Variable Type: numeric

Question: MHSF Specificity, cut off score of 13 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	135	38.2 %
1	YES	218	61.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.62
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mshf13cs **MHSF Overall Accuracy, cut off score of 13 Severe Diagnoses Only**

- Study 27963 -

Location: 9791-9792 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Overall Accuracy, cut off score of 13 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	110	31.2 %
1	YES	243	68.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

mshf14as **MHSF Sensitivity, cut off score of 14 Severe Diagnoses Only**

Location: 9793-9794 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Sensitivity, cut off score of 14 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	334	94.6 %
1	YES	19	5.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

mshf14bs **MHSF Specificity, cut off score of 14 Severe Diagnoses Only**

Location: 9795-9796 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Specificity, cut off score of 14 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	129	36.5 %
1	YES	224	63.5 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

mshf14cs **MHSF Overall Accuracy, cut off score of 14 Severe Diagnoses Only**

Location: 9797-9798 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Overall Accuracy, cut off score of 14 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	110	31.2 %
1	YES	243	68.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

mshf15as **MHSF Sensitivity, cut off score of 15 Severe Diagnoses Only**

Location: 9799-9800 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Sensitivity, cut off score of 15 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	342	96.9 %
1	YES	11	3.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

mshf15bs **MHSF Specificity, cut off score of 15 Severe Diagnoses Only**

- Study 27963 -

Location: 9801-9802 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Specificity, cut off score of 15 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	126	35.7 %
1	YES	227	64.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

mshf15cs **MHSF Overall Accuracy, cut off score of 15 Severe Diagnoses Only**

Location: 9803-9804 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MHSF Overall Accuracy, cut off score of 15 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	115	32.6 %
1	YES	238	67.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

mini8as **MINI Sensitivity, cut off score of 8 Severe Diagnoses Only**

Location: 9805-9806 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MINI Sensitivity, cut off score of 8 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	274	77.6 %
1	YES	79	22.4 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

mini8bs

MINI Specificity, cut off score of 8 Severe Diagnoses Only

Location: 9807-9808 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Specificity, cut off score of 8 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	199	56.4 %
1	YES	154	43.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini8cs

MINI Overall Accuracy, cut off score of 8 Severe Diagnoses Only

Location: 9809-9810 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Overall Accuracy, cut off score of 8 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	120	34.0 %
1	YES	233	66.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

mini9as

MINI Sensitivity, cut off score of 9 Severe Diagnoses Only

- Study 27963 -

Location: 9811-9812 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MINI Sensitivity, cut off score of 9 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	284	80.5 %
1	YES	69	19.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

mini9bs **MINI Specificity, cut off score of 9 Severe Diagnoses Only**

Location: 9813-9814 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MINI Specificity, cut off score of 9 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	183	51.8 %
1	YES	170	48.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini9cs **MINI Overall Accuracy, cut off score of 9 Severe Diagnoses Only**

Location: 9815-9816 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MINI Overall Accuracy, cut off score of 9 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	114	32.3 %
1	YES	239	67.7 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

mini10as **MINI Sensitivity, cut off score of 10 Severe Diagnoses Only**

Location: 9817-9818 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Sensitivity, cut off score of 10 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	291	82.4 %
1	YES	62	17.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

mini10bs **MINI Specificity, cut off score of 10 Severe Diagnoses Only**

Location: 9819-9820 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Specificity, cut off score of 10 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	172	48.7 %
1	YES	181	51.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini10cs **MINI Overall Accuracy, cut off score of 10 Severe Diagnoses Only**

- Study 27963 -

Location: 9821-9822 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MINI Overall Accuracy, cut off score of 10 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	110	31.2 %
1	YES	243	68.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

mini11as **MINI Sensitivity, cut off score of 11 Severe Diagnoses Only**

Location: 9823-9824 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MINI Sensitivity, cut off score of 11 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	299	84.7 %
1	YES	54	15.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

mini11bs **MINI Specificity, cut off score of 11 Severe Diagnoses Only**

Location: 9825-9826 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MINI Specificity, cut off score of 11 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	164	46.5 %
1	YES	189	53.5 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini11cs **MINI Overall Accuracy, cut off score of 11 Severe Diagnoses Only**

Location: 9827-9828 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Overall Accuracy, cut off score of 11 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	110	31.2 %
1	YES	243	68.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

mini12as **MINI Sensitivity, cut off score of 12 Severe Diagnoses Only**

Location: 9829-9830 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Sensitivity, cut off score of 12 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	311	88.1 %
1	YES	42	11.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

mini12bs **MINI Specificity, cut off score of 12 Severe Diagnoses Only**

- Study 27963 -

Location: 9831-9832 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MINI Specificity, cut off score of 12 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	154	43.6 %
1	YES	199	56.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

mini12cs **MINI Overall Accuracy, cut off score of 12 Severe Diagnoses Only**

Location: 9833-9834 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MINI Overall Accuracy, cut off score of 12 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	113	32.0 %
1	YES	240	68.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

mini13as **MINI Sensitivity, cut off score of 13 Severe Diagnoses Only**

Location: 9835-9836 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: MINI Sensitivity, cut off score of 13 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	322	91.2 %
1	YES	31	8.8 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

mini13bs **MINI Specificity, cut off score of 13 Severe Diagnoses Only**

Location: 9837-9838 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Specificity, cut off score of 13 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	146	41.4 %
1	YES	207	58.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

mini13cs **MINI Overall Accuracy, cut off score of 13 Severe Diagnoses Only**

Location: 9839-9840 (width: 2; decimal: 0)

Variable Type: numeric

Question: MINI Overall Accuracy, cut off score of 13 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	115	32.6 %
1	YES	238	67.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

gainids **GAINIDS Score only internal disorders**

- Study 27963 -

Location: 9841-9842 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: GAINIDS Score only internal disorders

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	63	17.8 %
1	67	19.0 %
2	54	15.3 %
3	46	13.0 %
4	68	19.3 %
5	47	13.3 %
6	8	2.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 2.46
- Median: 2.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.78

gainids1 **Score of 1 or higher on GAIN IDS**

Location: 9843-9844 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 1 or higher on GAIN IDS

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	63	17.8 %
1	YES	290	82.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.82
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

gainids2 **Score of 2 or higher on GAIN IDS**

Location: 9845-9846 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 2 or higher on GAIN IDS

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	130	36.8 %
1	YES	223	63.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

gainids3 **Score of 3 or higher on GAIN IDS**

Location: 9847-9848 (width: 2; decimal: 0)
Variable Type: numeric
Question: Score of 3 or higher on GAIN IDS

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	184	52.1 %
1	YES	169	47.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gainids4 **Score of 4 or higher on GAIN IDS**

Location: 9849-9850 (width: 2; decimal: 0)
Variable Type: numeric
Question: Score of 4 or higher on GAIN IDS

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	230	65.2 %
1	YES	123	34.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.35
- Median: 0.00

- Study 27963 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

gainids5 **Score of 5 or higher on GAIN IDS**

Location: 9851-9852 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Score of 5 or higher on GAIN IDS

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	298	84.4 %
1	YES	55	15.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

gids1as **GAIN IDS Sensitivity, cut off score of 1 Severe Diagnoses Only**

Location: 9853-9854 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: GAIN IDS Sensitivity, cut off score of 1 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	234	66.3 %
1	YES	119	33.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

gids1bs **GAIN IDS Specificity, cut off score of 1 Severe Diagnoses Only**

Location: 9855-9856 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 27963 -

Question:

GAIN IDS Specificity, cut off score of 1 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	295	83.6 %
1	YES	58	16.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

gids1cs

GAIN IDS Overall Accuracy, cut off score of 1 Severe Diagnoses Only

Location:

9857-9858 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

GAIN IDS Overall Accuracy, cut off score of 1 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	176	49.9 %
1	YES	177	50.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gids2as

GAIN IDS Sensitivity, cut off score of 2 Severe Diagnoses Only

Location:

9859-9860 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

GAIN IDS Sensitivity, cut off score of 2 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	254	72.0 %
1	YES	99	28.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.28

- Study 27963 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

gids2bs **GAIN IDS Specificity, cut off score of 2 Severe Diagnoses Only**

Location: 9861-9862 (width: 2; decimal: 0)

Variable Type: numeric

Question: GAIN IDS Specificity, cut off score of 2 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	248	70.3 %
1	YES	105	29.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

gids2cs **GAIN IDS Overall Accuracy, cut off score of 2 Severe Diagnoses Only**

Location: 9863-9864 (width: 2; decimal: 0)

Variable Type: numeric

Question: GAIN IDS Overall Accuracy, cut off score of 2 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	149	42.2 %
1	YES	204	57.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

gids3as **GAIN IDS Sensitivity, cut off score of 3 Severe Diagnoses Only**

Location: 9865-9866 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Question:

GAIN IDS Sensitivity, cut off score of 3 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	268	75.9 %
1	YES	85	24.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

gids3bs

GAIN IDS Specificity, cut off score of 3 Severe Diagnoses Only

Location:

9867-9868 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

GAIN IDS Specificity, cut off score of 3 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	208	58.9 %
1	YES	145	41.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

gids3cs

GAIN Overall Accuracy, cut off score of 3 Severe Diagnoses Only

Location:

9869-9870 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

GAIN IDS Overall Accuracy, cut off score of 3 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	123	34.8 %
1	YES	230	65.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.65

- Study 27963 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

gids4as GAIN IDS Sensitivity, cut off score of 4 Severe Diagnoses Only

Location: 9871-9872 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: GAIN IDS Sensitivity, cut off score of 4 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	280	79.3 %
1	YES	73	20.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

gids4bs GAIN IDS Specificity, cut off score of 4 Severe Diagnoses Only

Location: 9873-9874 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: GAIN IDS Specificity, cut off score of 4 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	174	49.3 %
1	YES	179	50.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

gids4cs GAIN IDS Overall Accuracy, cut off score of 4 Severe Diagnoses Only

Location: 9875-9876 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 27963 -

Question:

GAIN IDS Overall Accuracy, cut off score of 4 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	101	28.6 %
1	YES	252	71.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

gids5as

GAIN IDS Sensitivity, cut off score of 5 Severe Diagnoses Only

Location:

9877-9878 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

GAIN IDS Sensitivity, cut off score of 5 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	317	89.8 %
1	YES	36	10.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

gids5bs

GAIN IDS Specificity, cut off score of 5 Severe Diagnoses Only

Location:

9879-9880 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

GAIN IDS Specificity, cut off score of 5 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	143	40.5 %
1	YES	210	59.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.59

- Study 27963 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

gids5cs

GAIN IDS Overall Accuracy, cut off score of 5 Severe Diagnoses Only

Location: 9881-9882 (width: 2; decimal: 0)

Variable Type: numeric

Question: GAIN IDS Overall Accuracy, cut off score of 5 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	107	30.3 %
1	YES	246	69.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

s61as

CODSI-MD Sensitivity, cut off score of 1 Severe Diagnoses Only

Location: 9883-9884 (width: 2; decimal: 0)

Variable Type: numeric

Question: CODSI-MD Sensitivity, cut off score of 1 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	229	64.9 %
1	YES	124	35.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

s61bs

CODSI-MD Specificity, cut off score of 1 Severe Diagnoses Only

Location: 9885-9886 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Question:

CODSI-MD Specificity, cut off score of 1 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	353	100.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

s61cs

CODSI-MD Overall Accuracy, cut off score of 1 Severe Diagnoses Only

Location:

9887-9888 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

CODSI-MD Overall Accuracy, cut off score of 1 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	229	64.9 %
1	YES	124	35.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

s62as

CODSI-MD Sensitivity, cut off score of 2 Severe Diagnoses Only

Location:

9889-9890 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

CODSI-MD Sensitivity, cut off score of 2 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	232	65.7 %
1	YES	121	34.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.34
- Median: 0.00

- Study 27963 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

s62bs **CODSI-MD Specificity, cut off score of 2 Severe Diagnoses Only**

Location: 9891-9892 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: CODSI-MD Specificity, cut off score of 2 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	338	95.8 %
1	YES	15	4.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

s62cs **CODSI-MD Overall Accuracy, cut off score of 2 Severe Diagnoses Only**

Location: 9893-9894 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: CODSI-MD Overall Accuracy, cut off score of 2 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	218	61.8 %
1	YES	135	38.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

s63as **CODSI-MD Sensitivity, cut off score of 3 Severe Diagnoses Only**

Location: 9895-9896 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 27963 -

Question:

CODSI-MD Sensitivity, cut off score of 3 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	251	71.1 %
1	YES	102	28.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

s63bs

CODSI-MD Specificity, cut off score of 3 Severe Diagnoses Only

Location:

9897-9898 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

CODSI-MD Specificity, cut off score of 3 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	269	76.2 %
1	YES	84	23.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

s63cs

CODSI-MD Overall Accuracy, cut off score of 3 Severe Diagnoses Only

Location:

9899-9900 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

CODSI-MD Overall Accuracy, cut off score of 3 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	167	47.3 %
1	YES	186	52.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.53

- Study 27963 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

s64as CODSI-MD Sensitivity, cut off score of 4 Severe Diagnoses Only

Location: 9901-9902 (width: 2; decimal: 0)

Variable Type: numeric

Question: CODSI-MD Sensitivity, cut off score of 4 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	294	83.3 %
1	YES	59	16.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

s64bs CODSI-MD Specificity, cut off score of 4 Severe Diagnoses Only

Location: 9903-9904 (width: 2; decimal: 0)

Variable Type: numeric

Question: CODSI-MD Specificity, cut off score of 4 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	204	57.8 %
1	YES	149	42.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

s64cs CODSI-MD Overall Accuracy, cut off score of 4 Severe Diagnoses Only

Location: 9905-9906 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Question:

CODSI-MD Overall Accuracy, cut off score of 4 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	145	41.1 %
1	YES	208	58.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

s65as

CODSI-MD Sensitivity, cut off score of 5 Severe Diagnoses Only

Location:

9907-9908 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

CODSI-MD Sensitivity, cut off score of 5 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	339	96.0 %
1	YES	14	4.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

s65bs

CODSI-MD Specificity, cut off score of 5 Severe Diagnoses Only

Location:

9909-9910 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

CODSI-MD Specificity, cut off score of 5 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	141	39.9 %
1	YES	212	60.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.60

- Study 27963 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

s65cs

CODSI-MD Overall Accuracy, cut off score of 5 Severe Diagnoses Only

Location: 9911-9912 (width: 2; decimal: 0)

Variable Type: numeric

Question: CODSI-MD Overall Accuracy, cut off score of 5 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	127	36.0 %
1	YES	226	64.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

s66as

CODSI-MD Sensitivity, cut off score of 6 Severe Diagnoses Only

Location: 9913-9914 (width: 2; decimal: 0)

Variable Type: numeric

Question: CODSI-MD Sensitivity, cut off score of 6 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	352	99.7 %
1	YES	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

s66bs

CODSI-MD Specificity, cut off score of 6 Severe Diagnoses Only

Location: 9915-9916 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Question:

CODSI-MD Specificity, cut off score of 6 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	126	35.7 %
1	YES	227	64.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

s66cs

CODSI-MD Overall Accuracy, cut off score of 6 Severe Diagnoses Only

Location:

9917-9918 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

CODSI-MD Overall Accuracy, cut off score of 6 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	125	35.4 %
1	YES	228	64.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

scrn3md

Score on 3 Item Screen for Major Disorders Only

Location:

9919-9920 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

.

Question:

Score on 3 Item Screen for Major Disorders Only

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	118	33.4 %
1	130	36.8 %
2	76	21.5 %
3	28	7.9 %

- Study 27963 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	1	0.3 %

Based upon 352 valid cases out of 353 total cases.

- Mean: 1.04
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.93

scrn3mda Score of 1 or higher on 3 question screener for severe SCID diagnosis

Location: 9921-9922 (width: 2; decimal: 0)

Variable Type: numeric

Question: Score of 1 or higher on 3 question screener for severe SCID diagnosis

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	119	33.7 %
1	YES	234	66.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

scrn3mdb Score of 2 or higher on 3 question screener for severe SCID diagnosis

Location: 9923-9924 (width: 2; decimal: 0)

Variable Type: numeric

Question: Score of 2 or higher on 3 question screener for severe SCID diagnosis

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	249	70.5 %
1	YES	104	29.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00

- Study 27963 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

scrn3mdc **Score of 3 on 3 question screener for severe SCID diagnosis**

Location: 9925-9926 (width: 2; decimal: 0)

Variable Type: numeric

Question: Score of 3 on 3 question screener for severe SCID diagnosis

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	325	92.1 %
1	YES	28	7.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

scrns3a1 **CODSI-SMD Sensitivity, cut off score of 1 Severe Diagnoses Only**

Location: 9927-9928 (width: 2; decimal: 0)

Variable Type: numeric

Question: CODSI-SMD Sensitivity, cut off score of 1 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	247	70.0 %
1	YES	106	30.0 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

scrns3b1 **CODSI-SMD Specificity, cut off score of 1 Severe Diagnoses Only**

Location: 9929-9930 (width: 2; decimal: 0)

Variable Type: numeric

Question: CODSI-SMD Specificity, cut off score of 1 Severe Diagnoses Only

- Study 27963 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	252	71.4 %
1	YES	101	28.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

scrns3c1 CODSI-SMD Overall Accuracy, cut off score of 1 Severe Diagnoses Only

Location: 9931-9932 (width: 2; decimal: 0)

Variable Type: numeric

Question: CODSI-SMD Overall Accuracy, cut off score of 1 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	146	41.4 %
1	YES	207	58.6 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

scrns3a2 CODSI-SMD Sensitivity, cut off score of 2 Severe Diagnoses Only

Location: 9933-9934 (width: 2; decimal: 0)

Variable Type: numeric

Question: CODSI-SMD Sensitivity, cut off score of 2 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	283	80.2 %
1	YES	70	19.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.20
- Median: 0.00

- Study 27963 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

scrns3b2 **CODSI-SMD Specificity, cut off score of 2 Severe Diagnoses Only**

Location: 9935-9936 (width: 2; decimal: 0)
Variable Type: numeric
Question: CODSI-SMD Specificity, cut off score of 2 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	158	44.8 %
1	YES	195	55.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

scrns3c2 **CODSI-SMD Overall Accuracy, cut off score of 2 on SCID Severe Diagnoses Only**

Location: 9937-9938 (width: 2; decimal: 0)
Variable Type: numeric
Question: CODSI-SMD Overall Accuracy, cut off score of 2 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	88	24.9 %
1	YES	265	75.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

scrns3a3 **CODSI-SMD Sensitivity, cut off score of 3 Severe Diagnoses Only**

Location: 9939-9940 (width: 2; decimal: 0)
Variable Type: numeric

- Study 27963 -

Question:

CODSI-SMD Sensitivity, cut off score of 3 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	331	93.8 %
1	YES	22	6.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

scrns3b3

CODSI-SMD Specificity, cut off score of 3 Severe Diagnoses Only

Location:

9941-9942 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

CODSI-SMD Specificity, cut off score of 3 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	130	36.8 %
1	YES	223	63.2 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

scrns3c3

CODSI-SMD Overall Accuracy, cut off score of 3 Severe Diagnoses Only

Location:

9943-9944 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

CODSI-SMD Overall Accuracy, cut off score of 3 Severe Diagnoses Only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	108	30.6 %
1	YES	245	69.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.69

- Study 27963 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

idulife **% IDU lifetime use**

Location: 9945-9946 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: % IDU lifetime use

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no	241	68.3 %
1	yes	112	31.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

fullpartemploy **full and part time employment for comparison**

Location: 9947-9948 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Full and part time employment for comparison

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	not full or part	146	41.4 %
1	full or part	206	58.4 %
7	-	1	0.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.60

maritalstat **Marital status for comparisons**

Location: 9949-9950 (width: 2; decimal: 0)

- Study 27963 -

Variable Type: numeric

Question: Marital status for comparison

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	not legally married	270	76.5 %
1	legally married	83	23.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

alcuse Alcohol use for comparison

Location: 9951-9952 (width: 2; decimal: 0)

Variable Type: numeric

Question: Alcohol use for comparison

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no alcohol use	8	2.3 %
1	alcohol use	345	97.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

marijuse Marijuana use for comparison

Location: 9953-9954 (width: 2; decimal: 0)

Variable Type: numeric

Question: Marijuana use for comparison

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No Marijuana use	28	7.9 %
1	Marijuana use	325	92.1 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

cocaineuse

Cocaine use for comparison

Location: 9955-9956 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Cocaine use for comparison

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no cocaine use	101	28.6 %
1	cocaine use	252	71.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

heroinuse

Heroin use for comparison

Location: 9957-9958 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Heroin use for comparison

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no heroin use	267	75.6 %
1	heroin use	86	24.4 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

methuse

Methamphetamine use for comparison

- Study 27963 -

Location: 9959-9960 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Methamphetamine use for comparison

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no meth use	164	46.5 %
1	meth use	189	53.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

pyschhosp **Pysch hospitalizations for comparison**

Location: 9961-9962 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Pysch hospitalizations for comparison

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no psych hosp	284	80.5 %
1	psych hosp	69	19.5 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

phsycialhosp **Physical Hospitalizations for comparison**

Location: 9963-9964 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Physical hospitalizations for comparison

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no physical hosp	131	37.1 %
1	physical hosp	222	62.9 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

subabusetrmt Substance Abuse treatment for comparison

Location: 9965-9966 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Substance abuse treatment for comparison

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no trmt	124	35.1 %
1	trmt	229	64.9 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

racegenderweight Weight by race and gender

Location: 9967-9974 (width: 8; decimal: 4)
 Variable Type: numeric
 Question: Weight by race and gender

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.1189	42	11.9 %
0.2187	57	16.1 %
0.9268	47	13.3 %
1.0471	73	20.7 %
1.5567	80	22.7 %
1.6853	54	15.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 1.0000
- Median: 1.0471
- Mode: 1.5567
- Minimum: 0.1189

- Study 27963 -

- Maximum: 1.6853
- Standard Deviation: 0.5789

whtvafa **White vs African American**

Location: 9975-9976 (width: 2; decimal: 0)

Variable Type: numeric

Question: White vs. African American

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	white	137	38.8 %
2	African American	96	27.2 %
. (M)	-	120	34.0 %

Based upon 233 valid cases out of 353 total cases.

- Mean: 1.41
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

whtvlat **White vs Latino**

Location: 9977-9978 (width: 2; decimal: 0)

Variable Type: numeric

Question: White vs. Latino

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	white	137	38.8 %
3	Latino	120	34.0 %
. (M)	-	96	27.2 %

Based upon 257 valid cases out of 353 total cases.

- Mean: 1.93
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 1.00

afavlat **African American vs Latino**

Location: 9979-9980 (width: 2; decimal: 0)

Variable Type: numeric

- Study 27963 -

Question:

African American vs. Latino

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	African American	96	27.2 %
3	Latino	120	34.0 %
. (M)	-	137	38.8 %

Based upon 216 valid cases out of 353 total cases.

- Mean: 2.56
- Median: 3.00
- Mode: 3.00
- Minimum: 2.00
- Maximum: 3.00
- Standard Deviation: 0.50

oacmhsfa

MHSF cut 3 new overall accuracy for crosstabs

Location:

9981-9988 (width: 8; decimal: 2)

Variable Type:

numeric

Question:

MHSF cut 3 new overall accuracy for crosstabs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	no	80	22.7 %
1.00	yes	273	77.3 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

oacgaina

GAIN cut 2 new overall accuracy for crosstabs

Location:

9989-9996 (width: 8; decimal: 2)

Variable Type:

numeric

Question:

GAIN cut 2 new overall accuracy for crosstabs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	no	92	26.1 %
1.00	yes	261	73.9 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

oacminia

MINI cut 5 new overall accuracy for crosstabs

Location: 9997-10004 (width: 8; decimal: 2)
Variable Type: numeric
Question: MINI cut 5 new overall accuracy for crosstabs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	no	100	28.3 %
1.00	yes	253	71.7 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

oaccodsa

CODSI-MD cut 3 new overall accuracy for crosstabs

Location: 10005-10012 (width: 8; decimal: 2)
Variable Type: numeric
Question: CODSI-MD cut 3 new overall accuracy for crosstabs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	no	89	25.2 %
1.00	yes	264	74.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

oacmhsfs

MHSF Severe cut 11 new overall accuracy for crosstabs

- Study 27963 -

Location: 10013-10020 (width: 8; decimal: 2)
 Variable Type: numeric
 Question: MHSF cut 11 new overall accuracy for crosstabs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	no	96	27.2 %
1.00	yes	257	72.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

oacminis **MINI severe cut 10 new overall accuracy for crosstabs**

Location: 10021-10028 (width: 8; decimal: 2)
 Variable Type: numeric
 Question: MINI cut 10 new overall accuracy for crosstabs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	no	110	31.2 %
1.00	yes	243	68.8 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

oacgains **GAIN severe cut 5 new overall accuracy for crosstabs**

Location: 10029-10036 (width: 8; decimal: 2)
 Variable Type: numeric
 Question: GAIN cut 5 new overall accuracy for crosstabs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	no	107	30.3 %
1.00	yes	246	69.7 %

Based upon 353 valid cases out of 353 total cases.

- Study 27963 -

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

oaccodss **CODSI-SMD severe cut 2 new overall accuracy for crosstabs**

Location: 10037-10044 (width: 8; decimal: 2)

Variable Type: numeric

Question: CODSI-SMD cut 3 new overall accuracy for crosstabs

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	no	88	24.9 %
1.00	yes	265	75.1 %

Based upon 353 valid cases out of 353 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43