Assignment 10

code:

```
#include <iostream>
using namespace std;

class Node {
public:
   Node *next;
   int priority;
   string data;

   Node(string d, int prior) {
      priority = prior;
      data = d;
      next = NULL;
   }
};

class PriorityQueue {
public:
   Node *front = NULL;

   // Insert patient in priority order
   void insert(string d, int prior) {
      Node *temp = new Node(d, prior);

      // If queue is empty OR new node has higher priority than front
      if (front == NULL || front->priority < prior) {
         temp->next = front;
         front = temp;
      } else {
         Node *rear = front;
         while (rear->next != NULL && rear->next->priority >= prior) {
            rear = rear->next;
         }
         temp->next = rear->next;
         rear->next = temp;
      }
   }

   // Peek first patient
   void peek() {
      if (front == NULL) {
         cout << "Queue is empty!" << endl;
         return;
      }
      cout << "First patient is: " << front->data << endl;
   }

   // Remove the highest priority patient
   void pop() {
      if (front == NULL) {
         cout << "No patients to remove!" << endl;
         return;
      }
      Node *temp = front;
      front = front->next;
      delete temp; // Prevent memory leak
   }

   // Display all patients
   void dis() {
```

```
        if (front == NULL) {
            cout << "Empty queue." << endl;
            return;
        }
        cout << "\nPatient List:\n";
        Node *curr = front;
        while (curr != NULL) {
            string currPrior;
            if (curr->priority == 3)
                currPrior = "Serious patient";
            else if (curr->priority == 2)
                currPrior = "Not serious patient";
            else
                currPrior = "General checkup";

            cout << curr->data << " with priority: " << currPrior << endl;
            curr = curr->next;
        }
    }
};

int main() {
    string name;
    int priority, ch;

    PriorityQueue q;

    do {
        cout << "\n--- MAIN MENU ---";
        cout << "\n1 -> Add patient";
        cout << "\n2 -> Remove patient";
        cout << "\n3 -> Get all patients";
        cout << "\n0 -> Exit";
        cout << "\nChoose an option (0-3): ";
        cin >> ch;

        switch (ch) {
            case 1:
                cout << "Patient name: ";
                cin.ignore();
                getline(cin, name);
                cout << "Enter priority (3-High, 2-Medium, 1-General): ";
                cin >> priority;
                if (priority < 1 || priority > 3) {
                    cout << "Invalid priority! Enter between 1-3.\n";
                    break;
                }
                q.insert(name, priority);
                break;

            case 2:
                q.pop();
                break;

            case 3:
                q.dis();
                break;

            case 0:
                cout << "\n// END OF CODE\n";
                exit(0);

            default:
```

```
            cout << "Invalid choice! Try again.\n";
        }
    } while (ch != 0);
}
```

Output: