```
MINGW64:/c/Users/Walid/Desktop/learn_git                                    - □  X

Walid@PC-WALID MINGW64 ~/Desktop
$ cd  learn_git
touch third.txt

Walid@PC-WALID MINGW64 ~/Desktop/learn_git
$ git init
Initialized empty Git repository in C:/Users/Walid/Desktop/learn_git/.git/

Walid@PC-WALID MINGW64 ~/Desktop/learn_git (master)
$ git add third.txt

Walid@PC-WALID MINGW64 ~/Desktop/learn_git (master)
$ git commit -m"adding third.txt"
[master (root-commit) 51dc5f4] adding third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 third.txt

Walid@PC-WALID MINGW64 ~/Desktop/learn_git (master)
$ git log
commit 51dc5f4ed40c43a9fe61f40c6bca2489a5ffdb10 (HEAD -> master)
Author: Khelfa <khelfawalid@gmail.com>
Date:   Wed Oct 26 10:34:55 2022 +0200

    adding third.txt

Walid@PC-WALID MINGW64 ~/Desktop/learn_git (master)
$ touch fourth.txt

Walid@PC-WALID MINGW64 ~/Desktop/learn_git (master)
$ git add fourth.txt

Walid@PC-WALID MINGW64 ~/Desktop/learn_git (master)
$ git commit -m"adding fourth.txt"
[master d465cbf] adding fourth.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 fourth.txt

Walid@PC-WALID MINGW64 ~/Desktop/learn_git (master)
$ rm third.txt

Walid@PC-WALID MINGW64 ~/Desktop/learn_git (master)
$ git add .

Walid@PC-WALID MINGW64 ~/Desktop/learn_git (master)
$ git commit -m"removing third.txt"
[master 954735b] removing third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 third.txt

Walid@PC-WALID MINGW64 ~/Desktop/learn_git (master)
```