IS216 · G10 · Team T3

StudySpot SG — Design System

One shared visual language so six people's pages look like one product. Copy the markup below verbatim. Import `theme.css` after Bootstrap in `main.js` — no SCSS, no build step, no extra dependency.

1 · Colour

The four proposal hues — Sky Blue, Light Green, Light Purple, Light Pink — each expanded to a 50–900 scale so there is always a step dark enough to read. Amber is functional only (the crowd meter's middle state).

SKY — PRIMARY ACTIONS, LINKS, FOCUS



GREEN — OPEN NOW, QUIET CROWD, GOOD-WEATHER



PURPLE — AI ASSISTANT, ACCENTS



PINK — FAVOURITES, PACKED CROWD, CLOSED



INK — TEXT, BORDERS, SURFACES



Semantic tokens — use these, never a raw step

`--ss-primary`	sky-700 · buttons, links, focus · **5.03:1** on white
`--ss-text`	ink-900 · body copy · **17.52:1**
`--ss-text-muted`	ink-700 · secondary copy · **6.08:1** — never go lighter than this for text
`--ss-success`	green-800 · open now, Quiet · **5.34:1**
`--ss-warning`	amber-800 · Moderate crowd · **5.11:1**
`--ss-danger`	pink-700 · Packed, closed · **6.78:1**
`--ss-accent`	purple-700 · AI assistant · **9.20:1**

2 · Typography

Inter, falling back to the system stack. Only these seven sizes — do not invent new ones.

Hero 48px

Page title 36px

Section 28px

Card title 22px

Lead 18px

Body 16px — the default for all running text.

Secondary 14px

Meta 12px — timestamps, counts

3 · Buttons

Pill-shaped. One primary action per view — everything else is outline or ghost.

Find a spot | View on map | Ask the assistant | Cancel | Small | Disabled

```
<button class="btn btn-primary">Find a spot</button>
<button class="btn btn-outline-primary">View on map</button>
<button class="btn btn-accent">Ask the assistant</button>
<button class="btn btn-ghost">Cancel</button>
```

4 · Badges & filter chips

Badges describe; chips are clickable filters. Per the proposal, tags double as filters.

● Open now | Closed | Wi-Fi | Power sockets | Indoor | Group study | AI pick

Wi-Fi | Power sockets | Outdoor | Group study | Open now

```
<span class="ss-badge ss-badge--green">● Open now</span>
<span class="ss-badge ss-badge--sky">Wi-Fi</span>

<!-- chip: aria-pressed carries the on/off state -->
<button class="ss-chip" :aria-pressed="isOn" @click="toggle">Wi-Fi</button>
```

5 · Crowd meter & suitability score

Crowd levels are user-reported (the Places API does not expose popular times). The suitability score is the product's differentiator, so it gets the most distinctive treatment on the page.

Quiet | Moderate | Packed




```
<span class="ss-crowd ss-crowd--quiet">
  <span class="ss-crowd__dots"><i class="ss-crowd__dot"></i><i class="ss-crowd__dot"></i><i class="ss-crowd__dot"></
</span>

<!-- score: --ss-score is 0-100, class picks the colour band -->
<span class="ss-score ss-score--high" :style="{ '--ss-score': score }">
  <span class="ss-score__val">{{ score }}</span>
</span>
```


6 · Study space card

The repeating unit of the catalogue. Use this exact structure everywhere a place appears.



Third card shows the loading skeleton — use it while the API call is in flight, never a blank grid.

7 · Search bar & weather strip




```
<div class="ss-search">
  <span class="ss-muted">⌕</span>
  <input type="text" v-model="q" placeholder="Library, café or area">
  <button class="btn btn-primary" @click="search">Search</button>
</div>
```

8 · Empty state

Every list needs one. Never show a bare empty grid.

🔍

No spots match those filters

Try removing a filter or widening the area.

Clear filters

9 · Rules — read before you build

1. Use **semantic tokens** (`--ss-primary`), never a raw scale step or a hex literal in a component.
2. **Never put text lighter than `--ss-text-muted`** (ink-700) on white. Everything lighter fails WCAG AA.
3. **One primary button per view.** Secondary actions are outline; tertiary are ghost.
4. Spacing comes from the `--ss-1…8` scale or Bootstrap's `g-3 / py-4 / gap-2`. No arbitrary pixel margins.
5. Every list has three states: **loading** (`.ss-skeleton`), **empty** (`.ss-empty`), and loaded.
6. Keep the `prefers-reduced-motion` block in `theme.css`. Do not delete it.
7. Interactive elements keep the shared `:focus-visible` outline. Never `outline:none` without a replacement.
8. Test every page in Chrome DevTools from **iPhone SE (375px)** up to **XL (1200px+)** — that is the range the markers use.
9. Images always get `alt`. Icon-only buttons always get `aria-label`.
10. Add `data-test="..."` to anything Playwright needs to click, so tests survive restyling.