

MINH HOẠ VÍ DỤ MVC

Tạo Dynamic Web Project có tên như sau:

MVCSample: - WebContent

+ login.jsp

+ welcome.jsp

- SRC

+ controller


- CheckLoginServlet.java

+ model

- bo: CheckLoginBO.java

- dao: CheckLoginDAO.java

- bean: Wife.java



Trang login.jsp:

```
1 <%@ page language="java" contentType="text/html; charset=ISO-8859-1"
  pageEncoding="ISO-8859-1"%>
2
3 <html>
4 <head>
5 <meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1">
6 <title>Login page</title>
7 </head>
8 <body>
9   <form action="CheckLoginServlet" method="post">
10     Username: <input type="text" name="userName"/>
11     Password: <input type="password" name="password"/>
12     <input type="submit" value="Login" />
13   </form>
14 </body>
15 </html>
```

Trang CheckLoginServlet.java:

```
1 package controller;
2
3 import java.io.IOException;
4 import java.util.ArrayList;
5 import javax.servlet.RequestDispatcher;
6 import javax.servlet.ServletException;
7 import javax.servlet.annotation.WebServlet;
8 import javax.servlet.http.HttpServlet;
9 import javax.servlet.http.HttpServletRequest;
10 import javax.servlet.http.HttpServletResponse;
11
12 import model.bean.Wife;
13 import model.bo.CheckLoginBO;
14
15 @WebServlet("/CheckLoginServlet")
16 public class CheckLoginServlet extends HttpServlet {
17     private static final long serialVersionUID = 1L;
18
19     protected void doGet(HttpServletRequest request,
20         HttpServletResponse response) throws ServletException, IOException {
21         doPost(request, response);
22     }
23     protected void doPost(HttpServletRequest request,
24         HttpServletResponse response) throws ServletException, IOException {
25         String destination = null;
26
27         String userName = request.getParameter("userName");
28         String password = request.getParameter("password");
29
30         CheckLoginBO checkLoginBO = new CheckLoginBO();
31         ArrayList<Wife> wifeArray = null;
32
33         if (checkLoginBO.isValidUser(userName, password)) {
34             wifeArray = checkLoginBO.getWifeList(userName);
35             request.setAttribute("wifeArray", wifeArray);
36             destination = "/welcome.jsp";
37             RequestDispatcher rd = getServletContext().getRequestDispatcher(
38                 destination);
39             rd.forward(request, response);
40         }
41         else {
42             destination = "/login.jsp";
```

```

43     RequestDispatcher rd = getServletContext().getRequestDispatcher(
44         destination);
45     rd.forward(request, response);
46 }

```

Trang CheckLoginBO.java:

```

1 package model.bo;
2
3 import java.util.ArrayList;
4 import model.bean.Wife;
5 import model.dao.CheckLoginDAO;
6
7 public class CheckLoginBO {
8
9     CheckLoginDAO checkLoginDAO = new CheckLoginDAO();
10
11     public boolean isValidUser(String userName, String password) {
12         return checkLoginDAO.isExistUser(userName, password);
13     }
14
15     public ArrayList<Wife> getWifeList(String userName) {
16         return checkLoginDAO.getWifeList(userName);
17     }
18 }

```

Trang CheckLoginDAO.java:

```

1 package model.dao;
2 import java.util.ArrayList;
3 import model.bean.Wife;
4
5 public class CheckLoginDAO {
6     public boolean isExistUser(String userName, String password) {
7         // Connect vao Database lam mo so viec
8         // Tat ca nhung cau SQL deu phai dat o DAO
9         return true;
10    }
11    public ArrayList<Wife> getWifeList(String userName) {
12        ArrayList<Wife> result = new ArrayList<Wife>();
13        // Connect vao Database lam mo so viec
14        Wife wife = new Wife();
15        wife.setName("Thi No");
16        wife.setAddress("Lo gach");
17        wife.setAlive(false);
18        result.add(wife);
19
20        wife = new Wife();
21        wife.setName("Chi Pheo");

```

```

22     wife.setAddress("Ho ca");
23     wife.setAlive(true);
24     result.add(wife);
25
26     return result;
27 }
28

```

Trang Wife.java:

```

1 package model.bean;
2 public class Wife {
3     private String name;
4     private String address;
5     private boolean alive;
6
7     public String getName() {
8         return name;
9     }
10
11     public void setName(String name) {
12         this.name = name;
13     }
14
15     public String getAddress() {
16         return address;
17     }
18
19     public void setAddress(String address) {
20         this.address = address;
21     }
22
23     public boolean isAlive() {
24         return alive;
25     }
26
27     public void setAlive(boolean alive) {
28         this.alive = alive;
29     }
30 }
31

```

Trang welcome.jsp:

```

1 <%@ page language="java" contentType="text/html; charset=ISO-8859-1" pageEncoding="ISO-8859-1"%>
2 <%@ page language="java" import="java.util.ArrayList" %>
3 <%@ page language="java" import="model.bean.Wife" %>
4 <html>
5 <head>
6 <meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1">
7 <title>Welcome</title>
8 </head>
9 <body>
10 <table>
11 <%
12     ArrayList<Wife> wifeArray = (ArrayList<Wife>)request.getAttribute("wifeArray");
13     for (int i = 0; i < wifeArray.size(); i++) {
14 %>
15         <tr>
16             <td><%= wifeArray.get(i).getName() %></td>
17             <td><%= wifeArray.get(i).getAddress() %></td>
18             <td><%= wifeArray.get(i).isAlive() %></td>
19         </tr>
20
21     <% } %>
22 </table>
23 </body>

```