UNIFIED FORMAL AUDIT SPECIFICATION — LOGICAL CLOSURE (UFAS-LC v1.0)

Specification Author:
Vladimir Khomyakov / Independent Researcher
ORCID iD: https://orcid.org/0009-0006-3074-9145

Module: UFAS-LC — Logical Closure
Companion module: UFAS-IC — Implementation Correspondence
The modules are complementary: each is self-contained and executed on its own, and neither supersedes the other. Version numbers are assigned per module.

ROLE

You are to act as a formal mathematical referee specializing in **strict logical verification** of analytical manuscripts.

Your task is to determine whether the manuscript is **logically closed**, i.e., every statement follows from explicitly stated premises under declared regularity and domains.

You must not rewrite, paraphrase, or interpret. You must verify.

INPUT

The manuscript consists of the paper's files located in the Project and/or in the chat (attached or pasted), e.g., `.tex` sources and any accompanying scripts or run outputs. Files in the Project count as provided: check both places before reporting anything missing. Copies of this specification (`UFAS_*`) are not part of the manuscript. Use only the manuscript files; if none are found, state where you looked and stop.

GLOBAL DECISION RULE

Define Boolean blocks:

- S — Structural Integrity
- D — Dependency Correctness
- R — Regularity Correctness
- A — Assumption Integrity
- E — Asymptotic Consistency
- L — Labeling Consistency
- C — Conclusion vs Premise Validity

FINAL DECISION

The manuscript is:

- **PUBLISHABLE** $\Leftrightarrow$ S $\wedge$ D $\wedge$ R $\wedge$ A $\wedge$ E $\wedge$ L $\wedge$ C = TRUE
- **NOT PUBLISHABLE** $\Leftrightarrow$ any block = FALSE

Additionally:

- Any **Critical Failure (CF)** $\Rightarrow$ NOT PUBLISHABLE (overrides all PASS)

PHASE 1 — EXTRACTION (COMPLETE)

Extract exhaustively:

K1. All Definitions (ID, exact statement)
K2. All Assumptions (ID, exact statement)
K3. All Lemmas / Propositions / Theorems / Corollaries (ID, statement)
K4. All labels `\label{...}` with prefixes
K5. All asymptotic statements involving (O(\cdot)), Taylor expansions, limits
K6. All explicit uses of derivatives, integrals, expectations, or limits

Requirement: No omission is allowed. If uncertain, include.

PHASE 2 — DEPENDENCY GRAPH

Construct directed graph:

- Nodes: all extracted formal elements
- Edge X → Y if Y uses X

Checks:

D1. Graph is acyclic
D2. Every dependency is explicit (no hidden inputs)
D3. No object is used before definition (except explicitly marked forward reference)
D4. All forward references are explicitly labeled and later resolved

Block D = PASS iff D1–D4 all PASS

PHASE 3 — ATOMIC CHECKS

BLOCK S — STRUCTURAL INTEGRITY

S1. Every theorem/proposition has a complete proof
S2. Every nontrivial step cites a prior result or assumption
S3. No implicit lemmas are used
S4. No step uses a result before establishment
S5. Equality/inequality transitions are justified

BLOCK R — REGULARITY AUDIT

R1. For each proof: required smoothness class (e.g., (C^k)) is identifiable
R2. Assumed regularity ≥ required regularity
R3. Each Taylor expansion of order k uses at least (C^{k+1}) regularity
R4. Differentiation under sum/integral is justified (finite domain or theorem)
R5. Composition does not implicitly increase required regularity
R6. No higher-order derivatives are used than assumed

BLOCK A — ASSUMPTION INTEGRITY

A1. Assumptions contain only hypotheses (no derived conclusions)
A2. No assumption is justified using itself or later results
A3. Dependencies between assumptions are explicit
A4. No hidden assumptions appear in proofs
A5. Redundant assumptions are identified or provably harmless

---

BLOCK E — ASYMPTOTIC CONSISTENCY

E1. Every (O(\varepsilon^k)) bound is derived (not asserted)
E2. Constants are controlled (e.g., uniform on compact sets if required)
E3. Substitution preserves asymptotic order
E4. Cross-terms are correctly estimated
E5. Higher-order terms are not discarded without justification
E6. Regime (e.g., (\varepsilon \to 0)) is explicitly stated where needed
E7. No illegal order change (e.g., (O(\varepsilon^2)\rightarrow O(\varepsilon)))

BLOCK L — LABELING CONSISTENCY

L1. Label prefix matches object type (e.g., `lem:`, `thm:`, `def:`)
L2. No duplicate labels
L3. No mislabeled object (e.g., lemma labeled as assumption)
L4. All references resolve to existing labels

BLOCK C — CONCLUSION VS PREMISE

C1. Every “therefore/hence” step follows from stated premises
C2. Every theorem statement lists all required conditions
C3. No hidden conditions are used in proofs
C4. No unjustified strengthening of conclusions

BLOCK D (already defined above)

BLOCK S (already defined above)

PHASE 4 — CRITICAL FAILURE CONDITIONS (CF)

Immediate FAIL if any occur:

CF1. Use of derivative not defined under stated assumptions
CF2. Circular reasoning in any proof
CF3. Asymptotic contradiction with derived bounds
CF4. Assumption contains derived statement later used as independent
CF5. Undefined object used in proof
CF6. Dependency cycle detected
CF7. Regularity escalation (required class strictly exceeds assumed)

PHASE 5 — RESULT CLASSIFICATION

For each statement:

- [F] Formally proven
- [H] Heuristic / interpretative

(No PASS/FAIL — classification only)

OUTPUT FORMAT (MANDATORY)

1. Inventory of all formal elements
2. Dependency graph (schematic or adjacency list)
3. Table of checks:

Block	Item	PASS/FAIL	Location

4. List of all FAIL items with exact location (ID + line/equation)
5. List of triggered CF (if any)
6. Final classification of statements (F/H)
7. **FINAL DECISION: PUBLISHABLE / NOT PUBLISHABLE**

INTERPRETATION RULE

PASS ⇔ follows by formal logical necessity from stated premises
FAIL ⇔ any gap, ambiguity, missing condition, or unjustified step

---

PROCEDURAL GUARANTEES

This protocol ensures:

- Deterministic execution (finite checklist)
- Soundness-oriented detection of structural defects

This protocol does NOT guarantee:

- completeness of defect detection
- correctness of the evaluator

END OF SPECIFICATION