

UrbanNode — Project Audit

Generated 2026-05-30 · branch `feat/foundation-cc-16`

Headline finding: The backend is a **non-functional skeleton**. `server/index.ts` and `server/db.ts` import six files that **do not exist on disk** (`schema.ts`, `seed.ts`, `middleware.ts`, and the entire `routes/` folder is empty). The server **will crash on startup**. The README describes a backend that hasn't been written yet.

1. Project Structure

Layout: Single repo, **not** a separate frontend/backend split. One root `package.json` drives both the Vite/React client (`src/`) and the Express server (`server/`), run together via `pnpm dev` (`npm-run-all --parallel`). Effectively a "single-package monorepo."

```
UrbanNode/
├── .env                      (untracked - local only ✓)
├── .env.example             ✓
├── .gitignore               ✓
├── README.md                ✓ (thorough)
├── package.json             ✓
├── vite.config.ts           ✓ (alias @→src, proxy /api→:3001)
├── tsconfig.{json,app,node,server}.json ✓
├── eslint.config.js         ✓
├── index.html               ✓
├── public/                  favicon.svg, icons.svg
├── server/
│   ├── index.ts             ✓ Express entry
│   ├── db.ts                ✓ pg Pool + Drizzle
│   ├── schema.ts            X MISSING (imported by db.ts & index.ts)
│   ├── seed.ts              X MISSING (referenced by db:seed script)
│   ├── middleware.ts        X MISSING (per README)
│   └── routes/              X EMPTY (auth, me, reports, notifications, gamification missing)
├── src/
│   ├── App.tsx              ✓ all routes
│   ├── main.tsx, index.css, App.css
│   ├── components/
│   │   ├── AuthLayout.tsx, Logo.tsx, icons.tsx
│   │   ├── layouts/         ResidentLayout, WorkerLayout, SidebarLayout
│   │   └── ui/              8 primitives (see §2)
│   └── pages/
│       ├── SignIn.tsx, SignUp.tsx, Styleguide.tsx
│       ├── _placeholder/PlaceholderPage.tsx
│       ├── resident/        8 screens (all stubs)
│       └── worker/          7 screens (all stubs)
```

- **.gitignore:** Exists and well-formed. Covers `node_modules`, `dist/`, `dist-ssr`, `.env`, `*.local`, logs. Confirmed `.env` is **not** tracked.
- **README.md:** Exists and is genuinely good — install, Neon Postgres setup, `db:push`, `db:seed`, dev servers, demo credentials. **But it describes files that don't exist yet**, so following it end-to-end fails at `pnpm db:push` and the server half of `pnpm dev`.

2. Frontend Audit

Item	Status	Notes
React + TypeScript	✓	React 19.2, TypeScript ~6.0, <code>@vitejs/plugin-react</code>
Tailwind CSS	✗ NOT used	No <code>tailwind.config</code> , no <code>postcss.config</code> , not in deps. Styling is hand-written CSS with design tokens (<code>index.css</code>) + per-component <code>.css</code> files. Deliberate, but not Tailwind.
React Router	✓	<code>react-router-dom</code> 7.15, routes defined (below)
Citizen/Resident sidebar layout	✓	<code>ResidentLayout.tsx</code> — persistent sidebar + "Report Issue" CTA
City Worker sidebar layout	✓	<code>WorkerLayout.tsx</code> — persistent sidebar
Shared top header bar	✓	<code>SidebarLayout.tsx</code> renders top-bar slot; worker injects search + avatar
Shared component library	✓ partial	<code>src/components/ui/</code> — see below
Role-based protected routing	✗ Not implemented	Layouts are purely visual. No auth guard, no role check, no redirect. SignIn just <code>navigate()</code> s by which button is clicked — no auth at all.
Empty page placeholders	✓	All 15 screens exist as stubs

Defined routes (`App.tsx`)

- **Public:** `/` → redirects to `/signup`, `/signup`, `/signin`, `/styleguide`
- **Resident** (under `ResidentLayout`): `/home`, `/reports`, `/reports/new`, `/reports/:id`, `/community`, `/notifications`, `/profile`, `/help`
- **Worker** (under `WorkerLayout`): `/worker/dashboard`, `/worker/kanban`, `/worker/all-reports`, `/worker/uncategorised`, `/worker/notifications`, `/worker/profile`, `/worker/tickets/:id`

Shared UI components found

✓ **Present:** Button, IconButton, Input, Card, Badge, Tag, Avatar, EmptyState

✗ **Missing from requested list:** Modal/Dialog, Toast/notification, Spinner/Skeleton loading state (EmptyState exists but is not a loading indicator)

Placeholder pages — all 15 exist (every one renders "Coming soon")

- **Resident:** Home (R3), MyReports (R4), ReportDetail (R5), ReportNew (R6), Community (R7), Notifications (R8), Profile (R9), Help
- **Worker:** Dashboard (W2), Kanban (W3), AllReports (W4), Uncategorised (W5), Notifications (W6), Profile (W7), TicketDetail (W8)
- None missing — but none have real content either.

3. Backend Audit

Item	Status	Notes
Node.js + Express	✅ deps	<code>express</code> 4.21 installed; entry <code>server/index.ts</code>
Server actually runs	❌ NO	Imports <code>routes/{auth,me,reports,notifications,gamification}.ts</code> and <code>schema.ts</code> — none exist. <code>tsx watch</code> throws <code>ERR_MODULE_NOT_FOUND</code> immediately.
<code>.env</code> / <code>.env.example</code>	✅ both	Keys (no values): <code>DATABASE_URL</code> , <code>SESSION_SECRET</code> , <code>PORT</code>
CORS configured	❌	No <code>cors</code> package. Relies on Vite dev proxy (<code>/api</code> → <code>:3001</code>). Needs CORS (or same-origin serving) for any split deployment.
JWT auth middleware	❌ No JWT	Architecture uses <code>express-session</code> + <code>connect-pg-simple</code> (cookie sessions in Postgres), not JWT. Promised <code>requireAuth/requireWorker/requireResident</code> live in <code>middleware.ts</code> which doesn't exist.
<code>POST /auth/register</code>	❌	No routes exist. Intended design is <code>/api/auth/signup</code> — unwritten.
<code>POST /auth/login</code>	❌	Intended as <code>/api/auth/signin</code> — unwritten.
<code>POST /auth/forgot-password</code>	❌	Not designed or written anywhere.
Global error-handling middleware	✅	Present in <code>index.ts</code> — logs, returns 500 JSON
Other routes	partial	Only <code>/api/health</code> is real. Routers are mounted but their files don't exist.

⚠️ Local `.env` issue: `DATABASE_URL=npq_1pqVmrualbB3` is not a valid Postgres connection string (not a `postgres://...` URL). The DB will not connect with this value.

4. Database Audit

Item	Status
PostgreSQL connected	⚠️ Configured but unverified — schema import missing & local URL malformed
Migration / schema files	❌ None — no <code>schema.ts</code> , no <code>drizzle.config.ts</code> , no <code>migrations/</code>
Tables defined	❌ Zero
Seed file	❌ <code>server/seed.ts</code> does not exist

Requested tables — every one is MISSING (no schema file exists at all)

- ❌ `users` (id, name, email, password_hash, role, created_at)
- ❌ `reports` (id, user_id, description, location, severity, status, sla_deadline, created_at)
- ❌ `notifications` (id, user_id, message, is_read, created_at)
- ❌ `bear_progress` (id, user_id, level, total_resolved, gear_unlocked)
- ❌ `gear_items` (id, name, unlock_condition, asset_url)
- ❌ `report_timeline` (id, report_id, status, changed_by, changed_at, notes)

(README hints at slightly different names — e.g. `full_name`, a `ref` column on reports — but moot since no schema exists.)

5. AI Setup Audit

Item	Status
Gemini API key placeholder in .env / .env.example	✗ Not present in either file
AI service file	✗ Does not exist (no Gemini / @google/generative-ai reference anywhere)
AI function (input/output)	✗ N/A
Fallback handler for AI failure	✗ N/A

The entire AI layer is unstarted — no dependency, no key, no service, no fallback.

6. GitHub & Git Audit

- ✓ .git exists — repo initialised, active branch feat/foundation-cc-16, history present (PRs #2–#4 merged).
- ✓ .gitignore present and well-configured — node_modules, dist, .env, logs covered; .env confirmed untracked.
- ✗ No branch-protection config or documentation in the repo. No CONTRIBUTING.md or branch/PR workflow docs either.

7. Final Assessment

✓ COMPLETED (ready to use)

- Vite + React 19 + TypeScript toolchain, ESLint, @ → src alias, dev proxy
- Full client-side routing for all resident + worker screens
- Two persistent sidebar layouts (resident & worker) + shared top-bar shell
- 8 UI primitives: Button, IconButton, Input, Card, Badge, Tag, Avatar, EmptyState (+ Styleguide page)
- All 15 page stubs exist (placeholder "Coming soon")
- Design-token CSS system
- Express skeleton with session middleware, global error handler, working /api/health
- .gitignore, .env.example, thorough README
- Git repo initialised with clean history

✗ MISSING OR INCOMPLETE (blocks team start)

- ● Backend won't start — schema.ts, seed.ts, middleware.ts, and routes/{auth,me,reports,notifications,gamification}.ts all imported but do not exist.
- ● No database schema — zero tables; all six required tables missing; no drizzle.config.ts; db:push and db:seed both fail.
- ● No working auth — no register/login/forgot-password; SignIn/SignUp visual-only. (Design is session-based, not JWT.)
- ● No role-based route protection — anyone can open any worker/resident route.
- ● No AI layer — no Gemini key, service, or fallback.
- ● Missing UI primitives — Modal, Toast, Loading/Skeleton.
- ● No CORS (fine for dev via proxy; needed before split deployment).
- ● Invalid local DATABASE_URL in .env.
- ● No branch-protection / contribution docs.

READY FOR TEAM? → NO. A teammate who clones this and follows the README gets a working *frontend*, but pnpm db:push, pnpm db:seed, and the server half of pnpm dev all crash because the files they depend on don't exist. The repo currently promises a backend it doesn't contain.

Minimum to complete before delegating

1. Create `server/schema.ts` with the six tables (Drizzle source of truth).
2. Add `drizzle.config.ts` so `drizzle-kit push` works.
3. Create the route files the entry point imports — at minimum `routes/auth.ts` (signup/signin/signout) — plus stubs for `me`, `reports`, `notifications`, `gamification` so the server boots.
4. Create `server/middleware.ts` (`requireAuth/requireWorker/requireResident`).
5. Create `server/seed.ts` (the two demo accounts + sample reports).
6. Verify `pnpm dev` boots both client and server with no missing-module errors, and `db:push` + `db:seed` succeed against a valid `DATABASE_URL`.
7. (Recommended) Add a client auth guard so role-based routes are actually protected.

Items 5–9 in the missing list (AI, extra UI primitives, CORS, branch protection) can be parallelized to teammates *after* 1–6 make the project bootable.