

DFP50193WEB PROGRAMMING

JABATAN TEKNOLOGI MAKLUMAT & KOMUNIKASI

COURSE CODE : DFP50193 - WEB PROGRAMMING

SEMESTER : **SESI 1 2021/2022**

CASE STUDY : 1

STUDENT NAME : 1) KHOR HWEE SHIAN

2) NUR SAFFIYA ADIRA BINTI SHAHIMI

STUDENT NUMBER : 1) 03DDT19F1118 2) 03DDT19F1107

2) 0300119711

PROGRAM : DDT5D

LECTURER : 1) PN. ZATI HANANI BINTI ZAINAL
2) PN. ROHANI BINTI ABU BAKAR

For lectureruse ONLY

MARKS	COMMENT

SOURCE CODE - ad-approve.php

```
<?php
session start();
include "db conn.php"; ?>
   <!doctype html>
   <html lang="en">
     <head>
       <meta charset="utf-8">
       <meta name="viewport" content="width=device-width, initial-</pre>
scale=1">
       <title>Approve</title>
       <!-- Bootstrap core CSS -->
       <link href="css/bootstrap.min.css" rel="stylesheet">
       <!-- Custom styles for this template -->
       <link href="css/carousel.css" rel="stylesheet">
        <style>
           body {
                background-position: center;
                background-size: cover;
                background-image:url("img/wallpaper.jpg");
                min-height: 100%;
                font-family: "Inconsolata", sans-serif;
           }
           h3 {
                color: white;
                 font-style: italic;
                 font-family: Copperplate;
                 font-size: 60px;
           }
           th {
                 font-style: italic;
```

```
color: white;
              font-size: 20px;
          }
         a {
              font-style: italic;
          }
          </style>
     </head>
     <body>
     <header>
       <nav class="navbar navbar-expand-sm navbar-dark fixed-top</pre>
bg-dark">
         <div class="container-fluid">
          <a class="navbar-brand" href="home.php">DFT50114
INTEGRATED PROJECT SYSTEM</a>
          <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarCollapse" aria-
controls="navbarCollapse" aria-expanded="false" aria-label="Toggle
navigation">
            <span class="navbar-toggler-icon"></span>
          </button>
           <div class="collapse navbar-collapse"</pre>
id="navbarCollapse">
            <a class="nav-link" href="home.php">Home</a>
              <a class="nav-link" href="ad-view.php">View</a>
              <a class="nav-link active" aria-current="page"</pre>
href="ad-approve.php">Approve</a>
```

```
<a class="nav-link" href="logout.php">Logout</a>
            </div>
       </div>
      </nav>
    </header>
    <section class="py-3 text-center container">
      <div class="bd-heading sticky-xl-top align-self-start mt-5</pre>
mb-5 mb-x1-2">
       <h3>View of Student Registration form</h3> </br>
      </div>
      <div class="bd-example p-3">
       <thead>
          #
            PROJECT TITLE
            PROJECT SUPERVISOR
            ACTION
          </thead>
         <?php
         $query = "SELECT * FROM tblfyp WHERE status = 'pending'
ORDER BY id ASC";
         $result = mysqli query($conn, $query);
         while($row = mysqli_fetch_array($result)){
          ?>
```

```
<?php echo $row['id'];?>
               <?php echo $row['pro_name'];?>
               <?php echo $row['pro sv'];?>
               <t.d>
               <form action ="ad-approve.php" method ="POST">
               <input type = "hidden" name ="id" value = "<?php</pre>
echo $row['id'];?>"/>
               <input type = "submit" name = "approve" value =</pre>
"Approve"/>
               <input type = "submit" name = "deny" value =</pre>
"Deny"/>
                 </form>
               </div>
     </article>
     <?php } ?>
</body>
</html>
<?php
if(isset($_POST['approve'])){
   $id = $ POST['id'];
    $select = "UPDATE tblfyp SET status = 'approved' WHERE id =
'$id'";
   $result = mysqli query($conn, $select);
   echo '<script>';
   echo 'alert("User Approved!");';
   echo 'window.location.href = "ad-view.php"';
```

```
echo '</script>';
}
if(isset($_POST['deny'])){
    $id = $_POST['id'];

    $select = "DELETE FROM tblfyp WHERE id = '$id'";
    $result = mysqli_query($conn, $select);

    echo '<script>';
    echo 'alert("User Denied!");';
    echo 'window.location.href = "ad-approvel.php"';
    echo '</script>';
}
?>
```

Ad.delete.php

```
<?php
include "db_conn.php";
if(isset($ GET['id']))
{
    function validate($data){
        $data = trim($data);
        $data = stripslashes($data);
        $data = htmlspecialchars($data);
        return $data;
     $id = validate($_GET['id']);
    $sql = "DELETE FROM tblfyp WHERE id=$id";
    $result = mysqli query($conn, $sql);
    if ($result) {
        echo '<script>alert("Successfully deleted!")</script>';
        header("Location: ad-view.php?id=$id&success=successfully
deleted");
    }else {
        header("Location: ad-view.php?id=$id&error=unknown error
occurred");
   }
}
?>
```

Ad .edit.php

```
<?php
if (isset($ GET['id'])) {
    include "db conn.php";
     $id = $ GET['id'];
     $sql = "SELECT * FROM tblfyp WHERE id=$id";
    $result = mysqli query($conn, $sql);
    if (mysqli num rows($result) > 0) {
     $row = mysqli fetch assoc($result);
    if(isset($ POST['update'])){
      include "db conn.php";
      function validate($data){
          $data = trim($data);
          $data = stripslashes($data);
          $data = htmlspecialchars($data);
          return $data;
    }
    $id = validate($ POST['id']);
    $studname= validate($ POST['studname']);
    $studnum = validate($ POST['studnum']);
    $phone = validate($ POST['phone']);
    $pro name = validate($ POST['pro name']);
    $pro cate = validate($ POST['pro cate']);
    $pro sv = validate($ POST['pro sv']);
    if (empty($studname)) {
     header("Location: ad-update.php?id=$id&error=studname is
required");
```

```
}else if (empty($studnum)) {
      header("Location: ad-update.php?id=$id&error=studnum is
required");
    }else if (empty($phone)) {
      header("Location: ad-update.php?id=$id&error=phone is
required");
    }else if (empty($pro name)) {
      header("Location: ad-update.php?id=$id&error=pro name is
required");
      }else if (empty($pro cate)) {
      header("Location: ad-update.php?id=$id&error=pro cate is
required");
      }else if (empty($pro sv)) {
      header("Location: ad-update.php?id=$id&error=pro sv is
required");
    }else {
      $sql = "UPDATE tblfyp SET studname='$studname',
studnum='$studnum', phone='$phone',
      pro_name='$pro_name', pro_cate='$pro_cate', pro sv='$pro sv'
WHERE id=$id ";
      $result = mysqli query($conn, $sql);
      if ($result) {
      echo '<script>';
      echo 'alert("Update Successfully!!");';
      echo 'window.location.href = "ad-view.php"';
      echo '</script>';
         }else {
      echo '<script>';
      echo 'alert("Sorry, Please try again.");';
      echo 'window.location.href = "ad-edit.php"';
      echo '</script>';
         }
    }
  }
?>
```

```
<!doctype html>
   <html lang="en">
    <head>
      <meta charset="utf-8">
      <meta name="viewport" content="width=device-width, initial-</pre>
scale=1">
      <title>Edit</title>
      <!-- Bootstrap core CSS -->
      <link href="css/bootstrap.min.css" rel="stylesheet">
      <!-- Custom styles for this template -->
      <link href="css/carousel.css" rel="stylesheet">
     </head>
     <body>
     <header>
       <nav class="navbar navbar-expand-sm navbar-dark fixed-top</pre>
bg-dark">
         <div class="container-fluid">
           <a class="navbar-brand" href="home.php">DFT50114
INTEGRATED PROJECT SYSTEM</a>
           <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarCollapse" aria-
controls="navbarCollapse" aria-expanded="false" aria-label="Toggle
navigation">
             <span class="navbar-toggler-icon"></span>
           </button>
           <div class="collapse navbar-collapse"</pre>
id="navbarCollapse">
             <a class="nav-link" href="home.php">Home</a>
               <a class="nav-link active" aria-current="page"</pre>
href="ad-view.php">View</a>
```

```
<a class="nav-link" href="ad-</pre>
approve.php">Approve</a>
               <a class="nav-link" href="logout.php">Logout</a>
               </div>
         </div>
       </nav>
      </header>
     <form action="" method="post" class="form-signin">
         <div class="bd-heading sticky-xl-top align-self-start mt-5</pre>
mb-5 mb-x1-2">
             <h3>Update</h3>
           </div>
           <input name="id" type="hidden" value="<?php echo</pre>
$row['id'];?>"/>
           <div class="form-floating">
               <input type="text" class="form-control"</pre>
name="studname" id="studname" placeholder="Enter Student Name"
required
               value="<?php echo $row['studname'];?>">
               <label for="studname">STUDENT NAME</label>
           </div>
           <div class="form-floating">
               <input type="text" class="form-control"</pre>
name="studnum" id="studnum" placeholder="Enter Student Matric
Number" required
               value="<?php echo $row['studnum'];?>">
```

```
<label for="studnum">STUDENT MATRIC NUMBER</label>
            </div>
            <div class="form-floating">
                <input type="text" class="form-control" name="phone"</pre>
id="phone" placeholder="Enter Student Phone" required
                value="<?php echo $row['phone'];?>">
                <label for="phone">STUDENT PHONE</label>
            </div>
            <div class="form-floating">
                <input type="text" class="form-control"</pre>
name="pro name" id="pro name" placeholder="Enter Project Title"
required
                value="<?php echo $row['pro name'];?>">
                <label for="pro name">PROJECT TITLE</label>
            </div>
            <div class="form-floating">
                <input type="text" class="form-control"</pre>
name="pro cate" id="pro cate" placeholder="Enter Project Category"
required
                value="<?php echo $row['pro cate'];?>">
                <label for="pro cate">PROJECT CATEGORY</label>
            </div>
            <div class="form-floating">
                <input type="text" class="form-control"</pre>
name="pro sv" id="pro sv" placeholder="Enter Project Supervisor"
required
                value="<?php echo $row['pro sv'];?>">
                <label for="pro sv">PROJECT SUPERVISOR</label>
            </div>
            <button class="w-100 btn btn-lg btn-primary"</pre>
type="submit" name="update">UPDATE</button>
```

Ad.view.php

```
<?php
session start();
include "db conn.php";
if (isset($_SESSION['username']) && isset($_SESSION['id']))
{
  $sql = "SELECT * FROM tblfyp ORDER BY id ASC";
  $res = mysqli_query($conn, $sql);
}
?>
   <!doctype html>
   <html lang="en">
     <head>
       <meta charset="utf-8">
       <meta name="viewport" content="width=device-width, initial-</pre>
scale=1">
       <title>View</title>
       <!-- Bootstrap core CSS -->
       <link href="css/bootstrap.min.css" rel="stylesheet">
       <!-- Custom styles for this template -->
       <link href="css/carousel.css" rel="stylesheet">
        <style>
           body {
                background-position: center;
                background-size: cover;
                background-image:url("img/wallpaper.jpg");
                min-height: 100%;
                font-family: "Inconsolata", sans-serif;
           }
           h3 {
                color: white;
```

```
font-family: Copperplate;
               font-style: italic;
               font-size: 60px;
          }
          th {
               color: white;
               font-style: italic;
               font-size: 20px;
          }
          a {
               font-style: italic;
          }
          </style>
     </head>
     <body>
     <header>
       <nav class="navbar navbar-expand-sm navbar-dark fixed-top</pre>
bg-dark">
         <div class="container-fluid">
           <a class="navbar-brand" href="home.php">DFT50114
INTEGRATED PROJECT SYSTEM</a>
           <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarCollapse" aria-
controls="navbarCollapse" aria-expanded="false" aria-label="Toggle
navigation">
             <span class="navbar-toggler-icon"></span>
           </button>
           <div class="collapse navbar-collapse"</pre>
id="navbarCollapse">
             <a class="nav-link" href="home.php">Home</a>
```

```
<a class="nav-link active" aria-current="page"</pre>
href="ad-view.php">View</a>
           <a class="nav-link" href="ad-</pre>
approve.php">Approve</a>
           <a class="nav-link" href="logout.php">Logout</a>
           </div>
       </div>
     </nav>
    </header>
<section class="py-3 text-center container">
<?php if (mysqli num rows($res) >= 0) {?>
 <div class="bd-heading sticky-xl-top align-self-start mt-5 mb-5</pre>
mb-x1-2">
   <h3>Student Registration form</h3>
 </div>
 <div class="bd-example p-3">
   <thead>
       #
       STUDENT NAME</br>
       STUDENT MATRIC NUMBER</br>
       STUDENT PHONE
       PROJECT TITLE
       PROJECT CATEGORY
       PROJECT SUPERVISOR
```

```
ACTION
     </thead>
    <?php $i =1;</pre>
     while ($rows = mysqli fetch assoc($res)) {?>
     <?=$i?>
      <?=$rows['studname']?>
      <?=$rows['studnum']?>
      <?=$rows['phone']?>
      <?=$rows['pro name']?>
      <?=$rows['pro cate']?>
      <?=$rows['pro sv']?>
      <a href="ad-
edit.php?id=<?=$rows['id']?>"><button>EDIT</button></a>
      <a href="ad-
<button onclick="window.print();">PRINT</button>
     <?php $i++; }?>
   </div>
</div>
<?php } ?>
</section>
</body>
</html>
Db conn.php
```

```
<?php
$conn = mysqli_connect("localhost","root","","fyp_project");
if (mysqli_connect_error())
{
    echo "Failed to connect to MySQL: " . mysqli_connect_error();
}
?>
```

Home.php

```
<?php
   session_start();
   include "db conn.php";
   ?>
<!doctype html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>Home</title>
<!-- Bootstrap core CSS -->
<link href="css/bootstrap.min.css" rel="stylesheet">
<!-- Custom styles for this template -->
<link href="css/carousel.css" rel="stylesheet">
<style>
           body {
                background-position: center;
                background-size: cover;
                background-image:url("img/wallpaper.jpg");
                min-height: 100%;
                font-family: "Inconsolata", sans-serif;
           }
           h1 {
                color: white;
                font-family: serif;
                font-style: italic;
                font-size: 70px;
           }
           p {
```

```
text-indent: 60px;
              text-align: justify;
              letter-spacing: 3px;
          }
          a {
               font-style: italic;
          }
</style>
</head>
<body>
<?php if ($ SESSION['usertype'] == 'admin') {?>
<!-- FORE ADMIN -->
<header>
 <nav class="navbar navbar-expand-sm navbar-dark fixed-top bg-</pre>
dark">
   <div class="container-fluid">
     <a class="navbar-brand" href="home.php">DFT50114 INTEGRATED
PROJECT SYSTEM</a>
     <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarCollapse" aria-
controls="navbarCollapse" aria-expanded="false" aria-label="Toggle
navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
     <div class="collapse navbar-collapse" id="navbarCollapse">
       <a class="nav-link active" aria-current="page"</pre>
href="home.php">Home</a>
         <a class="nav-link" href="ad-view.php">View</a>
```

```
<a class="nav-link" href="ad-approve.php">Approve</a>
         <a class="nav-link" href="logout.php">Logout</a>
         </div>
   </div>
 </nav>
</header>
<section class="py-5 text-center container">
 <div class="row py-lg-5">
   <div class="col-lg-6 col-md-8 mx-auto">
     <h1 class="fw-light">Hello, ADMIN
<?=$ SESSION['username']?></h1> </br></pr>
     INTEGRATED PROJECT course will give
students the practical and design experience of carrying out an
independent application software or technical project from project
requirements, implementation, testing to delivery and presentation
of the project. 
   </div>
 </div>
</section>
<?php }else { ?>
<!-- FORE USERS -->
<header>
 <nav class="navbar navbar-expand-sm navbar-dark fixed-top bg-</pre>
dark">
    <div class="container-fluid">
     <a class="navbar-brand" href="home.php">DFT50114 INTEGRATED
PROJECT SYSTEM</a>
     <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarCollapse" aria-
```

```
controls="navbarCollapse" aria-expanded="false" aria-label="Toggle
navigation">
      <span class="navbar-toggler-icon"></span>
     </button>
     <div class="collapse navbar-collapse" id="navbarCollapse">
      <a class="nav-link active" aria-current="page"</pre>
href="home.php">Home</a>
        <a class="nav-link" href="us-register.php">Register</a>
        <a class="nav-link" href="logout.php">Logout</a>
        </div>
   </div>
 </nav>
</header>
<section class="py-5 text-center container">
 <div class="row py-lq-5">
   <div class="col-lg-6 col-md-8 mx-auto">
     <h1 class="fw-light">Hello, USER
<?=$ SESSION['username']?></h1> </br></pr>
     INTEGRATED PROJECT course will give
students the practical and design experience of carrying out an
independent application software or technical project from project
requirements, implementation, testing to delivery and presentation
of the project. 
   </div>
 </div>
```

- </section>
- <?php } ?>
- </body>
- </html>

Index.php

```
<!doctype html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet"</pre>
href="https://www.w3schools.com/w3css/4/w3.css">
<link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css?family=Inconsolata">
<title>Login</title>
<!-- Bootstrap core CSS -->
<link href="css/bootstrap.min.css" rel="stylesheet">
<!-- Custom styles for this template -->
<link href="css/signin.css" rel="stylesheet">
<style>
body {
     background-position: center;
     background-size: cover;
     background-image:url("img/wallpaper.jpg");
     min-height: 100%;
     font-family: "Inconsolata", sans-serif;
}
h1 {
  color: white;
  font-family: "Inconsolata", sans-serif;
  font-size: 70px;
}
h2 {
     color: white;
  font-family: "Inconsolata", sans-serif;
```

```
font-size: 30px;
}
</style>
</head>
<body>
<form action="" method="post" class="form-signin">
  <center><h1 class="fa fa-envelope">Login</h1></center></br></pr>
  <?php if (isset($ GET['error'])) { ?>
    <div class="alert alert-danger" role="alert">
      <?=$ GET['error']?>
    </div>
    <?php } ?>
    <div class="codehim-form">
           <h2><label for="username">Username</label></h2>
      <input type="text" class="form-control" name="username"</pre>
id="username" placeholder="Enter Username">
    </div></br>
    <div class="codehim-form">
           <h2><label for="password">Password</label></h2>
      <input type="password" class="form-control" name="password"</pre>
id="password" placeholder="Enter Password">
    </div>
    <div class="codehim-form">
     <label for="password"></label>
      <select name="usertype" id="usertype" class="form-select mb-</pre>
3">
        <option value="user">User</option>
                      <option value="admin">Admin
      </select>
```

```
</div>
   <button class="w-100 btn btn-lg btn-primary" type="submit"</pre>
name="Login">Login</button>
   © 2021 DFT50114
INTEGRATED PROJECT SYSTEM
 </form>
</body>
</html>
<?php
session start();
include "db_conn.php";
if (isset($_POST['Login'])) {
     function test input($data) {
          $data = trim($data);
          $data = stripslashes($data);
          $data = htmlspecialchars($data);
          return $data;
     }
     $username = test input($ POST['username']);
     $password = test input($ POST['password']);
     $usertype = test input($ POST['usertype']);
     if (empty($username)) {
          header("Location: index.php?error=Username is Required");
     }else if (empty($password)) {
          header("Location: index.php?error=Password is Required");
```

}else {

\$password = \$password;

```
$sql = "SELECT * FROM tblfyp WHERE username='$username' AND
password='$password' AND usertype='$usertype'";
        $result = mysqli query($conn, $sql);
        if (mysqli num rows($result) == 1) {
           $row = mysqli fetch assoc($result);
           if ($row['password'] == $password && $row['usertype'] ==
$usertype) {
                      $ SESSION['id'] = $row['id'];
                $_SESSION['usertype'] = $row['usertype'];
                $ SESSION['username'] = $row['username'];
                      echo '<script>';
                      echo 'alert("Login Successfully!!");';
                      echo 'window.location.href = "home.php"';
                      echo '</script>';
           }
        }else {
                echo '<script>';
                echo 'alert("Sorry, Please try again.");';
                echo 'window.location.href = "index.php"';
                echo '</script>';
        }
     }
}
?>
```

Logout.php

```
<?php
session_start();
session_destroy();
header("location:index.php");
exit;
?>
```

Us.register.php

```
<?php
session_start();
include "db conn.php"; ?>
  <!doctype html>
   <html lang="en">
     <head>
       <meta charset="utf-8">
       <meta name="viewport" content="width=device-width, initial-</pre>
scale=1">
       <title>Register</title>
       <!-- Bootstrap core CSS -->
       <link href="css/bootstrap.min.css" rel="stylesheet">
       <!-- Custom styles for this template -->
       <link href="css/carousel.css" rel="stylesheet">
        <style>
           body {
                background-position: center;
                background-size: cover;
                background-image:url("img/wallpaper.jpg");
                min-height: 100%;
                font-family: "Inconsolata", sans-serif;
           }
           h3 {
                color: white;
                 font-family: serif;
                 font-style: italic;
                font-size: 80px;
           }
           a {
                 font-style: italic;
```

```
}
         label {
              font-style: italic;
              font-size: 22px;
         </style>
     </head>
     <body>
     <header>
 <nav class="navbar navbar-expand-sm navbar-dark fixed-top bg-</pre>
dark">
   <div class="container-fluid">
     <a class="navbar-brand" href="home.php">DFT50114 INTEGRATED
PROJECT SYSTEM</a>
     <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarCollapse" aria-
controls="navbarCollapse" aria-expanded="false" aria-label="Toggle
navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
     <div class="collapse navbar-collapse" id="navbarCollapse">
       <a class="nav-link" href="home.php">Home</a>
        <a class="nav-link active" aria-current="page" href="us-</pre>
register.php">Register</a>
        <a class="nav-link" href="logout.php">Logout</a>
        </div>
```


```
</div>
  </nav>
</header>
<form action="" method="post" class="form-signin">
    <div class="bd-heading sticky-xl-top align-self-start mt-5 mb-5</pre>
mb-x1-2">
        <center><h3>Register</h3></center>
    </div>
     <label for="studname">STUDENT NAME</label> </br>
    <div class="form-floating">
        <input type="text" class="form-control" name="studname"</pre>
id="studname" placeholder="Enter Student Name" required
        value="<?php
if(isset($ GET['studname']))echo($ GET['studname']); ?>">
    </div></br>
     <label for="studnum">STUDENT MATRIC NUMBER</label> </br>
    <div class="form-floating">
        <input type="text" class="form-control" name="studnum"</pre>
id="studnum" placeholder="Enter Student Matric Number" required
        value="<?php</pre>
if(isset($_GET['studnum']))echo($_GET['studnum']); ?>">
    </div></br>
     <label for="phone">STUDENT PHONE</label> </br>
    <div class="form-floating">
        <input type="text" class="form-control" name="phone"</pre>
id="phone" placeholder="Enter Student Phone" required
        value="<?php if(isset($_GET['phone']))echo($_GET['phone']);</pre>
?>">
    </div></br>
```


```
<label for="pro name">PROJECT TITLE</label> </br>
    <div class="form-floating">
        <input type="text" class="form-control" name="pro_name"</pre>
id="pro name" placeholder="Enter Project Title" required
        value="<?php</pre>
if(isset($_GET['pro_name']))echo($_GET['pro_name']); ?>">
    </div></br>
     <label for="pro_cate">PROJECT CATEGORY</label> </br>
    <div class="form-floating">
        <input type="text" class="form-control" name="pro cate"</pre>
id="pro_cate" placeholder="Enter Project Category" required
        value="<?php</pre>
if(isset($ GET['pro cate']))echo($ GET['pro cate']); ?>">
    </div></br>
     <label for="pro_sv">PROJECT SUPERVISOR</label> </br>
    <div class="form-floating">
        <input type="text" class="form-control" name="pro sv"</pre>
id="pro sv" placeholder="Enter Project Supervisor" required
        value="<?php
if(isset($ GET['pro sv']))echo($ GET['pro sv']); ?>">
    </div></br>
    <button class="w-100 btn btn-lg btn-primary" type="submit"</pre>
name="register">REGISTER</button>
</form>
</body>
</html>
<?php
```


```
if (isset($ POST['register'])) {
     function validate($data){
        $data = trim($data);
        $data = stripslashes($data);
        $data = htmlspecialchars($data);
        return $data;
     }
    $studname= validate($ POST['studname']);
    $studnum = validate($ POST['studnum']);
    $phone = validate($ POST['phone']);
    $pro name = validate($ POST['pro name']);
    $pro cate = validate($ POST['pro cate']);
    $pro sv = validate($ POST['pro sv']);
    if (empty($studname)) {
        header("Location: ad-update.php?id=$id&error=studname is
required");
      }else if (empty($studnum)) {
        header("Location: ad-update.php?id=$id&error=studnum is
required");
      }else if (empty($phone)) {
        header("Location: ad-update.php?id=$id&error=phone is
required");
      }else if (empty($pro name)) {
        header("Location: ad-update.php?id=$id&error=pro name is
required");
        }else if (empty($pro cate)) {
        header("Location: ad-update.php?id=$id&error=pro cate is
required");
        }else if (empty($pro sv)) {
        header("Location: ad-update.php?id=$id&error=pro sv is
required");
      }else {
```


```
$sql = "INSERT INTO tblfyp(studname, studnum, phone,
pro_name, pro_cate, pro_sv, status)
               VALUES('$studname', '$studnum', '$phone',
'$pro_name', '$pro_cate', '$pro_sv', 'pending')";
       $result = mysqli_query($conn, $sql);
       if ($result) {
      echo '<script>';
      echo 'alert("Your register is now pending for approval!");';
      echo 'window.location.href = "home.php"';
      echo '</script>';
         }else {
      echo '<script>';
      echo 'alert("Sorry, Please try again.");';
      echo 'window.location.href = "ad-register.php"';
      echo '</script>';
         }
}
?>
```

OUTPUT - Admin









OUTPUT - User

