

Software Requirements Specification (SRS)

OutYah

Jamaica Outing Discovery Platform

Week 2 Deliverable (July 6 - July 10, 2026) - Requirements Analysis

Student: Khrisean Stewart

Course: Special Projects

Date: 31 July 2026

Repository: https://github.com/KhriseanStewart/VTDI_Platform

Live app: <https://vt-di-platform.vercel.app>

1. Purpose

This SRS defines functional and non-functional requirements, user stories, and wireframe inventory for OutYah. It guides development and evaluation through beta.

2. Product Overview

OutYah is a React SPA backed by Supabase. Users discover places via an Instagram-style feed or Google Map, save favorites, plan routes, and browse events. Admins manage content through a gated /admin portal.

3. User Stories

- US-01 As a visitor, I want a visual feed so I can discover places quickly.
- US-02 As a visitor, I want feed/map toggle so I can switch discovery modes.
- US-03 As a visitor, I want venue details with hours, reviews, and directions.
- US-04 As a user, I want favorites synced when signed in.
- US-05 As a planner, I want ordered stops and Get Directions.
- US-06 As a visitor, I want to browse events happening this week.
- US-07 As an admin, I want CRUD for places, events, and posts.
- US-08 As a mobile user, I want bottom navigation for primary sections.

4. Functional Requirements

- FR-01 Navigation to Feed, Plan, Events, Profile, Favorites; Admin when authorized.
- FR-02 Feed/Map toggle on home with search and category chips.
- FR-03 Google Map markers colored by category.
- FR-04 Venue detail: gallery, actions (favorite, plan, directions), tabs.
- FR-05 Events list and detail pages.
- FR-06 Auth sign-up/sign-in; profile shows session user.
- FR-07 Favorites and plan persist for authenticated users in Supabase.
- FR-08 Admin portal gated by profiles.role = admin.
- FR-09 Empty states when Supabase has no content.
- FR-10 SPA routes work on Vercel via rewrite to index.html.

5. Non-Functional Requirements

- NFR-01 Responsive from ~360px width upward.
- NFR-02 API keys in environment variables; service role never shipped to client.
- NFR-03 RLS on Supabase tables; public read for catalog content.
- NFR-04 Graceful empty/error UI when data is unavailable.
- NFR-05 Maintainable module structure (pages, context, lib, admin).

6. Wireframes / UI Inventory

High-fidelity UI is implemented in the React prototype/beta. Screen inventory:

- W1 Home Feed + Map toggle
- W2 Venue Detail
- W3 Events / Event Detail
- W4 Favorites
- W5 Outing Planner + route map

- W6 Auth
- W7 Profile
- W8 Admin Dashboard / Places / Events / Posts

Figma URL (if published separately): attach share link before final turn-in.

7. Acceptance Criteria (Beta)

- Core routes render without runtime errors.
- Supabase-backed content displays when seeded; empty states when not.
- Admin can create/update/delete places, events, posts when role=admin.
- Deployed build reachable on Vercel.