

Optimal Power Flow (OPF) Project

Savita Meena 240002068 (Tabu Search, Genetic algorithm)

Ankita Yadav 240002009 (Simulated annealing, Genetic Algorithm)





Project Motivation And Context

The Optimal Power Flow (OPF) project develops an intelligent system to optimally dispatch generation units, minimizing cost and ensuring grid stability.

1

Cost Minimization

Achieve lowest generation cost, meeting real-time demand.

2

Constraint Satisfaction

Respect output limits, balance supply/demand, maintain safety margins.

3

Efficient Resource Utilization

Assign optimal generation output to each unit.

System Considerations: Generator capabilities, network topology, and critical technical constraints.

Algorithms Utilized

1

Genetic Algorithm (GA)

Population-Based Search:

Explores multiple dispatch schedules in parallel.

Fitness Function: Measures cost and constraint violations for iterative improvement.

2

Tabu Search (TS)

Memory-Based Metaheuristic:

Uses a tabu list to avoid revisiting solutions and escape local minima.

Neighborhood Exploration:

Adjusts dispatch, preventing cycles and finding better solutions.

3

Simulated Annealing (SA)

Probabilistic Search: Accepts occasional worse solutions to avoid local minima.

Cooling Schedule: Decreases likelihood of "bad" moves over time for focused refinement.

These advanced algorithms form the core of our intelligent OPF system, driving efficient and reliable power dispatch.



1. Genetic Algorithm (GA)

- GA is a **population-based evolutionary method** inspired by natural selection.
- Works with a **set of candidate solutions**, applying selection, crossover, and mutation.
- Good for exploring a large search space.
- **Pros:** Robust, avoids local minima, easy to implement.
- **Cons:** Slow convergence, requires careful tuning of parameters.




2. Tabu Search (TS) – Overview

- TS uses **memory structures** (“tabu list”) to avoid revisiting recently explored solutions.
- Performs an intelligent neighborhood search while preventing cycling.
- **Pros:** Fast convergence, good balance of exploration & exploitation, avoids local minima effectively.
- **Cons:** Requires designing tabu list + neighborhood rules properly.

3. Simulated Annealing (SA) – Overview

- SA is inspired by the **annealing process in metals**, where slow cooling leads to stable structures.
- Starts with a solution and **accepts worse solutions with some probability** to escape local minima.
- **Pros:** Simple, flexible, works well for many nonlinear problems.
- **Cons:** Convergence strongly depends on cooling schedule; may still get stuck if parameters not tuned.



Current Status & Achievements

Our project has yielded promising results in delivering robust OPF solutions.



Feasibility

Each algorithm delivers OPF solutions satisfying all hard network limits and operational requirements.



Optimization

Comparative analysis shows strong performance in costs, convergence speed, and solution profiles across algorithms.



Scalability

Algorithms are tunable for larger networks and more intricate real-world constraints, proving adaptable.

Further Improvements

Future work focuses on enhancing the system's capabilities and integration.

Advanced Constraints

Integrate intricate transmission line limits and dynamic voltage profiles.

Integration & Benchmarking

Test and compare with industry-standard OPF solvers like Panda power and MATPOWER.

Soft Constraints

Incorporate network preferences (e.g., reserve margins, environmental factors) for multi-objective OPF scenarios.

These enhancements will bring our OPF solution closer to real-world operational demands.



Visualization & Reporting

Clear, comprehensive reporting is crucial for understanding and communicating project insights.

1

Comparative Tables

Total cost, generator outputs, and feasibility status across all algorithms.

2

Convergence Plots

Illustrate how solutions evolve over generations or iterations, showing stability and efficiency.

3

Modeling Explanations

Detailed insights into modeling choices, parameter settings, and practical implications.

These visualizations ensure transparency and provide actionable intelligence for power system operators.

Method-wise Output Comparison

```
...
                                Best Outputs (MW)   Total Cost \
Genetic Algorithm      [220.2591302620332, 38.74086973796681] 7642.740842
Tabu Search            [225.33267244485262, 37.8043037290284] 7804.835541
Simulated Annealing    [230.3605890119338, 31.502300855560197] 7768.749413

                                Feasible?
Genetic Algorithm      True
Tabu Search            True
Simulated Annealing    True
```


Why Genetic Algorithm is Best in This Project


Genetic Algorithm achieved the **lowest total generation cost** among all three optimization methods.

Its population-based search allows effective **exploration of the solution space**, helping it discover high-quality solutions in complex power system problems.

Simulated Annealing and Tabu Search performed well, but their final costs were **higher than GA**, making GA the most cost-efficient option in this case.

Therefore, **Genetic Algorithm is the best-performing and most optimal method for this Optimal Power Flow project.**

Lowest Gene
Fastest Con

A server room with green lighting and blue light trails.

Conclusion

The OPF project leverages modern metaheuristics (GA, Tabu, SA) to efficiently solve complex power system dispatch challenges. On comparing the results of all the three methods, we got best results from Genetic Algorithm.

"Applying advanced computational intelligence to optimize energy systems, ensuring reliability and cost-efficiency for the grid of tomorrow."

Key Takeaways

- Metaheuristics offer robust solutions for complex OPF problems.
- Rigorous analysis provides comparative insights into algorithmic performance.
- Foundation laid for future enhancements and industry relevance.

Next Steps

- Further enhance constraint modeling for real-world scenarios.
- Integrate real-time data for dynamic optimization.
- Collaborate with utility partners for practical application and validation.

Final Codes



 colab.research.google.com



Google Colab

```
outan live conectionz teertil;  
ation (lican, wation) facetatiara plal),  
parann fittal cos(ccunation))  
ianaii(ienone-liitenny, neiroual);  
connertalls); (Dnn));; fullle enccation,  
isf tenpor; btare-zhtre);  
PLYctI/(NPPT); ungurd/(eccaned))  
Reticatione inle cltrprot, reanl;  
valuer=lor6l),  
if, doc itenzl; fot cntrale-[P, ell hnd, che  
- (onnnication= sentti)  
i, ll hatp, an cirvirittionon't, robort;  
fyital (enattyrep);  
ystreation; fasterten, counti)  
int, detcrounnti; (tower, (time))  
satting-andiv);  
easion scetrodation-shown lona  
bell), is fennatic nate postfue doun  
L canntic (bpits cance tol on abk)  
sinw the (nastute)
```