

Name: Khushbu Sevakram Bhonde

Roll No: TYCOA11

Subject: Web Technology

Index page

Html Code:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Survey Planet</title>

  <link rel="stylesheet" href="style.css">

</head>

<body>

  <nav>

    <ul>

      <li class="logo"><a href="index.html"></a></li>

      <li class="make"><a href="Examples.html">Examples</a></li>

      <li class="make"><a href="Pricing.html">Pricing & Features</a></li>

      <li class="make"><a href="About.html">About</a></li>

      <li class="make"><a href="Blog.html">Blog</a></li>

      <li class="make"><a href="Help.html">Help</a></li>

      <li class="break"></li>

      <li id="btn" class="make"><a href="login.html">Login</a></li>

      <li id="clb" class="make"><a href="signup.html">Sign up</a></li>

    </ul>

  </nav>

  <hr>
```

```

<div class="container" >
  <!-- 
  <div class="simple">
    <h1>A Simple and powerful online survey tool</h1>
    <h2>Create FREE online surveys with unlimited questions and responses!</h2>
    <a href="https://app.surveypplanet.com/signup" target="_blank" title="Sign up">Get Started
&rarr; </a>
  </div>
</div>
</body>
</html>

```

Css Code:

```

*{
  margin: 0;
  padding: 0;
}
nav{
  position: sticky;
}
.logo{
  margin-top: 40px;
  margin-left: 40px;
  padding:40px 250px;
  position:relative;
}
nav ul {
  display: flex;
  align-items: center;
  list-style-type: none;
  height: 65px;
  background-color: white;
  color: black;
}

```

```
nav ul li {
    font-size: 20px;
    margin-top: 50px;
    margin-left: 15px;
    padding: 10px;
    display: inline-block;
}
nav ul li a {
    text-decoration: none;
}
li {
    text-align: -webkit-match-parent;
}
#btn {
    border: 1px solid black;
    color: rgb(134, 192, 48);
    padding: 10px 20px;
    border-radius: 30px;
    float: right;
}
#clb {
    border: 1px solid black;
    color: white;
    background-color: rgb(134, 192, 48);
    padding: 10px 20px;
    border-radius: 30px;
    float: right;
}
.make li {
    position: relative;
    align-content: center;
}
nav ul li.break {
    background-color: #31a647;
```

```
width: 1px;
height: 40px;
padding: 0 !important;
vertical-align: middle;
margin-left: 2rem;
margin-right: 0;
}
hr{
  /* margin:30px; */
  margin-top:50px;
  width:100%;
}
.container{
  height:98vh;
  width:200vh;
  padding: 20px;
  background-image: url("bg.png");
  background-repeat: no-repeat;
  position: fixed;
  background-position: center center;
  background-size: cover;
}
.simple{
  margin:100px;
  /* border: 2px solid red; */
  display:grid;
  /* padding:20px; */
  width:400px;
  height:200px;
  line-break: auto;
}
.simple h1 {
  color:rgb(102, 93, 93);
```

```
font-size: 40px;
font-family: 'Times New Roman', Times, serif;
}
.simple h2{
color:rgb(203, 194, 194);
font-size: 25px;
font-family:Verdana, Geneva, Tahoma, sans-serif;

}
.simple a{
margin-top: 30px;
margin-left: 100px;
text-align: center;
text-decoration: none;
padding: 10px;
border: 1px solid white;
border-radius: 8px;
height: 20px;
width:100px;
background-color: #45cf5f;
color:white
}
.wheat{
padding:80px;
}
```

You are signed in as 120810038 x

Survey Planet x

+

← → ↻

127.0.0.1:5500/index.html


🔍

☆

⚙

🖨

👤

LimeSurvey

Examples

Pricing & Features

About

Blog

Help


Login

Sign up


A Simple and powerful
online survey tool

Create **FREE** online surveys
with unlimited questions
and responses!

Get Started →



26°C Cloudy



ENG IN

📶

🔋

19:18

12-09-2022

10

Examples page

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Online Survey and templates</title>
  <style>
    *{
      margin: 0;
      padding: 0;
    }

    nav{
      position: sticky;
    }

    .logo{
      margin-top: 40px;
      margin-left: 40px;
      padding:40px 250px;
      position:relative;
    }
    nav ul {
      display: flex;
      align-items: center;
      list-style-type: none;
      height: 65px;
      background-color: white;
      color: black;
    }
```

```
nav ul li {
    font-size: 20px;
    margin-top: 50px;
    margin-left: 15px;
    padding: 10px;
    display: inline-block;
}
nav ul li a {
    text-decoration: none;
}
li {
    text-align: -webkit-match-parent;
}
```

```
#btn {
    border: 1px solid black;
    color: rgb(134, 192, 48);
    padding: 10px 20px;
    border-radius: 30px;
    float: right;
}
```

```
#clb {
    border: 1px solid black;
    color: white;
    background-color: rgb(134, 192, 48);
    padding: 10px 20px;
    border-radius: 30px;
    float: right;
}
```

```
.make li {
    position: relative;
    align-content: center;
}
```



```
nav ul li.break {
    background-color: #31a647;
    width: 1px;
    height: 40px;
    padding: 0 !important;
    vertical-align: middle;
    margin-left: 2rem;
    margin-right: 0;
}

hr{
    /* margin:30px; */
    margin-top:50px;
    width:100%;
}

.container{
    height:98vh;
    width:200vh;
    padding: 20px;
    background-image: url("examples.png");
    background-repeat: no-repeat;
    position: fixed;
    background-position: center center;
    background-size: cover;
}

.simple{
    margin:100px;
    /* border: 2px solid red; */
    display:grid;
    /* padding:20px; */
    width:400px;
    height:200px;
    line-break: auto;
```

```

}
.simple h1 {
    color:rgb(102, 93, 93);
    font-size: 40px;
    font-family: 'Times New Roman', Times, serif;
}

.simple h2 {
    color:rgb(203, 194, 194);
    font-size: 25px;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
}

</style>
</head>
<body>
    <nav>
        <ul>
            <li class="logo"><a href="index.html"></a></li>
            <li class="make"><a href="Examples.html">Examples</a></li>
            <li class="make"><a href="Pricing.html">Pricing & Features</a></li>
            <li class="make"><a href="About.html">About</a></li>
            <li class="make"><a href="Blog.html">Blog</a></li>
            <li class="make"><a href="Help.html">Help</a></li>
            <li class="break"></li>
            <li id="btn" class="make"><a href="login.html">Login</a></li>
            <li id="clb" class="make"><a href="signup.html">Sign up</a></li>

        </ul>
        <hr>
        <div class="container" >
            <!--  -->
            <div class="simple">

```

```
<h1>Survey examples and templates</h1>

<h2>Need help getting started? Take a look at our survey templates and samples
below.</h2>

<!-- <a href="https://app.surveypplanet.com/signup" target="_blank" title="Sign up">Get
Started &rarr; </a> -->


</div>

</div>

</nav>

</body>

</html>
```



Pricing and Features page

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Blog</title>
  <style>
    *{
      margin: 0;
      padding: 0;
    }
    nav{
      position: sticky;
    }
    .logo{
      margin-top: 40px;
      margin-left: 40px;
      padding:40px 250px;
      position:relative;
    }
    nav ul {
      display: flex;
      align-items: center;
      list-style-type: none;
      height: 65px;
      background-color: white;
      color: black;
    }
    nav ul li{
      font-size: 20px;
```


```
margin-top: 50px;
margin-left: 15px;
padding: 10px;
display: inline-block;
}
nav ul li a{
    text-decoration: none;
}
li {
    text-align: -webkit-match-parent;
}
#btn{
    border: 1px solid black;
    color: rgb(134, 192, 48);
    padding: 10px 20px;
    border-radius: 30px;
    float:right;
}
#clb{
    border: 1px solid black;
    color:white;
    background-color: rgb(134, 192, 48);
    padding: 10px 20px;
    border-radius: 30px;
    float:right;
}
.make li{
    position:relative;
    align-content: center;
}
nav ul li.break {
    background-color: #31a647;
    width: 1px;
    height: 40px;
```

```
padding: 0 !important;
vertical-align: middle;
margin-left: 2rem;
margin-right: 0;
}
hr{
  /* margin:30px; */
  margin-top:50px;
  width:100%;
}
.container{
  height:98vh;
  width:200vh;
  padding: 20px;
  background-image: url("price.png");
  background-repeat: no-repeat;
  position: fixed;
  background-position: center center;
  background-size: cover;
}
.simple{
  margin:100px;
  margin-left: 1000px;
  /* border: 2px solid red; */
  display:grid;
  /* padding:20px; */
  width:400px;
  height:200px;
  line-break: auto;
}
.simple h1 {
  color:rgb(102, 93, 93);
  font-size: 40px;
  font-family: 'Times New Roman', Times, serif;
```

```

}
.simple h2{
    color:rgb(203, 194, 194);
    font-size: 25px;
    font-family:Verdana, Geneva, Tahoma, sans-serif;
}
</style>
</head>
<body>
    <nav>
        <ul>
            <li class="logo"><a href="index.html"></a></li>
            <li class="make"><a href="Examples.html">Examples</a></li>
            <li class="make"><a href="Pricing.html">Pricing & Features</a></li>
            <li class="make"><a href="About.html">About</a></li>
            <li class="make"><a href="Blog.html">Blog</a></li>
            <li class="make"><a href="Help.html">Help</a></li>
            <li class="break"></li>
            <li id="btn" class="make"><a href="login.html">Login</a></li>
            <li id="clb" class="make"><a href="signup.html">Sign up</a></li>
        </ul>
    </nav>
    <hr>
    <div class="container" >
        <div class="simple">
            <h1>Pricing and survey features</h1>
            <h2>Hundreds of features to help you create the perfect survey.</h2>
        </div>
    </div>
</body>
</html>

```



About Page

Code

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>About us</title>
  <style>
    *{
      margin: 0;
      padding: 0;
    }
    nav{
      position: sticky;
    }
    .logo{
      margin-top: 40px;
      margin-left: 40px;
      padding:40px 250px;
      position:relative;
    }
    nav ul {
      display: flex;
      align-items: center;
      list-style-type: none;
      height: 65px;
      background-color: white;
      color: black;
    }
    nav ul li{
```

```
font-size: 20px;
margin-top: 50px;
margin-left: 15px;
padding: 10px;
display: inline-block;
}
nav ul li a{
    text-decoration: none;
}
li {
    text-align: -webkit-match-parent;
}
#btn{
    border: 1px solid black;
    color: rgb(134, 192, 48);
    padding: 10px 20px;
    border-radius: 30px;
    float:right;
}
#clb{
    border: 1px solid black;
    color:white;
    background-color: rgb(134, 192, 48);
    padding: 10px 20px;
    border-radius: 30px;
    float:right;
}
.make li{
    position:relative;
    align-content: center;
}
nav ul li.break {
    background-color: #31a647;
    width: 1px;
```

```

    height: 40px;
    padding: 0 !important;
    vertical-align: middle;
    margin-left: 2rem;
    margin-right: 0;
}
hr{
    /* margin:30px; */
    margin-top:50px;
    width:100%;
}
.container{
    height:98vh;
    width:200vh;
    padding: 20px;
    background-image: url("about.png");
    background-repeat: no-repeat;
    position: fixed;
    background-position: center center;
    background-size: cover;
}
.simple{
    margin:100px;
    margin-left: 425px;
    /* border: 2px solid red; */
    display:grid;
    /* padding:20px; */
    width:400px;
    height:200px;
    line-break: auto;
}
.simple h1 {
    color:rgb(102, 93, 93);
    font-size: 40px;

```


```

    font-family: 'Times New Roman', Times, serif;
}
.simple h2 {
    color:rgb(203, 194, 194);
    font-size: 25px;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
}
</style>
</head>
<body>
    <nav>
        <ul>
            <li class="logo"><a href="index.html"></a></li>
            <li class="make"><a href="Examples.html">Examples</a></li>
            <li class="make"><a href="Pricing.html">Pricing & Features</a></li>
            <li class="make"><a href="About.html">About</a></li>
            <li class="make"><a href="Blog.html">Blog</a></li>
            <li class="make"><a href="Help.html">Help</a></li>
            <li class="break"></li>
            <li id="btn" class="make"><a href="login.html">Login</a></li>
            <li id="clb" class="make"><a href="signup.html">Sign up</a></li>
        </ul>
    </nav>
    <hr>
    <div class="container" >
        <!--  -->
        <div class="simple">
            <h1>About LimeSurvey</h1>
            <h2>Our mission: to inspire curiosity, creativity, and authenticity.</h2>
        </div>
    </div>

```

</body>

</html>



Blog page

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Blog</title>
  <style>
    *{
      margin: 0;
      padding: 0;
    }

    nav{
      position: sticky;
    }

    .logo{
      margin-top: 40px;
      margin-left: 40px;
      padding:40px 250px;
      position:relative;
    }

    nav ul {
      display: flex;
      align-items: center;
      list-style-type: none;
      height: 65px;
      background-color: white;
      color: black;
```

```
}  
nav ul li {  
    font-size: 20px;  
    margin-top: 50px;  
    margin-left: 15px;  
    padding: 10px;  
    display: inline-block;  
}  
nav ul li a {  
    text-decoration: none;  
}  
li {  
    text-align: -webkit-match-parent;  
}  
  
#btn {  
    border: 1px solid black;  
    color: rgb(134, 192, 48);  
    padding: 10px 20px;  
    border-radius: 30px;  
    float: right;  
}  
#clb {  
    border: 1px solid black;  
    color: white;  
    background-color: rgb(134, 192, 48);  
    padding: 10px 20px;  
    border-radius: 30px;  
    float: right;  
}  
  
.make li {  
    position: relative;  
    align-content: center;
```

```

}
nav ul li.break {
    background-color: #31a647;
    width: 1px;
    height: 40px;
    padding: 0 !important;
    vertical-align: middle;
    margin-left: 2rem;
    margin-right: 0;
}
hr{
    /* margin:30px; */
    margin-top:50px;
    width:100%;

}
.container{
    height:98vh;
    width:200vh;
    padding: 20px;
    background-image: url("blog.png");
    background-repeat: no-repeat;
    position: fixed;
    background-position: center center;
    background-size: cover;
    display:inline
}
.simple{

    margin-top: 20px;
    margin-left: 325px;
    display:grid;
    width:250px;
    height:200px;

```



```

line-break: auto;

}

.simple h4{
    color:rgb(56, 149, 78);
    font-size: 15px;
    font-family: 'Times New Roman', Times, serif;
}

.simple tr td{
    background-color: rgb(183, 124, 238);
}

.simple table{
    border-color: rgb(157, 220, 20);
    border: 2px solid greenyellow;
}

</style>
</head>
<body>
    <nav>
        <ul>
            <li class="logo"><a href="index.html"></a></li>
            <li class="make"><a href="Examples.html">Examples</a></li>
            <li class="make"><a href="Pricing.html">Pricing & Features</a></li>
            <li class="make"><a href="About.html">About</a></li>
            <li class="make"><a href="Blog.html">Blog</a></li>
            <li class="make"><a href="Help.html">Help</a></li>
            <li class="break"></li>
            <li id="btn" class="make"><a href="login.html">Login</a></li>
            <li id="clb" class="make"><a href="signup.html">Sign up</a></li>
        </ul>
    </nav>
    <hr>

```

```
<div class="container" >
```

```
<div class="simple">
```

```
<h4>Some of the Survey Topics and Ideas to Help Learn More About Your  
Customers</h4>
```

```
<table border="1">
```

```
<tr>
```

```
<th style="background-color: rgb(81, 228, 81);">Topics</th>
```

```
</tr>
```

```
<tr>
```

```
<td>Demographic Surveys</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Market Research Surveys</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Net Promoter Surveys</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Customer Satisfaction Surveys</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Employee Satisfaction Surveys</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Product Feedback Surveys</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Brand Awareness Surveys</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Post-Event Surveys</td>
```

```
</tr>
```


```
</table>
```

```
</div>
```

```
</div>

</body>

</html>
```



Sign Up page

Code:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Signup</title>

  <style>

    .sign{

      padding: 25px;

      margin:50px 550px 50px;

      border: 8px solid rgb(253, 241, 241);

      height:600px;

      width:400px;

      background-color: white;

      box-shadow: 20px;

    }

    img{

      padding: 10px;

      margin-left: 120px;

      position:relative

    }

    h1 {

      text-align: center;

      font-size: 30px;

      color:rgb(59, 54, 54);

      font-family: 'Times New Roman', Times, serif;

    }

    h2{

      text-align: center;
```

```

        font-size: 20px;
        color:rgb(117, 111, 111);
        font-family: 'Times New Roman', Times, serif;
    }
    input[type="text"],
    input[type="email"],
    input[type="password"]{
        margin:2px;
        width:90%;
        padding:8px;
        border:1px solid #ccc;
        border-radius: 5px;
    }
    input[type="submit"]{
        background-color: rgb(126, 126, 241);
        border: 2px solid rgb(183, 173, 173);
        border-radius: 15px;
        padding: 8px;
    }
    input[type="submit"]:hover{
        background-color: rgb(0, 255, 38);
    }
</style>
</head>
<body>
    <div class="sign">
        
        <h1>Create Account</h1>
        <h2>Signup for FREE unlimited surveys, questions & responses.</h2>
        <hr>
        <div class="form1">
            <form action="">
                <p>Full Name <input type="text" name="name" placeholder=" " ></p>

```

```
<p>Email <input type="email" name="email" placeholder=""> </p>
<p>Verify Email <input type="email" name="email" placeholder=""> </p>
<p>Password <input type="password" name="password" placeholder=""></p>
<input type="submit" value="Signup">
</form>
</div>
</div>
</body>
</html>
```

