

TASK 2 - MITRE ATTACK FRAMEWORK ENTERPRICE MATRICES


BY CYBER NINJAS

**(KHUSHEE RANE - 2049 , SAHIL MORE - 2055
SAMEER MORE - 2056 , SURBHI MANANI - 2072)**

● Reconnaissance – TA0043

1 T1595 – Active Scanning


◆ Overview



Made with  Napkin

◆ Technical Details


Active Scanning Techniques



Made with  Napkin


♦ Attack Flow

Conducting a Security Assessment




2 T1592 – Gather Victim Host Information

◆ Overview




◆ Technical Details

Endpoint Detection and Response (EDR)




♦ Attack Flow




3 T1589 – Gather Victim Identity Information

◆ Overview



◆ Technical Details


What is Credential Stuffing? Protect Yourself



Try them on
many sites



♦ Attack Flow



4 T1590 – Gather Victim Network Information


◆ Overview

Application Plane




Northbound APIs

Control Plane




Southbound APIs


Data/Infrastructure Plane



◆ Technical Details




◆ Attack Flow




5 T1591 – Gather Victim Organization Information


◆ Overview



◆ Technical Details



◆ Attack Flow




6 T1598 – Phishing for Information

◆ Overview




How Regular Phishing Works




◆ Technical Details

Common Types of Phishing Attacks




◆ Attack Flow

Phishing attack



7 T1597 – Search Closed Sources


◆ Overview



◆ Technical Details




◆ Attack Flow




8 T1596 – Search Open Technical Databases

◆ Overview



◆ Technical Details



♦ Attack Flow



9 T1593 – Search Open Websites / Domains

◆ Overview



◆ Technical Details

SEO Tutorials



♦ Attack Flow




10 T1681 – Search Threat Vendor Data

◆ Overview



◆ Technical Details

Signature-Based Malware Detection Workflow



♦ Attack Flow




T1594 – Search Victim-Owned Websites

◆ Overview



◆ Technical Details

Key Features of Centralized Management



AIHR | ACADEMY TO INNOVATE HR


♦ Attack Flow



🧩 Resource Development – TA0042

1 T1650 – Acquire Access

◆ Overview




◆ Technical Details

The IAB Attack Lifecycle




♦ Attack Flow




2 T1583 – Acquire Infrastructure


◆ Overview



◆ Technical Details




◆ Attack Flow




3 T1586 – Compromise Accounts

◆ Overview




◆ Technical Details

Anatomy of a Phishing Attack



♦ Attack Flow




4 T1584 – Compromise Infrastructure

◆ Overview




Supply Chain Attack




◆ Technical Details

Authoritative DNS server




- ♦ **Attack Flow**




5 T1587 – Develop Capabilities

◆ Overview



◆ Technical Details



♦ Attack Flow




6 T1585 – Establish Accounts


◆ Overview



◆ Technical Details




◆ Attack Flow




7 T1588 – Obtain Capabilities


◆ Overview



◆ Technical Details




♦ **Attack Flow**




8 T1608 – Stage Capabilities

◆ Overview

6 Stages of a Ransomware Attack



◆ Technical Details



A wealth of powerful features & tools are waiting for you

These are just some of the great things that are waiting for you when you sign up for DeployHQ.

Choose any of these features to read more information.



Zero
Downtime
Deployments



Build
Pipelines



Deployment
Targets



Automatic
Deployment



Deployment
Templates



Deploy Behind
Firewalls




Powerful
Integrations



DeployHQ AI

◆ Attack Flow



Collection

Techniques of Collection.

1) Adversary-in-the-Middle

a) Overview

A Man-in-the-Middle Attack




b) Technical details

AitM Attack Sequence




c) Attack flow / technique



2) Archive Collected Data


a)Overview



b) Technical details




c) Attack flow / technique




3) Browser Session Hijacking


Session Hijacking



b) Technical details



c) Attack flow / technique



● Command and Control


1) Data Encoding

a) Overview


DATA ENCODING

- Data Encoding is a method to convert the data into signal form because we cannot transmit data until it is converted into signal.
- Whenever we transmit a data it is always in the form of a signal. It can be in digital or analog form.

b) Technical details




c) Attack flow / technique




2)Data Obfuscation: Steganography


a)overview



b) Technical details




c) Attack flow / technique




● Exfiltration

1) Automated Exfiltration


a)overview



b) Technical details



c) Attack flow/ technique




2) Traffic Duplication


a) Overview

Traffic Duplication for Gradual Network Migration


- **Traffic Duplication** – Transport **in parallel** identical real-time mission critical traffic streams on both SDH/SONET network as well as a Carrier-grade Ethernet network
 - Lower latency due to Carrier-grade Ethernet fast performance
 - Better resiliency
 - Make available additional bandwidth for non-mission critical IT traffic
 - Future-proof network readiness for phased or full migration to PSN.
The power utility may maintain a dual network topology and gradually migrate to a complete Carrier-grade Ethernet network



b) Technical details




c) Attack flow / technique




Impact

1) Account Access Removal


a) Overview



b) Technical details




c) flowchart/ techniques




2)Data Manipulation

a)Overview



b) Technical details



c) Attack flow /technique

SUPPLY CHAIN ATTACK

Attackers insert malicious code into a DLL component of legitimate software. The compromised DLL is distributed to organizations that use the related software.

EXECUTION, PERSISTENCE

When the software starts, the compromised DLL loads, and the inserted malicious code calls the function that contains the backdoor capabilities.

DEFENSE EVASION

The backdoor has a lengthy list of checks to make sure it's running in an actual compromised network.

RECON

The backdoor gathers system info

INITIAL C2

The backdoor connects to a command-and-control server. The domain it connects to is partly based on info gathered from system, making each subdomain unique. The backdoor may receive an additional C2 address to connect to.

EXFILTRATION

The backdoor sends gathered information to the attacker.

HANDS-ON-KEYBOARD ATTACK

The backdoor runs commands it receives from attackers. The wide range of backdoor capabilities allow attackers to perform additional activities, such as credential theft, progressive privilege escalation, and lateral movement.

