

TrustSense Certificate of Destruction

Issued Date: 2026-05-05 02:45:10

Device ID: TS-PRO-2026

Sanitization Standard: NIST 800-88 Purge

Files Processed: 29

Status: CERTIFIED SECURE

Cryptographic Proofs

Verification Hash: f3e9dd742d72258c6eca5c1a554dfc708dd4af7fc7267ec089b5df820791d2d2

Digital

Signature:

84fbb4e16615ff47980e44e56476bd12796e9dd2985737a21516031efca345b77d047797e5072121ada18fd852157dd4dbe8ba3e38182be
6af65a7697ab5e293bf3124b7d48c7c4a7e1885e7cb6f6ccd6f684070e34825c83500bf22a73b40a92521beb5ce0e6741e4e7c9eccc4836
2f83907e240108f8a41f0f9fff88cb16566147a8eb86249ff2c8c927bbf9e8d94db7b6d954757941a269a2343bad17e39edddc45022ee2b
e8af30b6ab215a713a658d76f264e60a9c066fb909d0a5a07aee8291642e3e8cee1d664b7b864db4c6b6abe40453b7e260c8b72d442ba7d
47c83c458872a5a2e95c944e25ad7cc4b39595b3c2569eac56cb914ee25cb7f0922e

This document is cryptographically verified and tamper-proof.