

TrustSense Certificate of Destruction

Issued Date: 2026-05-05 02:00:26

Device ID: SN-PRO-2026

Sanitization Standard: NIST 800-88 Purge

Files Processed: 4

Status: CERTIFIED SECURE

Cryptographic Proofs

Verification Hash: 46c924c9926b7147249286d92dd07fd9a7075f1f668ede4f76215939ca6a1fac

Digital

Signature:

92e6430d577b932351651f3372b163d1df5fe063401482df026862049f328e21dc6d607081f7ec86a9de2f1402d7d54cc69a038f2883b01
1e279273899eb5a224b722c45df7668abf11f63f02d6f94f3078884e9de39a6c185d6ff8f7acba99cc2b4b2cc0b39a410841a880cbad415
9cbfa3ab892cd9642662d86c3753e759e402b9dc44b38f84f1574dd4c403b34cadfb3b041f36a9cf3adb4bd97e9617b52542fc9cf91f6f4
051360e29e44948cd1b0c533f26e75c86791e4ae8515de645eca5f9ad6b0415e4dcd20ab119bb7cc13167eaffcb8689ec3472ba57564d1a
f92bce81dce44eb9dcc305c9f810fa493eddd85e5bb9787877a0752fca26c2f50f02

This document is cryptographically verified and tamper-proof.