NAME:Khushi Gharate

ROLL NO:-757

BATCH:-G3

PRN:-202201090168

ASSIGNMENT 3

Import numpy as np dl= np.genfromtxt("/content/sample_data/testmarks1.csv",delimiter=',') print(dl)

OUTPUT:

[[nan nan nan nan]

[801. 43.05 27.79 28.7 27.79]

[802. 43.47 28.52 28.98 27.89]

[803. 42.24 28.16 28.16 25.63]

[804. 39.24 26.16 26.16 26.16]

[805. 40.9 26.03 27.27 25.65]

[806. 39.47 26.31 26.31 25.21]

[807. 41.68 25.63 27.79 25.46]

[808. 42.19 27.61 28.13 26.21]

[809. 44.75 28.35 29.83 28.21]

[810. 46.95 28.88 31.3 28.53]]

EDS=dl[1:,1] print(EDS) print(type(EDS)) print(max(EDS))

OUTPUT:

[43.05 43.47 42.24 39.24 40.9 39.47 41.68 42.19 44.75 46.95]

<class 'numpy.ndarray'>

46.95

```
Import numpy as np d2= np.genfromtxt("/content/sample_data/testmarks2.csv",delimiter=',') print(d2)
```

OUTPUT:

```
[[nan nan nan nan]
```

[801. 28.48 34.18 30.56 22.23]

[802. 28.1 33.72 30.68 22.82]

[803. 26.16 31.39 28.2 22.53]

[804. 26.16 31.39 28.78 20.93]

[805. 26.1 31.32 28.22 20.82]

[806. 25.45 30.54 27.73 21.05]

[807. 26.16 31.39 28.01 20.51]

[808. 27.44 32.93 28.83 22.08]

[809. 28.63 34.35 31.03 22.68]

[810. 30.35 36.42 31.38 23.1]]

[]

Print(dl) print(d2) result=dl-d2

Print("\nUsing Operator:\n",resultarray) result=np.subtract(dl,d2)

Print("\nUsing Numpy Function:\n",result)

OUTPUT:

[[nan nan nan nan nan]

[801. 43.05 27.79 28.7 27.79]

[802. 43.47 28.52 28.98 27.89]

[803. 42.24 28.16 28.16 25.63]

[804. 39.24 26.16 26.16 26.16]

[805. 40.9 26.03 27.27 25.65]

[806. 39.47 26.31 26.31 25.21]

[807. 41.68 25.63 27.79 25.46]

[808. 42.19 27.61 28.13 26.21]

[809. 44.75 28.35 29.83 28.21]

[810. 46.95 28.88 31.3 28.53]]

```
[[ nan nan nan nan]
```

Using Operator:

[[nan nan nan nan nan]

[0. 0. 0. 0. 0.]

[0. 0. 0. 0. 0.]

 $[\ 0.\ 0.\ 0.\ 0.\ 0.]$

[0. 0. 0. 0. 0.]

[0. 0. 0. 0. 0.]

[0. 0. 0. 0. 0.]

[0. 0. 0. 0. 0.]

[0. 0. 0. 0. 0.]

[0. 0. 0. 0. 0.]

[0. 0. 0. 0. 0.]]

Using Numpy Function:

[[nan nan nan nan nan]

- [0. 14.57 -6.39 -1.86 5.56]
- [0. 15.37 -5.2 -1.7 5.07]
- [0. 16.08 -3.23 -0.04 3.1]
- [0. 13.08 -5.23 -2.62 5.23]

```
[ 0. 14.8 -5.29 -0.95 4.83]
```

[0. 16.6 -7.54 -0.08 5.43]]

Resultarray=dl+d2 print("\nUsing Numpy Function:\n",resultarray) resultarray=np.add(dl,d2) print("\nUsingOperator:\n",resultarray)

OUTPUT:

Using Numpy Function:

```
[[ nan nan nan nan]
```

[1602. 71.53 61.97 59.26 50.02]

[1604. 71.57 62.24 59.66 50.71]

[1606. 68.4 59.55 56.36 48.16]

[1608. 65.4 57.55 54.94 47.09]

[1610. 67. 57.35 55.49 46.47]

| [1612. | 64.92 56.85 54.04 46.26] |
|--------|--------------------------|
|--------|--------------------------|

Using Operator:

| [[nan na | an n | nan | nan | nan] |
|-----------|------|-----|-----|------|
|-----------|------|-----|-----|------|

[1602. 71.53 61.97 59.26 50.02]

[1604. 71.57 62.24 59.66 50.71]

[1606. 68.4 59.55 56.36 48.16]

[1608. 65.4 57.55 54.94 47.09]

[1610. 67. 57.35 55.49 46.47]

[1612. 64.92 56.85 54.04 46.26]

[1614. 67.84 57.02 55.8 45.97]

[1616. 69.63 60.54 56.96 48.29]

```
[1618. 73.38 62.7 60.86 50.89]
         [1620. 77.3 65.3 62.68 51.63]]
 Resultarray=dl%d2
Print("\nUsing Operator:\n",resultarray)
Resultarray=np.mod(dl,d2)
Print("\nUsing Numpy Function:\n",resultarray)
OUTPUT:
Using Operator:
[[ nan nan nan nan nan]
[ 0.
        14.57 27.79 28.7 5.56]
[ 0.
         15.37 28.52 28.98 5.07]
[ 0.
         16.08 28.16 28.16 3.1 ]
[ 0.
         13.08 26.16 26.16 5.23]
[ 0.
         14.8 26.03 27.27 4.83]
```

[0.

14.02 26.31 26.31 4.16]

[0. 15.52 25.63 27.79 4.95] [0. 14.75 27.61 28.13 4.13] [0. 16.12 28.35 29.83 5.53] [0. 16.6 28.88 31.3 5.43]] Using Numpy Function: [[nan nan nan nan nan] [0. 14.57 27.79 28.7 5.56] [0. 15.37 28.52 28.98 5.07] [0. 16.08 28.16 28.16 3.1] [0. 13.08 26.16 26.16 5.23] [0. 14.8 26.03 27.27 4.83] [0. 14.02 26.31 26.31 4.16] [0.

15.52 25.63 27.79 4.95]

14.75 27.61 28.13 4.13]

16.12 28.35 29.83 5.53]

[0.

[0.

[0. 16.6 28.88 31.3 5.43]]

Resultarray=dI*d2 Print("\nUsing Operator:\n",resultarray) resultarray=np.multiply(dl,d2) Print("\nUsing Numpy Function:\n",resultarray) OUTPUT: Using Operator:]] nan nan nan nan nan] [6.4160100e+05 1.2260640e+03 9.4986220e+02 8.7707200e+02 6.1777170e+02] [6.4320400e+05 1.2215070e+03 9.6169440e+02 8.8910640e+02 6.3644980e+02] [6.4480900e+05 1.1049984e+03 8.8394240e+02 7.9411200e+02 5.7744390e+02] [6.4641600e+05 1.0265184e+03 8.2116240e+02 7.5288480e+02 5.4752880e+02] [6.4802500e+05 1.0674900e+03 8.1525960e+02 7.6955940e+02 5.3403300e+02]

[6.4963600e+05 1.0045115e+03 8.0350740e+02 7.2957630e+02 5.3067050e+02]

[6.5124900e+05 1.0903488e+03 8.0452570e+02 7.7839790e+02 5.2218460e+02]

 $[6.5286400e+05\ 1.1576936e+03\ 9.0919730e+02\ 8.1098790e+02\ 5.7871680e+02]\ [6.5448100e+05\ 1.2811925e+03\ 9.7382250e+02\ 9.2562490e+02\ 6.3980280e+02]$


Using Numpy Function:

[[nan nan nan nan]


[6.4160100e+05 1.2260640e+03 9.4986220e+02 8.7707200e+02 6.1777170e+02]
[6.4320400e+05 1.2215070e+03 9.6169440e+02 8.8910640e+02 6.3644980e+02]
[6.4480900e+05 1.1049984e+03 8.8394240e+02 7.9411200e+02 5.7744390e+02]
[6.4641600e+05 1.0265184e+03 8.2116240e+02 7.5288480e+02 5.4752880e+02]
[6.4802500e+05 1.0674900e+03 8.1525960e+02 7.6955940e+02 5.3403300e+02]
[6.4963600e+05 1.0045115e+03 8.0350740e+02 7.2957630e+02 5.3067050e+02]
[6.5124900e+05 1.0903488e+03 8.0452570e+02 7.7839790e+02 5.2218460e+02]
[6.5286400e+05 1.1576936e+03 9.0919730e+02 8.1098790e+02 5.7871680e+02]
[6.5448100e+05 1.2811925e+03 9.7382250e+02 9.2562490e+02 6.3980280e+02]
[6.5610000e+05 1.4249325e+03 1.0518096e+03 9.8219400e+02 6.5904300e+02]]

| Print("\n | Using Ope | erator:\n", | resultarray | y) resultai | rray=np.di | vide(dl,d2 | e) print("\nUsing Numpy Function:\n",resultarray) |
|-----------|-----------|-------------|---------------------------------------|-------------|------------|------------|---|
| OUTPUT: | | | | | | | |
| Using Ope | erator: | | | | | | |
| | [[| nan | nan | nan | nan | nan] | |
| | [1. | 1.511587 | 08 0.8130 | 4857 0.93 | 913613 1. | 25011246 | 5] |
| | [1. | 1.546975 | 09 0.8457 | 8885 0.94 | 458931 1. | 22217353 | 3] |
| | [1. | 1.614678 | 9 0.89710 | 099 0.998 | 58156 1.1 | 3759432] | |
| | [1. | 1.5 | 0.833386 | 43 0.9089 | 6456 1.24 | 988055] | |
| [1. | 1.593272 | 17 0.8165 | 9834 0.96 60207 0.99 82751 0.96 | 214566 1. | 24134569 |] [1. | 1.55088409 0.86149312 0.94879192 1.1976247] [1. 1.53753644 0.83844519 0.97571974 1.1870471] [1. |
| | [1. | 1.546952 | 22 0.7929 | 709 0.997 | 45061 1.2 | 3506494]] |] |
| | | | | | | | |
| Using Nui | mpy Funct | tion: | | | | | |
| | [[| nan | nan | nan | nan | nan] | |
| | [1. | 1.511587 | 08 0.8130 | 4857 0.93 | 913613 1. | 25011246 | 5] |

[1. 1.54697509 0.84578885 0.94458931 1.22217353] [1. 1.6146789 0.89710099 0.99858156 1.13759432] [1. 1.5 0.83338643 0.90896456 1.24988055] [1. 1.56704981 0.83109834 0.96633593 1.23198847] [1. 1.55088409 0.86149312 0.94879192 1.1976247] [1. 1.59327217 0.81650207 0.99214566 1.24134569] [1. 1.53753644 0.83844519 0.97571974 1.1870471] [1. 1.56304576 0.82532751 0.96132775 1.24382716] [1. 1.54695222 0.7929709 0.99745061 1.23506494]] HORIZONTAL STACKING Resultarray=np.hstack((dl,d2)) resultarray OUTPUT: $[802.\,,43.47,\,28.52,\,28.98,\,27.89,\,802.\,,\,28.1\,,\,33.72,\,30.68,\,22.82],\,[803.\,,\,42.24,\,32.92]$ 28.16, 28.16, 25.63, 803. , 26.16, 31.39, 28.2 , 22.53], [804. , 39.24, 26.16, 26.16, 26.16, 804. , 26.16, 31.39, 28.78, 20.93], [805. , 40.9 , 26.03, 27.27, 25.65, 805., 26.1, 31.32, 28.22, 20.82], [806., 39.47, 26.31, 26.31, 25.21, 806., 25.45, 30.54, 27.73, 21.05], [807., 41.68, 25.63, 27.79, 25.46, 807., 26.16, 31.39, 28.01, 20.51], [808., 42.19, 27.61, 28.13, 26.21, 808. , 27.44, 32.93, 28.83, 22.08], [809. , 44.75,



| 28.48, 34.18, 30.56, 22.23], [802., 28.1, 33.72, 30.68, 22.82], [803., 26.16, 31.39, 28.2, 22.53], [804., 26.16, 31.39, 28.78, 20.93], [805., |
|---|
| 26.1 , 31.32, 28.22, 20.82], [806. , 25.45, 30.54, 27.73, 21.05], [807. , |
| 26.16, 31.39, 28.01, 20.51], [808. , 27.44, 32.93, 28.83, 22.08], [809. , |
| 28.63, 34.35, 31.03, 22.68], [810. , 30.35, 36.42, 31.38, 23.1]]) |
| |
| |
| RANGE |
| |
| |
| |
| Arr1=np.arange(800,810,1) |
| |
| Print(arr1) |
| ОИТРИТ: |
| |



```
1.22217353], [1., 1.6146789, 0.89710099, 0.99858156, 1.13759432]
1.5, 0.83338643, 0.90896456, 1.24988055], [1., 1.56704981, 0.83109834,
0.96633593, 1.23198847], [1., 1.55088409, 0.86149312, 0.94879192,
1.1976247], [1., 1.59327217, 0.81650207, 0.99214566, 1.24134569], [1.,
1.53753644, 0.83844519, 0.97571974, 1.1870471 ], [1., 1.56304576,
0.82532751, 0.96132775, 1.24382716, [1., 1.54695222, 0.7929709,
0.99745061, 1.23506494]])
ARITHMETIC OPERATIONS
# Addition print(np.add(dl,d2)) # Subtraction print(np.subtract(dl,d2))
# Multiplication print(np.multiply(dl,d2))
# Division print(np.divide(dl,d2))
```

OUTPUT:

| [1602. | 71.53 | 61.97 | 59.26 | 50.02] | |
|--------|-------------------------|-------------|-------|---------|--|
| [1604. | 71.57 | 62.24 | 59.66 | 50.71] | |
| [1606. | 68.4 | 59.55 | 56.36 | 48.16] | |
| [1608. | 65.4 | 57.55 | 54.94 | 47.09] | |
| [1610. | 67. | 57.35 | 55.49 | 46.47] | |
| [1612. | 64.92 | 56.85 | 54.04 | 46.26] | |
| [1614. | 67.84 | 57.02 | 55.8 | 45.97] | |
| [1616. | 69.63 | 60.54 | 56.96 | 48.29] | |
| [1618. | 73.38 | 62.7 | 60.86 | 50.89] | |
| [1620. | 77.3 | 65.3 | 62.68 | 51.63]] | |
| [[nan | nan nan nan nan] | | | | |
| [0. | 14.57 -6.39 -1.86 5.56] | | | | |
| [0. | 15.37 -5 | .2 -1.7 5.0 | 17] | | |
| | | | | | |

16.08 -3.23 -0.04 3.1]

[0.

[[nan nan

nan

nan

nan]

```
[ 0. 13.08 -5.23 -2.62 5.23]
```

- [0. 14.8 -5.29 -0.95 4.83]
- [0. 14.02 -4.23 -1.42 4.16]
- [0. 15.52 -5.76 -0.22 4.95]
- [0. 14.75 -5.32 -0.7 4.13]
- [0. 16.12 -6. -1.2 5.53]
- [0. 16.6 -7.54 -0.08 5.43]]
- [[nan nan nan nan nan]

[6.4160100e+05 1.2260640e+03 9.4986220e+02 8.7707200e+02 6.1777170e+02]

[6.4320400e+05 1.2215070e+03 9.6169440e+02 8.8910640e+02 6.3644980e+02]

 $[6.4480900e+05\ 1.1049984e+03\ 8.8394240e+02\ 7.9411200e+02\ 5.7744390e+02]$

[6.4641600e+05 1.0265184e+03 8.2116240e+02 7.5288480e+02 5.4752880e+02]

[6.4802500e+05 1.0674900e+03 8.1525960e+02 7.6955940e+02 5.3403300e+02]

[6.4963600e+05 1.0045115e+03 8.0350740e+02 7.2957630e+02 5.3067050e+02]

[6.5124900e+05 1.0903488e+03 8.0452570e+02 7.7839790e+02 5.2218460e+02]

[6.5286400e+05 1.1576936e+03 9.0919730e+02 8.1098790e+02 5.7871680e+02]

[6.5448100e+05 1.2811925e+03 9.7382250e+02 9.2562490e+02 6.3980280e+02]

| [6.56100 | 00e+05 1. | .42493256 | e+03 1.051 | L8096e+03 | 3 9.8219400e+0 | 2 6.59 | 904300e+02]] |
|-----------|------------|------------|-------------|-------------|---|--------|---|
|]] | nan | nan | nan | nan | nan] | | |
| | [1. | 1.51158 | 708 0.813 | 04857 0.9 | 3913613 1.250 | 11246 |] |
| | [1. | 1.54697 | 509 0.845 | 78885 0.9 | 4458931 1.222 | 17353 |] |
| | [1. | 1.61467 | 89 0.8971 | 0099 0.99 | 858156 1.1375 | 9432] | |
| | [1. | 1.5 | 0.833386 | 643 0.908 | 96456 1.24988 | 055] | |
| [1. | 1.593272 | 217 0.816 | 50207 0.9 | 9214566 1 | 1.23198847] [1. 1.24134569] [1. 1.24382716] | | 1.55088409 0.86149312 0.94879192 1.1976247] [1. 1.53753644 0.83844519 0.97571974 1.1870471] [1. |
| | [1. | 1.54695 | 222 0.792 | 9709 0.99 | 745061 1.2350 | 6494]] | |
| STATISTIO | CAL OPERA | ATIONS | | | | | |
| # Standa | rd Deviati | on print(r | np.std(dl)) | | | | |
| #Minimu | ım print(n | p.min(dl) |) #Summat | tion print(| np.sum(dl)) | | |

#Median print(np.median(dl))

#Mean

| Print(np.mean(dl)) |
|--|
| #Mode from scipy import stats |
| Print("Most Frequent element=",stats.mode(dl)[0]) print("Number of Occarances=",stats.mode(dl)[1]) |
| # Variance |
| Print(np.var(dl)) |
| |
| ОИТРИТ: |
| Nan nan nan nan nan |
| Most Frequent element= [[801. 39.24 25.63 26.16 25.21]] |
| Number of Occarances= [[1 1 1 1 1]] nan |
| <ip><ipython-input-56-da9861487e77>:13: FutureWarning: Unlike other reduction functions (e.g. `skew`, `kurtosis`), the default behavior of `mode` typically preserves the axis it acts along. In SciPy 1.11.0, this behavior will change: the default value of `keepdims` will become False, the `axis` over which the statistic is taken will be eliminated, and the value None will no longer be accepted. Set `keepdims` to True or False to avoid this warning.</ipython-input-56-da9861487e77></ip> |
| Print("Most Frequent element=",stats.mode(dI)[0]) |
| <ipython-input-56-da9861487e77>:14: FutureWarning: Unlike other reduction functions (e.g. `skew`, `kurtosis`), the default behavior of `mode` typically preserves the axis it acts along. In SciPy 1.11.0, this behavior will change: the default value of `keepdims` will become False, the `axis` over which the statistic is taken will be eliminated, and the value None will no longer be accepted. Set `keepdims` to True or False to avoid this warning. Print("Number of Occarances" state mode(d)\[11\]).</ipython-input-56-da9861487e77> |