

## Tables (17)

Name	Type	Schema
<b>accounts_account</b>		CREATE TABLE "accounts_account" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "name" varchar(50) NOT NULL, "email" varchar(100) NOT NULL UNIQUE, "date_joined" datetime NOT NULL, "last_login" datetime NOT NULL, "is_admin" bool NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "is_superuser" bool NOT NULL, "phone_number" varchar(50) NOT NULL, "cash" decimal NOT NULL, "stock" varchar(50) NOT NULL, "stock_value" decimal NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
name	varchar(50)	"name" varchar(50) NOT NULL
email	varchar(100)	"email" varchar(100) NOT NULL UNIQUE
date_joined	datetime	"date_joined" datetime NOT NULL
last_login	datetime	"last_login" datetime NOT NULL
is_admin	bool	"is_admin" bool NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
is_superuser	bool	"is_superuser" bool NOT NULL
phone_number	varchar(50)	"phone_number" varchar(50) NOT NULL
cash	decimal	"cash" decimal NOT NULL
stock	varchar(50)	"stock" varchar(50) NOT NULL
stock_value	decimal	"stock_value" decimal NOT NULL
<b>accounts_activation</b>		CREATE TABLE "accounts_activation" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "created_at" datetime NOT NULL, "code" varchar(20) NOT NULL UNIQUE, "email" varchar(254) NOT NULL, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
code	varchar(20)	"code" varchar(20) NOT NULL UNIQUE
email	varchar(254)	"email" varchar(254) NOT NULL
user_id	integer	"user_id" integer NOT NULL
<b>auth_group</b>		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
<b>auth_group_permissions</b>		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
<b>auth_permission</b>		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename"

Name	Type	Schema
		varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
<b>auth_user</b>		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
<b>auth_user_groups</b>		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
<b>auth_user_user_permissions</b>		CREATE TABLE "auth_user_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
<b>blog_articles</b>		CREATE TABLE "blog_articles" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "Author" varchar(50) NOT NULL, "Title" varchar(50) NOT NULL, "Description" text NOT NULL, "ArticleImage" varchar(100) NOT NULL, "active" bool NULL, "Date" date NOT NULL)
id	integer	"id" integer NOT NULL
Author	varchar(50)	"Author" varchar(50) NOT NULL
Title	varchar(50)	"Title" varchar(50) NOT NULL
Description	text	"Description" text NOT NULL
ArticleImage	varchar(100)	"ArticleImage" varchar(100) NOT NULL

Name	Type	Schema
active	bool	"active" bool
Date	date	"Date" date NOT NULL
<b>django_admin_log</b>		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0), "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_time" datetime NOT NULL)
id	integer	"id" integer NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
<b>django_content_type</b>		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
<b>django_migrations</b>		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
app	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
<b>django_session</b>		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
<b>simulator_stock</b>		CREATE TABLE "simulator_stock" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "symbol" varchar(10) NOT NULL UNIQUE, "username" varchar(50) NOT NULL, "no_of_shares" integer NOT NULL, "value" decimal NOT NULL)
id	integer	"id" integer NOT NULL
symbol	varchar(10)	"symbol" varchar(10) NOT NULL UNIQUE
username	varchar(50)	"username" varchar(50) NOT NULL
no_of_shares	integer	"no_of_shares" integer NOT NULL
value	decimal	"value" decimal NOT NULL
<b>simulator_trade</b>		CREATE TABLE "simulator_trade" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "shares" integer unsigned NOT NULL CHECK ("shares" >= 0), "date" datetime NOT NULL, "stock" varchar(50) NOT NULL, "cost" decimal NOT NULL, "type" varchar(4) NOT

Name	Type	Schema
		NULL, "username" varchar(50) NOT NULL)
id	integer	"id" integer NOT NULL
shares	integer unsigned	"shares" integer unsigned NOT NULL CHECK("shares" >= 0)
date	datetime	"date" datetime NOT NULL
stock	varchar(50)	"stock" varchar(50) NOT NULL
cost	decimal	"cost" decimal NOT NULL
type	varchar(4)	"type" varchar(4) NOT NULL
username	varchar(50)	"username" varchar(50) NOT NULL
<b>simulator_userdetails</b>		CREATE TABLE "simulator_userdetails" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "stock_value" decimal NOT NULL, "cash" decimal NOT NULL, "username" varchar(50) NOT NULL, "profit" decimal NOT NULL)
id	integer	"id" integer NOT NULL
stock_value	decimal	"stock_value" decimal NOT NULL
cash	decimal	"cash" decimal NOT NULL
username	varchar(50)	"username" varchar(50) NOT NULL
profit	decimal	"profit" decimal NOT NULL
<b>sqlite_sequence</b>		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"

## Indices (16)

Name	Type	Schema
<b>accounts_activation_user_id_25e4fc41</b>		CREATE INDEX "accounts_activation_user_id_25e4fc41" ON "accounts_activation" ("user_id")
user_id		"user_id"
<b>auth_group_permissions_group_id_b120cbf9</b>		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
<b>auth_group_permissions_group_id_permission_id_0cd325b0_uniq</b>		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
<b>auth_group_permissions_permission_id_84c5c92e</b>		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
<b>auth_permission_content_type_id_2f476e4b</b>		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
<b>auth_permission_content_type_id_codename_01ab375a_uniq</b>		CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"
codename		"codename"

Name	Type	Schema
<b>auth_user_groups_group_id_97559544</b>		CREATE INDEX "auth_user_groups_group_id_97559544" ON "auth_user_groups" ("group_id")
group_id		"group_id"
<b>auth_user_groups_user_id_6a12ed8b</b>		CREATE INDEX "auth_user_groups_user_id_6a12ed8b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
<b>auth_user_groups_user_id_group_id_94350c0c_uniq</b>		CREATE UNIQUE INDEX "auth_user_groups_user_id_group_id_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
<b>auth_user_user_permissions_permission_id_1fbb5f2c</b>		CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")
permission_id		"permission_id"
<b>auth_user_user_permissions_user_id_a95ead1b</b>		CREATE INDEX "auth_user_user_permissions_user_id_a95ead1b" ON "auth_user_user_permissions" ("user_id")
user_id		"user_id"
<b>auth_user_user_permissions_user_id_permission_id_14a6b632_uniq</b>		CREATE UNIQUE INDEX "auth_user_user_permissions_user_id_permission_id_14a6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"
<b>django_admin_log_content_type_id_c4bce8eb</b>		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
<b>django_admin_log_user_id_c564eba6</b>		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")
user_id		"user_id"
<b>django_content_type_app_label_model_76bd3d3b_uniq</b>		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
<b>django_session_expire_date_a5c62663</b>		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")
expire_date		"expire_date"

## Views (0)

Name	Type	Schema
------	------	--------

## Triggers (0)

Name	Type	Schema
------	------	--------