Certification Questionnaire for Coast to Coast Journeys

General

~~Products and Certifications - Done~~

~~Payment Types - Done~~

Workflow - Pending adjustments

What is your workflow for the integration with the ETG API? Please describe each step, from search to cancellation, and include details about the ETG API methods used at each step.

The name for your step	Your step logic (stating the action the user should perform for your system to initiate a call to the ETG endpoint/endpoints)	ETG endpoint/endpoints
User Search		**/search/serp/hotels/ /search/serp/region/**
Hotel List Display	**Show hotel cards with ratings, prices, photos**	**N/A**
Hotel Details Page	**get rates for specific hotel**	**/search/hp/**
Room Selection	**User selects a room rate (book_hash captured)**	**N/A**

Pre-booking Validation	**Verify price, availability, cancellation terms**	**/hotel/prebook/ with book_hash**
Guest Information Form	**Collect guest details, payment info**	**N/A**
Start Booking	**Receive partner_order_id**	**/hotel/order/booking/form/**
Finish Booking		**/hotel/order/booking/finish/**
Poll Status	**(every 2.5s, max 60s)Wait for status: "ok"**	**/hotel/order/booking/finish/status/**
Confirmation	**Display booking confirmation** **Send confirmation email via Brevo**	
Post-Booking	**for voucher/details**	**/hotel/order/info/**

Second update: Thank you for the table provided!
During my recent tests, I observed that the search and booking requests originating from our integration are not being sent with our designated API key, which is key_id: 83.
To allow us to complete our checks and monitor the traffic correctly, could you please configure your system to ensure that all API requests (both for search and booking) made through our integration are sent using key_id: 83?

Third update: I see that after /serp/region/ your system send multiple /hotel/info requests for all hotels received from /serp/region/.

/api/b2b/v3/hotel/info
/api/b2b/v3/hotel/info
/api/b2b/v3/hotel/info
/api/b2b/v3/hotel/info
/api/b2b/v3/hotel/info
/api/b2b/v3/hotel/info
/api/b2b/v3/hotel/info
/api/b2b/v3/hotel/info
/api/b2b/v3/hotel/info
/api/b2b/v3/hotel/info
/api/b2b/v3/hotel/info
/api/b2b/v3/hotel/info
/api/b2b/v3/search/serp/region

With this behavior, you'll very quickly reach your RPM limit for /hotel/info. In this case, you should tag the information from your database instead of constantly using /hotel/info. Could I ask you not to use /hotel/info for every hotel?

Also It appears that only the initial search request to /serp/region is being sent. After selecting a hotel, the subsequent API calls required to proceed with the booking are not being triggered.
Specifically, the following requests are missing from the flow:

- /search/hp/
- /hotel/prebook/
- /hotel/order/booking/form/
- /hotel/order/booking/finish/
- /hotel/order/booking/finish/status/

This currently prevents me from testing the complete booking journey.
Could you please investigate and ensure that the website triggers this full sequence of API calls? This is essential for us to complete the testing process.

~~IPs Whitelist - Done~~

I noticed in your checklist that you're using dynamic IP addresses. Our security systems only work with static IP addresses. Therefore, could I ask you to set up proxying via a static IP address and provide these addresses to us?

InterServer VPS with Nginx reverse proxy - VPS cost: $6/month - Static IP will be provided to ETG for whitelisting - Proxy routes only ETG API calls through static IP

Second update: Thank you, after Static IP will be set, please indicate it here\

136.116.198.82

~~RPM Limits - Done~~

Please specify the expected RPM limits for the below endpoints depending on the endpoints integrated:

- [ ] /serp/hotels: Expected 50, Maximum 100
- [ ] /serp/region: Expected 30, Maximum 60
- [ ] /serp/geo: Expected 20, Maximum 40
- [ ] /search/hp: Expected 40, Maximum 80
- [ ] /hotel/prebook: Expected 20, Maximum 40

Second update: I see that some of our limits are not met:

Limits on our side:

- The “Search by region” - 10 RPM
- The "Retrieve hotelpage" - 10 RPM
- The "Prebook rate from hotelpage step" - 30 RPM
- The "Create Booking process" - 30 RPM
- The "Start Booking process" - 30 RPM
- The "Check Booking process" - 30 RPM
- The "Cancel booking" - 30 RPM
- The "Retrieve bookings" - 30 RPM

Unfortunately, some of the RPMs you specified don't match ours. Could you please let me know if it's possible to make adjustments to accommodate the limitations mentioned above?

Our Remark: We confirm the following adjusted RPM values that match your system limits exactly:

Endpoint	Function	Our RPM
/serp/region	Search by region	10 RPM
/search/hp	Retrieve hotelpage	10 RPM
/hotel/prebook	Prebook rate from hotelpage step	30 RPM
/hotel/order/booking/form/	Create Booking process	30 RPM
/hotel/order/booking/finish/	Start Booking process	30 RPM
/hotel/order/booking/finish/status/	Check Booking process	30 RPM
/hotel/order/booking/cancel/	Cancel booking	30 RPM
/hotel/order/info/	Retrieve bookings	30 RPM

All values are within your specified limits. Rate limiting is enforced on our backend.

Hotel Static

Hotel static data upload and updates - Pending response

In your checklist you indicated:

- We will update the hotel static data using both the “Retrieve hotel incremental dump” and “Retrieve hotel dump” methods
- We use “Retrieve hotel content” (/hotel/info) to get the static data

Could you please describe in more detail how exactly you plan to use these calls and how often you will use each call?

We use both methods: - Full Dump (/hotel/info/dump/): Weekly updates - Incremental Dump (/hotel/info/incremental_dump/): Daily updates

Yes, we use the Content API to enrich hotel pages with real-time static data including: - Hotel descriptions - Policy information (metapolicy) - Amenities - Star ratings

Second update:The Content API is currently not enabled for your key.

This is because the Content API is not designed for real-time use, so it cannot be used in real time.

The Content API is merely an alternative to dumps, and the Content API should only be used to update your database.

Please indicate whether you want to enable Content API methods, and if so, describe how you will use it.

Here is our updated plan:

Full Dump (/hotel/info/dump/): Once at initial setup + monthly full refresh to update our local database.

Incremental Dump (/hotel/info/incremental_dump/): Daily automated updates during off-peak hours (00:00–04:00 IST) to catch property changes, new hotels, and updated policies.
Content API (/hotel/info/): If enabled, we will use it only to update our database — NOT in real-time. It would be called as a batch job to supplement dumps for specific hotels that need refreshed data (e.g., after a price discrepancy report). We would limit calls to a few hundred per day maximum.

Third update:Thank you for describing your plan!
The Content API was enabled for your key.

Also I see that you use /info/dump/ for monthly refresh, in this case it would be better to use this endpoint for a weekly update, so if for some reason on day of /info/incremental_dump/ was missed you can update database with /info/dump/.

~~The number of mapped regions / hotels - Done~~

Hotel important information - Pending adjustments

It has come to my attention that your website's hotel pages are not displaying critical policy information for users.

Currently, all relevant hotel policies are provided within the metapolicy_extra_info and metapolicy_struct parameters. It is crucial that all information from these fields is made visible to the user on the hotel page. The absence of this data can lead to significant problems for our customers during check-in. For instance, a user might arrive with a pet, unaware of a "no pets" policy, and subsequently be denied accommodation.

To prevent such negative experiences, I would like to request that you implement the display of all values contained within the metapolicy_extra_info and metapolicy_struct parameters for every hotel. This data can be sourced from our static data dumps.

Important Note: Our static data also contains a parameter named policy_struct. This parameter is deprecated and should be completely ignored.

May I ask you to make some adjustments so that metapolicy_extra_info and metapolicy_struct are displayed on hotel pages?

Yes, we parse and display metapolicy_struct and metapolicy_extra_info

Second update: I’ve checked the information from your website for hotel with hid: 6362880

However I don't see any information from metapolicy_extra_info

Regarding the metapolicy_struct I see that not all policies are showing fully and correct



As example in metapolicy_struct.parking the hotel with hid: 6362880 have no any value,but the website shows that it is subject to availability. Also I don't see some parameters as “meal” policy

May I ask you to make some adjustments so that all parameters from metapolicy_extra_info and metapolicy_struct are displayed on hotel pages?

metapolicy_struct — All categories are now parsed and displayed on the hotel Policies tab

metapolicy_extra_info — Now displayed as additional notes/text under the relevant policy category cards. If the text doesn't match a specific category, it is shown in a standalone "Additional Policy Information" section.

Third update: I try to find information for hotel with hid: 10004834

I see that metapolicy_extra_info is not displayed in additional information



"metapolicy_extra_info": "SANDBOX DEMO PROPERTY (no real bookings).\nThere may be maintenance work around the property; some noise is possible from 08:30 AM to 09:00 PM. The property makes every effort to minimize delays and noise, and apologizes in advance for any inconvenience",

Also policies do not display information from metapolicy_struct



As example pet policy for hotel with hid: 10004834 have price parameter that is not displayed on the website.


```
],
"pets": [
    {
        "currency": "USD",
        "inclusion": "not_included",
        "pets_type": "unspecified",
        "price": "55",
        "price_unit": "per_room_per_stay"
    }
```


Also some policies is not displayed:

```
"shuttle": [
    {
        "currency": "EUR",
        "inclusion": "not_included",
        "shuttle_type": "one_way",
        "price": "10",
        "destination_type": "train"
    },
    {
        "currency": "EUR",
        "inclusion": "not_included",
        "shuttle_type": "one_way",
        "price": "20",
        "destination_type": "airport"
    },
],
"no_show": {
    "availability": "available",
    "day_period": "after_midday",
    "time": "09:00:00"
},
"parking": [
    {
        "currency": "USD",
        "inclusion": "not_included",
        "territory_type": "unspecified",
        "price": "10",
        "price_unit": "per_car_per_night'
    }
],
",
"meal": [
    {
        "currency": "USD",
        "inclusion": "not_included",
        "meal_type": "breakfast",
        "price": "3"
    },
    {
        "currency": "USD",
        "inclusion": "not_included",
        "meal_type": "lunch",
        "price": "5"
    }
```


Could you please double check your website so that all parameters from metapolicy_extra_info and metapolicy_struct are displayed on hotel pages?

Room Static data - Pending response

Do you plan to show images and amenities of ETG rooms for ETG rates?

If the answer to the previous question is yes, please describe your process for matching rates from the search with room groups from hotel static data. What parameter do you use for matching?

Yes, we display room images and amenities from ETG

We match rates using rg_ext.rg from the rate response to room_groups[].rg_hash in static data

```
# Match rate's rg_ext.rg with room_groups[].rg_hash
rate_rg = rate.get('rg_ext', {}).get('rg')
for room_group in hotel_static.get('room_groups', []):
 if room_group.get('rg_hash') == rate_rg:
```

matched_room = room_group
break

Second update: In our static data we have a similar rg_ext arrays structure to rg_ext arrays structure in dynamic data, and we don't have "rg_hash" parameter in static data Could you please describe what is rg_hash in static data?

> **Our Remark:** Thank you for the clarification. We have corrected our matching logic:
> - **Yes**, we display ETG room images and amenities for ETG rates.
> - **Corrected matching process** (we no longer use `rg_hash`):
>
> 1. From static hotel data, we index all `room_groups` by each group's `rg_ext` array values — specifically each `rg_ext[*].rg` value.
> 2. From each search rate, we read `rg_ext.rg`.
> 3. We match the rate's `rg_ext.rg` value against the indexed `room_groups[*].rg_ext[*].rg` values.
> 4. On match → the rate is enriched with the room group's name, description, images, amenities, and bed configuration.
> 5. If no match → fallback to the rate's own `room_name` + placeholder images.
>
> **We do NOT use `rg_hash`** — we understand it does not exist in static data. Our code has been updated to use `rg_ext.rg` for matching exclusively.

Third update:Thank you for the detailed explanation of how to handle room data. To ensure we implement this correctly, I'd like to confirm my understanding of the logic you've proposed.
Am I correct in understanding that you index all room groups (rg_ext) uniquely for each hotel?
This is crucial for us, as it guarantees that a room group from one hotel cannot be accidentally matched with another, which is a scenario we must avoid.

The overall workflow for handling rg_ext should be as follows:
You receive a rate with a set of rg_ext values and look for a matching set in the hotel's static data. If the same rg_ext array exists for a specific hotel, then your system should assign the static information for this rate. If not, then your system should create a new room group on your side. In other words, if you can't match the static and dynamic room groups, you should group these rates into a new block of rooms based on the received rg_ext.
Could you please implement this data handling logic?

Search Step

~~Match_hash usage - Done~~

Prebook rate from hotelpage step - Pending adjustments

Second update: To verify this point, I need to conduct a test booking through your website, but it currently operates independently of the API. Could you please configure your website to use our API?

Also could you please indicate how you work with the “price_increase_percent” parameter?

We set price_increase_percent: 5 in our prebook request. This means if the price at prebook time has increased by more than 5% compared to the search price, the prebook response will indicate a price change. In that case, we show the user the updated price and ask them to re-confirm before proceeding to booking. If the price increase is within 5%, we proceed without interrupting the user

Third update: Your logic of price_increase_percent is not entirely correct:

When the original rate is not available, the system searches only for alternative rates of the same room type and board type (e.g., switching between refundable and non-refundable conditions within the price_increase_percent limit). The search does not extend to different room types or board types. If an alternative rate is found, a new book_hash value is returned.
In cases where the same rate cannot be found and a price increase is permitted via the price_increase_percent field. The call will attempt to find the same room and board type at an increased price, but not exceeding the allowed percentage. The value in the payment_options field may change.
As example:

1. During search/hp you got a rate with a price: 100$
2. You want to prebook this rate and also you set price_increase_percent to 5%
3. The prebook checks this rate:
    - If rate is available then prebook returns the new book_hash and information: "price_changed": false
    - If rate is no longer available, then prebook will try to find the similar rate but with price increase within 5%: From 100$ to 105$. In this case in a response you will see "price_changed": True

If you receive "price_changed": True then your system should notify the client that price was increased. Could you please implement this logic?

~~Cache - Done~~

Children logic - adjustments

I see that your website considers adults to be people over 12 years old.



Let's imagine a situation where two people, both 30 years old and their 15-year-old child, want to make a booking. They list all three as adults, but according to the hotel's rules, the 15-year-old is considered a child. In this case, the booking will be incorrect, the child may be denied check-in, and the customer will end up with a negative experience. Based on this, may I ask you to make adjustments so that it is clearly displayed to the client that an adult is considered a person aged 18 years and above.

Also please add all ages (0-17) in age dropdown menu:



Second update: Thank you very much for your corrections!
To fully close this point, I need to conduct a test booking through your website, but it currently operates independently of the API. Could you please configure your website to use our API?

Adults are now labelled "Adults (18+ years)" in the guest selector. Children are labelled "Children (0-17 years)" with a mandatory age dropdown showing all ages 0 through 17. Maximum limits per room: 6 adults, 4 children, 10 total. The + button is disabled at these limits. A warning message is shown at max capacity. Children's ages are passed to the ETG search API as required.

Third update: I tried to find a hotel through your website, indicating two children:



On the backend I see that only adults was specified in the /serp/region request

```
{
  "adults": 3,
  "children": []
}
```

Our prices are based on the parameters specified in your request. If you specify a smaller number of guests, the prices will not be valid. May I ask you to include children in your requests?
The child's age should be specified in the Search by and Retrieve hotelpage requests in brackets [15]. On the example above it should be like:

JSON

```
"guests": [
 {
   "adults": 2,
   "children": [2,17]
 },
```

Multiroom booking - adjustments

In your checklist you indicated: "No, we do not work with multiroom-booking"
However I see that your website allows to book multiple rooms.
Also I see that the website itself allows you to select 8 adults.





In this case, specifying this number of guests will return an error because:
Maximum number of guests per room (adults + children) - 10

Maximum number of adults per room - 6

Maximum number of children per room - 4

May I ask you to make adjustments so that when searching, you can't specify more than 4 children and more than 6 adults per one room?

Yes, we support multiroom bookings

9.2 Validation Limits (per room)

Limit	Value
Max Adults	6
Max Children	4
Max Total Guests	10

Second update: Thank you very much for your corrections!
To fully close this point, I need to conduct a test booking through your website, but it currently operates independently of the API. Could you please configure your website to use our API?

Same fix as #12 above. Enforced per-room limits: Max adults per room: 6 Max children per room: 4 Max total per room: 10 These are hard limits — the UI prevents selection beyond these values. Ready for testing once IP is whitelisted.

Third update: I tried to find a hotel through your website, indicating two rooms:



On the backend I see that only one room was specified in the /serp/region request

```
{
  "adults": 3,
  "children": []
}
```

Our rates are based on the parameters specified in your request. If you specify a smaller number of rooms, the prices will not be valid, and search will be made only for one room.
ETG supports up to 9 rooms at one rate, but does not support different room types at one rate. To be able to book multiple rooms, please specify it in the Search by and Retrieve
Please find the example for 2 rooms, where 1 room has 2 guests, and 1 room has 3 guests (two adults and one 7-years old child).

JSON

```
"guests": [
  {
    "adults": 2,
    "children": []
  },
  {
    "adults": 2,
    "children": [7]
  },
],
```

Then in “Start booking process” you need to specify the exact number of rooms and guests in the rooms array:
(two adults and one 7-years old child).

JSON

```
            "rooms": [
                {
                  "guests": [
                    {
                      "age": null,
                      "first_name": "Adult One",
                      "gender": "male",
                      "is_child": false,
                      "last_name": "Room one"
                    },
                    {
                      "age": null,
                      "first_name": "Adult two",
                      "gender": "male",
                      "is_child": false,
                      "last_name": "Room one"
                    }
                  ]
                },
                {
                  "guests": [
                    {
                      "age": null,
                      "first_name": "Adult One",
                      "gender": "male",
                      "is_child": false,
                      "last_name": "room two"
                    },
                    {
                      "age": null,
                      "first_name": "Adult two",
                      "gender": "male",
                      "is_child": false,
                      "last_name": "Room two"
                    }
                    {
```

```
                "age": 7,
                "first_name": "Child",
                "gender": "female",
                "is_child": true,
                "last_name": "room two"
              }
            ]
          }
        ],
```

May I ask you to implement the logic described above?

Taxes and fees - Pending test environment

In your checklist you indicated: “We take the total rate from the API (payment_types amount) and display it as the base price, then calculate and display an estimated 18% tax separately on the frontend. We do not currently parse the internal taxes array from the ETG API response.”

In this case, it is very important to indicate at least the taxes that are not included, since the client will be required to pay them upon check-in.

Taxes and fees must be excluded from the final price. ETG API sends both included and non-included taxes. Non-included taxes must be displayed to the end-user separately. To find non-included taxes, please refer to tax_data.taxes parameter and search for taxes with included_by_supplier: false data.

```
None
      "tax_data": {
                "taxes": [
                  {
                    "name": "city_tax",
```

```
                "included_by_supplier": false, // - this tax
shouldn’t be added to the total price and should be excluded
and shown separately
                "amount": "1130.10",
                "currency_code": "HNL"
              },
              {
                "name": "electricity_fee",
                "included_by_supplier": true, // - this price
is already included in the price sent in “amount”,
“show_amount”
                "amount": "0.02",
                "currency_code": "EUR"
              },
```

Could you please make the following adjustments:

1. Could you please add a tax section for each rate, listing all non-included taxes.
2. Each tax should be listed in the currency passed in the "currency_code" parameter.
3. It's necessary to clearly indicate to the client that non-included taxes are paid directly upon check-in.

We parse tax_data.taxes and display non-included taxes separately

Taxes with included_by_supplier: false are: - Displayed in their original currency - Shown with
"Payable at property" notice - Listed separately from room price

Second update: Thank you very much for your adjustments!

To fully close this point, I need to conduct a test booking through your website, but it currently operates independently of the API. Could you please configure your website to use our API?

Also I see that the website shows taxes in not original currency and on the search steps it shows that taxes are included:

:
Am I right that this update was not deployed yet? If so please also update the website.

Third update: To verify this point I need to conduct tests on the website, however for now the website does not send /search/hp requests.
Could you please set the /search/hp sending for your website

~~Search timeouts - Done~~

Cancellation policies - Pending test environment

In your checklist you indicated: “We currently do not display the cancellation deadline date or time at all. Our frontend interface shows only "Free Cancellation" or "Non-Refundable" badges based on basic flags, but does not render the specific cutoff timestamp.”

The free cancellation period includes a time limit after which a full refund will no longer be possible. Therefore, users should be fully aware of their time limit for canceling a rate.

Please parse cancellation policies from Search by methods and Retrieve hotelpage from the parameter cancellation_penalties.policies. The cancellation policies might have three layers:

JSON

```
 "start_at": null,
"end_at": "2025-10-21T08:59:00" // from the moment of
booking until this time, the booking is refundable without
penalty
   "amount_charge": "0.00",
   "amount_show": "0.00",
   "commission_info": {
     "show": {
       "amount_gross": "0.00",
       "amount_net": "0.00",
       "amount_commission": "0.00"
     },
     "charge": {
       "amount_gross": "0.00",
       "amount_net": "0.00",
       "amount_commission": "0.00"
     }
   }
 },
 {
"start_at": "2025-10-21T08:59:00" // - within this
timeframe, the cancellation is possible with a partial
penalty
"end_at": "2025-10-21T08:59:00",
   "amount_charge": "116.80",
   "amount_show": "1.60",
   "commission_info": {
     "show": {
```

```
          "amount_gross": "2.00",
          "amount_net": "1.60",
          "amount_commission": "0.40"
        },
        "charge": {
          "amount_gross": "146.00",
          "amount_net": "116.80",
          "amount_commission": "29.20"
        }
      }
    },
    {
    "start_at": "2025-10-21T08:59:00" // - from this moment, the
    cancellation is possible with a full penalty
    "end_at": null,
     "amount_charge": "241.60",
     "amount_show": "2.40",
     "commission_info": {
       "show": {
         "amount_gross": "3.00",
         "amount_net": "2.40",
         "amount_commission": "0.60"
       },
       "charge": {
         "amount_gross": "302.00",
         "amount_net": "241.60",
         "amount_commission": "60.40"
       }
```

```
 }
}
],
"free_cancellation_before":"2025-10-21T08:59:00"
},
```

free_cancellation_before: “2025-10-21T08:59:00” - means that end-users are allowed to cancel the booking without penalties before 2025-10-21T08:59:00. After that, full or partial cancellation penalties will apply. The rate with free_cancellation_before": null - means that there is no free cancellation. The penalties will apply immediately when the user decides to cancel.

It is important to note that we send the cancellation policies via API in the UTC+0.

May I ask you to add at least free cancellation data and time (with indication that time specified in UTC+0)?

Second update: Thank you very much for your adjustments!
To fully close this point, I need to conduct a test booking through your website, but it currently operates independently of the API. Could you please configure your website to use our API?

Third update: To verify this point I need to conduct tests on the website, however for now the website does not send /search/hp requests.
Could you please set the /search/hp sending for your website

~~Citizenship / residency - Done~~

In your checklist you indicated: “We currently hardcode a default value (e.g., 'gb' or 'in') in the API request configuration and do not determine it from the user's IP address or provide a dropdown selection. This is verified in backend/routes/hotel_routes.py and backend/services/etg_service.py.”

This parameter is very important, as some hotels have different pricing policies for citizens of different countries. If you don't provide citizenship information during the

search, a default "residency" based on the country of your contract will be applied. Therefore, if the client's citizenship differs, this could lead to potential financial losses (a room with the guest's actual citizenship may be more expensive) or a denial of registration.

We recommend collecting guest citizenship information as a first step in the search and include it in search API requests (/search/serp/geo) using the "residency" parameter. May I ask you to make some adjustments, so that during the search phase, the client could indicate their citizenship, and ultimately it would be sent in the search requests in the "residency" parameter?

Second update: Thank you very much for your adjustments!
To fully close this point, I need to conduct a test booking through your website, but it currently operates independently of the API. Could you please configure your website to use our API?



Meal types - Pending test environment

In your checklist you indicated that you use the “meal” parameter to get meal types. The "meal" field is outdated. We do not recommend using it to obtain information about dietary types, as the information may be outdated.
We pass meal types for the plan in the search API method responses in "meal_data" > "value." Also passed in "meal_data" is whether breakfast is included ("has_breakfast") and whether a child meal is not available ("no_child_meal").

Also, I'd like to describe why the meal plan distribution is important, because it is mostly about distribution of meals between adults and children.
The “no_child_meal” parameter is also included in the search responses in the “meal_data” array.

In rates where "no_child_meal": false, the meal type from "value" is included for children, while with "no_child_meal": **true**, it is **not included**.
For example:

- Search for 2 adults and 1 child, "no_child_meal": true, then the number of meals will be 2 (only for adults) because meals for children are not included.
- Search for 4 adults and 2 children, "no_child_meal": false, the number of meal plans for the rate is 6 (4 for adults and 2 for children).
- The exceptions are the breakfast-for-1 (Breakfast for one guest) and breakfast-for-2 (Breakfast for two guests), where the number of breakfasts is predetermined by the meal type name.

If this isn't taken into account, a customer might see that breakfast, lunch, and dinner are included, make a booking with their child, and after check-in discover that meal isn't included for the child. In the end this could lead to a negative customer experience.

Could you please make some adjustments by showing the “value” parameter as a meal type and adding a separate indicator of the meal's presence for children by "no_child_meal" parameter ?

After that please provide the cross-mapping list, so we can understand how each meal type is indicated on your website.

ETG meal name	**Partner meal name**
all-inclusive	
breakfast	
breakfast-buffet	
continental-breakfast	
dinner	
Full-board	
half-board	
lunch	
nomeal	
some-meal	

english-breakfast	
american-breakfast	
asian-breakfast	
chinese-breakfast	
israeli-breakfast	
japanese-breakfast	
scandinavian-breakfast,	
scottish-breakfast	
breakfast-for-1	
breakfast-for-2	
super-all-inclusive	
soft-all-inclusive	
ultra-all-inclusive	
half-board-lunch	
half-board-dinner	

We use meal_data.value (not deprecated meal field)

Yes, we display no_child_meal warning when applicable

API Value	Display Name	Icon
`nomeal`	Room Only	🚫
`breakfast`	Breakfast Included	☕
`halfboard`	Half Board	🍽️
`fullboard`	Full Board	🍴
`allinclusive`	All Inclusive	⭐

Second update: Thank you for the table provided. Could you please describe how you work with other types of meals (like, breakfast for one, breakfast for two, some meal etc.)?

Third update: To verify this point I need to conduct tests on the website, however for now the website does not send /search/hp requests.
Could you please set all requests sending for your website

Final price / Commission - Pending test environment

Here I want to clarify that you work on a net model. This means we pass you the net price for a specific rate. The commission is the markup you set on your end. You need to add this commission to the net price we pass on and then show this price to the client. Thus, you pay for the rate from your deposit, the net price of which we pass on to you in the response, and the client pays this net price plus your markup (your markup is your profit from the booking).

I also wanted to describe the parameters we use to transmit the rate price.
The "amount" parameter specifies the price in the currency set in your contract; this amount will be debited from your deposit. The "show_amount" parameter is specified in the currency you specified in the "currency" parameter in the search requests body.

Could you please clarify whether everything regarding the commission is clear, or do you have any other questions about this?

NET model - We receive net prices from ETG API - We add our markup on the frontend - Commission is calculated on our end

Second update: Thank you very much for your adjustments!
To fully close this point, I need to conduct a test booking through your website, but it currently operates independently of the API. Could you please configure your website to use our API?

Third update: To verify this point I need to conduct tests on the website, however for now the website does not send /search/hp requests.
Could you please set the /search/hp sending for your website

Room name reflection - Pending test environment

To verify this point, I need to conduct a test booking through your website, but it currently operates independently of the API. Could you please configure your website to use our API?

room_name from /search/hp/ response
We display ETG room names as-is without modification

Second update:
To fully close this point, I need to conduct a test booking through your website, but it currently operates independently of the API. Could you please configure your website to use our API?

Third update: To verify this point I need to conduct tests on the website, however for now the website does not send /search/hp requests.
Could you please set the /search/hp sending for your website

~~Early check-in / Late check-out - Done~~

In your checklist you indicated: “We do not work with upsells for now, but we plan to integrate it at a later stage”

However I see that your website offers to provide information about early check-in and late check-out:



Could you please indicate whether you would like to implement this upsell option now?

Planned - Not required for launch (MVP)

Second update: Thank you! In that case, this point is closed, but when you decide to integrate it, please write to us so we can give you recommendations on how best to implement this feature.

~~Hotel chunk size - Done~~

Booking

Receiving the final booking status - Pending response in “Errors and Status Processing Logic” tab

How do you receive the final booking status?
Which specific indicator from the ETG API do you rely on to determine that an order can be shown as successful to the client?

If you use the "Check booking process" method to receive the final booking status, what would the flow be if you get a "processing" status in response to the "Check booking process" request?

Second update: Am I right that you use only "Check booking process" to shows the booking status to user?
If you use another endpoints during booking confirmation, then please describe the booking confirmation in detail

Yes, we use only "Check booking process" (/hotel/order/booking/finish/status/) to receive the final booking status. After calling /hotel/order/booking/finish/ , we immediately begin polling /hotel/order/booking/finish/status/ . We rely on status: "ok" from this endpoint to confirm the booking to the user. If we receive status: "processing" , we continue polling silently every 2.5 seconds until we get a final status or reach the 180-second timeout. We do NOT use any other endpoint during the booking confirmation flow. /hotel/order/info/ is called ONLY post-booking (with 60s minimum gap) for the booking history page — never during the confirmation flow. Full error mapping tables are provided below in #25

Third update: To proceed with this point we need your answer in “Errors and Status Processing Logic” tab

Booking cut-off - Pending adjustment

In your checklist, you specified expected and a maximum timeout of 60 seconds.

First of all, I wanted to clarify that it’s not possible to specify a dynamic timeout at the booking stage like there is for the search stage.
Our minimum timeout is 1 minute.
Our maximum timeout is 10 minutes.

May I ask you to agree on a different timeout, one that's longer than 1 minute and shorter than 10 minutes? Usually we recommend - 180 sec.

Also to avoid any misunderstandings, could you please indicate when you would like the countdown to this timeout to begin? We typically start the timeout countdown after a successful (OK, 5xx, unknown, timeout) response to "Start booking process."

Metric	Value
Expected timeout	60 seconds
Maximum timeout	60 seconds
Polling interval	2.5 seconds
Max poll attempts	24

Second update: May I ask you to agree on a different timeout, one that's longer than 1 minute and shorter than 10 minutes or we should set the 60 seconds timeout on our end as you mentioned in the table above?

Our Remark: We agree to the recommended 180 seconds (3 minutes) timeout. Details: Polling interval: 2.5 seconds Maximum timeout: 180 seconds (72 polling attempts) Countdown starts: After receiving any response (OK, 5xx, unknown, timeout) from /hotel/order/booking/finish/ On timeout: Booking is saved as "pending" in our database (NOT "failed"). User is notified: "Your booking is being processed. We will email you the confirmation once finalized."

Third update: To ensure consistent handling of booking statuses, we need to establish a timeout protocol.

If you do not receive a final response from our API within 180 seconds of submitting a booking request, the booking should be considered unsuccessful on your end.
Could you please implement this 180-second timeout logic for all booking requests? This is a crucial step to prevent bookings from remaining in an unknown or pending state.

Errors and Status Processing Logic - Pending adjustments

Please share the cross-mapping list of your booking statuses and the ETG API responses and the processing flow of the ETG API responses. Please provide the information as elaborated as possible.
Second update: Could you please fill these tables? It will help to better understand your statuses processing logic.

Third update: Thank you so much for filling out these tables!
I see that some errors and statuses aren't being handled quite correctly.
In this case, we have both non-final errors/statuses, which may ultimately result in a successful booking, and final errors, which will result in a failed booking. Each booking endpoint has a unique logic for processing statuses and errors, as it impacts the final booking status. For example, a 500 error doesn't mean the booking was unsuccessful. If you inform the customer that the booking was unsuccessful, but it ultimately turns out to be successful, you could lose revenue.
Therefore, it's crucial to distinguish between these errors and handle them accordingly.
Below I'll provide tables in which I'll compare the expected logic and your current logic.
May I ask you to check the tables below and make adjustments to the error handling?

I also marked some frontend status with orange, it means that the errors is not applicable for client:
In this case, I'm concerned that the client might misunderstand or misinterpret the error/status descriptions. These statuses often have no bearing on the user's actions; the errors themselves can arise during our (ETG+Coast to Coast) interactions and don't depend on the user's actions in any way.

Therefore, it's best not to describe each error to the user, but instead provide generalized information. For example, for all **FAILED** statuses, either leave it without comments or indicate something like: "An error has occurred, please contact support."

May I ask to make some adjustments for descriptions to indicate generalized information?

Endpoint: https://api.worldota.net/api/b2b/v3/hotel/order/booking/**finish**/

ETG API	Described Partner's Status on Frontend	Expected Partner's Status on Frontend	Described processing logic on Backend	Expected processing logic on Backend	Mikhail's comment
Status "ok"	"Processing your booking..."	In Progress or waiting for status	Update booking status to "processing" in database. Immediately begin polling /finish/status/ every 2.5 seconds.	Proceed to call the "/order/booking/finish/status/" endpoint.	You need to use the /finish/status call in the backend, because the "ok" status indicates that the booking process has just begun and it's not yet clear whether the booking is confirmed or not. Therefore, it's best to show "In Progress" on the frontend.
5xx status code	"Server error, retrying..."	In Progress or waiting for status	Retry the /finish/ call once after 1 second. If retry also fails, set status to "processing" and proceed to poll /finish/status/ (booking may still succeed on ETG's side).	Proceed to call the "/order/booking/finish/status/" endpoint.	In this case, it is not a final error, the booking is still in progress and it is can be successful. Therefore, it's best to also indicate that the booking is in progress and use finish/status/ call
Error "timeout"	"Booking is being processed..."	In Progress or waiting for status	Set booking status to "processing". Proceed to poll /finish/status/ . The booking may still complete successfully.	Proceed to call the "/order/booking/finish/status/" endpoint.	In this case, it is not a final error, the booking is still in progress and it is can be successful. Therefore, it's best to also indicate that the booking is in progress and use finish/status/ call
Error "unknown"	"Booking is being processed..."	In Progress or waiting for status	Set booking status to "processing". Proceed to poll /finish/status/ .	Proceed to call the "/order/booking/finish/status/" endpoint.	IIn this case, it is not a final error, the booking is still in progress and it is can be successful. Therefore, it's best to also indicate that the booking is in

					progress and use finish/status/ call
Error “booking_form_expired”	"Your session has expired. Please search again."	Failed	Set booking status to "expired". Show error message and redirect user back to the hotel search page.	Stop the booking process and show the user that the booking has failed.	It is a final error Logic is not fully correct, because this error does not mean that rate was sold out. It’s better to indicate that booking was failed
Error “rate_not_found”	"This room is no longer available. Please select a different room.	Failed	Set booking status to "failed". Show error and redirect user back to the hotel details page to select a new rate.	Stop the booking process and show the user that the booking has failed.	Logic is correct, it is a final error you should stop this booking and inform user that the booking has failed

Endpoint: https://api.worldota.net/api/b2b/v3/hotel/order/booking/finish/status/

ETG API	Described Partner’s Status on Frontend	Expected Partner’s Status on Frontend	Described processing logic on Backend	Expected processing logic on Backend	Mikhail’s comment
Status "ok"	"Booking Confirmed "	Success	Save booking status as "confirmed" in Supabase database. Display booking confirmation page using data from prebook step. Send confirmation email with markup prices to customer via Brevo API. Send notification to corporate email.	Stop calling the /order/booking/finish/status/ and show the user that the booking is successful.	From this response you can clearly receive information that the booking was successful
Status processing	"Still processing your booking..." (with loading spinner)	In Progress or waiting for status	Continue polling every 2.5 seconds. Do not show any error. Maximum polling duration: 180 seconds.	Continue calling the /order/booking/finish/status/ at regular intervals within the booking timeout.	The logic is correct, it also better indicate that booking in progress

Error timeout	"Your booking is being processed. We will email you the confirmation once it is finalized."	In Progress or waiting for status	Save booking status as "pending" (NOT "failed"). Stop polling. The booking may still be confirmed by ETG — send email notification once status is updated.	Continue calling the /order/booking/finish/status/ at regular intervals within the booking timeout.	It's not a final error and booking might be successful. Your system should continue to call /finish/status/ until the "status:ok" or final error
Error "unknown"	"Your booking is being processed. We will email you the confirmation once it is finalized	In Progress or waiting for status	Save booking status as "pending". Stop polling. Same handling as timeout.	Continue calling the /order/booking/finish/status/ at regular intervals within the booking timeout.	It's not a final error and booking might be successful. Your system should continue to call /finish/status/ until the "status:ok" or final error
5xx status code"	"Server error, retrying..."	In Progress or waiting for status	Save booking status as "failed". Show user-friendly error message.	Continue calling the /order/booking/finish/status/ at regular intervals within the booking timeout.	It's not a final error and booking might be successful. Your system should continue to call /finish/status/ until the "status:ok" or final error
Error block	"Your payment was blocked by your bank. Please contact your bank or try a different card."	Failed	Save booking status as "failed". Show user-friendly error message.	Stop calling the /order/booking/finish/status/ and show the user that the booking has failed.	This is a final error. Your system should stop calling /finish/status and indicate that booking was failed
Error charge	"Payment charge failed. Please try again or use a different payment method."	Failed	Save booking status as "failed". Show user-friendly error message.	Stop calling the /order/booking/finish/status/ and show the user that the booking has failed.	This is a final error. Your system should stop calling /finish/status and indicate that booking was failed

Error 3ds	"3D Secure verification failed. Please try again."	Failed	Save booking status as "failed". Show user-friendly error message.	Stop calling the /order/booking/finish/status/ and show the user that the booking has failed.	This is a final error. Your system should stop calling /finish/status and indicate that booking was failed
Error soldout	"This room was sold out while processing your booking. Please select a different room."	Failed	Save booking status as "failed". Redirect user to hotel details page	Stop calling the /order/booking/finish/status/ and show the user that the booking has failed.	This is a final error. Your system should stop calling /finish/status and indicate that booking was failed
Error provider	"The hotel provider encountered an error. Please try again later."	Failed	Save booking status as "failed". Show user-friendly error and offer retry option.	Stop calling the /order/booking/finish/status/ and show the user that the booking has failed.	This is a final error. Your system should stop calling /finish/status and indicate that booking was failed
Error book_limit	"Booking limit reached for this property. Please try a different hotel."	Failed	Save booking status as "failed". Show user-friendly error	Stop calling the /order/booking/finish/status/ and show the user that the booking has failed.	This is a final error. Your system should stop calling /finish/status and indicate that booking was failed
Error not_allowed	"This booking is not permitted at this time. Please contact support."	Failed	Save booking status as "failed". Show user-friendly error with support contact.	Stop calling the /order/booking/finish/status/ and show the user that the booking has failed.	This is a final error. Your system should stop calling /finish/status and indicate that booking was failed
Error booking_finish_did_not_succeed	"Booking could not be completed. Please try again or select a different room."	Failed	Save booking status as "failed". Show user-friendly error and offer retry option.	Stop calling the /order/booking/finish/status/ and show the user that the booking has failed.	This is a final error. Your system should stop calling /finish/status and indicate that booking was failed

Confirmation e-mails - Pending test environment

In your check list you indicated: “We do not send an email address”
I see that during your test booking in “Start booking process” call you indicated our example of email in user.email parameter:

```
"user": {
  "comment": "The user comment.",
  "email": "john.smith@example.com",
  "phone": "12124567899"
```

On email specified in user.email parameter our voucher with net price will be send

If you specify the client's email address, they will receive a voucher with our net price, which may raise questions about price discrepancies between the voucher and the price on your website.

Therefore, you need to specify your corporate email address as the confirmation email, then based on this generate a voucher on your end (which will include the price with your markup), and then send this voucher to the client's email.

May I ask you to make the changes described above?

We send confirmation emails using Brevo (Sendinblue) API
We do NOT send customer email to ETG API - We use our corporate email for ETG communications - We generate our own voucher with markup prices - Customer emails are sent from our system only

Second update: Thank you for adjustments!
To fully close this point, I need to conduct a test booking through your website, but it currently operates independently of the API. Could you please configure your website to use our API?

Third update: To verify this point I need to conduct tests on the website, however for now the website does not send /search/hp requests.
Could you please set all requests sending for your website

~~Post-Booking - Done~~

~~Retrieve bookings - Done~~

In your checklist you indicated that you use “Retrieve bookings” call to allow users to get their booking details and check if the requested modifications are in place.

Is the “Retrieve bookings” method called on the post-booking step, separately from the booking process? If not, please explain the logic.

Have you implemented a time gap between the order confirmation (via “Check booking process” or receiving booking status webhook) and the “Retrieve bookings” method? If so, please provide the time gap value configured on your side.

What will happen to the booking if the “Retrieve bookings” returns a blank response?

Yes, we use /hotel/order/info/
To allow users to: - View booking details - Download voucher - Check modification status - View cancellation terms
Yes, we implement a 2.5-second gap between status polling requests

Second update: If I understand correctly you use /order/info call after 2,5 sec from /booking/finish/status

It takes approximately 5 seconds for the current booking information to be added to /order/info. However, sometimes the information may not sync in this method even within these 5 seconds, so we generally recommend using this method within a minute gap after receiving a successful booking status via /finish/status/.
This method should not be used to confirm a booking and should only be used to create a booking history. We do not change tariff details during the booking process, so your system can use the booking detail from "Prebook rate from hotelpage step" response .Could you please indicate if it is possible to show information from the "Prebook rate from hotelpage step" method instead of information from the "Retrieve bookings" method?