




MEHEJ
INDUSTRIES

Fastening the Future



info@mehejindustries.com



www.mehejindustries.com



+91 9819933344

MEHEJ INDUSTRIES

MEHEJ INDUSTRIES traces its roots back to the year 1970, when it was originally established as Vijay Hardware Stores by Mr. Mahipatbhai Shah in Mumbai. With a strong foundation built on trust, quality, and customer commitment, the legacy was further strengthened by his son, Mr. Mehul Shah, by expanding and modernizing the business. Today, the company proudly continues its journey into the third generation under the leadership of Mr. Hem Shah and Mr. Jay Shah.

At MEHEJ INDUSTRIES, we are one of the prominent manufacturers, suppliers, and exporters of a wide range of fasteners including Nuts, Bolts, Screws, Washers, and other industrial fastening solutions. Our products are widely used across various industries and are known for their durability, precision, and reliability.

We offer our products in a variety of materials such as Stainless Steel, Carbon Steel, Alloy Steel, and other high-grade metals to meet diverse industrial requirements. With a focus on quality, we ensure that every product meets the required specifications and industry standards through strict quality checks at every stage.

Our objective is to cater to the evolving needs of our clients by delivering high-quality products at competitive prices, along with timely delivery and excellent customer service.

We take pride in serving a wide range of industries including construction, infrastructure, automotive, oil & gas, and engineering sectors. Our commitment to quality, consistency, and customer satisfaction has helped us build long-term relationships with our clients.

At MEHEJ INDUSTRIES, we assure our customers of superior product quality, reliable service, and value-driven solutions for all their fastening needs.



Washer

A washer is a thin plate (typically disk-shaped, but sometimes square) with a hole (typically in the middle) that is normally used to distribute the load of a threaded fastener, such as a bolt or nut. Other uses are as a spacer, spring (Belleville washer, wave washer), wear pad, preload indicating device, locking device, and to reduce vibration (rubber washer). Washers often have an outer diameter (OD) about twice their inner diameter (ID), but this can vary quite widely.

Types of Washer : Plain Washer, Spring Washer, Tooth Washer, Tapper Washer, Tab Washer, Star Washer, Bonded Sealing Washers, Lock Washers External Tooth, Lock Washers Internal Tooth, Structural Washers F436, Fender Washer, Lock Washers, Spring Lock Washers, Square Dock Washer, Spherical Washers, USS Flat Washers, SAE Flat Washers, High Collar Lock Washer, Finishing Washers, Dock Washers, Belleville Washers, Wave Washers.

Specification of Washer :

Dimension: ASTM, DIN, BS, GB, IS and all International Standards

Size: M3 to M75 OR 1/8" to 3"

Heat Treatment: Annealing, Stress Relieving, Case Hardening, Quenching and Tempering

Material Available : Carbon Steel , Stainless Steel , Brass , Copper , Aluminium

Application :

- Mechanical & Heavy Engineering
- Plumbing & Water Systems
- Electrical & Electronics
- Automotive Industry
- Oil & Gas Industry





Plain / Flat Washers

Plain washers (also called flat washers) are thin, flat, circular components with a central hole, used alongside bolts, screws, and nuts. Their primary function is to distribute load, reduce surface damage, and improve fastening stability. They also help prevent loosening due to vibration and can act as spacers or shims in assemblies.

Specification of Plain / Flat Washer:

- Dimension: ASTM, DIN, BS, IS and all International Standards
- Inner Diameter (ID): As per bolt size (M3 to M100+)
- Outer Diameter (OD): Standard & Custom sizes
- Thickness: Thin, medium, and heavy series / Custom sizes
- Tolerance: Precision and general tolerance options available
- Finish / Coating: Zinc Plated, Hot Dip Galvanized, Black Oxide, Plain, PTFE, etc.
- Heat Treatment: As per application requirements (if applicable)

Material Available : Carbon Steel , Alloy Steel , Stainless Steel (SS 202 , SS 304, SS 316, etc.)
, Brass , Copper , Aluminum , Nylon / Plastic (for insulation applications)

Application :

- Construction & Infrastructure
- Automotive Industry
- Aerospace Industry
- Shipbuilding & Marine
- Oil & Gas Industry
- Heavy Machinery Manufacturing





Spring Washers

Spring washers (also known as lock washers or split washers) are specially designed washers with a slight split or helical shape that provides elasticity and tension when tightened. They are used with bolts and nuts to prevent loosening due to vibration, shock, or dynamic loads.

When compressed during tightening, the washer exerts a continuous spring force, helping maintain preload in the fastener assembly and improving joint reliability. In simple terms, a spring washer acts as a locking mechanism that keeps fasteners securely in place.

Specification of Spring Washer:

- Dimension: ASTM, DIN (e.g., DIN 127, DIN 7980), BS, IS and other International Standards
- Inner Diameter (ID): As per bolt size (M3 to M100+)
- Outer Diameter (OD): Standard & Custom sizes
- Thickness: Light, medium, and heavy series / Custom sizes
- Load Type: Light, medium, and heavy load applications
- Finish / Coating: Zinc Plated, Hot Dip Galvanized, Black Oxide, Phosphate, Plain, etc.
- Heat Treatment: Hardened and tempered for required spring action and durability

Material Available : Carbon Steel , Alloy Steel , Stainless Steel (SS 202 , SS 304, SS 316, etc.) , Brass , Copper , Aluminum , Nylon / Plastic (for insulation applications)

Application :

- Construction & Infrastructure
- Automotive Industry
- Aerospace Industry
- Shipbuilding & Marine
- Oil & Gas Industry
- Heavy Machinery Manufacturing





Lock Washers :

Internal Tooth Lock & External Tooth Lock

Lock washers are specially designed washers used to prevent loosening of fasteners due to vibration, dynamic loads, or torque loss. They work by creating resistance through spring tension, serrations, or teeth, which bite into the mating surface and maintain preload in the assembly.

In simple terms, a lock washer ensures that nuts and bolts stay tight and secure over time, even under movement or stress.

Specification of Lock Washer:

- Dimension: ASTM, DIN, BS, IS and all International Standards
- Inner Diameter (ID): As per bolt size (M3 to M100+)
- Outer Diameter (OD): Standard & Custom sizes
- Thickness: Light, medium, and heavy series / Custom sizes
- Locking Type: Split, toothed, serrated, wedge lock
- Finish / Coating: Zinc Plated, Hot Dip Galvanized, Black Oxide, Phosphate, Plain, etc.
- Heat Treatment: Hardened & Tempered

Material Available : Carbon Steel , Alloy Steel , Stainless Steel (SS 202 , SS 304, SS 316, etc.) , Brass , Copper , Aluminum , Nylon / Plastic (for insulation applications)

Application :

- Construction & Infrastructure
- Automotive Industry
- Aerospace Industry
- Shipbuilding & Marine
- Oil & Gas Industry
- Heavy Machinery Manufacturing





Wave Washers

Wave washers are a type of spring washer characterized by their wave-like shape, designed to provide controlled spring force and load distribution in limited axial space. Unlike traditional spring washers, they offer flexibility with lower deflection and are ideal for applications requiring light to moderate loads with precise pressure.

Specification of Wave Washer:

- Specification of Wave Washer:
- Dimension: ASTM, DIN, BS, IS and all International Standards
- Inner Diameter (ID): As per shaft/bolt size (M3 to M100+)
- Outer Diameter (OD): Standard & Custom sizes
- Thickness: Light and precision series / Custom sizes
- Load Type: Light to medium load applications
- Finish / Coating: Zinc Plated, Black Oxide, Phosphate, Plain, etc.
- Heat Treatment: Hardened & Tempered for spring performance

Material Available : Carbon Steel , Alloy Steel , Stainless Steel (SS 202 , SS 304, SS 316, etc.) , Brass , Copper , Aluminum , Nylon / Plastic (for insulation applications)

Application :

- Automotive Components
- Electrical & Electronics
- Precision Instruments
- Aerospace Industry
- Pumps & Valves
- Bearings & Assemblies
- Light Machinery



Serrated Washers

Serrated washers (also known as toothed lock washers) are designed with sharp teeth or serrations on the inner or outer edges that bite into the mating surfaces. This action creates high friction and prevents loosening of fasteners caused by vibration or movement.

They also help ensure better electrical conductivity by cutting through coatings, paint, or oxidation layers. In simple terms, serrated washers provide strong grip and anti-rotation locking in fastening assemblies.

Specification of Serrated Washer:

- Dimension: ASTM, DIN (e.g., DIN 6797), BS, IS and all International Standards
- Inner Diameter (ID): As per bolt size (M3 to M100+)
- Outer Diameter (OD): Standard & Custom sizes
- Thickness: As per standard / Custom sizes
- Teeth Type: Internal, External, Combination
- Finish / Coating: Zinc Plated, Nickel Plated, Black Oxide, Phosphate, Plain, etc.
- Heat Treatment: Hardened for effective locking and durability

Material Available : Carbon Steel , Alloy Steel , Stainless Steel (SS 202 , SS 304, SS 316, etc.) , Brass , Copper , Aluminum , Nylon / Plastic (for insulation applications)

Application:

- Electrical & Electronics (Earthing / Grounding)
- Automotive Industry
- Control Panels & Switchgear
- Machinery & Equipment
- Aerospace Industry
- Telecommunications

Tab Washers

Tab washers are specialized locking washers designed with one or more protruding tabs that can be bent to secure a nut or bolt in position. One tab typically fits into a keyway or slot, while the other tab(s) are bent against the flat of a nut or bolt to prevent rotation and loosening.

They provide a positive mechanical locking system, making them highly reliable in applications subject to vibration or movement.



Specification of Tab Washer:

- Dimension: ASTM, DIN, BS, IS and all International Standards
- Inner Diameter (ID): As per shaft/bolt size (M3 to M100+)
- Outer Diameter (OD): Standard & Custom sizes
- Thickness: As per application / Custom sizes
- Locking Method: Bendable tabs / Key locking
- Finish / Coating: Zinc Plated, Hot Dip Galvanized, Black Oxide, Phosphate, Plain, etc.
- Heat Treatment: As required for strength and durability

Material Available : Carbon Steel , Alloy Steel , Stainless Steel (SS 202 , SS 304, SS 316, etc.) , Brass , Copper , Aluminum , Nylon / Plastic (for insulation applications)

Application :

- Automotive & Transmission Systems
- Gear Assemblies
- Railway & Heavy Equipment
- Aerospace Industry
- Machinery & Rotating Equipment
- Marine Application