

REVIEW-2

E-

COMMERCE

WEBSITE

OPEN SOURCE PROGRAMMING

YASHVI MOHTA- 19BIT0367

KHYATI HEDA-19BIT0399

ABSTRACT

In today's fast-changing business environment, it's extremely important to be able to respond to client needs in the most effective and timely manner. If your customers wish to see your business online and have instant access to your products or services.

Online Shopping is a lifestyle e-commerce web application, which retails various fashion and lifestyle products. This project allows viewing various products available enables registered users to purchase desired products instantly using different payment options.

This project provides an easy access to Administrators and Managers to view orders placed using Pay Later and Instant Pay options. In order to develop an ecommerce website, a number of Technologies must be studied and understood.

This is a project with the objective to develop a basic website where a consumer is provided with a shopping cart application and also to know about the technologies used to develop such an application.

INTRODUCTION

Shopping Cart System is the Simple shopping Solution. It's a full-featured website and shopping cart system that bends over backwards to give you the flexibility you need to run your online store. The basic concept of the application is to allow the customer to shop virtually using the Internet and allow customers to buy the items and articles of their desire from the store.

The information pertaining to the products are stores on an RDBMS at the server side (store). The Server process the customers and the items are shipped to the address submitted by them. The details of the items are brought forward from the database for the customer view based on the selection through the menu and the database of all the products are updated at the end of each transaction.

FRONT END

Brief overview of the technology:

Front end: HTML, CSS, JavaScript 5

1. HTML: HTML is used to create and save web document. E.g. Notepad/Notepad++
2. CSS : (Cascading Style Sheets) Create attractive Layout
3. JavaScript: it is a programming language, commonly use with web browsers.
4. Botman Widget: The BotMan Web Widget is a frontend widget to use in combination with the Web Driver.

BACKEND

Back end: PHP, MySQL

1. PHP: Hypertext Preprocessor (PHP) is a technology that allows software developers to create dynamically generated web pages, in HTML, XML, or other document types, as per client request. PHP is open source software.
2. MySQL: MySql is a database, widely used for accessing querying, updating, and managing data in databases.

Software Requirement (any one):

- WAMP Server

EXISTING SYSTEM

The present scenario for shopping was to visit the shops and market manually and then from the available product list one needs to choose the item he or she wants and then pay for the same item mainly in cash mode is done, as not every society is well educated and aware to use net banking or card modes or wallets etc.

1. It is less user-friendly.
2. User must go to shop and select products.
3. It is difficult to identify the required product.
4. Description of the product limited.
5. It is a time consuming process
6. Not in reach of distant users.

PROPOSED SYSTEM

In today's fast-changing business environment, it's extremely important to be able to respond to client needs in the most effective and timely manner. Customers wish to see your business online and have instant access to your products or services.

What is Shopping Cart system?

Online shopping is a form of electronic shopping store where the buyer is directly online to the seller's computer usually via the internet. There is no intermediary service. The sale and purchase transaction is completed electronically and interactively in real-time. User gets its email id and password to access their account.

OBJECTIVES

This project provides an easy access to Administrators and Managers to view orders placed using Pay Later and Instant Pay options. In order to develop an ecommerce website, a number of Technologies must be studied and understood.

This is a project with the objective to develop a basic website where a consumer is provided with a shopping cart application and also to know about the technologies used to develop such an application.

FEATURES

- Secure registration and profile management facilities for Customers.
- Browsing through the e-Mall to see the items that are there in each category of products like Women's apparel, Men's apparel and Kids Apparel and Toys.
- Customers should be able to mail the Shop about the items they would like to see in the Shop
- Secured mechanism for checking out from the Shop(Credit card verification mechanism).Updates to customers about the Recent Items in the Shop.

LITERARY SURVEY

In a literary survey we analyze the different issue of online shopping. The research aims to provide theoretical contribution in understanding the present status of online shopping.

PROBLEMS OF ONLINE SHOPPING-

Online shopping has various disadvantages:

- The customers can not touch and feel of the products when they want to Purchase.
- Some time delivery time is so much late
- Some time they will pay the shipping charges so why the cost of the product may increase.
- This year also witnessed an unforeseen barrier because of covid-19 lockdown which led to delay in the delivery of products.

LITERARY SURVEY (CONT)


**There is some factors which affect
the online shopping**

1. Convenience (no traffic,crowds,24 hr. access)
2. Product Selection
3. Delivery Mode

CONCLUSION-

In the present environment, due to the current pandemic; it is not advisable for people to visit the stores due to lack of safety precautions and purchase the product. Online shop plays a greater role for those types of consumers who want to avoid the crowd. It saves people's time and efforts.

ARCHITECTURE



MODULES

HOMEPAGE

The homepage of any webpage is what the user first sees. The first impression of the webpage is very important. The homepage should be organized, clean and easy to understand. It should not confuse the user too much. It should make the purpose of the webpage clear. Our portal does exactly that. It's easy to understand the entire feel of the project just by looking at the homepage.

REGISTRATION MODULE

Registration is one of the primary modules in any data management system. An online shopping portal management system starts with registering the user with the system. The main goal here is to create a module which will allow the user to create a new account with an email, passwords and various other requirements, while ensuring that there isn't already a pre-existing account with the same email. This module also validates the fields using regular expressions.

MODULES

CATALOGUE AND PRODUCT BROWSING

Catalogue management is a system that manages an online product and allows users to quickly search and find relevant products and options. The users should be able to easily find relevant product information online. Catalogue browsing is designed from the ground up to be flexible, feature rich and customizable. Keyword searches, featured items, sorting by price and popularity, and easy navigation make sure that the customer can conveniently find the right product for their needs.

CART

In online marketing, a shopping cart is a piece of e-commerce software on a web server that allows visitors to an Internet site to select items for eventual purchase.

Our cart is designed such that the items in it can be deleted, the quantity of the items can be modified, the price of each item and the total cost can be viewed. Also, the cart summary can be viewed even in the homepage, so the user can easily know what is in the cart without having to load the cart in a new page, and hence, the user feels in control.

MODULES

CHECKOUT MODULE

Checkout is the lynchpin of online shopping. It's how customers buy and retailers get paid. Yet, despite years of evolution, only a few changes have significantly impacted checkout conversion online. Knowing what worked, and what didn't might be able to improve checkout forms, and could reveal the future of digital shopping. The checkout page is the last change to seal the deal and complete a sale, the process could make or break the transaction. Most shoppers, if confused, may abandon the web page and look elsewhere. Hence, it's very important to make a clear and understandable checkout page.

CODES

LOGIN.PHP

```

        <?php
        include('dbconnect.php');
        session_start();
        if(isset($_POST['userLogi
            n']))){

$email=mysqli_real_escape_
string($conn,$_POST['emai
            l']);
$pwd=md5($_POST['pwd']);
$run_query=mysqli_query($
            conn,$sql);
$count=mysqli_num_rows($
            run_query);
            if($count==1){

$row=mysqli_fetch_array($run_query);
            $_SESSION['uid']=$row['user_id'];
$_SESSION['uname']=$row['first_name'];
            echo "true";
            }
            }
        ?>

```

LOGOUT.PHP

```

        <?php
            I5
            session_start();
            session_destroy();
            header
            ('location:index.php');
            ?>

```

CODES

ACTION.PHP

```
<?php
session_start();
include('dbconnect.php');
if(isset($_POST["category"])){
$category_query="SELECT * FROM categories";
$run_query=mysqli_query($conn,$category_query);
echo "<div class='nav nav-pills nav-stacked'>

if(mysqli_num_rows($run_query)){
while($row=mysqli_fetch_array($run_query)){
$cid=$row['cat_id'];
$cat_name=$row['cat_title'];
echo "$cat_name";
}
echo "";
}
}
if(isset($_POST["brand"])){
$category_query="SELECT * FROM brands";
$run_query=mysqli_query($conn,$category_query);
echo "
<li class='active'><a href='#'><h4>Brands</h4></a></li>

if(mysqli_num_rows($run_query)){
while($row=mysqli_fetch_array($run_query)){
$bid=$row['brand_id'];
$brand_name=$row['brand_title'];
echo "$brand_name";
}
echo "</div>";
}
}
```

```
if(isset($_POST['page']))
{
    $sql="SELECT * FROM products";
    $run_query=mysqli_query($conn,$sql);
    $count=mysqli_num_rows($run_query);
    $pageno=ceil($count/6);
    for($i=1;$i<=$pageno;$i++)
    {
        echo "<li><a href='#' page='$i' class='page'>$i</a></li>";
    }
    if(isset($_POST["getbrand"])){
        $limit= 6;
        if(isset($_POST['setPage'])){
            $pageno=$_POST['pageNumber'];
            $start=($pageno * $limit)-$limit;
        }
        else{$start=0;}
        if(isset($_POST['price_sorted'])){
            $product_query="SELECT * FROM products ORDER
            BY product_price"; }
        elseif(isset($_POST['pop_sorted'])){
            $product_query="SELECT * FROM products ORDER
            BY RAND()"; }
        else{
            $product_query="SELECT * FROM products LIMIT
            $start,$limit";
        }
        $run_query=mysqli_query($conn,$product_query);
        if(mysqli_num_rows($run_query)){
            while($row=mysqli_fetch_array($run_query)){
                $pro_id=$row['product_id'];
                $pro_cat=$row['product_cat'];
                $brand=$row['product_brand'];
                $title=$row['product_title'];
                18
                $price=$row['product_price'];
                $img=$row['product_image'];
```



```

echo "<div class='col-md-4'><div class'panel-panel-
info'>
<div class='panel heading'>$title</div>
<div class='panel-body'><a
href='#'class='imageproduct' pid='$pro_id'><img
src='assets/prod_images/$img' style='width:200px;
height:250px;'>
</a></div>
<div class='panel-heading'><button pid='$pro_id'
class='quicklook btn btn-danger btn-xs'
style='float:right;'>Quick look </button>&nbsp;
<button pid='$pro_id'
class='quicklook btn btn-danger btn-xs'
style='float:right;'>Add to  Cart</button></div>
</div></div>";}}
if(isset($_POST['get_selected_Category']) ||
isset($_POST['get_selected_brand']) ||
isset($_POST['search']) ||
isset($_POST['price_sorted']))
19
{
if(isset($_POST['get_selected_Category']))){
$cid=$_POST['cat_id'];
$sql="SELECT * FROM products WHERE
product_cat=$cid";
}
elseif(isset($_POST['get_selected_brand']))){
$bid=$_POST['brand_id'];
$sql="SELECT * FROM products WHERE
product_brand=$bid";
if(isset($_POST['price_sorted']))){
$sql="SELECT * FROM products ORDER BY
product_price";
}
}
}

```

```

elseif(isset($_POST['search']))){
    $keyword=$_POST['keyword'];
    $sql="SELECT * FROM products WHERE
    product_keywords LIKE '%$keyword%'";
    if(isset($_POST['price_sorted'])){
        $sql="SELECT * FROM products ORDER BY
        product_price";
    }
    $run_query=mysqli_query($conn,$sql);
    while($row=mysqli_fetch_array($run_query)){
        $pro_id=$row['product_id'];
        $pro_cat=$row['product_cat'];
        $brand=$row['product_brand'];
        20
        $title=$row['product_title'];
        $price=$row['product_price'];
        $img=$row['product_image'];
        echo "<div class='col-md-4'>
        <div class='panel panel-info'>
        <div class='panel-body' class='imageproduct'
        pid='$pro_id'><img src='assets/prod_images/$img'
        style='width:200px; height:250px;'>
        </div>
        <div class='panel-heading'>Rs $price
        <button pid='$pro_id'
        class='quicklook btn btn-warning btn-xs'
        style='float:right;'>Quick look </button>&nbsp;
        <button pid='$pro_id'
        class='quicklook btn btn-danger btn-xs'
        style='float:right;'>Add to Cart</button></div>
        </div></div>";}}
    if(isset($_POST['addToProduct'])){
        if(!(isset($_SESSION['uid']))) {echo "<div class='alert
        alert-danger' role='alert'>

```

```
< button type='button' class='close'
datadismiss='alert' aria-label='Close'><span aria-
hidden='true'>&times;</span></button>
<strong>Hey there!</strong> Sign in to buy
stuff!
</div>";}
else{
$pid=$_POST['proId'];
$uid=$_SESSION['uid'];
$sql = "SELECT * FROM cart WHERE p_id =
'$pid' AND
user_id = '$uid'";
$run_query=mysqli_query($conn,$sql);
$count=mysqli_num_rows($run_query);
if($count>0)
echo "<div class='alert alert-danger' role='alert'>
<button type='button' class='close'
datadismiss='alert' aria-label='Close'><span aria-
hidden='true'>&times;</span></button>
<strong>Product</strong>already in cart</div>";}
else
{
$sql = "SELECT * FROM products WHERE
product_id = '$pid'";
$run_query = mysqli_query($conn,$sql);
$row = mysqli_fetch_array($run_query);
22
$id = $row["product_id"];
$pro_title = $row["product_title"];
$pro_image = $row["product_image"];
$pro_price = $row["product_price"];
```

```
$sql="INSERT INTO
cart(p_id,ip_add,user_id,product_title,product_image,
qty,price,total_amount)
VALUES('$pid','o.o.o.o','$uid','$pro_title','$pro_image',
'i','$pro_price','$pro_price')";
$run_query = mysqli_query($conn,$sql);
if($run_query){
echo "<div class='alert alert-success' role='alert'>
<button type='button' class='close'
dataddismiss='alert' aria-label='Close'><span
ariahidden='true'>&times;</span></button>
<strong>Success!</strong> product added to cart.
</div>";}}}}
if(isset($_POST['cartmenu']) ||
isset($_POST['cart_checkout']))
23
{
$uid=$_SESSION['uid'];
$sql="SELECT * FROM cart WHERE user_id='$uid'";
$run_query=mysqli_query($conn,$sql);
$count=mysqli_num_rows($run_query);
if($count>0){
$i=1;
$total_amt=0;
while($row=mysqli_fetch_array($run_query))
{
$sl=$i++;
$pid=$row['p_id'];
$product_image=$row['product_image'];
$product_title=$row['product_title'];
$product_price=$row['price'];
$qty=$row['qty'];
$total=$row['total_amount'];
$price_array=array($total);
```

[illegible]

```
</div></div>";}}}  
if(isset($_POST['removeFromCart']))  
{  
    $pid=$_POST['pid'];  
    $uid=$_SESSION['uid'];  
    $sql="DELETE FROM cart WHERE p_id='$pid' AND  
    user_id='$uid'";  
    $run_query=mysqli_query($conn,$sql);  
  
    if($run_query){  
        echo "  
        <div class=='alert alert-danger' role='alert'>  
        <button type='button' class='close'  
        data-dismiss='alert' aria-label='Close'><span  
        aria-hidden='true'>&times;</span></button>  
        <strong>Item</strong>has been succesfully removed  
        from the cart!</div>";}}  
if(isset($_POST['updateProduct']))  
{  
    $pid=$_POST['updateId'];  
    $uid=$_SESSION['uid'];  
    $qty=$_POST['qty'];  
    $price=$_POST['price'];  
    $total=$_POST['total'];  
    $sql="UPDATE cart SET qty='$qty', price='$price',  
    total_amount='$total' WHERE p_id='$pid' AND  
    user_id='$uid'";  
    $run_query=mysqli_query($conn,$sql);  
    if($run_query){echo "  
    <div class=='alert alert-success' role='alert'>  
    <button type='button' class='close'  
    data-dismiss='alert' aria-label='Close'><span  
    aria-hidden='true'>&times;</span></button>  
    <strong>success</strong>Quantity has been  
    updated</div>";}}
```

```
if(isset($_POST['cartcount'])){\n  if(!(isset($_SESSION['uid']))){\n    echo "o";\n  }\n  else{\n    $uid=$_SESSION['uid'];\n    $sql="SELECT * FROM cart WHERE user_id='$uid';"\n    $run_query=mysqli_query($conn,$sql);\n    $count=mysqli_num_rows($run_query);\n    echo $count;\n  }\n}\n\nif(isset($_POST['payment_checkout'])){\n  $uid=$_SESSION['uid'];\n  $sql="SELECT * FROM cart WHERE user_id='$uid';"\n  $run_query=mysqli_query($conn,$sql);\n  $i=rand();\n  while($cart_row=mysqli_fetch_array($run_query))\n  {\n    $cart_prod_id=$cart_row['p_id'];\n    $cart_prod_title=$cart_row['product_title'];\n    $cart_qty=$cart_row['qty'];\n    $cart_price_total=$cart_row['total_amount'];\n    $sql2="INSERT INTO customer_order\n(uid,pid,p_name,p_price,p_qty,p_status,tr_id)\nVALUES\n('$uid','$cart_prod_id','$cart_prod_title','$cart_price_\ntotal','$cart_qty','CONFIR\nMED','$i')";\n    $run_query2=mysqli_query($conn,$sql2);\n  }\n  $i++;\n  $sql3="DELETE FROM cart WHERE user_id='$uid';"\n  $run_query3=mysqli_query($conn,$sql3);\n}
```

```

if(isset($_POST['product_detail'])) {
    $pid=$_POST['pid'];
    $sql="SELECT * FROM products WHERE
    product_id='$pid'";
    $run_query=mysqli_query($conn,$sql);
    $row=mysqli_fetch_array($run_query);
    $pro_id=$row['product_id'];
    $image=$row['product_image'];
    $title=$row['product_title'];
    $price=$row['product_price'];
    $desc=$row['product_desc'];
    $tags=$row['product_keywords'];
    echo "<div class='row'>
    <div class='col-md-6 pull-right'><img
    src='assets/prod_images/$image' style='width:25
    opx;height:300px;'></div>
    <div class='col-md-6'><div class='row'><div
    class='col-md12'><h1>$title</h1></div></div>
    <div class='row'><div class='col-md12'>Price:<h3
    class='text-muted'>$price</h3></div></div>
    <div class='row'><div class='col-
    md12'>Description:<h4 class='text-
    muted'>$desc</h4></div></div>
    <div class='row'><div class='col-md12'>Tags:<h4
    class='text-muted'>$tags</h4></div></div>
    <button pid='$pro_id' class='product btn
    btn-danger'> Add to Cart </button></div>
    </div>";}
?>

```



```
<?php
include('dbconnect.php');
$f_name=$_POST['f_name'];
$l_name=$_POST['l_name'];
$email=$_POST['email'];
$password=md5($_POST['password']);
$mobile=$_POST['mobile'];
$address1=$_POST['address1'];
$address2=$_POST['address2'];
$name = "/^[A-Z][a-zA-Z ]+$/";
$emailValidation = "/^[_a-z0-9-]+(\\.[_a-z0-9-]+)*@[a-z0-9]+(\\.[az]{2,4})$/";
$number = "/^[0-9]+$/";
if(empty($f_name) || empty($l_name) ||
empty($email) ||
empty($password) || empty($mobile) ||
empty($address1) || empty($address2)){
echo" <div classs='alert alert-danger alert-
dismissible' role='alert'><button type='button'
class='close' data-dismiss='alert' arialabel='Close'>
<span aria-hidden='true'>&times;</span>
</button>Please fill all the fields</div>";
exit(o);}
else{
if(!preg_match($name,$f_name)){
echo"<div class='alert alert-warning'>
<a href='#' class='close' data-dismiss='alert'
arialabel='close'>&times;</a>
<b>this $f_name is not valid..!</b></div>";
exit();}
if(!preg_match($name,$l_name)){
echo "<div class='alert alert-warning'>
<a href='#' class='close' data-dismiss='alert'
arialabel='close'>&times;</a>
<b>this $l_name is not valid..!</b></div>";
exit();}
```

```

if(!preg_match($emailValidation,$email)){
echo "
    <div classs='alert alert-warning' >
    <a href='#' class='close' data-dismiss='alert'
    arialabel='close'>&times;</a>
    <b>this $email is not valid..!</b></div>";
exit();}
if(strlen($password) < 9 ){
echo "
    <div class='alert alert-warning'>
    <a href='#' class='close' data-dismiss='alert'
    arialabel='close'>&times;</a>
    <b>Password is weak</b></div>";
exit();}
if(!preg_match($number,$mobile)){
echo "
    <div class='alert alert-warning'>
    <a href='#' class='close' data-dismiss='alert'
    arialabel='close'>&times;</a>
    <b>Mobile Number $mobile is not valid</b></div>";
exit();}
if(!(strlen($mobile) == 10)){
echo "
    <div class='alert alert-warning'>
    <a href='#' class='close' data-dismiss='alert'
    arialabel='close'>&times;</a>
    <b>Mobile Number must be 10 digits</b></div>";
exit();}
//check for available user-details
$sql = "SELECT user_id FROM user_info WHERE
email =
'$email' LIMIT 1" ;
$check_query = mysqli_query($conn,$sql);
$count_email = mysqli_num_rows($check_query);
if($count_email > 0){
echo "

```

```

<div classs='alert alert-danger' >
<a href='#' class='close' data-dismiss='alert'
arialabel='close'>&times;</a>
<b>Email Address is already available Try
Another
email address</b></div>";
exit();}
else {
34
$sql="INSERT INTO user_info (first_name,
last_name, email, password, mobile, address1,
address2) VALUES
('$f_name','$l_name','$email','$password','$mo
bile','$address1','$address2')";
$run_query=mysqli_query($conn,$sql);
if($run_query){
echo "
<div class='alert alert-success'>
<a href='#'
class='close' data-dismiss='alert' aria-
label='close'>&times;</a>
Click <b><a href='index.php'></a></b>here to
login.
</div>";}}}
```

DBCONNECT.PHP

```
<?php
$host='localhost';
$username='root';
$password='aishu123';
$db='onlineshopping';
$conn=mysqli_connect($host,$username
,$password,$db);
if(!$conn) die("Connection
refused").mysqli_connect_error();
?>
```

CODES

STYLE.CSS

```

    @import url(http://fonts.googleapis.com/css?
                family=Open+Sans:600);
    @import url('https://fonts.googleapis.com/css?
family=Abel|Bubbler+One|Inconsolata');
    .one-time{
        margin-left: 3%;
        margin-right: 3%;
    }

    .slick-prev:before,
    .slick-next:before {
        color: black;
    }

    .navbar-brand{
        font-family: Open Sans;
        font-size: 200%;
        font-style: italic;
    }

    body{
        font-family: Abel;
        font-size: 150%;
        font-weight: bold;
    }

    #topnav{
        height:70px;
    }
    #topnav > * {
        position: relative;
        top:7px;
    }
    #search{
        position: relative;
        left:360px;
    }
    #search_btn{
        position: relative;
        left:360px;
    }

    #shoppingcart{
        position: relative;
        right: 240px;
    }

```

CHAT.HTML

```
<!doctype html>
<html>

<head>
  <title>BotMan Widget</title>
  <meta charset="UTF-8">
  <link rel="stylesheet" type="text/css"
href="https://cdn.jsdelivr.net/npm/botman-
web-widget@o/build/assets/css/chat.min.css">
</head>

<body>
  <script id="botmanWidget"
src='https://cdn.jsdelivr.net/npm/botman-web-
widget@o/build/js/chat.js'></script>
</body>
```

CHAT.PHP

```
<?php
require_once 'vendor/autoload.php';

use BotMan\BotMan\BotMan;
use BotMan\BotMan\BotManFactory;
use BotMan\BotMan\Drivers\DriverManager;

$config = [
    // Your driver-specific configuration
    // "telegram" => [
    //     "token" => "TOKEN"
    // ]
];
DriverManager::loadDriver(\BotMan\Drivers\Web\WebDriver::class);

$botman = BotManFactory::create($config);

// Give the bot something to listen for.
$botman->hears('Hello', function (BotMan $bot) {
    $bot->reply('Hello too');
});

$botman->hears('whats colours are in trend for men?', function (BotMan $bot) {
    $bot->reply(' warm palettes');
});

$botman->hears('whats styles are in trend for women?', function (BotMan $bot) {
    $bot->reply('crop tops, mom jeans, corsetts styled dresses , boots ,string lace heels etc');
});

$botman->hears('sizes for shoes available', function (BotMan $bot) {
    $bot->reply('usually UK5-11');
});

$botman->fallback(function($bot) {
    $bot->reply('Sorry, I did not understand these commands.');
```

// Start listening

PROFILE.PHP

```

<?php
session_start();
if(!isset($_SESSION['uid'])){
header('Location:index.php');
}
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>Amaclone</title>
<link rel="stylesheet" type="text/css"
href="http://kenwheeler.github.io/slick/slick/slick.css"/>
<link rel="stylesheet" type="text/css"
href="http://kenwheeler.github.io/slick/slick/slick-theme.css"/>
<link rel="stylesheet" type="text/css" href="assets/bootstrap-3.3.6-
dist/css/bootstrap.css">
<link rel="stylesheet" type="text/css" href="styles.css">
<link rel="shortcut icon" href="assets/images/fav.png">
</head>
<body>
<div class="navbar navbar-default navbar-fixed-top" id="topnav">
<div class="container-fluid">
<div class="navbar-header">
<a href="index.php" class="navbar-brand">Amaclone</a>
</div>

<ul class="nav navbar-nav">

<li style="width:300px;left:10px;top:10px;"><input type="text" class="form-
control" id="search" name=""></li>
<li style="top:10px;left:20px;"><button class="btn btn-primary" id="search_btn"
name=""><span class="glyphicon glyphicon-search"></span></button></li>
</ul>

```



```

<ul class="nav navbar-nav navbar-right">
<li id='shoppingcart'><a id="carticon" href="#" class="dropdown-toggle" data-
toggle="dropdown"><span class="glyphicon glyphicon-shopping-cart"></span>Cart
<span class="badge">2</span> </a>
<div class="dropdown-menu" style="width: 400px;">
<div class="panel panel-success">
<div class="panel-heading">
<div class="row">
<div class="col-md-3"><strong>S. No.</strong></div>
<div class="col-md-3"><strong>Product Image</strong></div>
<div class="col-md-3"><strong>Product Name</strong></div>
<div class="col-md-3"><strong>Price in Rs</strong></div>
</div>
<hr>
<div id="cartmenu">
<!--<div class="row">
<div class="col-md-3">S. No.</div>
<div class="col-md-3">Product Image</div>
<div class="col-md-3">Product Name</div>
<div class="col-md-3">Price in $</div>
</div-->
</div>
</div>
<div class="panel-body"></div>
<div class="panel-footer"></div>
</div>
</li>
<li><a href="#" class="dropdown-toggle" data-toggle="dropdown"><span
class="glyphicon glyphicon-user"></span>Hello, <?php echo $_SESSION['uname']; ?>
</a>
<ul class="dropdown-menu">
<li><a href="cart.php"><span class="glyphicon glyphicon-shopping-cart-large"></span>
Cart</a></li>
<li><a href="#">Change Password</a></li>
<li><a href="logout.php">Logout</a></li>
</ul>
</li>
</ul>
</div> </div>

```

```
<!-- Slider Begins -->
<div class="one-time">
    <div></div>
    <div></div>
    <div></div>
</div>
<!-- Slider ends --><br>
<div class="container-fluid">
<div class="row">
<div class="col-md-1"></div>
<div class="col-md-2">
<div id="get_cat"></div>
<!--<div class="nav nav-pills nav-stacked">
<li class="active"><a href="#"><h4>Categories</h4></a></li>
<li><a href="#">Categories</a></li>
<li><a href="#">Categories</a></li>
<li><a href="#">Categories</a></li>
<li><a href="#">Categories</a></li>
</div--><div id="get_brand"></div>
<!--<div class="nav nav-pills nav-stacked">
<li class="active"><a href="#"><h4>Brands</h4></a></li>
<li><a href="#">Categories</a></li>
<li><a href="#">Categories</a></li>
<li><a href="#">Categories</a></li>
<li><a href="#">Categories</a></li>
</div--></div>
<div class="col-md-8">
<div class="row"><div class="col-md-12" id="cartmsg"></div></div>
<div class="panel panel-info">
<div class="panel-heading text-center">--Featured Products--
<div class='pull-right'>
Sort: &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<a href="#" id='price_sort'>Price</a> | <a href="#"
id='pop_sort'>Popularity</a>
</div></div>
```

```

<div class="panel-body">
<div id="get_product"></div>
<!--<div class="col-md-4">
<div class="panel panel-info">
<div class="panel-heading">Samsung Galaxy</div>
<div class="panel-body"></div>
<div class="panel-heading">Rs500.00
<button class="btn btn-danger btn-xs" style="float:right;">Add to Cart</button></div></div>--></div>
<div class="panel-footer">&copy; 2020</div></div></div>
<div class="col-md-1"></div></div>
<div class="row">
<div class="col-md-12">
<center><ul class='pagination' id='pageno'></ul></center>
</div>
<!-- Modal --> <div class="modal fade" id="prod_detail" tabindex="-1" role="dialog" aria-
labelledby="myModalLabel">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
        <h4 class="modal-title" id="myModalLabel">Product Details</h4></div>
        <div class="modal-body" id='dynamic_content'></div>
        <div class="modal-footer">
          <button type="button" class="btn btn-default" data-dismiss="modal">Close</button></div></div></div>
</div>
<!-- Modal ends--> </div> </div>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.js"></script>
<script type="text/javascript" src="//code.jquery.com/jquery-migrate-1.2.1.min.js"></script>
<script type="text/javascript" src="//cdn.jsdelivr.net/jquery.slick/1.6.0/slick.min.js"></script>
<script src="assets/bootstrap-3.3.6-dist/js/bootstrap.min.js"></script>
<script src="main.js"></script>
<script>
  var botmanWidget = {
    frameEndpoint: '/chat.html',
    introMessage: 'Hello, I am a Chatbot',
    chatServer : 'chat.php',
    title: 'My Chatbot',
    mainColor: '#456765',
    bubbleBackground: '#ff76f4',
    aboutText: "",
    bubbleAvatarUrl: "",
  }; </script>
<script src='https://cdn.jsdelivr.net/npm/botman-web-widget@0/build/js/widget.js'></script></body>
<div class="foot"><footer>
</footer></div>
<style> .foot{text-align: center;}
</style>
</html>

```

PAYMENT.PHP

```
<?php
session_start();
include('dbconnect.php');
if(!isset($_SESSION['uid'])){
header('Location:index.php');
}
$uid=$_SESSION['uid'];
$sql="SELECT * FROM customer_order WHERE uid='$uid'";
$run_query=mysqli_query($conn,$sql);
$row=mysqli_fetch_array($run_query);
$trid=$row['tr_id'];
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>Amaclone</title>
<link rel="stylesheet" type="text/css" href="assets/bootstrap-3.3.6-
dist/css/bootstrap.css">
<style type="text/css">
.content{display: none;}
</style></head>
<body>
<div class='content'>
<div class="navbar navbar-default navbar-fixed-top" id="topnav">
<div class="container-fluid">
<div class="navbar-header">
<a href="index.php" class="navbar-brand">Amaclone</a>
</div></div></div>
<br><br><br><br><br>
```

```

div class='container-fluid'>
<div class='row'>
<div class='col-md-2'></div>
<div class='col-md-8'>
<div class="panel panel-default">
<div class="panel-heading"><h1>Thank you!</h1></div>
<div class="panel-body">
Hello <?php echo $_SESSION['uname']; ?>, your payment is successful.
<br>Your Transaction ID is <?php echo $trid; ?>
<br>You can continue with your shopping. <p></p>
<a href="profile.php" class='btn btn-success btn-lg'>Back to store</a>
</div></div>
<div class='col-md-2'></div>
</div></div></div></div>
<!--Pre-loader -->
<div class="preload"></div>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.js">
</script>
<script src="assets/bootstrap-3.3.6-dist/js/bootstrap.min.js"></script>

<script type="text/javascript">

$(".preload").fadeOut(5000, function(){
$(".content").fadeIn(500);
});
</script>
</body>
</html>

```

```

<?php
session_start();
if(isset($_SESSION['uid'])){
header('location:profile.php');
} ?>
<!DOCTYPE html>
<html><head>
<meta charset="utf-8">
<title>Amaclone</title>
<link rel="stylesheet" type="text/css"
href="http://kenwheeler.github.io/slick/slick/slick.css"/>
<link rel="stylesheet" type="text/css"
href="http://kenwheeler.github.io/slick/slick/slick-theme.css"/>
<link rel="stylesheet" type="text/css" href="assets/bootstrap-3.3.6-
dist/css/bootstrap.css">
<link rel="stylesheet" type="text/css" href="styles.css">
</head>
<body>
<div class="navbar navbar-default navbar-fixed-top" id="topnav">
<div class="container-fluid">
<div class="navbar-header">
<a href="index.php" class="navbar-brand">Amaclone</a></div>
<ul class="nav navbar-nav">
<li style="width:300px;left:10px;top:10px;"><input type="text" class="form-control"
id="search" name=""></li>
<li style="top:10px;left:20px;"><button class="btn btn-primary" id="search_btn"
name=""><span class='glyphicon glyphicon-search'></span></button></li></ul>
<ul class="nav navbar-nav navbar-right">
<li id='shoppingcart'><a href="#" class="dropdown-toggle" data-toggle="dropdown">
<span class="glyphicon glyphicon-shopping-cart"></span>Cart <span
class="badge">0</span> </a>
<div class="dropdown-menu" style="width: 400px;">
<div class="panel panel-success">
<div class="panel-heading">
<div class="row">
<div class="col-md-3">S. No.</div>
<div class="col-md-3">Product Image</div>
<div class="col-md-3">Product Name</div>
<div class="col-md-3">Price in Rs</div>
</div></div>

```

```

<div class="panel-body"></div>
<div class="panel-footer"></div></div></div>
</li>
<li><a href="#" class="dropdown-toggle" data-toggle="dropdown"><span class="glyphicon glyphi
user"></span>Sign In</a>
<ul class="dropdown-menu">
<div style="width: 300px;">
<div class="panel panel-primary">
<div class="panel-heading">Login</div>
<div class="panel-heading">
<label for="email">Email</label>
<input type="email" class="form-control" id="email">
<label for="email">Password</label>
<input type="password" class="form-control" id="password"><p><br></p>
<a href="#" style="color: white;list-style-type: none;">Forgot Password?</a>
<input type="submit" class="btn btn-success" style="float: right;bottom:12px;" id="login"
value="Login" name=""></div>
<div class="panel-footer" id="e_msg"></div>
</div></div></ul>
<li><a href="customer_registration.php">Sign Up</a></li>
</ul></div></div>
<br><br><br>
<!-- Slider Begins -->
<div class="one-time">
  <div></div>
  <div></div>
  <div></div>
</div>
<!-- Slider ends --><br>
<div class="container-fluid">
<div class="row">
<div class="col-md-1"></div>
<div class="col-md-2">
<div id="get_cat"></div>
<!--<div class="nav nav-pills nav-stacked">
<li class="active"><a href="#"><h4>Categories</h4></a></li>
<li><a href="#">Categories</a></li>
<li><a href="#">Categories</a></li>
<li><a href="#">Categories</a></li>
<li><a href="#">Categories</a></li>
</div>-->
<div id="get_brand"></div>
<!--<div class="nav nav-pills nav-stacked">

```

```

<div class="panel-body">
<div id="get_product"></div>
<!--<div class="col-md-4">
<div class="panel panel-info">
<div class="panel-heading">Samsung Galaxy</div>
<div class="panel-body"></div>
<div class="panel-heading">$500.00
<button class="btn btn-danger btn-xs" style="float:right;">Add to Cart</button></div>
</div></div>--></div>
<div class="panel-footer">&copy; 2020</div></div></div>
<div class="col-md-1"></div></div>
<div class="row">
<div class="col-md-12">
<center>
<ul class='pagination' id='pageno'></ul></center></div>
<!-- Modal -->
<div class="modal fade" id="prod_detail" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
  <div class="modal-content">
    <div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
      <h4 class="modal-title" id="myModalLabel">Product Details</h4></div>
      <div class="modal-body" id='dynamic_content'></div>
      <div class="modal-footer">
        <button type="button" class="btn btn-default" data-dismiss="modal">Close</button></div></div></div></div>
<!-- Modal ends--></div></div>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.js"></script>
<script type="text/javascript" src="//code.jquery.com/jquery-migrate-1.2.1.min.js"></script>
  <script type="text/javascript" src="//cdn.jsdelivr.net/jquery.slick/1.6.0/slick.min.js"></script>
<script src="assets/bootstrap-3.3.6-dist/js/bootstrap.min.js"></script>
<script src="main.js"></script>
<script>
  var botmanWidget = {
    frameEndpoint: '/chat.html',
    introMessage: 'Hello, I am a Chatbot',
    chatServer : 'chat.php',
    title: 'My Chatbot',
    mainColor: '#456765',
    bubbleBackground: '#ff76f4',
    aboutText: '',
    bubbleAvatarUrl: '',
  };
</script>
  <script src='https://cdn.jsdelivr.net/npm/botman-web-widget@0/build/js/widget.js'></script>
</body>
<div class="foot"><footer>
</footer></div>
<style> .foot{text-align: center;}
</style>
</html>

```


CUSTOMER_REG.PHP

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>Amaclone</title>
<link rel="stylesheet" type="text/css" href="assets/bootstrap-3.3.6dist/css/bootstrap.c
<link rel="stylesheet" type="text/css" href="styles.css">
</head>
<body>
<div class="navbar navbar-default navbar-fixed-top" id="topnav">
<div class="container-fluid">
<div class="navbar-header">
<a href="index.php" class="navbar-brand">Amaclone</a>
</div></div></div>
<p><br><br></p>
<p><br><br></p>
<div class="container-fluid">
<div class="row">
<div class="col-md-2"></div>
<div class="col-md-8" id="err_msg"></div>
<div class="col-md-2"></div></div>
<div class="row">
<div class="col-md-2"></div>
<div class="col-md-8">
<div class="panel panel-primary">
<div class="panel-heading">Signup Form</div>
<div class="panel-body">
<form method="post" action="">
<div class="row">
<div class="col-md-6">
<label for="f_name">First Name</label>
<input type="text" id="f_name" name="f_name" class="form-control"></div>
<div class="col-md-6">
<label for="l_name">Last Name</label>
<input type="text" id="l_name" name="l_name" class="form-control">
</div></div>
```

```

<div class="row">
<div class="col-md-6">
<label for="email">Email</label>
<input type="text" id="email" name="email" class="form-control">
</div>
<div class="col-md-6">
<label for="password">Password</label>
<input type="password" id="password" name="password" class="form-control">
</div></div>
<div class="row">
<div class="col-md-6">
<label for="mobile">Mobile</label>
<input type="text" id="mobile" name="mobile" class="form-control"></div>
<div class="col-md-6"></div></div>
<div class="row">
<div class="col-md-12">
<label for="address1">Address #1</label>
<input type="textarea" id="address1" name="address1" class="form-control"></div>
</div>
<div class="row">
<div class="col-md-12">
<label for="address2">Address #2</label>
<input type="textarea" id="address2" name="address2" class="form-control">
</div></div><br><br>
<div class="col-md-12">
<input type="button" class="btn btn-primary" value="Signup" name="signup"
id="signup_btn"></div></div></div>
</form>
<div class="panel-footer"></div></div></div>
<div class="col-md-2"></div></div></div>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.js"></script>
<script type="text/javascript" src="//cdn.jsdelivr.net/jquery.slick/1.6.0/slick.min.js">
</script>
<script src="assets/bootstrap-3.3.6-dist/js/bootstrap.min.js"></script>
<script src="main.js"></script>
</body>
<div class="foot"><footer></footer></div>
<style> .foot{text-align: center;}</style>
</html>

```

```

<?php
session_start();
if(!isset($_SESSION['uid'])){
header('Location:index.php');}?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>Amaclone</title>
<link rel="stylesheet" type="text/css" href="assets/bootstrap-3.3.6-dist/css/bootstrap.css">
<link rel="stylesheet" type="text/css" href="styles.css">
</head>
<body>
<div class="navbar navbar-default navbar-fixed-top" id="topnav">
<div class="container-fluid">
<div class="navbar-header">
<a href="index.php" class="navbar-brand">Amaclone</a></div></div></div>
<br><br><br><br><br>
<div class='container-fluid'>
<div class='row'>
<div class='col-md-2'></div>
<div class='col-md-8'>
<div class="panel panel-default">
  <div class="panel-heading">Customer Order Details</div>
  <div class="panel-body">
    <div class='col-md-6'><img src='assets/prod_images/iPad.jpg' style='float: right;'></div>
    <div class='col-md-6'>
      <table class='table table-hover'>
        <tr><td><b>Product Name:</b></td><td>iPad</td></tr>
        <tr><td><b>Product Price:</b></td><td>$25000</td></tr>
        <tr><td><b>Quantity:</b></td><td>1</td></tr>
        <tr><td><b>Payment:</b></td><td>Completed</td></tr>
        <tr><td><b>Transaction ID:</b></td><td>02259xxxxxx</td></tr>
      </table>
    </div>
  </div>
</div>
<div class='col-md-2'></div></div></div>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.js"></script>
<script src="assets/bootstrap-3.3.6-dist/js/bootstrap.min.js"></script>
<script src="main.js"></script>
</body>
<div class="foot"><footer>
</footer></div>
<style> .foot{text-align: center;}
</style>
</html>

```

```



<?php
session_start();
if(!isset($_SESSION['uid'])){
header('Location:index.php');
}?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>Amaclone</title>
<link rel="stylesheet" type="text/css" href="assets/bootstrap-3.3.6-dist/css/bootstrap.css">
<link rel="stylesheet" type="text/css" href="styles.css">
</head>
<body>
<div class="navbar navbar-default navbar-fixed-top" id="topnav">
<div class="container-fluid">
<div class="navbar-header">
<a href="index.php" class="navbar-brand">Amaclone</a></div></div></div>
<p><br><br></p>
<p><br><br></p>
<div class="container-fluid">
<div class="row">
<div class="col-md-2"></div>
<div class="col-md-8">
<div class="row">
<div class="col-md-12" id="cart_msg"></div></div>
<div class="panel panel-primary text-center">
<div class="panel-heading">Cart Checkout</div>
<div class="panel-body"></div>
<div class="row">
<div class="col-md-2"><b>Action</b></div>
<div class="col-md-2"><b>Product Image</b></div>
<div class="col-md-2"><b>Product Name</b></div>
<div class="col-md-2"><b>Product Price</b></div>
<div class="col-md-2"><b>Quantity</b></div>
<div class="col-md-2"><b>Price in Rs</b></div></div><br><br>
<div id='cartdetail'>
<!--<div class="row">
<div class="col-md-2"><a href="#" class="btn btn-danger"><span class="glyphicon glyphicon-trash"></span></a>
<a href="#" class="btn btn-success"><span class="glyphicon glyphicon-ok-sign"></span></a>
</div>
<div class="col-md-2">
</div>

```

```



<div class="col-md-2">Tshirt</div>
<div class="col-md-2">Rs700</div>
<div class="col-md-2"><input class="form-control" type="text"
size="10px" value='1'></div>
<div class="col-md-2"><input class="form-control" type="text"
size="10px" value='700'></div></div>--></div>
<!--<div class="row">
<div class="col-md-8"></div>
<div class="col-md-4">
<b>Total: Rs500000</b>
</div></div>-->
<div class="panel-footer"></div></div>
<button class='btn btn-success btn-lg pull-right' id='checkout_btn'
data-toggle="modal" data-target="#myModal">Checkout</button>
</div>
<div class="col-md-2"></div></div></div>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.
js"></script>
<script type="text/javascript"
src="//cdn.jsdelivr.net/jquery.slick/1.6.0/slick.min.js"></script>
<script src="assets/bootstrap-3.3.6-dist/js/bootstrap.min.js">
</script>
<script src="main.js"></script>
</body>
<div class="foot"><footer>
</footer></div>
<style> .foot{text-align: center;}
</style>
</html>

```






46

FEATURED PRODUCTS PAGE




FEATURED PRODUCTS PAGE





CHATBOT

SIGNUP FORM




Signup Form


First Name	Last Name
<input type="text" value="Kiran"/>	<input type="text" value="Sen"/>
Email	Password
<input type="text" value="kiran@cedextech.com"/>	<input type="password" value="....."/>
Mobile	
<input type="text" value="7896541230"/>	
Address #1	
<input type="text" value="12,civilines"/>	
Address #2	
<input type="text" value="234,rajapark"/>	
<input type="button" value="Signup"/>	

49


LOGIN PAGE



ADD TO CART




50



HOME PAGE

+

CHATBOT



CART CHECKOUT



CHECKOUT