

MedMCQA							QASC						Accuracy (%)
mimo-v2-flash	74.7%	69.2%	69.8%	71.1%	73.0%	72.7%	86.0%	86.0%	85.5%	88.1%	87.3%	88.7%	
	744 tok	244 tok	450 tok	619 tok	792 tok	1187 tok	629 tok	221 tok	420 tok	579 tok	744 tok	1113 tok	
qwen3-30b-a3b...	72.8%	66.3%	67.2%	67.8%	68.4%	67.9%	88.0%	86.8%	87.1%	87.3%	86.5%	88.1%	
	991 tok	257 tok	429 tok	573 tok	694 tok	807 tok	785 tok	226 tok	398 tok	533 tok	644 tok	689 tok	
gemma-3-27b-it	62.5%	60.6%	59.9%	61.6%	59.2%	61.2%	82.6%	83.8%	84.1%	84.6%	84.2%	83.9%	
	598 tok	259 tok	420 tok	598 tok	754 tok	1186 tok	479 tok	240 tok	404 tok	573 tok	723 tok	1072 tok	
gemma-3-12b-it	58.3%	56.4%	54.8%	50.8%	55.3%	56.5%	79.6%	80.4%	81.2%	80.9%	78.9%	80.3%	
	531 tok	243 tok	425 tok	583 tok	727 tok	802 tok	388 tok	234 tok	413 tok	568 tok	718 tok	799 tok	
Qwen3-4B-Inst...	62.4%	55.5%	56.8%	56.2%	59.0%	59.4%	85.2%	82.3%	83.3%	81.9%	82.3%	83.0%	
	1043 tok	246 tok	433 tok	575 tok	724 tok	909 tok	569 tok	226 tok	400 tok	536 tok	661 tok	912 tok	
GIM-4B		53.5%	52.4%	54.0%	55.5%	53.2%		81.0%	81.2%	82.0%	81.9%	80.9%	
		241 tok	417 tok	571 tok	715 tok	476 tok		228 tok	395 tok	540 tok	686 tok	369 tok	
	CoT	1	3	5	7	Auto	CoT	1	3	5	7	Auto	