

FISHERIES OFFICER GRADE II

PROFESSIONAL MULTIPLE CHOICE QUESTIONS (ADVANCED LEVEL)

1. Which fishing practice is considered sustainable?

- A. Using small mesh nets to increase catch
- B. Fishing during breeding season
- C. Catching only mature fish above minimum size
- D. Poison fishing

✓ Answer: C

2. The main purpose of fisheries management is to:

- A. Increase fish prices
- B. Maximize fishing effort
- C. Ensure long-term sustainability of fish stocks
- D. Eliminate small-scale fishers

✓ Answer: C

3. Overfishing mainly leads to:

- A. Increased biodiversity
- B. Stable ecosystems
- C. Depletion of fish populations
- D. Faster fish growth

✓ Answer: C

4. Which parameter is MOST important in aquaculture water quality?

- A. Water color
- B. Dissolved oxygen
- C. Wind direction
- D. Soil texture

✓ **Answer: B**

5. The ideal dissolved oxygen level for most cultured fish species is:

- A. Below 2 mg/L
- B. 3–5 mg/L
- C. Above 5 mg/L
- D. 0 mg/L

✓ **Answer: C**

6. Illegal, Unreported and Unregulated fishing is abbreviated as:

- A. IFU
- B. IUU
- C. UIF
- D. UFI

✓ **Answer: B**

7. A fish sanctuary is established mainly to:

- A. Increase fishing activities
- B. Protect breeding areas
- C. Allow commercial harvesting
- D. Reduce fish size

✓ Answer: B

8. Which fishing gear causes the MOST habitat destruction?

- A. Hook and line
- B. Gillnet
- C. Bottom trawl
- D. Basket trap

✓ Answer: C

9. Carrying capacity in aquaculture refers to:

- A. Maximum fish size
- B. Maximum fish population water can support
- C. Feeding frequency
- D. Fish migration rate

✓ Answer: B

10. The primary objective of stock assessment is to:

- A. Count fishermen
- B. Estimate fish population status
- C. Increase taxes
- D. Reduce exports

✓ Answer: B

11. Which species is commonly cultured in Tanzania?

- A. Salmon
- B. Tuna
- C. Nile Tilapia
- D. Cod

✓ Answer: C

12. Fish mortality in ponds is MOST commonly caused by:

- A. High oxygen levels
- B. Poor water quality
- C. Excess sunlight
- D. Deep ponds

✓ Answer: B

13. Fisheries data collection helps to:

- A. Stop fishing activities
- B. Support decision making
- C. Reduce fish growth
- D. Avoid regulations

✓ Answer: B

14. Mesh size regulation is used to:

- A. Increase juvenile catch
- B. Protect immature fish
- C. Reduce fish breeding
- D. Increase illegal fishing

✓ Answer: B

15. Ecosystem-based fisheries management focuses on:

- A. One fish species only
- B. Fisher income only
- C. Entire ecosystem interactions
- D. Export markets

✓ Answer: C

16. Which factor MOST affects fish metabolism?

- A. Water temperature
- B. Moonlight
- C. Boat size
- D. Net color

✓ Answer: A

17. Aquaculture differs from capture fisheries because it:

- A. Depends on wild stocks only
- B. Involves controlled fish farming
- C. Uses only oceans
- D. Requires no management

✓ Answer: B

18. The precautionary principle in fisheries means:

- A. Fish without limits
- B. Act before scientific certainty when risk exists
- C. Ignore environmental impacts
- D. Increase fishing pressure

✓ Answer: B

19. Which institution regulates fisheries in Tanzania?

- A. Ministry of Health
- B. Ministry of Livestock and Fisheries
- C. Ministry of Education
- D. Ministry of Industry

✓ Answer: B

20. Climate change affects fisheries mainly through:

- A. Increased oxygen always
- B. Stable temperatures
- C. Changes in water temperature and habitats
- D. Reduced rainfall everywhere

✓ Answer: C

21. If fish stocks decline despite regulations, what should be done FIRST?

- A. Ban all fishing permanently
- B. Conduct scientific assessment
- C. Increase fishing licenses
- D. Ignore the problem

✓ Answer: B

22. Which international agreement primarily addresses conservation of migratory fish stocks?

- A. UNCLOS
- B. CITES
- C. FAO Code of Conduct
- D. Ramsar Convention

✓ Correct Answer: A — UNCLOS

Explanation:

United Nations Convention on the Law of the Sea (UNCLOS) establishes legal frameworks for management and conservation of marine resources including migratory fish stocks across national waters.

23. In aquaculture, biosecurity measures are MOST important to:

- A. Increase fish growth rate
- B. Prevent disease outbreaks
- C. Reduce feed costs
- D. Improve water clarity

✓ **Correct Answer: B — Prevent disease outbreaks**

Explanation:

Biosecurity includes quarantine, sanitation, and controlled access to prevent pathogens entering fish farms, reducing mass mortality risks.

24. The Maximum Sustainable Yield (MSY) concept is based on:

- A. Catching as many fish as possible
- B. Harvesting fish at a level that allows population recovery
- C. Fishing only during spawning season
- D. Eliminating predators from ecosystems

✓ **Correct Answer: B**

Explanation:

MSY ensures fish harvesting does not exceed the reproductive capacity of the stock, maintaining long-term sustainability.

25. Which plankton group is the primary food source for larval fish?

- A. Zooplankton
- B. Phytoplankton
- C. Benthos
- D. Nekton

✓ **Correct Answer: A — Zooplankton**

Explanation:

Larval fish mainly feed on zooplankton such as rotifers and copepods because they are small and nutritionally rich.

26. The main disadvantage of monoculture in aquaculture is:

- A. Easier management
- B. Higher disease risk
- C. Faster growth rates
- D. Lower feed conversion

✓ **Correct Answer: B**

Explanation:

Monoculture increases vulnerability since one disease can quickly spread among genetically similar fish populations.

27. Which statistical method is MOST commonly used in fisheries stock assessment?

- A. Regression analysis
- B. Logistic growth models
- C. Random sampling
- D. Chi-square test

✓ **Correct Answer: B — Logistic growth models**

Explanation:

Logistic growth models estimate population dynamics considering carrying capacity and growth rate, key elements in stock assessment.

28. The Exclusive Economic Zone (EEZ) extends up to:

- A. 50 nautical miles
- B. 100 nautical miles
- C. 200 nautical miles
- D. 500 nautical miles

✓ **Correct Answer: C — 200 nautical miles**

Explanation:

Under UNCLOS, coastal states have rights to explore and manage marine resources within 200 nautical miles from their coastline.

29. Which fish preservation method is MOST suitable for remote rural areas?

- A. Blast freezing
- B. Refrigerated transport
- C. Sun drying
- D. Vacuum packaging

✓ **Correct Answer: C — Sun drying**

Explanation:

Sun drying requires minimal technology and electricity, making it practical and cost-effective in rural fisheries communities.

30. The ecosystem service provided by mangroves that benefits fisheries MOST is:

- A. Timber production
- B. Nursery habitat for juvenile fish
- C. Tourism attraction
- D. Carbon trading

✓ **Correct Answer: B**

Explanation:

Mangroves serve as breeding and nursery grounds protecting juvenile fish from predators, increasing fish survival rates.

PREPARED BY

SMART EDUCATION TANZANIA