

일차논리 메타정리

임기정

1 Generalized Weakening

Let η be a variable renaming. Then,

$$\frac{\Gamma \subseteq \Gamma' \quad \Gamma \vdash \varphi}{\Gamma' [\eta] \vdash \varphi [\eta]}$$

1.1 \forall -case

- (1) $y \notin \text{FV}(\Gamma)$
- (2) $y \notin \text{FV}((\forall x) \varphi)$
- (3) $\Gamma \vdash \varphi [x := y]$
- (4) $\Gamma \subseteq \Gamma'$
- (G) $\Gamma' [\eta] \vdash (\forall x \varphi) [\eta]$

Proof. Let z be a fresh variable. Since $\Gamma [y := z] \subseteq \Gamma' [y := z]$,

$$\begin{aligned} & \Gamma' [\eta] \vdash (\forall x \varphi) [\eta] \\ \iff & \Gamma' [\eta] \vdash \forall x (\varphi [\eta]) \\ \iff & \Gamma' [y := z] [z := \eta(y); \eta] \vdash \forall x (\varphi [\eta]) \\ \iff & \Gamma' [y := z] [z := \eta(y); \eta] \vdash \forall x (\varphi [z := \eta(y); \eta]) \\ \iff & \Gamma' [y := z] [z := \eta(y); \eta] \vdash \varphi [z := \eta(y); \eta] [x := z] \\ \iff & \Gamma' [y := z] [z := \eta(y); \eta] \vdash \varphi [y := z; z := \eta(y); \eta] [x := z] \\ \iff & \Gamma' [y := z] [z := \eta(y); \eta] \vdash \varphi [y := z; z := \eta(y); \eta] [x := y [y := z; z := \eta(y); \eta]] \\ \iff & \Gamma' [y := z] [z := \eta(y); \eta] \vdash \varphi [x := y] [y := z; z := \eta(y); \eta] \\ \iff & \Gamma' [y := z] [y := z; z := \eta(y); \eta] \vdash \varphi [x := y] [y := z; z := \eta(y); \eta] \\ \iff & \begin{cases} \Gamma \subseteq \Gamma' [y := z], \\ \Gamma \vdash \varphi [x := y]. \end{cases} \end{aligned}$$

□

Discussion 1. Does it hold $\varphi [x := x; \eta] [x := z] \equiv \varphi [x := y] [y := z; z := \eta(y); \eta]$?

I think it does... – 2024/07/15 09:46

⊢

Discussion 2. Consider $\varphi [x := x; \eta] [x := z]$.

$$\begin{aligned}
& \varphi [x := x; \eta] [x := z] \\
& \equiv \varphi [x := x; z := \eta(y); \eta] [x := z] \\
& \equiv \varphi [x := z; z := (y); \eta] [x := z] \\
& \equiv \varphi [x := z; y := z; z := \eta(y); \eta] [x := z] \\
& \equiv \varphi [x := z; y := z; z := \eta(y); \eta] [x := y [x := z; y := z; z := \eta(y); \eta]] \\
& \equiv \varphi [x := y] [x := z; y := z; z := \eta(y); \eta] \\
& \equiv \varphi [x := y] [y := z; z := \eta(y); \eta]
\end{aligned}$$

Did I make a mistake? To check it out, let

- (a) $\varphi \equiv \varphi(x, u)$ with $u \neq x$;
- (b) $y \equiv x \vee (y \neq x \wedge y \neq u)$ – i.e., $y \notin \text{FV}(\forall x \varphi)$;
- (c) η be a variable renaming – i.e., $\eta \in \mathbb{L}(\mathbb{V} \times \mathbb{V})$; and
- (d) z be a fresh – i.e., $z \neq x \wedge z \neq y \wedge z \neq u \wedge z \notin \text{Dom}(\eta) \cup \text{Cod}(\eta)$.

Then, the L.H.S. is

$$\begin{aligned}
\varphi [x := x; \eta] [x := z] & \equiv \varphi(x, u) [x := x; \eta] [x := z] \\
& \equiv \varphi(x, \eta(u)) [x := z] \\
& \equiv \varphi(z, (\eta(u)) [x := z]).
\end{aligned}$$

On the other hand, the R.H.S. is $\varphi(z, \eta(u)) \equiv \varphi [x := z; \eta]$. ⊢