

TAUSIK —   1.4

MCP, Shared Brain, ■■■■, SENAR; 1 ■■■■ 2026

**XXXXXXXXXXXXXXXXXXXX XXXXXX (XXXXXXXX-XXXXXX XXXXXX)**

TAUSIK —  1.4

■■■■: 1 ■■■■ 2026

**■■■■■ ■■■■■■■■■■ (■■■■■■■■■■):** 1.3.7

[illegible]

**Содержание:** **Сводный отчет** **по** **состоянию** **на** **1** **января** **2024** **года**, **по** **состоянию** **на** **1** **января** **2024** **года**  
**Сводный отчет** **по** **состоянию** **на** **1** **января** **2024** **года** (Сводный отчет MCP; Сводный отчет DX и IDE), **по** **состоянию** **на** **1** **января** **2024** **года**  
**Сводный отчет** **по** **состоянию** **на** **1** **января** **2024** **года** SENAR (D:\Work\Kibertum\SENAR, summary RU).

**[ ] [ ] [ ] [ ]    [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]** (**[ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]**)

[illegible]

**1. ■■■■■■■■ ■■■■■■■■ ■ ■■■■■■■■ ■■■■■■■■■■■■ ■■■■■■**

### 1.1 ■■■ ■■■■■■■■ ■■■■■■■■ ■■■■■■■■

- `cli.py` `cli.py` CLI → Service → Backend, `cli.py` `cli.py`; `cli.py` `cli.py` `cli.py` (`cli.py` `cli.py` `cli.py`).

- [illegible]

tausik task done «■■■■■■■■■■» ■ VS Code Claude Extension

[illegible]

```

##### MCP ##### : ##### 90+6=96 #####
vs 91+6=97 ■ #####; ##### brain (EN); ■ stack-#####
■ stack, ■ name; ##### verify ■ ■ #####
##### (##### task_slug). ■ ■ ■ ■ <#####
#####>.
```

```
##### IDE: bootstrap ### Cursor ## ##### .claude/settings.json #
Python-#####; ##### PreToolUse/PostToolUse # ##### #####
Claude Code (# Qwen # #### #). #### Cursor/GPT/Composer ##### #
##### + MCP — ##### SENAR <#####> #####
```





- [illegible]

#### 4. SENAR ■■■■■■ TAUSIK

■■ SENAR-Summary-RU (v1.3): ■■■■ ■■■■■■■■■■ (■■■■■■■■■■, ■■■■■■■■■■, ■■■■■■■■■■, ■■■■■■■■■■■■, ■■■■■■■■■■), Core 8 ■■■■■■■■■■, QG-0...QG-4, ■■■■■■■■■■ 28 ■■■■■■■■■■, ■■■■■■■■■■ ■■■■■■■■■■ FPSR ■ ■■■■■■■■.

TAUSIK ██████████ ████████████████████: QG-0/QG-2 █████ █████, ████████████████████, dead ends, ██████████, ████████████████████  
██████████ ██████████ ██████████ ██████████ verify cache.

[illegible]

- `llm.generate_prompt(prompt, context)` (Claude Code); `llm.generate_prompt(prompt, context, model='gpt-4o')` — SENAR-`llm` «`llm.generate_prompt(prompt, context, model='gpt-4o')`» `llm.generate_prompt(prompt, context, model='gpt-4o')` (`llm.generate_prompt(prompt, context, model='gpt-4o')` `verify` `/ship`).
- `llm.generate_prompt(prompt, context)` `llm.generate_prompt(prompt, context)` MCP (`task_done`) — `llm.generate_prompt(prompt, context)`, `llm.generate_prompt(prompt, context)`

[illegible]

- **IDE/MCP: hard enforcement (hooks) vs soft (prompt-only).**
- **IDE/MCP: hard enforcement (hooks) vs soft (prompt-only).**

[illegible]

**Abstract:** Brain activity patterns are complex and difficult to interpret. We present a novel method for analyzing brain activity patterns, called QG-2, which uses a combination of machine learning and graph theory to identify meaningful patterns. The results show that QG-2 can effectively identify patterns that are associated with specific cognitive states, such as attention and memory. This work has implications for understanding brain function and developing new treatments for neurological disorders.

**XXXXXXXXXX** **XXX XXXXXXXX:** **XXXXXXXX** **XXXXXXXXXXXX** MCP-**XXXXXXXX** **XXX** **XXXXXXXXXXXX** **XXXXXX** ■ UI;  
**XXXXXXXXXXXXXX** **XXX/XXXX;** **XXXXXXXXXX** **XXXXXXXXXXXX** **XXXXXX** **XXX,** **XXX** **XXX** **XXX;** **XXXXXX**  
**XXXXXXXXXXXXXX** Brain.

## 6. ■■■■■ ■ TAUSIK (■■■■■ 1.4)

■■■■■■■.

- **Epic:** `rel-14-readiness` — «TAUSIK 1.4: remediation after public-readiness audit»
- **Story:** `rel-14-audit-fixes` — «Audit-driven fixes: MCP, docs, hooks, Shared Brain, onboarding»

- **■■■■■■■ (slug):**  
r14-mcp-chdir, r14-mcp-docs, r14-mcp-verify, r14-mcp-task-done-ux, r14-hooks-docs, r14-cursor-parity, r14-brain-wizard, r14-multimodel-onboard, r14-mcp-errors, r14-task-done-v1-msg

**goal** ■ acceptance criteria (task update).

## 7. PDF

- `docs/ru/research/tausik-1.4-readiness-audit-2026-05-01.md`. Markdown —
- **PDF:** `md-to-pdf` MD `npx md-to-pdf` (Chromium). `PDF` `CI/Node` `pandoc/wkhtmltopdf`.

**□ □ □ □ □    □ □ □ □ □ .**