AME 20216 - Lab Report Score Sheet

A6 and A7 – Solar Panels	
NDID#:	
Lab Section (Day/time):	

General Requirements (10 points)

Item and Description	Points Awarded	Possible Points
Overall quality of writing (spelling, grammar, readability, captions, and discussion)		5
Format and Technical Elements (font, margins, page numbers, heading, abstract/summary, findings, conclusion, numbered equations, variables, figures, tables, captions and references)		5
TOTAL		10

Technical Writing

- Include a brief, single-paragraph summary of the procedure.
- Discuss the results using college-level English.
- Address the suggested talking points at the end of the lab handout.
- Do *not* write a first-person narrative. Rather, write it as a declaration of objective observations, scientific facts, and logical deductions.

Format

- Use a 12 point "serifed" font such as Times New Roman.
- Document should be double-spaced.
- Document should have 1" margins in all directions.
- Page numbers are required centered at bottom of page.
- Equations must be numbered.
- All variables must be italicized.
- All variables in an equations must be defined (i.e. "where c is the speed of sound").
- Captions should be the same font as the rest of the document.
- Do *not* use the * symbol to denote multiplication.

References – The report must include 2 references. These can be data sheets from the lab website, articles from the internet, the textbook, etc. References should follow the ASME format. (https://www.asme.org/shop/proceedings/conference-publications/references)

Deliverables for A6 and A7 (25 points)
For more details on any of the items below, please refer to the lab handout.

Item and Description	Points Awarded	Possible Points
A6: A plot of measured output voltage vs. load resistance for the two different lamp irradiances		3
A6: A plot of measured efficiency vs. load resistance for the two different lamp irradiances with vertical lines denoting the internal resistances		3
A6: A plot of measured irradiance vs. distance for the two different lamp irradiances		3
A6: A plot of log(irradiance) vs. log(distance) for the two different lamp irradiances with linear curve fits and slopes in the caption		3
 A7: A table summarizing the power requirements for each of the devices Typical voltage requirement Typical current requirements Instantaneous power consumption in kW Estimated daily usage of each device in hrs/day Estimated average power consumption in kWhrs/day 		5
 A7: A table summarizing your design parameters and calculations The irradiance in kWhrs/day/m² at the location The percent efficiency of the solar panels The size of the solar panels in m² The number of solar panels needed The total average power in kWhrs/day the solar panels are expected to produce The energy storage capacity of the battery The number of batteries needed to store half a day's worth of energy from the panels. 		5
A7: A bill of materials (BOM) for the solar panels, batteries, and charge controller		3
TOTAL		25

Guidelines for Deliverables

- Tables should always be centered with captions above labeled Table 1, etc..
- Tables should have black text on white background with 12 point Times New Roman.
- Tables should have the text centered both horizontally and vertically.
- Plots should *not* have titles.
- Plots should always have axes clearly labeled with units.
- Plots should always be centered with captions beneath labeled Fig. 1, etc.
- Theoretical curves should always be smooth and continuous (no "kinks").
- Measured data points should be plotted as individual markers. If there are *more than* 20 measured data points, then connect them or use a continuous line.