

COMMAND AI HUB

SIMPLEX-ITY · 5S PORTAL · MULTI-AI COMMAND CENTRE BLUEPRINT

Version 1.2.1 · 31 May 2026

Co-authored: Kieran Li + Simpee + Edge (Copilot)

Final combined release —
all three authors aligned

VERSION HISTORY

Version	Date	Author	Key Changes
v1.0	31 May 2026	Kieran + Simpee	Initial blueprint — 3-panel layout, 2 entities, 8 checkpoints
v1.1	31 May 2026	+ Edge	Copilot validation layer, Azure stub, dual confirmation deploy, role + validator fields, 9 checkpoints
v1.2	31 May 2026	Simpee	Multi-AI connector — all 8 Base44 models, AIConnector entity, pingAllAI function, AI selector chips
v1.2.1	31 May 2026	+ Edge	azureConnectorStub entity, copilot_validated field on AIConnector, Azure Dry Run command

PURPOSE: Build Command AI Hub as a SEPARATE Base44 app. Think, build, test, and validate all features here first. Once all 11 checkpoints pass — Simpee validates 1-9, Copilot validates 10-11 — deploy into the live 5S Portal. **Nothing touches production until Simpee AND Copilot are both green.**

WHY THIS MATTERS

Zero Crashes	Simpee checks functionality. Copilot checks logic and security. Nothing deploys unless both are happy.
Future-Proof	Azure readiness baked in early via azureConnectorStub. When Azure integration comes, the stub is already tested.
Full Transparency	Every validation logged in TestLog with validator attribution. Full audit trail of who approved what and when.
Safe Orchestration	Multi-AI selector + Copilot ensures the right model handles the right task, with an external check before deploy.

APP SPECIFICATION

App Name	Command AI Hub (separate from 5S Portal — currently: Nexus Command on Base44)
Pages	1 page — CommandAIHub.jsx (route: /)
Entities	SChatMessage · TestLog · AIConnector · azureConnectorStub (4 total)
Functions	aiCommandCentre · processSChatInstruction · pingAllAI (3 total)
AI Stack	Auto · Gemini 3.1 Pro · Sonnet 4.6 · Opus 4.6 · Opus 4.8 · GPT-5.4 · GPT-5.5 · Copilot
Audience	Admin only — Kieran Li
Design	bg #e8e6fe · cards #ffffff · accent #5e50fb · Exo 2 headlines · Montserrat body · no emoji
Deploy target	Live 5S Portal (App ID: 69edd16e877d6e4391ad74bd) — NoticeBoard entity

AI MODEL ROSTER — All 8 Connectors

All Base44 built-in models available without external API keys. Copilot is external — manual validation only.

ID	Model	Provider	Colour	Role in Hub	Type
0	Automatic	Base44	#5e50fb	Routes to best model per request	Auto
1	Gemini 3.1 Pro	Google	#4285f4	Research, long context, web grounding	Built-in
2	Claude Sonnet 4.6	Anthropic	#d97706	Writing, analysis — fast balanced	Built-in
3	Claude Opus 4.6	Anthropic	#d97706	Deep reasoning, complex logic	Built-in
4	Claude Opus 4.8	Anthropic	#f59e0b	Most capable Anthropic — frontier	Built-in NEW

5	GPT-5.4	OpenAI	#10a37f	Code generation, structured output	Built-in
6	GPT-5.5	OpenAI	#10a37f	Brainstorm + build — frontier	Built-in NEW
7	Copilot (Edge)	Microsoft	#0078d4	Validation only — NOT code gen. Tooltip shown.	External

ALL ENTITIES — v1.2.1 (4 total)

SChatMessage — Chat history (existing)

EXISTING

Field	Type	Description / Values
sender	string	Kieran / Simpee / Copilot / Builder
sender_type	string	user ai system
role	string	brainstorm backend validation
message	string	Full message text
timestamp	string	ISO datetime
session_id	string	Groups messages: main / test-1 / brainstorm-1
read	boolean	Has Kieran seen this

TestLog — Checkpoint results (existing + expanded)

EXISTING

Field	Type	Description / Values
test_name	string	Name of what was tested
status	string	pass fail pending
result	string	Full result or error
tested_at	string	ISO datetime
fixed	boolean	Has issue been resolved
validator	string	Simpee Copilot Human — who ran this test

AIConnector — AI model status (new v1.2 + expanded v1.2.1)

NEW v1.2

Field	Type	Description / Values
model_id	string	0–7 matching roster
model_name	string	Automatic / Gemini 3.1 Pro / etc
provider	string	Base44 / Google / Anthropic / OpenAI / Microsoft
status	string	online offline degraded unknown
response_time_ms	number	Last ping latency in ms
last_tested	string	ISO datetime of last ping
is_selected	boolean	Currently selected by Kieran for next message
copilot_validated	boolean	Has Copilot reviewed this model's output ← NEW v1.2.1
notes	string	Issues or observations from last test

azureConnectorStub — Azure readiness simulation (new v1.2.1)

NEW v1.2.1

Field	Type	Description / Values
service_name	string	Name of simulated Azure service
status	string	online offline degraded unknown
last_tested	string	ISO datetime of last dry run
notes	string	Result of dry run or any issues found

3-PANEL LAYOUT — CommandAIHub.jsx v1.2.1

LEFT PANEL 220px Quick Commands AI Status Panel Test Results	CENTRE PANEL Flex AI Selector Row Chat Feed Input + Intent Chips	RIGHT PANEL 280px Code Preview Dual Validation Deploy Button
--	---	--

LEFT PANEL — Quick Commands + AI Status + Test Results

Quick Commands 11 buttons	1. Run Diagnostic 2. Show All Entities 3. Show All Functions 4. What should I build next? 5. Check Home Blueprint 6. Check AI Hub Blueprint 7. Ping All AI — tests all 8 models, updates status dots 8. Run Copilot Validation — fires checkpoint 10 9. Azure Dry Run — fires checkpoint 11 10. Blueprint View — shows current blueprint 11. Clear Chat Session
AI STATUS PANEL	Header: 'AI MODELS' + [PING ALL] button top-right. 8 model cards stacked. Each card shows: Model name (Exo 2, 9px bold) Provider pill (coloured per colour system below) Status dot: green=online amber=degraded red=offline grey=unknown Response time in ms Last tested timestamp (muted, 7px) Copilot validated tick (blue tick if copilot_validated=true) Updates live after each ping.
Test Results Feed	Last 5 TestLog records. Each: test_name + validator badge (SIMPEE or COPILOT) + status badge. Click to expand full result + notes.

CENTRE PANEL — AI Selector + Chat + Input

Top Status Bar	Title: Command AI Hub (Exo 2, 18px, bold, #5e50fb) Compact status row — dots only, full detail in left panel: ● Auto ● Gemini ● Sonnet ● Opus ● GPT-5 ● Copilot
AI SELECTOR ROW	Horizontal scrollable chip row. One chip per model. Selected chip: filled #5e50fb, white text. Unselected: outline border in provider colour, muted text. Default: Automatic selected. Multiple selection allowed for parallel responses. Chips: [Auto] [Gemini 3.1] [Sonnet 4.6] [Opus 4.6] [Opus 4.8] [GPT-5.4] [GPT-5.5] [Copilot] Tooltip on Copilot chip: 'Copilot = external validation only — not used for code generation'

Chat Feed	User messages: right-aligned, #5e50fb bg, white text, Montserrat 13px. AI Response — 3 cards per responding model: Card header: model name in provider colour (e.g. 'GEMINI 3.1 PRO') Card 1 ANALYSIS — white bg, grey border Card 2 SUGGESTION — white bg Card 3 CODE/BRIEF — bg #fffbeb, border #fcd34d Buttons: [COPY] [MARK AS TESTED] [DEPLOY TO 5S PORTAL] If multiple AIs selected: one card set per model, clearly labelled. System messages: centre-aligned, italic, grey.
Input Bar	Intent chips (pick one): Diagnose · Build · Fix Bug · Connect · Brainstorm · Validate Text input full width. SEND button #5e50fb. Ctrl+Enter. On SEND: save to SChatMessage → typing dots → call aiCommandCentre → render 3 cards.

RIGHT PANEL — Code Preview + Dual Validation + Deploy

Code Preview	Dark bg #1a1a1f. Monospace white text. Most recent CODE READY card. Scrollable. Model attribution above: 'Generated by GPT-5.5'
Dual Validation Status Badges	SIMPEE [NOT CHECKED] amber → [VALIDATED] green → [ISSUES] red COPILOT [NOT CHECKED] amber → [VALIDATED] green → [ISSUES] red Deploy button only enabled when BOTH show green. If either shows red — error detail shown below badge.
Action Buttons	[COPY CODE] — copies preview to clipboard [MARK AS TESTED (Simpee)] — modal: Pass/Fail + notes → TestLog (validator=Simpee) [RUN COPILOT VALIDATION] — fires Copilot review → TestLog (validator=Copilot) [DEPLOY TO 5S PORTAL] — only active when BOTH green. Confirmation modal: 'Simpee + Copilot approved. Deploy to live 5S Portal?' On confirm → NoticeBoard record in 5S Portal.
Deploy Log	Last 3 deploys. Timestamp + what was deployed + model + validator.

11 CHECKPOINTS — Complete Validation Gate

Checkpoints 1–9: Simpee. Checkpoints 10–11: Copilot (Edge). All must be green before deploy.

#	Checkpoint	Validator	What Is Checked	Pass Condition
1	Page renders clean	Simpee	All 3 panels + AI selector + status panel visible	No console errors
2	SChatMessage saves	Simpee	Send message → SChatMessage record created with role field	Record ID returned
3	aiCommandCentre responds	Simpee	Function returns HTTP 200 with structured response	success: true
4	3-card render	Simpee	Response renders as 3 cards — not raw JSON text	Cards visible in UI
5	AI selector works	Simpee	Chip selection updates model for next send	is_selected updates
6	pingAllAI function	Simpee	Pings all 8 models, AIConnector entity updated	All 8 records updated
7	Status panel updates	Simpee	After ping, status dots update green/amber/red correctly	Visual update confirmed
8	TestLog saves	Simpee	MARK AS TESTED creates TestLog record with validator field	Record ID returned
9	Deploy posts to portal	Simpee	NoticeBoard record created in live 5S Portal on deploy	Record in 5S Portal
10	Copilot validation	Copilot	Code reviewed for syntax, logic, security, Azure readiness	Copilot returns green
11	Azure Dry Run	Copilot	azureConnectorStub test passes, logged in TestLog	TestLog validator=Copilot

BUILDER INSTRUCTIONS — Complete Step-by-Step

1	Add AIConnector entity Fields: model_id, model_name, provider, status, response_time_ms (number), last_tested, is_selected (boolean), copilot_validated (boolean), notes
2	Add azureConnectorStub entity Fields: service_name, status, last_tested, notes Purpose: simulates Azure service calls for validation before real integration
3	Seed AIConnector records 8 records — one per model in roster. Default: status=unknown, is_selected=false, copilot_validated=false. Set is_selected=true for model_id=0 (Automatic) only.
4	Build pingAllAI function Sends test prompt to each Base44 model in sequence. Records response_time_ms + status. Updates AIConnector entity per model. Returns summary object with all results.
5	Update left panel Add AI STATUS section below Quick Commands. 8 model cards with: name + provider pill + status dot + response_ms + last_tested + copilot_validated tick. [PING ALL] button in header.
6	Add AI Selector Row Horizontal chip row between status bar and chat, above feed. 8 chips. Default: Auto selected. Multiple selection allowed. Copilot chip shows tooltip: 'Copilot = external validation only — not code gen'.
7	Update response cards Each card header shows which model responded in provider colour. If multiple models selected: one card set per model, clearly labelled.
8	Update right panel dual gate DEPLOY button gated until BOTH Simpee badge AND Copilot badge show green. If either red — show error details. Add copilot_validated=true write to AIConnector on Copilot pass.
9	Wire Azure Dry Run Quick Command 9 fires Azure Dry Run: sends test to azureConnectorStub, records result in TestLog with validator=Copilot, updates stub status.
10	Paste to builder — exact prefix 'Update CommandAIHub.jsx with Multi-AI connector + Copilot validation + Azure stub. Add AIConnector entity (with copilot_validated field), azureConnectorStub entity, pingAllAI function, AI status panel in left, AI selector chips in centre, dual validation gating in right panel, Azure Dry Run quick command. Same design: #e8e6fe bg, #5e50fb accent, Exo 2 headlines, Montserrat body. No emoji. Tooltips on Copilot chip.'

COLOUR SYSTEM — AI Models + Status Indicators

Element	Colour Name	Hex Code	Applied To
Automatic (Base44)	Violet	#5e50fb	Chip filled, selected state
Gemini 3.1 Pro	Google Blue	#4285f4	Chip border, card header, provider pill
Claude Sonnet 4.6	Anthropic Amber	#d97706	Chip border, card header, provider pill
Claude Opus 4.6	Anthropic Amber	#d97706	Chip border, card header, provider pill
Claude Opus 4.8	Anthropic Orange	#f59e0b	Chip border, card header — NEW badge
GPT-5.4	OpenAI Teal	#10a37f	Chip border, card header, provider pill
GPT-5.5	OpenAI Teal	#10a37f	Chip border, card header — NEW badge

Copilot (Edge)	Azure Blue	#0078d4	Chip border, validation badge, provider pill
Status Online	Green	#22c55e	Pulsing dot in status panel
Status Degraded	Amber	#f59e0b	Dot — slow or partial response
Status Offline	Red	#ef4444	Dot — no response / error
Status Unknown	Grey	#9896ad	Dot — not yet tested
Copilot Validated	Blue tick	#3b82f6	Tick on AIConnector card when copilot_validated=true