

Course: Web Application Development

Lab Instructor: Vo Duy Khoi, MSc

Email: khoivd@hcmiu.edu.vn

Web Resources: <http://125.234.238.107/web/web-application-development>

Lab 4 - Web Session using Cookies

Content:

- Definitions.
- Sending cookies to browser
- Reading cookies from browser
- Simple cookie-handling Servlets
- Practices and Exercises

Duration: 3 hours

Part 1: Definitions

What is Cookies?

A message given to a Web browser by a Web server. The browser stores the message in a text file. The message is then sent back to the server each time the browser requests a page from the server.

The main purpose of cookies is to identify users and possibly prepare customized Web pages for them. When you enter a Web site using cookies, you may be asked to fill out a form providing such information as your name and interests. This information is packaged into a cookie and sent to your Web browser which stores it for later use. The next time you go to the same Web site, your browser will send the cookie to the Web server. The server can use this information to present you with custom Web pages. So, for example, instead of seeing just a generic welcome page you might see a welcome page with your name on it.

What is a Session?

A Session refers to all the request that a single client makes to a server. A session is specific to the user and for each user a new session is created to track all the request from that user. Every user has a separate session and separate session variable is associated with that session. In case of web applications the default time-out value for session variable is 20 minutes, which can be changed as per the requirement.

What is Session cookies?

Also called a transient cookie, a cookie that is erased when the user closes the Web browser. The session cookie is stored in temporary memory and is not retained after the browser is closed. Session cookies do not collect information from the user's computer. They typically will store information in the form of a session identification that does not personally identify the user.

What is Persistent cookies?

Also called a permanent cookie, or a stored cookie, a cookie that is stored on a user's hard drive until it expires (persistent cookies are set with expiration dates) or until the user deletes the cookies. Persistent cookies are used to collect identifying information about the user, such as Web surfing behavior or user preferences for a specific Web site.

Part 2: Sending Cookies to client (browser)

Following 3 steps below:

1. Creating a `Cookie` object. You call the `Cookie` constructor with a cookie name and a cookie value, both of which are strings.

Example: `Cookie c = new Cookie("userID", "a1234");`

2. Setting the maximum age. If you want the browser to store the cookie on disk instead of just keeping it in memory, you use `setMaxAge` to specify how long (in seconds) the cookie should be valid.

Example: `c.setMaxAge(60*60*24*7); // One week`

3. Placing the `Cookie` into the HTTP response headers. You use `response.addCookie` to accomplish this. If you forget this step, no cookie is sent to the browser!

Example: `response.addCookie(c);`

Part 3: Reading Cookies from the client (browser)

Following 2 steps:

1. Call `request.getCookies`. This yields an array of `Cookie` objects.
2. Loop down the array, calling `getName` on each one until you find the cookie of interest. You then typically call `getValue` and use the value in some application-specific way.


Loop Down the Cookie Array:

Once you have the array of cookies, you typically loop down it, calling `getName` on each `Cookie` until you find one matching the name you have in mind. Remember that cookies are specific to your host (or domain), not your servlet (or JSP page). So, although your servlet might send a single cookie, you could get many irrelevant cookies back. Once you find the cookie of interest, you typically call `getValue` on it and finish with some processing specific to the resultant value. For example:


```
String cookieName = "userID";
Cookie[] cookies = request.getCookies();
if (cookies != null) {
    for(int i=0; i<cookies.length; i++) {
        Cookie cookie = cookies[i];
        if (cookieName.equals(cookie.getName())) {
            doSomethingWith(cookie.getValue());
        }
    }
}
```

Part 4: Simple cookie-handling Servlets


Click File -> New Project. Chose Samples\Web on the categories and choose Servlet Example -> Next -> Finish



The project is created automatically. Choose the file CookieExample.java, look at the source code:




This is the interface when we run project on browser



Part 5: Practices and Exercises

Exercise1:

Open source code of Cookies and Session from ServletExample and modify Cookies:



Test Simple Cookies!


Submit

Create a servlet with name SimpleCookie.java, modify source code below:

PrintWriter out;


```
response.setContentType("text/html");
out = response.getWriter();
Cookie cookie = new Cookie("Cookies_Name", "123456");
cookie.setMaxAge(100);
response.addCookie(cookie);
```

This is the result on browser:



Exercise 2:

Design a form like this:



JSP Page - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

http://localhost:8084/SessionCookies/index.jsp

C# Random String Gen... Customize Links Downloads Home Page... e-books Free Hotmail Windows Marketplace

Print out the cookies

Input Cookie Name:

Input Cookie Value:

Copy the following source code and modify:

```
public class CookieExample extends HttpServlet {

    public void doGet(HttpServletRequest request, HttpServletResponse
response)
        throws IOException, ServletException
    {
        response.setContentType("text/html");
        PrintWriter out = response.getWriter();


        // print out cookies

        Cookie[] cookies = request.getCookies();
        for (int i = 0; i < cookies.length; i++) {
            Cookie c = cookies[i];
            String name = c.getName();
            String value = c.getValue();
            out.println(name + " = " + value);
        }

        // set a cookie

        String name = request.getParameter("cookieName");
        if (name != null && name.length() > 0) {
            String value = request.getParameter("cookieValue");
            Cookie c = new Cookie(name, value);
            response.addCookie(c);
        }
    }
}
```

This is the result:



Mozilla Firefox

File Edit View Go Bookmarks Tools Help

http://localhost:8084/SessionCookies/CookieExample?cookieName=CookieValue&co

C# Random String Gen... Customize Links Downloads Home Page... e-books Free Hotmail Windows Marketplace


Print out the cookies:
Name: JSESSIONID
Content: 93788FAD219662ABB5125F25F07284F6

Set a new cookie:
Cookie name: CookieValue
Cookie value: 12345


Go to browser click Tool -> Option -> Cookies -> View Cookies to check information of name and value which send to browser.

Exercise 3: Base on chapter 8 in the text-book (8.5 Using Cookies to Detect First-Time Visitors) copy source code and modify to create a cookie:


This is the first running, counter = 0.



This is the result when click “Refresh” button, counter = 1.




Exercise 4: Refer example “Listing 9.1 ShowSession.java” from text-book, you can modify source code to understand session.



Test Session

The first running on browser:



The next time (refresh button):

