Snippet React Snippets Cheatsheet

Snippet	Renders
ccc	Class Component With Constructor
cc	Class Component
cdc	componentDidCatch
cdm	componentDidMount
cdu	componentDidUpdate
cp	Context Provider
cpf	Class Property Function
cpc	Class Pure Component
cwm	componentWillMount
cwrp	componentWillReceiveProps
cwu	componentWillUpdate
cwun	componentWillUnmount
ffc	Function Component
gds	getDerivedStateFromProps
gsbu	getSnapshotBeforeUpdate
hoc	Higher Order Component
impc	Import React / PureComponent
imrd	Import ReactDOM
imrc	Import React / Component
imr	Import React
imrs	Import React / useState
imrse	Import React / useState useEffect
impt	Import PropTypes
ren	render
rprop	Render Prop
scu	shouldComponentUpdate
sfc	Stateless Function Component (Arrow function)

Snippet	Renders
ssf	Functional setState
ss	setState
ucb	useCallback Hook
uef	useEffect Hook
usf	Declare a new state variable using State Hook

Snippet Prefix	Description
ccc	Class Component with Constructor
cc	Class Component
cdm	componentDidMount
cdu	componentDidUpdate
cpc	Class Pure Component
cp	Declare a new Context Provider. Hit Tab to apply PascalCase to type names.
cwrp	componentWillReceiveProps
cwu	componentWillUpdate
cwun	componentWillUnmount
cwm	componentWillMount
cdc	componentDidCatch
fc	Function Component
ffc	Function Syntax Component
gds	getDerivedStateFromProps
gsbu	getSnapshotBeforeUpdate
impc	Import React, { PureComponent }
imrd	Import ReactDOM
imrc	Import React, { Component }
imrse	Import React, { useState, useEffect }
imrs	Import React, { useState }
imr	Import React

Snippet Prefix	Description
ren	render
rprop	Render Prop
sfc	Stateless Function Component
sfnc	Stateless Function Named Component
ssf	Functional setState
ss	setState
ucb	useCallback Hook
uef	useEffect Hook
usf	Declare a new state Variable using the State Hook. Hit Tab to apply CamelCase to function
usr	Declare a new ref Variable using the Ref Hook.
scu	shouldComponentUpdate