React Components

In React, components are the building blocks of your application, and they help break down your UI into reusable, modular pieces. Components can be created using either **function expressions** (functional components) or **class declarations** (class components). Since functional components are the modern, recommended approach (especially with hooks), we'll focus on them.

How to Create and Use a New Component in a React Project

Here, we'll walk through creating a new component inside a components folder, using an **arrow function** and **basic JSX**, and then including it in **App.js.**

Step 1: Organize the Folder Structure

We will create a folder called **components** inside the **src** directory to store all our components.

Here's how the folder structure might look:

```
/my-app
  /src
    /components
      MyComponent.js  <-- New Component
    App.js
    index.js
    App.css
```

Step 2: Create the Component (Arrow Function + JSX)

Inside the components folder, create a new file called **FirstComponent.js**. We'll define a functional component inside this file using an **arrow function** and return some basic JSX.

In src folder, Create a subfolder named components. Inside this subfolder create a JS File named **FirstComponent.js**


The naming style of **FirstComponent** follows **Camel Case**

In VS Code, under extensions, Search and Install below extensions.

- Prettier - Code Formatter
- Simple React Snippets

For autocomplete Cheat Refer **PDF3. Snippet React Snippets** – Cheatsheet


Inside **FirstComponent.js** type **sfc** and autocomplete, React will complete an arrow function for this component. Complete the code as show below. (Type the function name)



Next is a Brief description of the above code:

- **Functional Component**: **FirstComponent** is a functional React component, created using an **arrow function**.
- **JSX Return**: The component returns JSX, which is an HTML-like syntax within JavaScript, used by React to define the structure of the UI.
- **ClassName**: It uses className="App" to apply styles, which is the React-specific attribute for applying CSS classes.
- **Heading**: Inside the JSX, there is an h1 element that displays the text "My Second Great Component".
- **Export**: The component is exported with export default, making it available to be imported and used in other parts of the application.

Now head to **App.js** , See next.



Nested Component:

- Inside the paragraph, the **FirstComponent** component is rendered. This means **FirstComponent** will be displayed within this section of the App component.

Also confirm that **FirstComponent** has been automatically Imported.

```
import FirstComponent from './components/FirstComponent';
```

Run you React App.
The FirstComponent.js Code Renders on the screen, its Content in highlighted in the screenshot below.

