React App File Structure

Here's an explanation of the typical **file structure** of a React application created with **Create React App** (CRA), or a similar starter setup:

1. node_modules/

- **What it is**: This directory contains all the npm packages and dependencies installed for your project.
- **Do I need to modify it?**: No, this folder is automatically managed by npm or yarn. You typically don't interact with it directly.

2. public/

- **What it is**: This folder contains static files that will be served by the web server. It's where files like the index.html file live.
- **Key files:**
  - **index.html**: The main HTML file that is used to render your React app. React will inject the JavaScript files here and dynamically update the DOM inside the div with id="root".
  - **favicon.ico**: The icon shown in the browser tab.
  - **Other static files**: Images, fonts, or any other static resources that don't change during the app's execution can go here.

3. src/

- **What it is**: This is the **source code** directory where most of your work happens. You create React components, manage state, handle events, and build the app's logic in this directory.
- **Key files/folders:**
  - **index.js**: This is the entry point of the React application. It renders the root component (App.js) into the DOM. It also sets up any global configurations, like context providers, router setup, etc.
  - **App.js**: This is the main component of your application. It's the root React component that organizes your UI structure and contains most of your app's logic.
  - **App.css**: The default CSS file for styling the App.js component.

- **logo.svg**: A default logo that is displayed in the app (used for demonstration in CRA).
- **Other components**: Typically, you create more components like buttons, cards, and form fields in the src folder to build up your UI.

4. package.json

- **What it is**: This file contains metadata about your project, including the project name, version, and dependencies (the libraries you use).
- **Do I need to modify it?**: You don't need to modify this manually unless you're adding dependencies or scripts.

5. package-lock.json

- **What it is**: This file is automatically generated when you run npm install. It locks down the specific versions of the installed dependencies, ensuring consistent installs across different machines.
- **Do I need to modify it?**: No, you generally don't modify this file directly. It's auto-managed by npm.

6. .gitignore

- **What it is**: This file tells Git which files and directories to ignore (like node_modules, log files, or other environment-specific files) when you commit your code to a repository.
- **Do I need to modify it?**: You can add any additional files or folders to ignore here if needed.

7. README.md

- **What it is**: This file typically contains documentation about your project, such as installation instructions, features, and usage.
- **Do I need to modify it?**: It's a good practice to modify and maintain this file as you develop your app, especially if you're working in a team.

8. reportWebVitals.js

- **What it is**: A script used to measure web performance metrics, such as page load time, for your app. This is optional and can be removed if you're not interested in performance tracking.
- **Do I need to modify it?**: No, but you can modify it to send performance data to external services, if needed.

Please the Project to be Created in below Github Link
https://github.com/modcomlearning/my-app