

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-



### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-

### Cloud Accounts

Cloud accounts must identify owner, billing contact, environments, access groups, regions, backup approach, and escalation contacts. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Deployment Pipeline

Deployment pipelines should build, test, package, migrate, deploy, and verify applications with clear failure messages. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Secrets Management

Secrets belong in approved secret stores and must not be committed, emailed, logged, or pasted into public tools. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Observability

Production systems need health checks, logs, alerts, metrics, and clear ownership for alert response. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

### Disaster Recovery

Recovery plans must identify backup frequency, restore steps, recovery time expectations, and test schedule. This page is part of the Code 5 Developers knowledge library and supports software development, systems development, maintenance, and technology operations.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-impacting issues.

Operational note: use the documented process, keep client decisions visible, protect client data, and escalate delivery, security, or production risks before they become client-