29/4/26

EXPERIMENT - 10(b)

DESIGN & CONFIGURE AN INTERNETWORK USING WIRELESS ROUTER, DCHP, SERVER & INTERNET CLOUD

Part 1: Build a simple network in the logical topology workspace.

Step 1: Launch Packet tracer

Step 2: Build the topology

a. Add network devices to workspace.
b. Change display names of network devices
c. Add the physical cabling btw devices on the workspace.

Part 2: Configure the network devices

Step 1: Configure the wireless router

a. Create the wireless network on the wireless router
b. Click on the save settings tab.

Step 2: Configure the laptop

a. Configure the laptop to access the wireless network.

Step 3: Configure the PC

a. Configure the PC for the wired network.

Step 4: Configure the internet cloud

a. Install network modules if necessary.

b. Identify the form E to ports

C. Identify the type of provider

Step 5: Configure the CISCO.com Server

a. Configure the cisco.com server as a DHCP

b. Configure the cisco.com server as a DNS server to provide domain name to IPv4 address resolution.

c. Configure cisco.com server FastEthernet Interface settings


&

Part 3: Verify connectivity

Step 1: Refresh the IPv4 settings on the PC

a. Verify that the PC is receiving IPv4

b. Test connectivity to cisco.com Serve



Result :

Thus design & configuration of wireless router was implemented