Rajalakshmi Engineering College

Name: KEERTHANA C

Email: 240701253@rajalakshmi.edu.in

Roll no: 240701253 Phone: 6205054440

Branch: REC

Department: I CSE FC

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_CY

Attempt : 1 Total Mark : 40 Marks Obtained : 40

Section 1: Coding

1. Problem Statement

Implement a program that checks whether a set of three input values can form the sides of a valid triangle. The program defines a function is_valid_triangle that takes three side lengths as arguments and raises a ValueError if any side length is not a positive value. It then checks whether the sum of any two sides is greater than the third side to determine the validity of the triangle.

Input Format

The first line of input consists of an integer A, representing side1.

The second line of input consists of an integer B, representing side2.

The third line of input consists of an integer C, representing side3.

The output prints either "It's a valid triangle" if the input side lengths form a valid triangle,

or "It's not a valid triangle" if they do not.

If there is a ValueError, it should print "ValueError: <error_message>".

Refer to the sample output for the formatting specifications.

```
Sample Test Case
```

Input: 3

```
Output: It's a valid triangle
Answer
# You are using Python
class ValueError(Exception):
  pass
def is_valid_triangle(a,b,c):
  if a>0 and b>0 and c>0:
    if a+b>c and b+c>a and c+a>b:
       print("It's a valid triangle")
    else:
       print("It's not a valid triangle")
  else:
    raise ValueError("ValueError: Side lengths must be positive")
a=int(input())
b=int(input())
c=int(input())
try:
  is_valid_triangle(a,b,c)
except ValueError as e:
  print(e)
```

Status : Correct Marks: 10/10

2. Problem Statement

A shopkeeper is recording the daily sales of an item for N days, where the price of the item remains the same for all days. Write a process calculate the total sales for each day and save them in a file named sales.txt that can store the data for a maximum of 30 days. Then, read the file and display the total earnings for each day.

Note: Total Earnings for each day = Number of Items sold in that day × Price of the item.

Input Format

The first line of input consists of an integer N, representing the number of days.

The second line of input consists of N space-separated integers representing the number of items sold each day.

The third line of input consists of an integer M, representing the price of the item that is common for all N days.

Output Format

If the number of days entered exceeds 30 (N > 30), the output prints "Exceeding limit!" and terminates.

Otherwise, the code reads the contents of the file and displays the total earnings for each day on separate lines.

Contents of the file: The total earnings for N days, with each day's earnings appearing on a separate line.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 4

```
5 10 5 0
   20
Output: 100
   200
   100
   Answer
   # You are using Python
   n=int(input())
   num=list(map(int,input().split()))
   m=int(input())
   if n<=30:
     with open("sales.txt","w") as file:
        for i in range(n):
          total=m*num[i]
          total=str(total)
          file.write(total)
          file.write("\n")
     with open("sales.txt","r") as file:
        content=file.read()
     print(content)
   else:
     print("Exceeding limit!")
```

Status: Correct Marks: 10/10

3. Problem Statement

Alex is creating an account and needs to set up a password. The program prompts Alex to enter their name, mobile number, chosen username, and desired password. Password validation criteria include:

Length between 10 and 20 characters.At least one digit.At least one special character from !@#\$%^&* set. Display "Valid Password" if criteria are met; otherwise, raise an exception with an appropriate error message.

Input Format

The first line of the input consists of the name as a string.

The second line of the input consists of the mobile number as a string.

The third line of the input consists of the username as a string.

The fourth line of the input consists of the password as a string.

Output Format

If the password is valid (meets all the criteria), it will print "Valid Password"

If the password is weak (fails any one or more criteria), it will print an error message accordingly.

Refer to the sample outputs for the formatting specifications.

Sample Test Case

```
Input: John
9874563210
john
john1#nhoj
Output: Valid Password
Answer
# You are using Python
class ValidError(Exception):
  pass
def to_check_validity(password):
  length=False
  digit=False
  special=False
  if len(password)>=9 and len(password)<=20:
    length=True
  else:
    raise ValidError("Should be a minimum of 10 characters and a maximum of
20 characters")
  for i in password:
   if i.isdigit():
      digit=True
      break
```

```
if digit!=True:
    raise ValidError("Should contain at least one digit")
  for i in password:
    if i in "!@#$%^&*":
       special=True
      break
  if special!=True:
    raise ValidError("It should contain at least one special character")
  if length==True and digit==True and special==True:
    print("Valid password")
try:
  name=input()
  mobile=input()
  username=input()
  password=input()
  to_check_validity(password)
except ValidError as e: V
  print(e)
```

Status: Correct Marks: 10/10

4. Problem Statement

Alice is developing a program called "Name Sorter" that helps users organize and sort names alphabetically.

The program takes names as input from the user, saves them in a file, and then displays the names in sorted order.

File Name: sorted_names.txt.

Input Format

The input consists of multiple lines, each containing a name represented as a string.

To end the input and proceed with sorting, the user can enter 'q'.

The output displays the names in alphabetical order, each name on a new line.

Refer to the sample output for the formatting specifications.

```
Sample Test Case
```

```
Input: Alice Smith
    John Doe
    Emma Johnson
    Output: Alice Smith
Emma Johnson
John Da
```

Answer

```
# You are using Python
Ι=Π
while True:
  name=input()
  if name=='q':
    break
  l.append(name)
l.sort()
with open("sorted_names.txt","w") as file:
  for i in I:
    file.write(i)
    file.write('\n')
with open("sorted_names.txt","r") as file:
  print(file.read())
```

Status: Correct Marks: 10/10