webfleet

PRO i

Driver identification and real-time feedback enhance driver performance across your fleet

BRIDGESTONE
Solutions for your journey

PRO i

One compact device for your essential fleet needs

The PRO i device seamlessly integrates drivers into your fleet management process, combining all essential features in one compact device. Boost productivity and safety with paperless workflows, real-time coaching and driver identification. Take immediate control, stay compliant and enhance driver engagement—all with a single, smart device.

Content

1. Introduction
   - Driving and working time management ranked as a top priority.
   - How can digitising driver support help your drivers?
   - What stops fleet managers from adapting these solutions?
2. Summary
   - Introducing PRO i
   - Use cases
3. Features
   - Feature overview
   - Driver identification
   - Logbook
   - Working time
   - Active driver feedback: 6 indicators
   - Driving mode
   - PRO line-up features comparison
   - When to choose PRO i?
4. Benefits
   - Customer benefits
5. Requirements and pricing
   - Price
   - OptiDrive 360
6. Appendix
   - Impact Plus bundle
   - RFID card assignment
   - Webfleet settings
   - Technical specifications
   - PRO i installation

Driving and working time management ranked as top priorities

- We interviewed **400** fleet managers across the UK, Germany, the Netherlands, and France in the last-mile delivery segment to understand their preferences for fleet management solutions.
  - Fleet managers in the UK and Germany rank "**driving and working time management**" as the most relevant fleet management solution feature for them.
  - **86%** of fleet managers across these four countries think "**driving and working time management**" is relevant or will become relevant.
  - In the Netherlands, "**active fuel consumption monitoring**" is ranked as the most relevant feature.
  - **88%** of fleet managers across these four countries think **"active fuel consumption monitoring"** is relevant or will become relevant.

How can digitising driver support help your drivers?

- In Webfleet's *European Van Driver Report 2023,* 960 van drivers across Europe were interviewed to understand the problems they encounter and the support they need. During the interviews, a range of digital solutions were discussed with drivers, including "driver performance coaching" and "driver ID and working time management".

- **Driver identification and digital working time reporting**

  If you share vans amongst your drivers, Driver ID makes it simple to identify who is behind the wheel of each vehicle. With minimum input required from them, you can know how much time is being spent on the road, on-site and with customers.

36%

of van drivers use this solution

81%

of van drivers that use this solution say it gives them an extremely high or high level of support

63%

of van drivers that do not use this solution say they either very much want to use it or want to use it

How can digitising driver support help your drivers?

- In Webfleet's *European Van Driver Report 2023,* 960 van drivers across Europe were interviewed to understand the problems they encounter and the support they need. During the interviews, a range of digital solutions were discussed with drivers, including "driver performance coaching" and "driver ID and working time management".

- **Driver performance analysis and coaching**

  A driver performance analysis and coaching solution provides you and your drivers with data-based insights that help you encourage a safer driving style.

24%

of van drivers use this solution

76%

of van drivers that use this solution say it gives them an extremely high or high level of support

64%

of van drivers that do not use this solution say they either very much want to use it or want to use it

What stops fleet managers from using these solutions?

- Both the driver shortage and increasing costs are hitting fleet managers hard. So, any investment needs to be carefully scrutinised.

- Rising costs in energy and fuel, along with overall inflation
- Unwillingness to transfer the increased operational costs to customers

- A notable shortage of drivers in the industry
- Drivers concerns regarding privacy issues

- Solutions overly complex for some fleet managers' requirements and some solutions being developed in-house.

Introducing PRO i

All your fleet's essential needs into one compact device

- A compact Driver Terminal with 2.8-inch colour touchscreen for quick driver access to essential features. Fit all fleet sizes.
- A buzzer prompts drivers to log in at trip start, with automatic logoff at trip end. Track work, breaks, and shifts effortlessly with one click. All drivers can use the work time module to register start/stop/pause by scanning RFID card.
- Tag each trip with a purpose such as **business**, **commuting** or **private.** Display indicates when location sharing is disabled[1]**.**
- Active driver feedback[2] for continuous improvement in driver performance with visual and audible feedback.
- Tyre pressure warning system[3] will alert drivers when tyre pressure is low, enhancing fleet safety. Real-time average fuel consumption for the current trip is also displayed.

[1]When the location-sharing option is disabled in private mode on the Webfleet platform, a visual indicator will be displayed on the device to reassure drivers that their privacy is protected.
[2]Drivers get real-time driving feedback on harsh braking, steering, gear shifting and idling.
[3]Tyre pressure monitoring system requires additional booking.

Use case: Driver

Customer needs/challenges	Proof points
• Driver requires a driver ID solution to sign into the assigned vehicle.	Driver can sign into the vehicle with RFID card. The OptiDrive scores will follow the driver even when they switch vehicles.
• Driver sometimes forgets to log in when the trip starts and to log off when the trip finishes.	A built-in buzzer reminds the driver to log on at the start of the trip. Driver is automatically logged off once the trip finishes.
• Driver may use the company vehicle for private trips but must differentiate between business and private usage when reporting.	The touchscreen simplifies work and trip status logging. Driver can tag each trip with a purpose such as business, commuting or private, automating the working time reporting.
• Driver doesn't want to be tracked during private trips and wants to be reassured that their privacy is not breached.	When the location-sharing option is disabled in private mode on the Webfleet platform, a visual indicator will be displayed on the device to reassure drivers that their privacy is protected.
• Driver wants real-time driving feedback to prevent accidents.	Driver gets real-time driving feedback on braking, steering, gear shifting and idling[1]. This enables them to adjust their behaviour in the moment.
• Driver must stay vigilant for low tyre pressure to prevent flat tyres.	Driver gets TPMS (tyre pressure monitoring system) warning on the screen in the event of low tyre pressure.
• Ant to make clear who is allowed to use the object or not.	This device has the possibilities to configure a restricted list of cards/drivers(driver groups) only these drivers are able to logon to the object. All others are rejected, and this will be made clear by a buzzer..

Use case: Fleet manager or owners

Customer needs/challenges	Proof points
• Fleet manager requires real-time vehicle location and driver identification, which is crucial for shared usage or during accidents.	You knows who is driving the vehicle at any specific time and receive any the crash notification and driving event reports on your Webfleet platform.
• Fleet manager needs vehicle utilisation report, especially in the case that private usage of vehicles is allowed.	Webfleet reporting features give you an overview of how your fleet is used including: – Driver ID used to sign in before trip – Type of trip (business/commute/private) – Complete trip information (start time/end time/stand-still/downtime) – Odometer readings (start/end) Trip reports can then be downloaded. To fully protect the driver's privacy, you can disable the location-sharing function in private trips on Webfleet.
• Fleet manager wants to identify which drivers require additional coaching for safer and more sustainable driving practices.	You see OptiDrive score reports for all your drivers in Webfleet, even when a driver switches between different vehicles. With interactive charts, you can quickly and accurately identify what areas to focus on and filter drivers who need more attention.
• Fleet manager needs to allocate vehicle to specific drivers.	Create in Webfleet a pre-authorized list of drivers attributed per specific vehicle. Only authorized drivers will be able to logon as drivers and start a journey with those vehicles. Non-authorized drivers are not able to logon and trigger constant buzzer sound.

Features overview

2.8” colour touchscreen

The PRO i features a 2.8” touchscreen for enhanced efficiency and ease of interaction. The coloured display makes warnings more visible, meaning a safer workday for the driver.

RFID compatibility

Integrated RFID capabilities (Mifare/EM4100/Hitag [1]) enable employees to scan their IDs at the beginning of the trip for log-in, with an automatic log-off feature upon trip completion.

Built-in buzzer

An internal buzzer encourages driver compliance with mandatory log-ins. It emits an audible alert when it detects a driver at the beginning of a trip, prompting them to log in.

Driver settings

Drivers can customize various settings on their terminal, including appearance, audio, backlight, units, and language.

Driver identification

The PRO i reminds drivers to scan their RFID cards at the beginning of a trip and automatically logs them out at the end.

Working time

The RFID scan logs drivers' hours, helping you stay compliant and streamline invoicing. Drivers can easily, quickly record breaks or conclude their shifts with a simple tap on the screen.

Logbook

Drivers can switch their trip to either private, business or commute with a simple click. That makes compliance easier and enhances the efficiency and safety of your drivers.

Active driver feedback

Equip your fleet with real-time feedback, providing in-cab coaching tips and audible warnings for performance indicators such as harsh steering, braking, idling[2]and average fuel consumption[2].

[1] Hitag/EM4100 coin-sized tags are currently not supported when the PRO i is connected to the LINK 245. Contact sales or support for assistance.
[2] CAN sensor (LCS100) is required for fuel-related solutions.

Driver identification

The PRO i ensures driver identification and compliance, allowing you to identify the driver of your vehicle at any moment.

- By scanning an RFID card[1], an employee identifies themselves as a driver.

- The device features an integrated buzzer that prompts the driver to present an RFID card for identification. After, the driver is automatically logged off once the trip concludes.

[1]Notes:
- RFID cards or tags not included.
- RFID interfaces: 13.56MHz (ISO14443A compliant) - supports protocols such as MIFARE Ultralight, MIFARe Classic, MIFARE SmartMX, MIFARE DESFire, MIFARE Plus, etc.; 125kHz (Hitag / EM4100) for reading the non-secured unique identification code(UID).
- Hitag/EM4100 coin-sized tags are currently not supported when the PRO i is connected to the LINK 245. Contact sales or support for assistance.
- 125kHz reader tags are currently not supported when the PRO i is connected to the LINK 245 by Bluetooth, but mifare cards and tags are still supported. 125kHz reader tags will still work when connected to LINK 740 by cable.

Driver configuration setting[1]

- You can configure the “authorised drivers” to “all drivers” or “one or more driver groups”.

- When an “unauthorised driver” is detected, the integrated buzzer will continuously beep to help ensure that the vehicle is being used by the intended person.



[1] “authorised-drivers” setting is only supported in combination with LINK 740/710/245

Logbook

Streamline your administrative tasks and boost efficiency and productivity by embracing Logbook—designed to facilitate your work through a seamless paperless workflow.

- Categorize your trips by assigning distinct purposes, such as private[1], commuting, or business, through the user-friendly touchscreen interface.
- Facilitate reporting with the Logbook report accessible through Webfleet, reducing administrative tasks for a more efficient and effective process.
- When the location-sharing function during the private trip is disabled on the Webfleet setting, a visual indicator will be displayed on the device during private trips to reassure drivers that their location is not shared on Webfleet.

Working Time

Keep accurate records of drivers' working hours to ensure compliance with legal regulations or company policy.

- Any driver or co-driver[1] who scans their personal RFID badge can use the device to register the moment they start work, take a break or stop work.
- Both the driver and co-driver[1] can effortlessly log their work start, breaks, and end of work with a simple click.

[1]Co-drivers or colleagues have the option to log their work hours, though the registration of driving time is limited to a single designated driver.

Active Driver Feedback

Offer your drivers the latest driver support technology for real- time coaching to enhance both efficiency and safety on the road.

- Real-time driving feedback provides immediate visual and audible insights into driver performance, empowering the drivers to make instant improvements in areas like harsh braking, harsh steering, gear shifting, and idling[1].

- Optimize your fleet's driving efficiency and safety with OptiDrive scores. Access your drivers' scores on the Webfleet dashboard to pinpoint their strengths and areas of improvement.

[1] LINK 710/740 for full set of indicators and CAN sensor (LCS100) is required for fuel-related solutions.

Active driver feedback: Six indicators

[Safe driving]

Harsh braking - alerts driver of sudden braking events

Harsh steering - alerts driver of sudden steering events

TPMS warning[1] - alerts driver of low tyre pressure events

[Fuel saving]



Fuel consumption[2] - displays real time average fuel consu mption for current trip



Idling[2] - alerts driver that they are idling



Gear shift up[2] - advice to shift up a gear for more efficient driving

Audible alert for driving behaviour advice during the trip is enabled or disabled via the device settings menu. The volume of the sound cannot be adjusted.
1 TPMS requires additional booking
[2]LCS100 required for fuel consumption-related driver behavior indicators

OptiDrive 360

Track driver performance with OptiDrive 360's scoring system–evaluate your fleet's overall score or analyse individual performance indicators.

- **Speeding** - Assess how often drivers exceed speed limits for safety and compliance
- **Fuel consumption** - Track fuel efficiency to reduce costs and environmental impact
- **Idling** - Monitor unnecessary engine idling to minimise fuel waste
- **Driving events** - Evaluate harsh driving actions for safety and vehicle maintenance
- **Green speed** - Analyse speed patterns for eco-friendly driving practices
- **Constant speed** - Measure driving consistency for optimal vehicle performance
- **Coasting** - Evaluate instances of fuel-efficient coasting without active acceleration
- **Gear shifting** - Monitor gear changes for fuel efficiency and transmission health





Driver Settings



Set your language among German, Dutch, French, Italian, English and Spanish



Turn on/off the sound for touch feedback and driving event alerts



Configure color themes among dark, light or auto



Adjust the backlight intensity across five levels, ranging from low to high.



Configure units to your needs (e.g. L/100 km or km/l)

Driving mode

Enhance your driver's visibility with the all-in-one interactive dashboard in the PRO i.

- When driving, the display shows **trip-related information** such as trip duration, trip distance and average fuel consumption[1].

- The current logbook status is displayed at the center of the grid, indicating the type of trip in progress (business, commute, private)

[1] When connected to LINK 740 CAN sensor (LCS100) is required for fuel-related solutions. When connected to a LINK 245, LCS 100 is not required.

PRO line-up features comparison

	PRO i	PRO M/Work app	PRO 8475
Driver ID[1]	✓ (RFID cards)	✓ (Phone/mail/pincode)	✓ (PIN/ID card[2])
Logbook	✓	✓	✓
Working Time[1]	✓ (Multiple workers)	✓	✓
OptiDrive[1]	✓ (Coach/evaluate)	✓ (Learn/coach/evaluate)	✓ (Learn/coach/evaluate)
Messaging	✗	✓	✓
Orders	✗	✓	✓
Navigation	✗	✓	✓
LIVE services	✗	✓ (Additional with TTGF)	✓
App integration	✗	✓	✓
WiFi	✗	✓	✓

[1] Hitag/EM4100 coin-sized tags are currently not supported when the PRO i is connected to the LINK 245. Contact sales or support for assistance.
[2] Driver registration via ID card is possible via third-party applications.

PRO line-up connection possibilities to LINK

	LINK 245	LINK 7x0
Connect/communication PRO i via Bluetooth[1]		✕
Connection/communication PRO i by cable	✕	

[1] Bluetooth connection require the following firmware pairing: PRO i 2.0 and LINK 245 14.0

When to choose the PRO i ?

- The PRO i is ideal when:
  - When you are looking for a fixed installed device
  - A forced driver ID is required but navigation is not
  - Drivers and co-drivers need to register work time
  - You want a simple, error-proof device suitable for all users, regardless of their technical background
  - You need a more economical option than our higher-end Driver Terminals
  - You want to encourage and empower drivers to drive safer and more sustainably.

Customer benefits

- Simplify business admin and stay compliant
  - Categorise trips as business, private or commute with a single tap
  - Automate working time reporting
  - Built-in buzzer reminds drivers to log in using their ID

- Empower drivers to drive safer and more sustainably
  - Receive real-time feedback on driving behaviour, including harsh steering, harsh braking, gear shifting and idling[1]
  - Monitor average fuel consumption with real-time display for efficient tracking[1]
  - Get tyre pressure warnings[2] when the tyre pressure is low

- Get all your fleet management essentials on one compact device
  - 2.8-inch colour touchscreen device can be easily installed in any fleet (see page 27)

[1] LCS 100 is required for fuel consumption information.
[2] TPMS needs additional booking.

Price

- PRO i Driver Terminal
  - Direct sales price Europe region
    - 149- Euro / 129- GBP
  - Rental price PRO i Europe region
    - 6 months rental: 8,70 Euro/month, 7,55 GBP/month
    - 12 months rental: 7,45 Euro/month , 6,45 GBP/month
    - 24 months rental: 6,25 Euro/month , 5,40 GBP/month
    - 36 months rental: 5,00 Euro/month , 4,30 GBP/month
    - 48 months rental: 4,35 Euro/month , 3,80 GBP/month

- Dashboard mount[1] (PRO 2020/PRO i dock - 9KZ1.001.00) price is 19- Euro, 15- GBP



[1] The PRO 2020/PRO i Dock is compatible with PRO i.

Requirement: OptiDrive 360

Mandatory	**LINK 740 (or LINK 710)** or **LINK 245**[1]	Firmware version For LINK 740 -> 12.4 or higher For LINK 245 -> 14.0 or higher	
Mandatory	**Webfleet subscription**	Webfleet – ECO , NAV and LIVE tariff	
Optional	**CAN sensor (LCS 100)**	To monitor fuel consumption	
Optional	**TPMS (bookable feature)**	To monitor tyre pressure	

[1] Hitag/EM4100 coin-sized tags are currently not supported when the PRO i is connected to the LINK 245. Contact sales or support for assistance.

PRO i included in the Impact Plus bundle, includes LINK 740

Business need	Solutions	IMPACT PLUS Fuel saving and sustainability
Sustainability and EV	Fuel monitoring	✓
	CO_2 reporting	✓
	EV insights and management	✓
Safety and maintenance	Active driver feedback and coaching	✓
	Driver performance analysis	✓
	Vehicle health alerts	✓
	Maintenance scheduling and reminders	✓
Compliance	Driver working time monitoring	✓
	Mileage registration	✓
	Driver identification	✓
Visibility	High-frequency GPS tracking / via API	✓ / ✗
	Vehicle GPS tracking	✓
	Geofencing alerts	✓
	Trip analysis	✓
	Custom dashboard and reporting	✓
	Mobile app support	✓
	Fixed installed solution	✓

PRO i feature settings

After integrating and connecting the PRO i device with the LINK740/LINK710/LINK245 users have the option to activate or deactivate the following features: ***Working time***, ***Logbook*** and ***Driver authentication***.

Logbook, working times and driver authentication notifications are turned off as default settings. Customers can manually activate or deactivate these features according to their preferences.



Technical specifications

Bluetooth®: Integrated Bluetooth® (class 2) for connecting to LINK 245

Transmissive IPS TFT Display with 320 x 240 Pixel, Colour (RGB), Integrated resistive touchscreen

Integrated buzzer



Dual RFID reader[1]:

- RFID interfaces: 13.56MHz - supports cards such as MIFARe Classic, for reading out the non-secured Unique Identification code(UID)
- 125kHz - support cards such as Hitag and EM4100 for reading out the non-secured Unique identification code(UID)

Cable, 3 core. Power, ground and serial communication. Serial communication line is only needed when connected to LINK 740)

Dimensions	112.5 x 60 x 11.2 mm
Screen Size	2.8 inch
Weight	Device including cable: 126g
Supply voltage	12 V / 24 V (min 9 V to max 30 V)
Temperature	Operation: -20 °C to +70 °C
Protection class	IP 20
Languages supported	EN, DE, NL, FR, ES, IT
Accessories	Air vent mount (included), Dashboard mount (need to be purchased)

Current power consumption	At 14 V: •typically < 0.1 A •bursts during RFID read < 0.17 A
	At 28 V: •typically < 0.06 A •bursts during RFID read < 0.09 A
	Standby: typically < 0.0015 A

[1] Hitag/EM4100 coin-sized tags are currently not supported when the PRO i is connected to the LINK 245. Contact sales or support for assistance.

PRO i – Installation LINK 740 – Fixed wire connection

- Data connection
  - The DAT wire must be connected to the I/O interface of the LINK 740 (or LINK 710) to enable data communication. For this the installer can use IO2(pin 11 LINK 7x0 IO port) or IO3(pin 10 LINK 7x0 IO port)
  - A Molex pin is pre connected to the DAT wire. Fit the Molex pin into the correct pinhole of the Molex connector, included in the package of the PRO i, to connect the DAT wire to the LINK 740 (or LINK 710) I/O interface
- Power connection
  - Power and ground wires must be connected to the vehicle power line
  - PRO i Power wire must be fused with max 3A
  - LINK 740 (or LINK 710) and PRO i must be connected to the same ground potential



PRO i – Installation LINK 245 – BT connection

- Bluetooth connection
  - The PRO i connected to the LINK 245 by BT can be setup by the Webfleet Installer app tool(installers). They need to install and pair this PRO I to the LINK 245
  - Bluetooth connection require the following firmware pairing: PRO i firmware 2.0 (or higher) and LINK 245 14.0
  - PRO i and LINK 245 should be used within 5 meters range to ensure stable Bluetooth connectivity
- Power connection
  - Power and ground wires must be connected to the vehicle power line
  - PRO i Power wire must be fused with max 3A
  - The LINK 245 is powered by OBD port. The PRO I needs to be powered with a constant power source



Range < 5 meter

BRIDGESTONE

Solutions for your journey

Copyright © Bridgestone Corporation