
1. Main map screen

Post-game popup (does not exist when the game is running normally):

- Type: Browser Native Alert (JavaScript)
- Visual Trigger: A system dialog box appearing in the center top of the screen.
- Text Content: "op.responsive.net says [Message]"
- HTML Location: None (It exists outside the HTML DOM).
- Action Required: The bot must switch context from the HTML page to the Browser Alert and "Accept" it.
- Handle as System alert (driver.switch_to.alert)



Current day

- HTML structure: <td align="right">... Day: 791</td>
- To find the current_day, look for the table cell containing the text 'Day:'. Extract the number inside the bold tag within that cell.
- XPath: //td[contains(., "Day:")]/b

Update button

- Not necessary for our bot, we will login once per day anyway

2. Headquarters popup

HTML fields for this have not changed

3. Warehouse popup

Plot inventory button

- Field Name: Plot Inventory Button
- Page: Warehouse Menu (e.g., Calopeia)
- Visual Location: Top center of the page, inside a small table.
- HTML structure: <input type=”submit” value=”plot inventory”>
- XPath: //input[@type='submit' and @value='plot inventory']

Inventory data table

- Field Name: Inventory Data Table
- Visual Location: Hidden by default (part of the interactive plot logic).
- Container ID: dataTableDiv1
- HTML Structure:
    - Container:
    - Headers: Found in <table class="table-header"> (Columns: Day, Warehouse, Mail, Truck)
    - Data Rows: Found in <table class="table-body">
- Identification Logic:
    - Locate the div with ID dataTableDiv1.
    - Ignore the .table-header table for extracting data (you can hardcode columns: Day, Warehouse, Mail, Truck).
    - Iterate through the <tr> rows inside the .table-body table.
    - Important: Many cells are empty <td...></td>.

4. Factory popup

Current capacity

- Field Name: current_capacity
- Page: Factory Menu
- Visual Location: Under the "Capacity" header.
- HTML structure: Factory is operational with a current capacity of 20.00. ...
- XPath (to find the element first): //p[contains(., "current capacity of")]

Order point input field

- Field Name: order_point
- Page: Factory Menu
- Visual Location: Inside the "Production and Shipping" table, specifically in the column labeled "order point".
- HTML structure: <input type="text" name="point1" maxlength="6" size="4" value="500">
    - 1 in point1 corresponds to region number
- XPath: //input[@name='point1']

Order quantity input field

- Field Name: order_quantity
- Page: Factory Menu
- Visual Location: Inside the "Production and Shipping" table, specifically in the column labeled "quantity".
- HTML structure: <input type="text" name="quant1" maxlength="6" size="4" value="250">
    - 1 in quant1 corresponds to region number
- XPath: //input[@name='quant1']

Shipping method dropdown

- Field Name: shipping_method
- Page: Factory Menu
- Visual Location: Inside the "Production and Shipping" table, under the "shipping method" header.

- HTML structure:

```
<select id="ship" name="ship1" size="1">
  <option value="mail">...</option>
  <option value="truck">...</option>
</select>
```

- XPath:
    - //select[@id='ship']
- Interaction Note:
    - To select "Mail", the bot should select the option with value=mail.
    - To select "Truck", the bot should select the option with value=truck.

Plot WIP button

- Field Name: Plot WIP Button
- Page: Factory Menu
- Visual Location: Top center of the page, directly under the main header (“Factory menu for…”).
- HTML structure: <input type="submit" value="plot wip">
- XPath: //input[@type='submit' and @value='plot wip']

Submit button

- Field Name: Submit Changes Button
- Page: Factory Menu
- Visual Location: Directly below the "Production and Shipping" table.
- HTML structure: <input type="button" name="btnSubmit" onclick="scFactorySubmit();" value="ok">
- Identification logic
    - Look for an <input> tag with the specific name btnSubmit.
    - Verify it acts as a button (type="button").
- XPath: //input[@name='btnSubmit']

5. WIP popup

- Field Name: WIP Data Table
- Visual Location: Hidden by default (rendered into the chart).
- Container ID: dataTableDiv1
- HTML Structure:
    - Container:
    - Headers: Found in <table class="table-header"> (Columns: "day", [Region Name])
    - Data: Found in <table class="table-body">
- Identification Logic:
    - Find the div with ID dataTableDiv1.
    - Extract column names from the table.table-header inside that div (to handle dynamic region names).
    - Extract rows from table.table-body.

6. Window behaviour

Main Screen:

- Warehouse (opens new window)
    - Plot Inventory (opens new tab in previous/main screen window)
- Factory (opens new window)
    - Plot WIP (opens new tab in previous/main screen window)
- Headquarters (opens new window)
    - Plot Demand (opens new tab in previous/main screen window)