
goedel/Putnam | first rejection | every observed exact L | descriptive; sparse cells are not reliable shape estimates
L=5 | n=3 | tasks=3
Equal tasks within this L
Uniform given L
Fixed cohort task weights
Probability
First rejection step
L=6 | n=1 | tasks=1
L=7 | n=3 | tasks=3
L=8 | n=1 | tasks=1
L=9 | n=2 | tasks=2
L=10 | n=3 | tasks=3
L=11 | n=5 | tasks=5
L=12 | n=2 | tasks=2
L=13 | n=1 | tasks=1


goedel/Putnam | first rejection | every observed exact L | descriptive; sparse cells are not reliable shape estimates
L=15 | n=2 | tasks=2
L=16 | n=1 | tasks=1
L=18 | n=2 | tasks=1
L=19 | n=1 | tasks=1
L=20 | n=1 | tasks=1
L=22 | n=2 | tasks=2
L=23 | n=1 | tasks=1
L=24 | n=2 | tasks=2
L=25 | n=1 | tasks=1
Equal tasks within this L
Uniform given L
Fixed cohort task weights
Probability
First rejection step


goedel/Putnam | first rejection | every observed exact L | descriptive; sparse cells are not reliable shape estimates
L=27 | n=1 | tasks=1
L=33 | n=2 | tasks=2
L=35 | n=3 | tasks=3
L=38 | n=3 | tasks=2
L=42 | n=1 | tasks=1
L=44 | n=1 | tasks=1
L=50 | n=1 | tasks=1
L=58 | n=1 | tasks=1
L=60 | n=1 | tasks=1
Equal tasks within this L
Uniform given L
Fixed cohort task weights
Probability
First rejection step