



Johan David Baracaldo Caicedo

Se ingresa en ambas máquinas virtuales y se valida la información de ip para saber que ip se les asigno automáticamente a ambas.



Se realiza ping del HOST1 al HOST2 y viceversa para mostrar que estos dos PC tienen conexión entre sí y están en el mismo segmento de red.



Se inicia el Puerto 22 en la maquina destino que seria la HOST2 para poder conectarnos desde la HOST1 y realizar modificaciones.

```
Host 2 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
1 2 3 4
root@kali: /home/kali

Session Actions Edit View Help
# apt install openssh-server -y
openssh-server is already the newest version (1:10.3p1-4).
openssh-server set to manually installed.
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 0

(root@kali)-[/home/kali]
# systemctl enable ssh
Created symlink '/etc/systemd/system/ssh.service' -> '/usr/lib/systemd/system/ssh.service'.
Created symlink '/etc/systemd/system/multi-user.target.wants/ssh.service' -> '/usr/lib/systemd/system/ssh.service'.

(root@kali)-[/home/kali]
# start ssh
Command 'start' not found, did you mean:
  command 'rstart' from deb x11-session-utils
  command 'stat' from deb coreutils
  command 'tart' from deb tart
  command 'kstart' from deb kde-cli-tools
  command 'startx' from deb xinit
Try: apt install <deb name>

(root@kali)-[/home/kali]
# systemctl start ssh


(root@kali)-[/home/kali]
# systemctl status ssh
● ssh.service - OpenBSD Secure Shell server
   Loaded: loaded (/usr/lib/systemd/system/ssh.service; enabled; preset: disabled)
   Active: active (running) since Thu 2026-09-03 18:01:19 EDT; 13s ago
 Invocation: 09895be2cf694ab9978bbc8d845dca04
    Docs: man:sshd(8)
          man:sshd_config(5)
   Process: 5814 ExecStartPre=/usr/sbin/sshd -t (code=exited, status=0/SUCCESS)
   Main PID: 5817 (sshd)
     Tasks: 1 (limit: 2132)
    Memory: 1.8M (peak: 2.7M)
       CPU: 17ms
    CGroup: /system.slice/ssh.service
            └─5817 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"

Sep 03 18:01:19 kali systemd[1]: Starting ssh.service - OpenBSD Secure Shell server...
Sep 03 18:01:19 kali sshd[5817]: Server listening on 0.0.0.0 port 22.
Sep 03 18:01:19 kali sshd[5817]: Server listening on :: port 22.
Sep 03 18:01:19 kali systemd[1]: Started ssh.service - OpenBSD Secure Shell server.

(root@kali)-[/home/kali]
# echo Johan David Baracaldo Caicedo
Johan David Baracaldo Caicedo

(root@kali)-[/home/kali]
#
```

En nuestra maquina HOST1 realizamos la conexión SSH, validamos la huella para el registro de la IP e ingresamos la contraseña de la maquina para poder ingresar.



The screenshot shows a terminal window titled "Host 1 [Running] - Oracle VirtualBox". The terminal prompt is "root@kali: /home/kali". The user enters the command "ssh kali@185.73.41.85". The terminal displays the following output:

```
(root@kali)-[/home/kali]
# ssh kali@185.73.41.85
The authenticity of host '185.73.41.85 (185.73.41.85)' can't be established.
ED25519 key fingerprint is: SHA256:wQMouu/DDLHMWytuVA19d9IOcYj02EHvL/9qfPBesrU
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '185.73.41.85' (ED25519) to the list of known hosts.
kali@185.73.41.85's password:
Linux kali 6.19.14+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.19.14-1+kali1 (2026-05-05) x86_64

The programs included with the Kali GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Kali GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
(kali@kali)-[~]
$ sudo su
[sudo] password for kali:
(root@kali)-[/home/kali]
# ls
Desktop  Documents  Downloads  Music  Pictures  Projects  Public  Templates  Videos

(kali@kali)-[/home/kali]
# echo Johan David Baracaldo Caicedo
Johan David Baracaldo Caicedo

(kali@kali)-[/home/kali]
#
```

The terminal window has a menu bar with "File", "Machine", "View", "Input", "Devices", and "Help". The top status bar shows the time "18:03" and a lock icon. The bottom status bar shows a taskbar with various icons and the text "CTRL DERECHA".

Finalmente creamos la carpeta y el archivo con nuestro nombre completo desde el HOST1 y podemos ver que todos estos cambios si se aplican automáticamente en el HOST2 por lo cual con esto evidenciamos el funcionamiento de todo.

