

# Cars Analysis

2026-01-31

## Cases by District


##	district	n	percent
##	Kambia	1	0.005
##	Bo	2	0.010
##	Kono	2	0.010
##	Port Loko	2	0.010
##	Western Urban	4	0.020
##	Kenema	34	0.170
##	Kailahun	155	0.775

## Plot

```
## Warning in geom_bar(stat = "identity", position = "stack", colour = "black", :  
## Ignoring unknown parameters: 'size'
```

## Frequency of categorical levels in df::ebola\_sierra\_leone

Gray segments are missing values



## These are my favorite Cars:

- Toyota Prado
- Mitsubishi Pajero
- BMW X5

*You can see more different options here*

This is my R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   : 2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```

## Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.