The Council — Agent Record (Agentic System Bill of Materials, ASBOM)

AIG-AGT-04 · v0.7 working draft · Draft for Council review · OFFICIAL · ISO/IEC 42001:2023 · OWASP 2026-aligned

Purpose: the core per-agent record of the agentic layer. One agent, one row on Agent Record, keyed to the permanent AIR-ID plus the agent's AG-ID; every child sheet carries both keys. The Capability Vector, Components (bill of materials) and Authority & Delegations sheets add the detail an agent's row cannot hold. The AI Register (AIG-INV-04) becomes the portfolio index that points here. Governs the authority envelope (what the agent can do), not the intended use.

Controlled identifier status AIG-AGT-04 (controlled identifier; formal Council adoption pending)

Field	Controlled value
Document ID	AIG-AGT-04
Version	0.7 working draft
Status	Draft for Council review; nothing evidenced until operated
Owner	AI Governance Lead; operational and technical owners retain delivery responsibilities
Date	16 October 2026
Built to	Agentic AI Governance Design Principles (AIG-AGT-01; core principle + five invariants)
Source	OWASP Top 10 for Agentic Applications 2026 (ASI01-ASI10); OWASP Agent Control Standard (1 Sep 2026)
Relationship	AI Register (AIG-INV-04) indexes this; Authority & Delegations feeds the Agent Authority Graph; Agentic Triage records the assessed autonomy level and Agency Tier; the permitted autonomy level is granted at Gate 6 (go-live) by the delegated decision (AIG-DEC-03); each agency tier sets a minimum risk-tier pathway (Gate Map AIG-DEC-01, Agentic pathway)
Classification	OFFICIAL

Change history	
Version	**Date — change**
0.2 working draft	25 September 2026 — working draft (history entry reconstructed during QA remediation).
0.3 working draft	29 September 2026 — QA remediation — applied findings QA-053, QA-057, QA-094, QA-127, QA-128, QA-129, QA-210, QA-226, QA-227, QA-228, QA-233, QA-234, QA-235, QA-240, QA-251, QA-252, QA-272, QA-280, QA-284, QA-288, QA-291, QA-292 (see QA change log). AG-ID added to every child sheet; ASBOM record version, agency profile, tier floor, pathway and oversight fields added; lists realigned and wired to validations. v3.7 alignment (no version change): permitted autonomy granted at Gate 6; governing pathway = higher of risk-tier pathway and agency-tier minimum (AIG-DEC-01 Agentic pathway); equivalent-control authorisation evidenced at Gate 2 and re-confirmed at Gate 6; “Production gate” label renamed “Production requirement (checked at Gate 6)”.
0.4 working draft	30 September 2026 — v3.9.2: Record QA (Agent Record BI) now requires each Required runtime control to be Evidenced (Implemented and Evidenced) or to carry an authorised, time-bounded compensating control (Compensating Control and Expiry / Review), before an Approved/Active agent shows OK; “Implemented” alone no longer passes (Playbook F.7.8; scenario finding W-01). The Agent Record AIR-ID check now uses the AI Register (AIG-INV-04) rule (AIR- plus four characters, warning), so IDs accepted by the Register are accepted here (T-10). Follow-up from the v3.9.2 re-test (NEW-01): a compensating control passes only while its Expiry / Review date is on or after today; an expired (or non-date) Expiry / Review shows “compensating control expired, re-authorise”. See QA change log.
0.5 working draft	1 October 2026 — v3.9.4: Field Guidance adds a line on log retention: record the retention period and its basis in Notes (column AD): the DPIA reference, or the records retention schedule class agreed with the records manager where there is no DPIA; in line with Playbook §4.7.12 and AIG-ASS-11 Section 4; no field, header, list or validation changed. Proposed — for Council confirmation.
0.6 working draft	4 October 2026 — v3.9.9: proportionate ASBOM. New column BL shows the record level each agent needs (Core; Core plus features; Full at T3 and above, with financial authority or while the tier is unassessed). The core record includes the Agency Profile row. Field Guidance lists the core fields and the sheets each feature switches on, and allows “Not disclosed by supplier” for supplier-side detail but never for a core field. Record QA checks the core fields and the level’s sheets before go-live; the Runtime Controls template no longer defaults all ten controls to Required (set per AIG-ASS-11). Proposed — for Council confirmation.
0.7 working draft	16 October 2026 — v3.9.11 / Playbook 19.9.23: new Platform Agent Inventory sheet for agents built on an approved platform (Playbook Appendix F.8), with lists PlatformAgentClass, PlatformAgentAudience and LGATier and a Field Guidance line. Its columns match the Multi-Board Triage tool’s platform agent screening download. No existing sheet, field, formula or validation changed. Proposed — for Council confirmation.

Legal Research – [name research region]

This matrix is to be completed by [name researcher] and reviewed by [name reviewer]. Please refer to the Guidance Note for instructions on how to complete each column. Please delete this row before finalising the matrix.

No.	Legal area	Name of law, regulation or policy	Type of instrument	Issuing body	Jurisdiction	Date enacted	Date last amended	Status	Official publication source	Publication info	Publication date	Publication URL	Language	Scope of application	Key provisions	Definitions	Rights granted	Obligations imposed	Duty bearers	Exemptions	Penalties	Enforcement mechanism	Complaint / redress mechanism	Relevant case law	Interaction with other laws	Gaps / ambiguities	Notes	Researcher	Date researched	Reviewed by	Review date
1																														
2																														

Platform Agent Inventory — agents built on an approved platform (Playbook Appendix F.8)

One row per agent built by staff on a platform already on the AI Register (for example Microsoft 365 Copilot), keyed to the platform's AIR-ID. The platform is governed once; each agent is personal, an approved pattern, or individually governed. Proposed — for Council confirmation.

Columns match the Multi-Board Triage tool's platform agent screening record exactly, so a downloaded row pastes here. Any Individual triage needed row goes to the Triage Board.

Platform AIR-ID	Platform	Agent name	What it does	Built by	Named owner	Shared with	Pattern UC-ID	Agent UC-ID	Class	LGA tier	Triggers met (Yes or Unsure)	Can it act? (F.8)	Individual triage needed	Next step	Next inventory review	Screened on
AIR-EXAMPLE	*Microsoft 365 Copilot*	*Example — delete before use*	*Answers staff questions from the team's own SharePoint policy library; takes no actions.*	*Team lead*	*Head of service*	*A team or service*	*UC-EXAMPLE*		*Approved-pattern agent (LGA Tier 2)*	*Tier 2*		*Assisted (T1) at platform level, covered by the platform's Gate 2 and Gate 6 evidence*	*No*	*List this instance in the platform's agent inventory under the pattern with a named Service Owner.*	*By 01/01/2027 (quarterly inventory review)*	*16/10/2026*

Capability Vector — what the agent can technically do

Capability is not intention. Record what it CAN do, not what it is told to do.

One row per AG-ID (under its AIR-ID). Each capability: No / Yes / Scoped. The agency multipliers on the right change the risk picture sharply and should be explicit flags; Field Guidance maps all ten AIG-AGT-02 multiplier flags to their columns.

AIR-ID	AG-ID	Read	Write	Execute	Communicate	Purchase	Delegate	Persuade	Code	Discover	Persist	Replicate	Learn	Escalate	Multiplier: Credential access	Multiplier: Self-modification	Multiplier: Tool discovery	Multiplier: Goal adaptation	Multiplier: External comms	Notes

Agency Profile — five-dimension agentic profile per agent

One row per AG-ID. Proposed — for Council confirmation. Record each dimension score (0–5), its rationale and evidence; never replace a dimension with a multiplier. Controllability: 5 = hardest to stop or reverse. The highest applicable mandatory floor governs; the governing pathway is the higher of the risk-tier pathway and the minimum risk-tier pathway set by the agency tier (T2 Medium, T3 High, T4 High or Critical under §4.4.6, T5 Critical; AIG-D

This sheet is the record of the agency profile: rationale and evidence are held here. AIG-ASS-02 Step 5 holds only the scores used for tiering and points to this sheet; cite the AIG-ASS-02 / AIG-AGT-03 record the scores came from. The agency tier is a profile, not an average.

AIR-ID	AG-ID	ASBOM record version	Consequence (0–5)	Consequence rationale	Autonomy (0–5)	Autonomy rationale	Authority (0–5)	Authority rationale	Reach (0–5)	Reach rationale	Controllability (0–5; 5 = hardest to stop/reverse)	Controllability rationale	Evidence ref	AIG-ASS-02 Step 5 / AIG-AGT-03 ref	Mandatory tier floor (trigger)	Resulting agency tier	Assessed by / date

Components — the bill of materials

Every model, dataset, interface, tool, API, MCP server, sub-agent and credential the agent uses.

One row per component per agent (AIR-ID + AG-ID). Each carries its own authority, maximum impact, reversibility and kill mechanism, so the agent's full composition can be read from one place (ASI04 supply chain).

AIR-ID	AG-ID	Component Type	Component ID	Name / Version	Owner	Data accessed	Permissions / authority	Environment	Maximum impact	Reversibility	Kill / disable mechanism	Monitoring	Approval requirement	Notes

Authority & Delegations — edges for the Agent Authority Graph

Every edge is a delegation of capability or authority.

One row per delegation edge. Who delegated what authority to whom, through which mechanism, for what purpose, under what constraints, UC-ID scope and environment, and how it can be revoked. Edge type and node types distinguish authority edges from access/component relationships and separate agent creation/replication. This is the data the Agent Authority Graph (AIG-AGT-05) renders.

Authority Edge ID	AIR-ID (agent)	AG-ID (agent)	From (delegator)	To (delegatee)	Authority delegated	Mechanism	Purpose	Constraints / ceiling	Revocable how	Expiry	Inherited?	Notes	Delegator node type	Delegatee node type	Edge type	UC-ID scope	Scope (actions / data / limits)	Environment (stage)	Exposure	ASBOM record version

Field Guidance

How to complete the Agent Record and its child sheets.

Field	Meaning	Allowed values / format
AIR-ID	Permanent identifier, shared with the AI Register and every governance artefact.	Free text, e.g. AIR-0001
Approved Purpose (mandate)	The single legitimate purpose the agent is authorised for.	Free text
Prohibited Purposes	Uses explicitly disallowed for this agent.	Free text
Decisions never delegated	Decisions that must always remain with a human.	Free text
Max acceptable consequence	The worst outcome tolerated if it fails; anchors governance intensity.	Free text
Assessed autonomy level	Assessed or requested autonomy from the Agentic Triage (AIG-AGT-03). It is not permission: the permitted level is granted at Gate 6 (go-live) (see Permitted autonomy level).	A0-A5 (see Lists)
Agency Tier	Set by the Agentic Triage from the agency profile.	T0-T5 (see Lists)
Persistence?	Can it keep acting after the initiating interaction ends?	Yes / No
Memory Type	The most persistent memory it holds.	None / Context / Working memory / Retrieved knowledge / Persistent memory (F.7.5 classes); record sharing across agents in Memory Controls (Cross-Agent Sharing)
Can delegate?	Can it delegate tasks or authority to other agents? Creating or replicating agents is governed separately (Agent Creation Authority, F.7.7).	Yes / No
Financial Authority (limit)	Whether it can move or spend money, and the ceiling.	Free text; No (or None, 0, N/A) if none. Anything else counts as financial authority and sets the Full record level.
Suspension mechanism	How its action authority is revoked without delay.	Free text; must be demonstrable
Termination mechanism	How the agent is stopped and its identity removed.	Free text; must be demonstrable
Kill-switch tested?	Has stopping it been demonstrated, not just claimed?	Yes / No + date
Authority expiry / next reauthorisation	Authority is time-bounded; the date it must be renewed.	Date
Capability Vector	What the agent can technically do; capability is not intention.	No / Yes / Scoped per capability
Component Type	Kind of component in the bill of materials.	Model / Dataset / Interface / Tool / API / MCP Server / Sub-agent / Agent / Credential / Knowledge source / Memory / System / Human / Organisation (also the AIG-AGT-05 node types; INV-05 codes MOD = Model, DATA = Dataset, IF = Interface, AG = Agent/Sub-agent, TOOL = Tool/API/MCP Server)
Authority edge	A delegation of capability or authority between two parties.	One row per edge; every edge must be revocable

Runtime Control State	Lifecycle state of a control, not a claim of implementation	Designed / Specified / Implemented / Evidenc
Memory Read/Write Scope	What the agent can read/write in each memory store	Scoped text
Max Delegation Depth	Maximum number of delegation hops	Integer
Reversibility Class	Whether action effects can be reversed	Fully reversible / Partly reversible / Difficult to
Human Oversight Mode	Why and how humans intervene	Pre-action approval / Bounded execution with
Frontier Model?	Model characteristic, separate from impact/agency	Yes / No
Agentic security controls	For an action-capable agent at any baseline risk tier, record in Runtime Co	Owner, required/actual state, dated test, resul
AG-ID	Stable, unique per-agent key under the parent AIR-ID; carried on every chilc	Controlled ID; unique (Record QA checks dup
ASBOM record version / effective	Exact version of this agent's ASBOM record that action records and the Autl	Version text + date
Environment (stage) / Exposure	Lifecycle stage and exposure are recorded separately.	Stage: Production / Pre-production / test / San
Agency profile ref	Reference to this agent's row on the Agency Profile sheet, which is the reco	Reference
Mandatory tier floor applied (trigge	Any mandatory agency-tier floor that applies and the trigger that set it.	Free text; "None triggered" if none
Governing pathway	Higher of the §4.4 risk-tier pathway (with §4.4.6 floors) and the minimum ri	Free text
Oversight mode rationale	Why the selected human-oversight mode is proportionate (F.7.10).	Free text
Record QA	Checks AG-ID present and unique; before go-live (Approved, Approved with	Formula
Agency multiplier flags (AIG-AGT-	All ten flags and where each is recorded.	Persistence → Agent Record O; Memory → A
Authority edge fields	Authority & Delegations carries node types, edge type, UC-ID scope, scop	Edge type: Authority delegation / Access relati
Approval status	Controlled decision outcomes aligned to AIG-DEC-03 (plus Pending/Unknov	Pending / Approved / Approved with condition
Sheet protection	Not applied in this draft: owners must still add rows and adjust fields; stop-st	Apply protection on adoption if required
Permitted autonomy level	The autonomy level granted for the agent's use(s) by the go-live decision-	A0-A5 (see Lists)
Permitted autonomy decision ref	The AIG-DEC-03 decision (or approved minutes) that set the permitted auto	Reference; required when a permitted level is
Log retention (no new field)	No separate field: record the log retention period and its basis in Notes (	Free text in Notes: period and basis (DPIA ref
Record level (column BL)	Formula. Full at T3 and above, where the tier is blank (fail safe) or where	Core / Core plus features / Full
Core record (every agent that can	AIR-ID (A), Agent Name (B), Approved Purpose (C), Business Owner (H), C	Free text / controlled values as listed
Feature sheets (Core plus feature:	Persistence → Runtime Controls rows for how it is stopped and contained (	One row per store, tool, interface or edge
Full ASBOM (T3 and above)	Every sheet: Capability Vector, Components, Authority & Delegations (and t	All sheets
Not disclosed by supplier	Allowed for supplier-side detail a bought-in agent's supplier will not give (	Not disclosed by supplier
Platform Agent Inventory (sheet)	Agents built by staff on a platform already on the AI Register (Playbook A	Class, Shared with and LGA tier from Lists; In

Lists — controlled vocabulary

Dropdown sources. Do not free-type where a list exists. Row 3 = list name; values start at row 4. Approval uses the controlled decision outcomes of AIG-DEC-03 plus Pending/Unknown. OpStatus includes Not live.

Autonomy	AgencyTier	EnvironmentStage	MemoryType	ComponentType (node type)	YN	CapVal	Approval	OpStatus	Reversibility	RuntimeControlState	OversightMode	YesNoScoped	Exposure	EdgeType	RequiredState	PlatformAgentClass	PlatformAgentAudience	LGATier
A0 advisory	T0 informational	Production	None	Model	Yes	No	Pending	Not live	Fully reversible	Designed	Pre-action approval	Yes	Customer-facing	Authority delegation	Required	Personal agent (LGA Tier 1)	Just the person who built it	Tier 1
A1 assisted	T1 assisted	Pre-production / test	Context	Dataset	No	Yes	Approved	Active	Partly reversible	Specified	Bounded execution with interven	No	Internal	Access relationship	Not applicable (rationale in AIG	Approved-pattern agent (LGA Tier 2)	A team or service	Tier 2
A2 bounded execution	T2 bounded agent	Sandbox	Working memory	Interface		Scoped	Approved with conditions	Suspended	Difficult to reverse	Implemented	Post-action review	Scoped	Physical / OT	Agent creation		Pattern not yet approved	The whole organisation	Tier 2 (once the pattern is approved)
A3 conditional autonomy	T3 consequential agent		Retrieved knowledge	Tool			Deferred	Decommissioned	Irreversible	Evidenced	Monitoring-only			Replication		Individually governed agent (LGA Tier 3)		Tier 3
A4 delegated autonomy	T4 high-agency		Persistent memory	API			Rejected							Component relationship		Not an agent on an approved platform		
A5 open-ended autonomy	T5 exceptional / high-consequence			MCP Server			Suspended											
				Sub-agent			Retired											
				Agent			Unknown											
				Credential														
				Knowledge source														
				Memory														
				System														
				Human														
				Organisation														

Memory Controls

One row per governed memory store. Memory can inform actions but never grants authority.

AIR-ID	AG-ID	Memory ID	Memory Type	Read Scope	Write Scope	Provenance	Retention	Deletion / Erasure	Isolation	Poisoning Control	Cross-Agent Sharing	Authority Prohibited?	Owner	Evidence Ref

Tool Authority Registry
One row per tool/API/MCP/browser/shell capability available to the agent.

AIR-ID	AG-ID	Tool ID	Tool / Function	Owner	Data Accessed	Permission	Environment	Maximum Impact	Transaction / Financial Limit	Reversibility	Approval Requirement	Monitoring	Disable / Kill Mechanism	Evidence Ref

Interface Register

Every API, MCP, browser, messaging, SaaS or agent-to-agent boundary is recorded.

AIR-ID	AG-ID	Interface ID	Interface Type	Endpoint / System	Direction	Trust Boundary	Authority Crossing	Data Crossing	Authentication	Authorisation	Validation	Rate / Budget Limit	Failure / Containment	Evidence Ref

Runtime Controls

Required controls are operational only when Implemented and Evidenced (Actual State = Evidenced; “Implemented” alone is not enough), or when an authorised, time-bounded compensating control is recorded (Compensating Control completed and Expiry / Review a date on or after today; an expired control must be re-authorised; Playbook F.7.8, F.7.10). For

AIR-ID	AG-ID	Control ID	Control	Required State	Actual State	Test Date	Test Result	Time to Containment	Owner	Evidence Ref	Expiry / Review	Compensating Control
		ASI01	Goal hijack / untrusted instruction boundary									
		ASI02	Tool misuse / permitted action and limits									
		ASI03	Agent identity / privilege / revocation									
		ASI04	Model, tool, connector and MCP supply chain									
		ASI05	Unexpected code execution boundaries									
		ASI06	Persistent/shared memory and context poisoning									
		ASI07	Authenticated inter-agent communication									
		ASI08	Cascade, recursion, budget and containment									
		ASI09	Human approval resistant to misleading agent output									
		ASI10	Rogue behaviour / stop / forensic reconstruction									

Agentic Action Records

Sample / manual fallback for AIG-AGT-06 (normally generated by the platform). Per-action evidence for consequential activity, using the AIG-AGT-06 field list; do not capture private chain-of-thought.

Action ID	AIR-ID	AG-ID	UC-ID in scope for this action	ASBOM record version	Source Authority Edge ID(s)	Agent Identity / Version	Authority Invoked	Use-specific authority / decision reference	Objective / Context	Action / Tool	Policy Decision	Approval / Override	Timestamp	Outcome	Reversibility	External Side Effect	Runtime control state	Exception / incident / escalation ref	Evidence Ref	Review Required

Multi-Agent Controls

Controls parent-child delegation, recursion, budgets and termination.

AIR-ID	Parent Agent (AG-ID)	Child Agent (AG-ID)	Delegation Depth	Authority Ceiling	Recursion Allowed	Concurrent Agent Limit	Budget / Transaction Ceiling	Authentication	Termination Rule	Containment Propagation	Evidence Ref

Rule	Applicatio
Single so	Agent Re
AIR-ID sp	Every age
Derived a	Authority
Capture o	Capability
Runtime b	Platform/I
No author	Retrieved
Proportior	Agentic c
Productio	Per Playb

AIG-AGT-04 — PROPOSED AIG-INV-04/AIG-DEC-04 INTEGRATION NOTES

NOT APPROVED — additive integration annex only; existing workbook content and formulas are retained unchanged. AIG-INV-04 (AI Register) and AIG-DEC-04 (Gate Log) are themselves proposed designs: until the Council approves their adoption and migration, the Council's existing records remain authoritative and the AIG-INV-04/AIG-DEC-04 joins below are design references only. No live system, event, evidence, approval or Council decision is asserted.

Contract area	Authoritative key / authority	Link / required handling and trigger
Stable agent key	AG-ID is a permanent, unique, stable identifier for each individual agent; assign once under controlled governance, never derive from row number/name, recycle, or silently change it. AIR-ID remains the permanent system key.	Agent Record carries AG-ID (column AY) and, from v0.3, every child sheet carries AG-ID beside AIR-ID. One agent per row; one AIR-ID may link to multiple AG-IDs. Keep each AG-ID linked to its parent AIR-ID.
AIG-INV-04 portfolio join	AIG-INV-04 AI Register remains the portfolio/system index keyed by AIR-ID; its Agent Record (AIG-AGT-04) Ref points to this ASBOM. The ASBOM is authoritative for per-agent identity, composition, authority envelope and permissions.	Link AIG-INV-04 to AIG-AGT-04 using AIR-ID plus the AIG-AGT-04 reference; use AG-ID to identify the specific agent within the record. Do not duplicate or re-key the ASBOM permission/authority data in AIG-INV-04.
Authority and permissions	Agent Record and supporting ASBOM sheets (Capability Vector, Components, Authority & Delegations, tools, interfaces and controls) are authoritative for each agent's actual approved permissions and constraints. A summary field is not a grant of authority.	Enforcement belongs in the platform/IAM/runtime controls; record approved scope, limits, approvals, evidence and revocation here. Never infer permission from memory, a link, an AGPI priority, or another artefact.
AIG-AGT-05 Authority Graph	AIG-AGT-05 is a derived representation of ASBOM authority/delegation edges, not a second authority source.	Reference the same AG-ID and AIR-ID; refresh/validate graph edges from ASBOM. Resolve conflicts against the authoritative AIG-AGT-04 record, not the graph.
AIG-AGT-06 Action Decision Record	AIG-AGT-06 records a particular agentic action/decision and its approvals/evidence; it does not redefine persistent agent permissions.	Reference the stable AG-ID and parent AIR-ID on action evidence (and the applicable AIG-AGT-04 ASBOM record version, Agent Record column BB). Check each action against current ASBOM permissions; do not re-key the agent or copy authority as a new source.
No re-keying / lifecycle	AIR-ID continues to join system-wide AIG-INV-04/AIG-ASS-01/AIG-OPS-06/AIG-DEC-04/AIG-OPS-02 records. AG-ID is an additional per-agent key only; it does not replace AIR-ID or create a second intake.	Carry both IDs in cross-record references where an individual agent is involved. Preserve IDs across name/version changes; use controlled retirement/successor traceability rather than reusing an ID.

PROPOSED QA INDEX — NOT APPROVED. A source reference does not establish applicability or compliance. See AIG-AIMS-05 and AIG-AIMS-13; owners must validate the current source, case-specific scope, control evidence and adopted status.

Requirement ID	Instrument / edition	Conditional scope / relevance	Source URL	Owner validation status
REQ-001	UK General Data Protection Regulation (UK GDPR), as amended	Where personal data is processed; test each UK GDPR provision separately.	https://www.legislation.gov.uk/eur/2016/679/contents	Specialist validation required
REQ-023	Computer Misuse Act 1990	Screen the legislation requirement against this artefact's actual use and record evidence/version; see the AIG-AIMS-05 Applicable Requirements entry (REQ-023) for the controlled position.	https://www.legislation.gov.uk/ukpga/1990/18/contents	Specialist validation required
REQ-039	NCSC Guidelines for Secure AI System Development	Screen the government security guidance requirement against this artefact's actual use and record evidence/version; see the AIG-AIMS-05 Applicable Requirements entry (REQ-039) for the controlled position.	https://www.ncsc.gov.uk/collection/guidelines-secure-ai-system-development/introduction	Specialist validation required
REQ-040	ISO/IEC 42001:2023 Artificial intelligence management system	Proposed management-system design mapping; licensed clause review and adoption needed.	https://www.iso.org/standard/42001	Specialist validation required
NIST-AI-100-1	NIST AI Risk Management Framework 1.0 (NIST AI 100-1, January 2023)	Voluntary alignment reference; not certification or statutory conformity	https://www.nist.gov/publications/artificial-intelligence-risk-management-framework-ai-rmf-10	Voluntary alignment reference; not certification or statutory conformity
OWASP-ACS-2026	OWASP Agent Control Standard (source edition/date to confirm)	Technical design guidance; verify edition and operational tests	https://genai.owasp.org/resource/agent-control-standard-acs/	Technical design guidance; verify edition and operational tests

AIG-AGT-04 / PROPOSED THREE-ARTEFACT SOURCE CONTRACT

Status	PROPOSED INTEGRATION DESIGN ONLY. This sheet does not amend the artefact's native assessment, decision authority, data or formulas.
Role of this file	Agent Record: AIG-AGT-04 owns exact agent identity, mandate, tools, permissions and tested controls; map AG/TOOL components point to the exact AIG-AGT-04 row/version; AIG-AGT-05 owns derived authority paths. An AIR-ID may have multiple AG-IDs.
AIG-INV-04 source	Separate AIG-INV-04 AI Register: official AIR-ID, current position, in-file Assessment summary/Evidence index. Reconcile against authoritative AIG-INV-04 before using a copied value.
AIG-DEC-04 source	Separate AIG-DEC-04 Gate Log: prospective Gate plan, dated Gate events, event-linked Conditions. A planned gate is not a decision. A decision requires AIG-DEC-03 or approved minutes and proper delegation.
Map source	Proposed standalone Capabilities and System Map (candidate catalogue ID AIG-INV-05): UC/CAP and component relationship pointers. Edge ID is not an approval or permission; AIG-AGT-04/AIG-AGT-05 remain sources of agent scope/authority.
Data exchange	Use controlled AIR-ID across files. Where applicable reference exact Event ID, Condition ID, Evidence ID, AG-ID and Edge ID. Record source file/version/as-at with imported or quoted evidence; no live cross-workbook formula is assumed.
Change trigger	New or expanded system/tool access, or a material model, data, interface, purpose or agent change: log the map change, obtain owner reassessment and escalate to the proper AIG-DEC-04 gate/AIG-DEC-03 decision when required.
Validation before use	The INTEGRATION INV-04 DEC-04 tab in this workbook is current supporting design guidance (not historical) and holds the detailed join notes. Controlled owners must reconcile real records, validate values and formulas in Excel, and approve migration/cutover; existing Council records remain unchanged until then.