The Council — AI Post-Deployment Monitoring & Review Log

AIG-OPS-02 · v1.6 draft · Draft for Council review · OFFICIAL · Playbook §3.10.5, §6.4

Purpose: create auditable evidence that each live AI system is monitored against its approved metrics and thresholds. One row records one metric or review result against the permanent AIR-ID. Threshold breaches and material changes require documented consideration of risk reassessment and governance escalation.

Status statement: draft design. No monitoring is yet operating; thresholds, owners and cadences are set per system on adoption. This log is a controlled evidence record, not a reporting summary; portfolio reporting draws from it via the Dashboard (AIG-OPS-06).

Document control	Controlled value
Document ID	AIG-OPS-02
Version	1.6 draft
Status	Draft for Council review
Document owner	AI Governance Lead; Service Owners operate the monitoring record for their systems
Approving authority	Relevant delegated Council authority adopts the controlled template; AI Assurance Board provides assurance, not approval of individual deployments
Effective date	Pending formal approval
Review frequency	On material change and at each management review (9.3); scheduled portfolio review otherwise
Links to	AI Register (AIG-INV-04) via AIR-ID; Incident Report (AIG-OPS-03); Nonconformity & Corrective Action (AIG-AIMS-08); Gate Log (AIG-DEC-04)
Source position	Playbook §3.10.5 governance review and reassessment; §6.4 AI performance monitoring
Classification	OFFICIAL

Version / date	Change
1.0 draft — 14 September 2026	Initial controlled Document Control record established for the Post-Deployment Monitoring & Review Log during full-suite quality assurance, bringing AIG-OPS-02 into line with the controlled-artefact baseline. Monitoring-log content and structure unchanged.
1.1 draft — 17 September 2026	Added Sampling Method annex (new sheet) defining sample source, population, selection basis, the high-impact full-review rule and tiered minimum sample sizes and windows for clause 9.1 reproducibility; added sample-provenance columns (Sample Source, Selection Basis, Population Size, Sample Size, Sampling Window) to the Monitoring Log. No change to existing metrics, validations or
1.2 draft — 25 September 202	Agentic monitoring metrics and delegated approval authority aligned to AIG-ASS-1
1.3 draft — 28 September 202	Freeze monitoring headers and extend filtered table to sampling and use-scope fie
1.4 draft — 29 September 202	Added Unknown (Not yet known for Trend) to Threshold Breach?, Material Change
1.5 draft — 29 September 202	QA remediation — applied findings QA-103, QA-217, QA-218, QA-225, QA-232, Q
1.6 draft — 30 September 202	v3.9.2: Monitoring Log columns AO “Review type (§6.4.4: operational / performanc

The Council — AI Post-Deployment Monitoring & Review Log

AIR-OPS-02 | Controlled monitoring evidence. Record a UC-ID for user-specific measures (scope 'UC-ID specific'), mark a blank UC-ID explicitly as 'Shared system baseline'. Shared monitoring is not evidence that every user is approved. The example row is on the Instructions sheet.

AIR-ID	AI System / Service	Monitoring Period	Review Date	Monitoring Owner	Metric Category	Metric / Indicator	Approved Threshold / Tolerance	Actual Result	Trend	Threshold Breach?	Severity	Action / Decision	Action Owner	Due Date	Incident / CAPA Ref	Material Change?	Risk Reassessment Required?	Residual Risk After Review	Governance Escalation?	IAC-DEC-02 Event ID (Date Log ref)	Complaints / Challenges	Human Override Rate / Trend	Evidence Location	Next Review Date	Review Status	Sample Source / Population of Record	Selection Basis	Population Size	Sample Size Reviewed	Sampling Window	Links to UC-ID(s) impacted	UC-ID Specific / Shared

Risk tier (UC-ID) AIG-AR-01-02]	Required minimum cadence [derived]	Minimum sample [derived]	Reassessment trigger (Appendix E.4)	Reassessment / consideration ref (IAG-AAG-02)	IEC-DEC-02 Condition ID (if monitoring a condition)	Review type (IR.4.4: operational / performance / bias)	Agenda cadence once applied? [action-capable rows]

AIG-OPS-02 — Sampling Method for Post-Deployment Monitoring

AIG-OPS-02 Annex · v1.6 draft · Draft for Council review · OFFICIAL · Defines how and where monitoring samples are drawn so each result in the Monitoring Log is valid, comparable and reproducible. Aligns to ISO/IEC 42001:2023 clause 9.1 and Playbook §6.4.

Status: draft design. Sample sizes and windows below are illustrative defaults, to be confirmed per system at adoption from actual decision volumes; nothing is yet operating. The selection basis and source population must be recorded for every review in the Monitoring Log (columns AA to AE).

Principles — how and where samples are drawn	
Source (where)	Samples are drawn only from the system's authoritative record of decisions or outputs — the system of record named for that AIR-ID (for example the case management system, the model's own decision or output log, or the source dataset). Not from a convenience extract, a screenshot set, or the supplier's own summary. Name the exact source per system and record it in the Monitoring Log 'Sample Source / Population of Record' column.
Population (what the sample represents)	The population is every in-scope decision or output the system produced in the review window. Fix the window and any inclusion or exclusion (for example live decisions only, excluding test traffic) before drawing, and record the population size so the coverage of the sample is visible on the face of the record.
Selection basis (how)	State one reproducible basis per review: full population (census) where volumes allow; simple random; stratified random across the segments that matter (decision type and, for fairness, the protected-characteristic groups held in the equality record); or risk-weighted / targeted for a specific concern. For any random draw, record enough to reproduce it (the method or seed, and the date or range drawn).
High-impact decisions	Whatever the sampled metric, review 100% of the highest-impact decision types for the tier (for example refusals, removals, escalations, or any fully automated adverse decision). Sampling reduces effort on routine outcomes; it never dilutes scrutiny of the decisions that harm a resident if they are wrong.
Sample size	Treat the tier minimums below as a floor. Where a stated confidence level is required — for example to evidence a fairness threshold — set the size by a proportion / confidence calculation on the population instead, and record that basis. If the population in the window is at or below the minimum, review the whole population.
Traceability	Every Monitoring Log result must carry its Sample Source, Selection Basis, Population Size, Sample Size and Sampling Window (columns AA to AE). A metric with no recorded sample is not evidence, and cannot be relied on at internal audit (9.2) or management review (9.3).

Sample plan and minimum cadence by risk tier (per UC-ID; cadence per the Playbook §6.4.4 controlled minimum cadence table)

Risk Tier	Tier band (residual)	Default selection basis	Minimum sample per review	Minimum cadence by review type (§6.4.4)	Low-volume rule
Critical	16 to 25	Stratified random, plus 100% of adverse or fully automated decisions	Greater of 30 decisions or 5% of the window's population	Operational monitoring: continuous. Performance review: at least monthly. Formal review: continuous	Census if population is at or below the minimum
High	11 to 15	Stratified random	Greater of 30 decisions or 5% of the window's population	Operational monitoring: continuous. Performance review: monthly. Formal review: quarterly.	Census if population is at or below the minimum
Medium	6 to 10	Simple random	20 decisions	Operational monitoring: monthly. Performance review: quarterly. Formal review: annual.	Census if population is 20 or fewer
Low	1 to 5	Random spot-check or exception-based	10 decisions	Operational monitoring: routine, by the Service Owner. Performance review: annual. Formal	Census if population is 10 or fewer

Bands match the Risk Assessment Worksheet (AIG-ASS-02) and Playbook §4.4.3 and §4.4.8 (residual = inherent × control ÷ 5; tiers 1–5 / 6–10 / 11–15 / 16–25). Minimum cadences per UC-ID follow the Playbook §6.4.4 table by review type (operational monitoring, performance review, formal review); formal review: Low and Medium annual, High quarterly, Critical continuous monitoring with at least monthly formal review. The plan may increase frequency but never reduce it below the tier minimum (Appendix E.2). Record the tier in Monitoring Log column AI and the review type in column AO; the log derives the cadence for that review type (AJ) and minimum sample (AK) and flags a shortfall. Continuous monitoring is logged at least monthly. Record column AP on every row ("Not action-capable" where the use cannot act; a blank AP is flagged). For an action-capable use, record in column AP whether the Monitoring and Review Plan has raised the cadence (§6.4.4: agentic capability raises and never lowers it); the size of the raise is to be set by the Council (Proposed — for Council confirmation). Minimum sample sizes are illustrative defaults; confirm each per system at adoption. Fairness sampling must stratify on the groups recorded in the Equality Impact Assessment (AIG-ASS-06).

AIG-OPS-02 — Operating Rules

Purpose	Create auditable evidence that each live AI system is actually monitored against approved metrics and thresholds.
Record key	Every entry must carry the same AIR-ID used in the AI Register and other governance artefacts.
Minimum monitoring	Use proportionate metrics. Higher-risk systems should normally consider performance, fairness/bias, drift, error/failure, human oversight/override, complaints/challenges, privacy/security and benefits/outcomes where relevant.
Mandatory reassessment triggers	Documented consideration of risk reassessment is required where monitoring identifies an approved UC-ID threshold breach; material change to the model, data, supplier, purpose, user population or autonomous authority; a significant complaint/challenge pattern; a material incident or near miss; adverse human-override trends; control failure; or a legal/regulatory change affecting a use. (Playbook: Appendix E.4, verbatim.) Record the trigger in Monitoring Log
Threshold breach rule	A breach must not be closed only as an operational fix. Record whether reassessment is required, recalculate residual risk where appropriate, and consider re-entry to the relevant governance gate.
Escalation	Use Incident Report (AIG-OPS-03) and/or CAPA (AIG-AIMS-08) where applicable. Record formal governance decisions/events in Gate Log (AIG-DEC-04).
Register relationship	AI Register (AIG-INV-04) remains the current-state portfolio record, not the monitoring history. Update Monitoring in place, Last review date, Next review and status there when monitoring changes the current governance position.
Dashboard relationship	Portfolio reporting should include overdue monitoring, high/critical systems without current monitoring evidence, systems outside approved thresholds, and systems requiring reassessment.
Retirement	Confirm service withdrawal, access/interface removal, supplier access disposition, data/model/log retention, closure/transfer of open actions, Register status update, final governance review and lessons learned.
Sampling method	Draw every sampled metric per the Sampling Method sheet: from the system's authoritative record of decisions or outputs, on a stated selection basis (census / simple random / stratified), with high-impact decisions reviewed in full. Record Sample Source, Selection Basis, Population Size, Sample Size and Sampling Window (log columns AA to AE) for each result.
Imported technical evidence	If imported technical evidence is used, cite its verified AIG-INV-04 Evidence ID and dated snapshot in Evidence Location (column X). The monitoring owner still reviews the metric, sampling, threshold and action. Missing or stale imported evidence is not a passing result; otherwise use the established controlled evidence reference.

Agentic applicability	For every action-capable agent, set proportionate named metric owners, thresholds, review windows, source of truth an
Denied tool calls	Count attempted and denied calls by AIR-ID, agent and tool; investigate unusual volume, privilege probing or repeat de
Authority changes	Monitor grants, revocations, expiries, policy decisions and changes to authority graph/credentials. Unapproved authority
Memory writes	Monitor persistent/shared memory writes, provenance, isolation failures and deletion events where applicable. Test for a
Loops and delegation	Monitor invocation count, recursion depth, sub-agent count, runtime and budget/transaction limits; define circuit breaker
External destinations	Review new outbound addresses, domains, recipients, data volume and API/tool destinations against approved interfac
Human overrides	Monitor approval, rejection, override and post-action reversal rates and underlying decision quality; investigate deviation
Time to containment	Measure from trigger to stopped initiation, revoked permissions, contained child agents and recorded in-flight exposure;
Evidence and response	Each Monitoring Log row records Metric Category, Metric, Approved Threshold, Actual Result, owner, sampling basis a
Closure control	Use the Monitoring Log closure/evidence check in column AH. A row needs an AIR-ID and controlled list values. Blank or Unknown answers for Trend, Threshold Breach?, Material Change?, Risk Reassessment Required?, Governance Escalation? or the E.4 trigger show UNKNOWN TO RESOLVE. A breach needs threshold, result, named action, owner, due date, incident/CAPA reference and evidence; any trigger needs a reassessment or consideration ref; reassessment or escalation needs the AIG-DEC-04 Event ID. The check also tests date order, sample ≤ population, the tier minimum sample and the tier cadence for the review type in column AO (§6.4.4: operational monitoring, performance review or formal review), and flags an action-capable use whose agentic cadence raise is not yet set (column AP). Column AP is required on every row: the log identifies an action-capable use only from AP, so a blank AP is treated as a raise not yet set; choose “Not action-capable” where the use cannot act. “Closure ready for independent review” is a prompt to check the underlying source; it is not delegated approval.

Example row (illustrative only — not part of the log)

AIR-ID	AIR-EXAMPLE
AI System / Service	Example only — delete before use
Monitoring Period	2026-Q3
Monitoring Owner	Service Owner
Metric Category	Performance
Metric / Indicator	Accuracy
Approved Threshold / Tolerance	≥ 92%
Actual Result	93.6%
Trend	Stable
Threshold Breach?	No
Severity	Low
Action / Decision	Continue monitoring
Action Owner	Service Owner
Material Change?	No
Risk Reassessment Required?	No
Governance Escalation?	No
Complaints / Challenges	0
Human Override Rate / Trend	4% / Stable

Evidence Location	Evidence repository reference
Review Status	Open
Sample Source / Population of Rec	Case management system — live decision records
Selection Basis	Stratified random
Population Size	1240
Sample Size Reviewed	60
Sampling Window	Quarter (2026-Q3)
Review type (§6.4.4)	Performance review
Agentic cadence raise applied?	Not action-capable

AIG-OPS-02 — PROPOSED AIG-INV-04/AIG-DEC-04 INTEGRATION NOTES

NOT APPROVED — additive integration annex only; existing workbook content and formulas are retained unchanged. AIG-INV-04 (AI Register) and AIG-DEC-04 (Gate Log) are themselves proposed designs: until the Council approves their adoption and migration, the Council's existing records remain authoritative and the AIG-INV-04/AIG-DEC-04 joins below are design references only. No live system, event, evidence, approval or Council decision is asserted.

Contract area	Authoritative key / authority	Link / required handling and trigger
System key / authority	AIG-INV-04 AI Register is the system-level source and permanent AIR-ID is the join key for every Monitoring Log entry. AIG-OPS-02 is controlled post-deployment evidence, not the system register.	Use exact AIR-ID to link incident, complaint, control, material-change and monitoring evidence. Do not substitute names or create a parallel system key.
Mandatory reassessment triggers	Documented consideration of risk reassessment is required where monitoring identifies an approved UC-ID threshold breach; material change to the model, data, supplier, purpose, user population or autonomous authority; a significant complaint/challenge pattern; a material incident or near miss; adverse human-override trends; control failure; or a	Record the monitoring/incident/complaint/control/change evidence and date; notify accountable owner; reassess current risks and assurance in the applicable AIG-INV-04 Assessment summary. State decision, rationale, owner and evidence reference—do not close as an operational fix alone.
Gate re-entry	Where reassessment changes risk, priority, intended use, controls, authority or approval conditions—or governance requires renewed approval—re-enter the relevant AIG-DEC-04 governance gate(s).	Create/update Gate plan requirement(s) for the same AIR-ID with trigger, basis/evidence ref, responsible role and target date. Record the resulting decision as a dated Gate events row; attach/track any conditions in Conditions. Do not infer re-entry or approval from a monitoring entry.
Cross-record references	AIR-ID joins the monitoring row to AIG-INV-04 AI Register/Assessment summary and AIG-DEC-04 plan/event/condition records. Incident Report (AIG-OPS-03) and corrective action (AIG-AIMS-08) remain their own records where applicable.	Capture stable record IDs/URIs, event dates and source versions in existing AIG-OPS-02 evidence/reference fields; record the AIG-DEC-04 Event ID (column U) and Condition ID (column AN) and AIG-INV-04 assurance update. Avoid re-keying full records or changing existing field meaning.
Closure / escalation	A trigger is closed only when its reassessment decision, risk/assurance update and any resulting gate action are evidenced; unresolved conditions remain open in AIG-DEC-04.	Record reassessment outcome and reviewer in AIG-OPS-02; cite the authoritative AIG-INV-04 and AIG-DEC-04 records. Reassess again when a new trigger occurs or conditions/control state materially change.

PROPOSED QA INDEX — NOT APPROVED. A source reference does not establish applicability or compliance. See AIG-AIMS-05 and AIG-AIMS-13; owners must validate the current source, case-specific scope, control evidence and adopted status.

Requirement ID	Instrument / edition	Conditional scope / relevance	Source URL	Owner validation status
REQ-001	UK General Data Protection Regulation (UK GDPR), as amended	Where personal data is processed; test each UK GDPR provision separately.	https://www.legislation.gov.uk/eur/2016/679/contents	Specialist validation required
REQ-003	Data (Use and Access) Act 2025 (DUAA)	Where DUAA-amended UK GDPR/DPA provisions are engaged, including ADM safeguards.	https://ico.org.uk/about-the-ico/what-we-do/legislation-we-cover/data-use-and-access-act-2025/	Specialist validation required
REQ-033	ICO Guidance on AI and Data Protection and AI Risk Toolkit	Screen the regulatory guidance requirement against this artefact's actual use and record evidence/version in the AIG-AIMS-05 entry for this requirement.	https://ico.org.uk/for-organisations/uk-gdpr-guidance-and-resources/artificial-intelligence/guidance-on-ai-and-data-protection/	Specialist validation required
REQ-039	NCSC Guidelines for Secure AI System Development	Screen the government security guidance requirement against this artefact's actual use and record evidence/version in the AIG-AIMS-05 entry for this requirement.	https://www.ncsc.gov.uk/collection/guidelines-secure-ai-system-development/introduction	Specialist validation required
REQ-040	ISO/IEC 42001:2023 Artificial intelligence management system	Proposed management-system design mapping; licensed clause review and adoption needed.	https://www.iso.org/standard/42001	Specialist validation required
NIST-AI-100-1	NIST AI Risk Management Framework 1.0 (NIST AI 100-1, January 2023)	Voluntary alignment reference; not certification or statutory conformity	https://www.nist.gov/publications/artificial-intelligence-risk-management-framework-ai-rmf-10	Voluntary alignment reference; not certification or statutory conformity
OWASP-ACS-2026	OWASP Agent Control Standard (source edition/date to confirm)	Technical design guidance; verify edition and operational tests	https://genai.owasp.org/resource/agent-control-standard-acs/	Technical design guidance; verify edition and operational tests

AIG-OPS-02 / PROPOSED THREE-ARTEFACT SOURCE CONTRACT

Status	PROPOSED INTEGRATION DESIGN ONLY. This sheet does not amend the artefact's native assessment, decision authority, data or formulas.
Role of this file	Post-deployment monitoring: verify AIR-ID in AIG-INV-04 and the Event ID (column U) / Condition ID (column AN) against separate AIG-DEC-04. For changed model, data, interface, agent or tool, open a map change and reassess access/authority before continued expanded use.
AIG-INV-04 source	Separate AIG-INV-04 AI Register: official AIR-ID, current position, in-file Assessment summary/Evidence index. Reconcile against authoritative AIG-INV-04 before using a copied value.
AIG-DEC-04 source	Separate AIG-DEC-04 Gate Log: prospective Gate plan, dated Gate events, event-linked Conditions. A planned gate is not a decision. A decision requires AIG-DEC-03 or approved minutes and proper delegation.
Map source	Proposed standalone Capabilities and System Map (candidate catalogue ID AIG-INV-05): UC/CAP and component relationship pointers. Edge ID is not an approval or permission; AIG-AGT-04/AIG-AGT-05 remain sources of agent scope/authority.
Data exchange	Use controlled AIR-ID across files. Where applicable reference exact Event ID, Condition ID, Evidence ID, AG-ID and Edge ID. Record source file/version/as-at with imported or quoted evidence; no live cross-workbook formula is assumed.
Change trigger	New or expanded system/tool access, or a material model, data, interface, purpose or agent change: log the map change, obtain owner reassessment and escalate to the proper AIG-DEC-04 gate/AIG-DEC-03 decision when required.
Validation before use	The INTEGRATION INV-04 DEC-04 tab in this workbook is current supporting design guidance (not historical) and holds the detailed join notes. Controlled owners must reconcile real records, validate values and formulas in Excel, and approve migration/cutover; existing Council records remain unchanged until then.

AIG-OPS-02 — controlled list: reassessment trigger (Playbook Ap

None
Threshold breach
Material change (model, data, supplier, purpose, user population or autonomous authority)
Significant complaint / challenge pattern
Material incident or near miss
Adverse human-override trend
Control failure
Legal / regulatory change