AI Deployment and Rollout Plan
The Council · AI Governance Playbook (Level 5 document)

A plan for taking an approved AI system safely into live service.

Used by the Service Owner with the AI Governance Lead after governance approval and before go-live. It is a readiness check, not a new evidence pack: it carries approval conditions into deployment and references existing evidence by AIR-ID rather than recreating it. The plan references the Governance Decision Record (AIG-DEC-03) and applies the decision rights in the AI Governance Terms of Reference (AIG-GOV-06). Operational use of a UC-ID may begin only when its delegated decision is recorded in AIG-DEC-03 (or approved minutes) with a dated Gate Event in AIG-DEC-04; the AI Register Governance Approval Status / Operational Status (system baseline; not use permission) is then reconciled (Approved / Active) but does not itself permit use. Complete the blue-shaded cells and reference supporting evidence. High and Critical systems require the applicable governance and executive sign-off before go-live.

1. System and Approval Reference

Deployment authorisation — identify the exact UC-ID(s) covered by the delegated decision and list permitted purpose/users/data/actions, conditions, and Gate Event/decision references per use. Use a separate rollout/readiness line for each materially distinct UC-ID. A system's Active state or approval of another UC-ID does not authorise go-live; check conditions and changed scope before activation.

System identity	System identity (name, owner, service area): held once in the AI Register (AIG-INV-04) under this AIR-ID; do not re-key here.
UC-ID(s) authorised for deployment	List exact decision/Gate Event reference, permitted scope and conditions per use.
AIR-ID	AIR-XXXX
Risk classification	Low / Medium / High / Critical
Governance Decision Record reference	Decision Record GDR-XXXX
Governance approval date	
Approval conditions to carry into deployment	List conditions attached at approval; each must be tracked to closure in section 3
Governance Approval Status (system baseline; not use permission)	Reconciled to Approved after the UC-ID delegated decision is recorded (AIG-DEC-03); does not itself permit use
Current AI Register Operational Status	Reconciled to Active after the UC-ID go-live decision (AIG-DEC-03) and its Gate Event (AIG-DEC-04); not use permission

2. Deployment Scope and Approach

What is going live	Functions, user groups and the residents or services affected
Deployment approach	Pilot / Phased / Full release
Planned go-live date	

Phases (where phased or piloted):

Phase	Scope	Start date	Exit criteria to progress

3. Pre-Deployment Readiness — confirm before go-live

Each item must be confirmed complete, or marked not applicable with a reason, before the go / no-go decision in section 9. Evidence is referenced, not attached. Approval conditions may remain open only where the approving authority has expressly accepted them, with an owner, due date and escalation route recorded. Only items relevant to the approved pathway are completed; evidence is referenced at source and not attached again.

Readiness item	Complete?	Owner	Date	Evidence ref
Required impact assessments signed off (DPIA, EIA, HRA and Responsible AI Assessment as applicable)	Y / N / N/A			
Security Review completed	Y / N / N/A			
Adversarial test (AIG-ASS-11 Section 7) completed for resident-facing generative AI at Medium, outcome recorded (Proposed — for Council confirmation)	Y / N / N/A			
Model Card completed	Y / N / N/A			
All approval conditions met	Y / N / N/A			
Human oversight arrangements in place	Y / N			
Monitoring plan in place, with agreed thresholds and who agreed them recorded (section 7; AIG-OPS-02)	Y / N			
Staff training delivered	Y / N / N/A			
Transparency / ATRS record prepared (if reportable)	Y / N / N/A			
Supplier obligations confirmed (if procured)	Y / N / N/A			
Data protection sign-off by the accountable officer (Service Owner / SIRO), with DPO advice considered; Security Review outcome Satisfactory or Satisfactory with conditions	Y / N			
Rollback capability tested	Y / N			
Business continuity link recorded in section 8: prioritised activity Yes / No / Not known; if Yes, plan reference given and fallback consistent with it (Proposed — for Council confirmation)	Y / N			

Readiness item	Complete?	Owner	Date	Evidence ref
Governance Approval Status confirmed as Approved	Y / N			
Decision Record conditions closed or formally accepted with owner and due date	Y / N / N/A			
AI Register update to Active prepared for authorised go-live	Y / N			
If action-capable: Agent Record complete to its level (AIG-AGT-04 Record QA OK); AIG-ASS-11 ASI coverage; each required AIG-AGT-04 runtime control Implemented and Evidenced (Actual State “Evidenced”; “Implemented” alone is not enough), or a delegated, time-bounded compensating control (Playbook F.7.8); AIG-AGT-06 action trace; AIG-OPS-02 monitoring thresholds and containment test; agentic control checkpoints re-confirmed at Gate 6; permitted autonomy level per UC-ID granted at Gate 6 and recorded in AIG-DEC-03 and AIG-AGT-04; decision AIG-DEC-03 and gate AIG-DEC-04	Y / N / N/A			

4. Roles and Responsibilities for Deployment

Role	Name	Responsibility
Service Owner		Accountable for the deployment and its use; data protection sign-off as the controller’s accountable officer (with the SIRO where required)
AI Governance Lead		Assurance, conditions and register continuity
Technical / delivery lead		Build, integration and go-live execution
Data Protection Officer		Data protection advice and confirmation that DPO advice has been considered (advises; does not sign off)
Information Security		Security Review outcome (Satisfactory / Satisfactory with conditions / Not satisfactory)
Communications / engagement		Staff and resident communication
Supplier contact (if procured)		Contractual and support obligations

5. Human Oversight and Operational Controls

How human oversight operates in live use	Who reviews outputs, and how a person can override or halt the system. State plainly where no decision about an individual is made solely by the system
Escalation triggers recognised in operation	Which conditions require the system to be escalated, paused or re-assessed once live
Resident / service-user challenge and redress route	How an affected person can question, challenge or seek review of an AI-assisted outcome

Where the system can take actions autonomously (agentic capability), confirm the controls in place (Playbook §4.7.7):
☐ Action scope defined ☐ Least privilege ☐ Approval thresholds ☐ Action logging ☐ Suspension capability

6. Training and Communication

Staff training	Who is trained, on what, and by when
Resident / service-user communication and transparency	What affected people are told, and how
Register declaration / disclosure	Confirm the system is recorded in the AI Register

7. Monitoring, Review and Success Measures

What will be monitored	Performance, fairness / bias, model drift and error rates, with thresholds that trigger action
Monitoring owner and frequency	
First scheduled review date	
Success measures	How the system's value and safe operation will be judged (Playbook §3.11)
Re-assessment / re-triage triggers	Changes that would require the system to re-enter governance
Monitoring evidence record	Confirm AIG-OPS-02 will be used from go-live to record actual metric results, thresholds, trends, breaches, actions and evidence against the AIR-ID.
Mandatory reassessment triggers	Define triggers including threshold breach, material model/data/provider/purpose/user-population change, significant complaint pattern, material incident/near miss, adverse human-override trend, control failure or relevant legal/regulatory change.
Threshold breach governance rule	A breach must trigger documented consideration of risk reassessment and governance escalation; it must not be closed solely as an operational fix.
Retirement closure evidence	At decommissioning confirm service withdrawal, access removal, supplier-access disposition, data/model/log retention, closure/transfer of actions, Register update, final review and lessons learned.

8. Rollback and Contingency

Safe-withdrawal / rollback procedure	How a previously approved state is restored quickly if the system fails or causes harm
Who can invoke suspension	
Fallback process if the system is unavailable	
Business continuity link (Proposed — for Council confirmation)	Is this service a prioritised activity in the Council's business continuity plan? Yes / No / Not known. If yes, give the plan reference and confirm the fallback above is consistent with it.
Link to incident management	Security or harmful-output events trigger governance escalation regardless of this plan (Playbook §6.8)

9. Go / No-Go Decision and Authorisation

Go / no-go decision	Go / Go with conditions / No-go
Outstanding conditions (if any)	

Authorisation to deploy:

Role	Name	Signature	Date
Service Owner			
AI Governance Lead			
Governance approval authority (delegated forum and reference)			
SRO / Executive Sponsor (Critical; High where required)			

Recorded in the AI Register (date)	
Governance Approval Status	Approved
Operational Status	Active
Decision Record / rollout evidence location	

Deployment gate: operational use of the UC-ID must not begin until the officer or forum with confirmed delegation has authorised go-live in AIG-DEC-03 (Playbook Appendix F.7.8) and the AI Register system baseline is reconciled (Governance Approval Status = Approved; Operational Status = Active). The system baseline is not use permission. The AI Governance Lead records the update immediately at go-live.

Agentic go/no-go: identify each applicable runtime control and the dated test evidence, including chain-wide stop, credential revocation and measured time to containment. Record scoped pilot separately from production. If a required control remains Designed or Specified without effective, authorised and time-bounded compensation, the decision is No-go for consequential production autonomy. Monitoring owner and security reviewer agree thresholds for tool denials, authority changes, memory writes, loops and delegation,

destinations, human overrides and containment in AIG-OPS-02. Log consequential actions in AIG-AGT-06 and route failures through AIG-OPS-03/AIG-DEC-04.

Document control
Administrative control record. This artefact remains a working draft until formally approved.

Field	Controlled value
Document ID	AIG-OPS-01
Version	1.13 draft
Status	Draft for Council review
Document owner	AI Governance Lead
Approving body	Pending confirmation — Competent Council authority under Constitution and Scheme of Delegation; AI Assurance Board provides assurance where applicable; exact delegation and publication authority to be verified by Monitoring Officer.
Approval date	Not yet approved
Effective date	Not yet effective
Next review date	To be set on approval: 12 months after the effective date, or sooner following material change
Classification	OFFICIAL

Change history

Version	Date	Change summary	Owner
1.0 draft	6 August 2026	Controlled-suite integration: approval-condition tracking, readiness evidence, human oversight, go-live authority and Approved/Active register gate established.	AI Governance Lead
1.1 draft	3 September 2026	Post-deployment QA: strengthened monitoring evidence, mandatory reassessment triggers, threshold-breach governance and retirement closure controls; linked the Monitoring and Review Log (AIG-OPS-02).	AI Governance Lead
1.2 draft	20 September 2026	Lean deployment rule added: readiness check rather than duplicate evidence pack; only applicable pathway items need completion and evidence is referenced by AIR-ID.	AI Governance Lead
1.3 draft	25 September 2026	Added agentic production readiness and monitoring gates.	AI Governance Lead

Version	Date	Change summary	Owner
1.4 draft	29 September 2026	QA remediation — applied findings QA-050, QA-091, QA-130, QA-172, QA-185, QA-200, QA-010, QA-057 (see QA change log). DPO role set to advice (sign-off by the Service Owner / SIRO); Security Review outcome wording; Operational Status field named; go-live tied to the UC-ID decision (system baseline is not use permission); material-change re-entry without exception. Final tidy-up: §1 Governance Approval Status and Operational Status fields relabelled as system baseline reconciled after the UC-ID decision (AIG-DEC-03), not use permission. Final tidy-up: self-referencing cross-reference removed from the standards row(s) REQ-008, REQ-039. v3.7 alignment: go-live check for action-capable uses records the permitted autonomy level granted at Gate 6 and re-confirmation of the agentic control checkpoints.	AI Governance Lead
1.5 draft	30 September 2026	v3.9: pre-go-live checklist adds the adversarial test (AIG-ASS-11 Section 7) for resident-facing generative AI at Medium, with the outcome recorded (Proposed — for Council confirmation).	AI Governance Lead
1.6 draft	30 September 2026	v3.9.1: section 8 (Rollback and Contingency) adds the business continuity link: is the service a prioritised activity in the Council's business continuity plan (Yes / No / Not known), and if yes the plan reference and a fallback consistent with it; the section 3 pre-go-live checklist mirrors it; the standards cross-reference adds REQ-054 (Civil Contingencies Act 2004) and cites the 54-entry inventory (AIG-AIMS-05). Proposed — for Council confirmation.	AI Governance Lead
1.7 draft	30 September 2026	v3.9.2 (pilot-readiness fixes from the scenario test; see QA change log): section 3 agentic readiness item and the conditions rule now require each required AIG-AGT-04 runtime control to be Implemented and Evidenced (Actual State Evidenced; Implemented alone is not enough), or a delegated, time-bounded compensating control (Playbook F.7.8), matching the AIG-AGT-04 v0.4 Record QA check (W-01).	AI Governance Lead
1.8 draft	1 October 2026	v3.9.3: standards cross-reference note cites the 55-entry requirement inventory (AIG-AIMS-05 REQ-055, NIST AI 600-1 Generative AI Profile, added).	AI Governance Lead
1.9 draft	2 October 2026	v3.9.5: standards cross-reference note cites the 56-entry requirement inventory (AIG-AIMS-05 REQ-056, SI 2026/425 ICO statutory code of practice on AI and automated decision-making, added). Proposed — for Council confirmation.	AI Governance Lead
1.10 draft	3 October 2026	v3.9.6: the pre-go-live “Monitoring plan in place” item now also asks for agreed thresholds and who agreed them to be recorded (section 7; AIG-OPS-02), so a plan without numbers cannot be ticked. Proposed — for Council confirmation.	AI Governance Lead

Version	Date	Change summary	Owner
1.11 draft	3 October 2026	v3.9.8: incidents trigger documented review, with reassessment and re-entry where needed; lifting a precautionary pause with the approval unchanged is logged as Outcome “Resume”, and Re-authorise where reassessment is needed (AIG-DEC-04 v1.3). Proposed — for Council confirmation.	AI Governance Lead
1.12 draft	4 October 2026	v3.9.9: readiness checks the Agent Record is complete to its level (AIG-AGT-04 Record QA; Playbook F.3). Proposed — for Council confirmation.	AI Governance Lead
1.13 draft	12 October 2026	v3.9.10: standards cross-reference note cites the 58-entry requirement inventory (AIG-AIMS-05 REQ-057 DAMA-DMBOK and REQ-058 ISO/IEC 5259, added as voluntary data governance references). Proposed — for Council confirmation.	AI Governance Lead

PROPOSED INTEGRATION ADDITIONS — REVIEW REQUIRED

Proposed deployment handoff — verify scope and changes

Before rollout, the Service Owner and governance should reconcile the actual deployment purpose, components, interfaces, agent/tool references and access scope against the dated AIG-INV-05 map snapshot if the map is adopted. A discrepancy or material new/changed edge triggers the established intake and proportionate privacy, risk, security and agentic reassessment; do not rely on the map as an access inventory without source verification. Only an actual delegated decision is an AIG-DEC-04 Gate Event, and deployment remains subject to the UC-ID decision in AIG-DEC-03, all event-linked AIG-DEC-04 Conditions and a reconciled AIG-INV-04 system baseline (not use permission).

This integrated draft includes revisions to body content above; the annex below is supplementary proposed content for Council review. This draft and annex do not record live facts, completed actions, delegated authority, Council adoption or approval.

PROPOSED plan-versus-actual event discipline

This plan records intended milestones/target dates, not proof a milestone occurred. Record actual gate, decision, verification, pilot, go-live, pause/resumption and retirement events in AIG-DEC-04 as separate dated events with actor/role, source/evidence and outcome. Keep planned, actual and revised target dates and variance reasons distinct; never overwrite planned dates.

Use permanent AIR-ID and read canonical identity/current state from AIG-INV-04. If only provisional intake reference exists, do not proceed to live use or represent it as registration. Decision authority/outcome is evidenced in AIG-DEC-03 and authoritative native minutes or controlled written decision.

PROPOSED conditional closure and go-live rule

Before go-live reconcile every approval condition to distinct owner, due date, required evidence, verifier and status. Conditions must be closed and evidenced unless the competent delegated authority expressly accepts a specified condition open within its delegation, recording residual risk, any compensating controls, owner, deadline, expiry/review trigger and escalation route in AIG-DEC-03 and AIG-DEC-04. Accepted-open is not “closed.”

No open condition may be accepted if it breaches law, statutory/regulatory duty, mandatory control, required specialist decision or the decision’s no-go requirement. If a required control is not Implemented and Evidenced and lacks effective authorised time-bounded compensation, go-live is No-go for the affected scope. Record pilot versus production scope, decision/delegation reference, condition state and actual effective date.

Use of a UC-ID may begin only after its delegated go-live decision is recorded in AIG-DEC-03 with the corresponding actual dated event in AIG-DEC-04; AIG-INV-04 Governance Approval Status / Operational Status (system baseline; not use permission) is then reconciled to Approved / Active. Planned date, checklist, assurance recommendation or conditional intention does not activate a system.

PROPOSED re-entry after change or incident

Material change, incident/near miss, significant threshold breach, control failure or significant complaint pattern triggers documented review, with reassessment and re-entry where the use needs it, before changed or resumed use. Where urgent change is needed to prevent harm, pause or restrict the use under Playbook §4.7.17 until the delegated decision is made. Link AIG-OPS-03/AIG-DEC-04; record scope, pause decision, refreshed evidence, delegated AIG-DEC-03 decision, conditions and controlled AIG-INV-04 state. Where the delegated authority lifts a precautionary pause with the approval unchanged, it is logged in AIG-DEC-04 as a Decision with Outcome “Resume”; where the use needs reassessment first, the outcome is “Re-authorise”. Keep actual pause/decision/resumption dates separate from targets.

Review points — not yet decided

Confirm AIG-DEC-04 event types/actor/time/source fields; process for condition acceptance and operational activation in AIG-INV-04; and conditions categorically non-deferrable for each pathway. No go-live, approval, live status or event is asserted.

Standards and legal applicability — proposed QA cross-reference

PROPOSED QA INDEX — NOT APPROVED LEGAL ADVICE OR EVIDENCE OF COMPLIANCE. The listed instruments may be relevant to this artefact, but applicability depends on the case, service and Council delegation. Legislation, official guidance, Council policy and voluntary standards are different authority classes. The full 58-entry requirement inventory, authoritative URLs, validation owners and current versions are in AIG-AIMS-05; source checks are in AIG-AIMS-13. Do not treat a template, plan or cross-reference as completed assessment, adopted policy, ISO conformity or legal sign-off.

Requirement / instrument	Why check it here	Source
REQ-001 — UK General Data Protection Regulation (UK GDPR), as amended	Where personal data is processed; test each UK GDPR provision separately.	https://www.legislation.gov.uk/eur/2016/679/contents
REQ-008 — Public Sector Bodies (Websites and Mobile	Screen the legislation requirement against this artefact's	https://www.gov.uk/guidance/accessibility-requirements-for-

Applications) (No. 2) Accessibility Regulations 2018	actual use and record evidence/version.	public-sector-websites-and-apps
REQ-013 — Local Government Act 1972 (including section 101) and The Council's constitution and scheme of delegation	For actual Council decision/approval, verify the current Constitution and delegation.	https://www.legislation.gov.uk/ukpga/1972/70/contents
REQ-039 — NCSC Guidelines for Secure AI System Development	Screen the government security guidance requirement against this artefact's actual use and record evidence/version.	https://www.ncsc.gov.uk/collection/guidelines-secure-ai-system-development/introduction
REQ-040 — ISO/IEC 42001:2023 Artificial intelligence management system	Proposed management-system design mapping; licensed clause review and adoption needed.	https://www.iso.org/standard/42001
REQ-054 — Civil Contingencies Act 2004 (Category 1 responder duties, including business continuity arrangements)	Where an AI use supports a service the Council has identified as a prioritised activity in its business continuity plans; Legal / Emergency Planning to confirm; record the plan reference and a consistent fallback in section 8.	https://www.legislation.gov.uk/ukpga/2004/36/contents