The Council — AI Risk Assessment Worksheet

Governance-use worksheet · AIG-ASS-02 v1.10 draft · Draft for Council review. The web triage pre-populates factual fields; the assessor confirms or amends scores and evidence.

Colour key: blue = pre-populated from triage • pale yellow = assessor input/confirmation • gold = calculated result. Where a confirmed score differs from triage, record the reason in Step 6.

Triage context — pre-populated from the canonical web triage record

System / model name				
AIR-ID		Triage	Persistent key across all governance artefacts.	
Purpose / description				
Service area				
Service owner				
Triage date				
AGPI score (0–100)			Governance-priority score from AIG-ASS-01/web triage.	
Raw AGPI priority			Governance priority produced by AGPI before any formally authorised governance-priority uplift.	
Effective governance priority			Stricter of raw AGPI priority and any formally authorised governance-priority uplift. This is not derived from the mandatory risk floor.	
Risk assessment scope			A shared baseline can provide evidence but does not replace the assessment of materially different use contexts.	

Assessment ownership — completed by the assessor

Assessed by			Name and role of the assessor.	
Assessment date			Date detailed assessment was confirmed.	
Evidence bundle / case reference			Reference evidence rather than duplicating it in this worksheet.	
UC-ID / use outcome assessed		Scope-key check	ASSESSMENT SCOPE REQUIRED	Use one assessment per materially different UC-ID; cite shared controls and evidence by source reference. Assessment outputs route assurance and are not approval.

Step 1 — Impact: confirm or amend triage scores (1 Minimal to 5 Severe)

Impact dimension	Triage score	Confirmed score	What it covers
Resident Impact			Physical, psychological, financial or social harm to individuals or communities, including vulnerable groups.
Legal & Regulatory Impact			Regulatory sanctions, enforcement, legal proceedings or breach of statutory obligations.
Reputational Impact			Damage to public trust, media coverage, political scrutiny or the Council's standing.
Operational Impact			Disruption to service delivery, operational failures, remediation cost and impact on staff.
Financial Impact			Direct financial costs including compensation, regulatory fines, remediation expenditure and lost efficier
Impact score (I) — highest confirmed dimension			Confirmed impact is the highest of five 1–5 dimensions. An incomplete or

Step 2 — Likelihood and control effectiveness: confirm or amend triage scores

Metric	Triage score	Confirmed score
Likelihood (L)		
Control Effectiveness (C)		

Step 3 — Risk results and governance floor

Result	Triage result	Confirmed / calculated result	Rule / note	
Inherent risk score (L × I)			Controls evidenced?	
Inherent risk tier			Control evidence ref	
Control effectiveness factor (C ÷ 5)			Independent check?	
Residual risk score			Verification ref	
Residual risk tier			Reduced tier eligible?	No
Mandatory risk floor		Incomplete	Critical for statutory or agentic trigger; High for any other mandatory trigger. This is a risk-routing floor and does not rewrite AGPI governance priority.	
Effective governance tier		Incomplete	Inherent tier until controls are evidenced; High/Critical reduction requires independent verification. The trigger floor, the impact floor (any confirmed Impact 5 → at least Medium; Proposed — for Council confirmation) and the agentic floor (row 82) always apply; the highest wins. B43 is the web triage pre-control tier (no control-based reduction).	
Tier floor rationale		Incomplete	Shows why governance routing is stricter than residual risk alone.	

Assurance intensity		Incomplete	Comprehensive / Enhanced / Standard / Proportionate. Indicative assurance depth from the governing tier and mandatory triggers only (not a Playbook-defined scale). The AGPI priority (B13/B14) sets urgency and sequencing, not assurance depth or route.

Step 4 — Mandatory escalation triggers: confirm the triage answers

Trigger	Triage answer	Confirmed answer	Governance effect
Processing of special category personal data (UK GDPR)			Minimum High.
Use in relation to vulnerable residents (children, adults with care/support needs, people experiencing homelessness)			Minimum High.
Directly influences housing allocation, social care assessments or homelessness prevention decisions			Minimum High.
Novel or first-of-type AI deployment with no prior Council operational experience			Minimum High.
Produces or directly informs statutory decisions			Minimum Critical.
Significant AI supplier or model changes that materially alter the risk profile of an existing deployment			Minimum High.
Executes actions autonomously without human review of each individual action			Minimum Critical. Unsure is treated as Yes (no per-action human review). Must agree with Step 5 (see row 82).
Mandatory escalation required		Incomplete — answer all triggers	Any confirmed Yes requires governance uplift.
Minimum tier from triggers			High for any trigger; Critical for statutory or agentic action.
Effective governance pathway		Incomplete — assessment required	The governing tier (risk tier with trigger, impact and agentic floors) sets the minimum decision/assurance route; the AGPI priority sets urgency only. The AI Assurance Board gives assurance, not approval.
Governance Decision Record / uplift rationale			Record the rationale/conditions in AIG-DEC-03 and reference it here rather than duplicating the decision.
Core deployment control		Do not deploy — complete the assessment	Deployment remains conditional on the effective pathway and recorded approval.

Step 5 — Agentic assessment: pre-populated where the system can act. These are the scores used for tiering; rationale and evidence are recorded in AIG-AGT-04 Agency Profile (the record).

Agentic field	Triage value	Confirmed / recorded value	Note	AIG-AGT-04 Agency Profile ref (rationale and evidence recorded there)
Is Agent (can it act?)			The “can it act?” screen includes human-approved actions.	
Consequence			0 trivial to 5 catastrophic / irreversible.	
Autonomy			0 no action to 5 open-ended / persistent.	
Authority			0 information only to 5 highly consequential.	
Reach			0 isolated to 5 broad / public / physical.	
Controllability (reversed)			0 instant stop + rollback to 5 effectively irreversible.	
Autonomy level			A0–A5.	
Agency tier			T0–T5.	
Agentic pathway			Governance pathway from agentic triage.	
Kill-switch demonstrated			Required control evidence.	
Rollback capability			Required control evidence.	
Boundaries tested			Required control evidence.	
Agentic flags			Containment / control flags.	
Agentic escalations			Escalation reasons.	
Agent Record (ASBOM) ref			Full composition/authority record remains in AIG-AGT-04.	
Agentic deployment control			Agentic deployment constraint.	
Agentic floor and trigger consistency (D7)	Proposed — for Council confirmation		Governing tier = highest of the risk tier, the trigger floors, the impact floor and the agency-tier pathway; none lowers another. The agentic floor is read from the agency tier token in C73 (T0–T5) by exact match; only where C73 holds no tier is the controlled pathway wording in C74 used, by its leading label or its “minimum pathway” phrase (never by searching free text for “Critical”). Autonomy 2+ (executes without a human executing each action) or a T5 / Critical agentic pathway with C56 = No is a conflict and holds the tier at Incomplete. Tier mapping (T5/Critical/Executive → Critical; T3–T4/High → High; T2/Medium → Medium; T0–T1 → None) is proposed for Council confirmation, as in the Gate Map (AIG-DEC-01, Agentic pathway) and AIG-AGT-03 §6. T4 is raised to Critical by the C56 trigger floor where actions run without evidenced per-action human review.	

Five kinds of agentic risk — professional judgement (complete where Is Agent = Yes)

Risk kind	Considered? (Yes/No)	Assessment note	What it means
Model risk			The model behaves incorrectly.
Agent risk			The agent plans incorrectly or pursues an objective unexpectedly.
Tool risk			The agent misuses a connected capability.
Environment risk			The surrounding system permits an unexpected consequence.
Emergent / systemic risk			Individually acceptable components interact to create an unacceptable outcome.

Step 6 — Professional judgement, evidence and treatment

Key risk / failure scenario		Describe the material failure scenario(s) not already evident from the scores.
Control effectiveness rationale		Explain why the confirmed control score is justified.
Evidence references		Reference testing, DPIA/EIA/HRA, supplier evidence, Model Card, security review or other case evidence.
Residual risk rationale		Explain why the residual risk is acceptable or requires further treatment.
Risk treatment / approval conditions		Actions or conditions required before/after deployment; detailed decision remains in AIG-DEC-03.
Risk / treatment owner		Named accountable owner for outstanding treatment.
Next review / monitoring trigger		Date or trigger; monitoring details belong in AIG-OPS-02.
Assessor conclusion		Concise conclusion for assurance/decision forum.
Priority vs governing tier (T1 safeguard — Proposed, for Council confirmation)		AGPI priority sets urgency and sequencing; the governing tier sets the route. Where the priority is P1 or P2 but the governing tier is lower than the guide (P1 → High/Critical; P2 → Medium/High), the AI Governance Working Group records the reason in the residual risk rationale (row 95) and may raise, never lower, the tier.
Overall deployment control	Do not deploy — complete the assessment	Applies both the core risk pathway and any agentic control.
Assessment status	Incomplete — assessment required	Needs scope key (D20), UC-ID or explicit baseline, assessor, date and Is Agent. Scoring complete is not approval; the decision is recorded in AIG-DEC-03 and the dated event in AIG-DEC-04.

AIG-ASS-02 — Document Control

Controlled working template. Draft for Council review; not Council-adopted and not effective until formally approved.

Field	Controlled value
Document ID	AIG-ASS-02
Artefact	AI Risk Assessment Worksheet
Version	1.10 draft
Status	Draft for Council review
Document owner	AI Governance Lead
Approving body	Competent Council authority under Constitution and Scheme of Delegation; AI Assurance Board provides assurance where applicable
Approval date	Not yet approved
Effective date	Not yet effective
Next review date	To be set on approval: 12 months after effective date or sooner following material change

Change history

Version	Date	Change	Author / owner
1.0 draft	6 August 2026	Step 4.3 spreadsheet QA controls and document-control baseline established.	AI Governance Lead
1.1 draft	Not recorded in source	Not recorded in source (placeholder added during QA remediation so the history is continuous).	Not recorded in source
1.2 draft	20 September 2026	Lean operating model: clarified governance-led completion, source evidence by reference, and no duplicate Service Owner paperwork; decision routing remains with the effective delegated authority.	AI Governance Lead
1.3 draft	Not recorded in source	Not recorded in source (placeholder added during QA remediation so the history is continuous).	Not recorded in source
1.4 draft	Not recorded in source	Not recorded in source (placeholder added during QA remediation so the history is continuous).	Not recorded in source
1.5 draft	23 September 2026	Agentic classification and triage revision: Is Agent includes human-approved actions. Export fields and scoring unchanged.	AI Governance Lead
1.6 draft	28 September 2026	Repair score inputs and formulas; align tier bands, evidence gate, scope vocabulary, validation and warnings.	AI Governance Lead
1.7 draft	29 September 2026	QA remediation — applied findings QA-208, QA-215, QA-218, QA-235, QA-240, QA-247, QA-251, QA-263, QA-264, QA-273, QA-279, QA-280, QA-284, QA-290, QA-291 (see QA change log).	AI Governance Lead
1.8 draft	30 September 2026	v3.8: impact floor added to the effective governing tier (any confirmed Impact 5 → at least Medium; flag “Impact floor (Severe impact) → Medium” in E28 and the tier floor rationale); assurance intensity now follows the governing tier and triggers only (AGPI priority sets urgency, not depth or route); Step 6 priority vs governing tier safeguard line (row 100). Final tidy-up: D66 “Can-it-act gate” → “can it act?” screen (“gate” is reserved for Gate 0 to Gate 8). Proposed — for Council confirmation.	AI Governance Lead
1.9 draft	30 September 2026	v3.9.1: the agentic floor (row 82) now applies the T2 minimum pathway: T2 bounded agent (or an agentic pathway at Medium) sets a governing tier of at least Medium, as in the Gate Map (AIG-DEC-01 v1.6, Agentic pathway), AIG-AGT-02, AIG-AGT-03 §6 and the Playbook (Appendix F.2). C82 returns Medium, the governing tier (C43) ranks it, the tier floor rationale (C44) names it and the D82 note gives the full mapping (T0 and T1 none; T2 Medium; T3 High; T4 High, Critical through the C56 floor without evidenced per-action review; T5 Critical). Earlier versions applied T3 to T5 only. Proposed — for Council confirmation.	AI Governance Lead
1.10 draft	30 September 2026	v3.9.2: the agentic floor (C82) now reads the agency tier token in C73 (T0–T5) by exact match (T0–T1 none; T2 Medium; T3–T4 High; T5 Critical) and uses the controlled pathway wording in C74 only where no tier is recorded, by its leading label or “minimum pathway” phrase. It no longer searches C74 for the word “Critical”, so the controlled T4 wording “High (Critical where actions run without evidenced per-action human review)” no longer raises a false AGENTIC TRIGGER CONFLICT; T4 still reaches Critical through the C56 trigger floor (scenario finding W-09; 1,944-case grid re-run). Triage Import E20/E21 notes: the AIG-ASS-01 §3.9.6 trigger floor is a rule, not an uplift (W-05). Proposed — for Council confirmation.	AI Governance Lead

Classification: OFFICIAL. Approval, effective and review dates must be completed by the document owner following formal governance approval.

AIG-ASS-02 — Triage Import / Pre-population Map

Paste / generate one canonical triage record here. For each use-specific assessment, copy the exact AIR-ID, UC-ID, priority and facts from the corresponding UC-scoped AIG-ASS-01 triage; this import is not synchronised.

Canonical field	Value	Capture status	Used in AIG-ASS-02	Implementation note
AIR-ID		AUTO — current web triage	Identity	Direct profile field.
System / Model Name		AUTO — current web triage	Identity	Direct profile field.
Purpose / Description		AUTO — current web triage	Identity	Direct profile field.
Service Area		AUTO — current web triage	Identity	Direct profile field.
Service Owner		AUTO — current web triage	Identity	Direct profile field.
Supplier / Developer		AUTO — current web triage	Context	Direct profile field; retained for traceability.
Source		AUTO — current web triage	Context	Direct profile field.
AI Capability		AUTO — current web triage	Context / agentic gate	Direct profile field.
Automated Action Authority		AUTO — current web triage	Agentic context	Direct profile field.
Systems / Tools Accessed		AUTO — current web triage	Agentic context	Direct profile field.
Lifecycle Stage		AUTO — current web triage	Context	Direct profile field.
Personal / Special Category Data		AUTO — current web triage	Escalation context	Direct profile field.
Triage Date		DERIVED — current web triage	Identity	Generated at export.
AGPI Score (0-100)		DERIVED — current web triage	Triage context	Calculated from the six AGPI dimensions.
Raw AGPI Priority		DERIVED — current web triage	Triage context	Current results.priority.label.
Authorised Governance Priority Uplift		MANUAL / GOVERNANCE — optional	Triage context	Optional formally authorised uplift to a stricter AGPI governance priority. Do not populate this from mandatory risk triggers or the risk-tier floor. The §3.9.6 trigger floor (a use meeting a §4.4.6 trigger is at least Priority 4 – Routine) is a rule already applied in the AIG-ASS-01 priority (B17, row 24), not an uplift, and needs no override record.
Effective Governance Priority		DERIVED — raw AGPI + authorised uplift	Triage context	Stricter of Raw AGPI Priority (which already includes the AIG-ASS-01 priority and trigger floors) and any authorised governance-priority uplift only. Risk classification remains separate in Mandatory Risk Floor / Effective Governance Tier.
Resident Impact		AUTO — current web triage	Step 1	Impact score 1–5.
Legal and Regulatory Impact		AUTO — current web triage	Step 1	Impact score 1–5.
Reputational Impact		AUTO — current web triage	Step 1	Impact score 1–5.
Operational Impact		AUTO — current web triage	Step 1	Impact score 1–5.
Financial Impact		AUTO — current web triage	Step 1	Impact score 1–5.
Likelihood		AUTO — current web triage	Step 2	Risk likelihood score 1–5.
Control Effectiveness		AUTO — current web triage	Step 2	1 Very Strong to 5 Ineffective.
Impact Score		DERIVED — current web triage	Step 3	Maximum of the five impact dimensions.
Inherent Risk Score		DERIVED — current web triage	Step 3	Likelihood × impact.
Inherent Risk Tier		DERIVED — current web triage	Step 3	Tier from inherent score.
Residual Risk Score		DERIVED — current web triage	Step 3	Inherent × control factor.
Residual Risk Tier		DERIVED — current web triage	Step 3	Tier from residual score.
Trigger — Special Category Data		AUTO — current web triage	Step 4	Yes/No.
Trigger — Vulnerable Residents		AUTO — current web triage	Step 4	Yes/No.
Trigger — Housing/Care/Homelessness		AUTO — current web triage	Step 4	Yes/No.
Trigger — Novel Deployment		AUTO — current web triage	Step 4	Yes/No.
Trigger — Statutory Decisions		AUTO — current web triage	Step 4	Yes/No.
Trigger — Material Change		AUTO — current web triage	Step 4	Yes/No.
Trigger — Agentic Autonomous Action		AUTO — current web triage	Step 4	Yes/No.
Mandatory Risk Floor		DERIVED — current web triage	Step 3 / 4	Critical for statutory or agentic trigger; High for any other trigger; otherwise Low.
Effective Governance Tier		DERIVED — current web triage	Step 3 / 4	Pre-control tier from web triage: highest of inherent tier, residual tier and mandatory risk floor (no control-based reduction). The confirmed tier in Risk Assessment C43 applies the Playbook §4.4.3 evidenced-control reduction, the impact floor (any confirmed Impact 5 → at least Medium) and the agentic floor.
Tier Floor Reason		DERIVED — current web triage	Step 3	Explains inherent and/or mandatory uplift.
Assurance Intensity		DERIVED — current web triage	Step 3	Comprehensive / Enhanced / Standard / Proportionate. Risk Assessment C45 derives it from the governing tier and triggers only; the AGPI priority does not raise assurance depth (v3.8, T1).
Governance Status		DERIVED — current web triage	Assessment status	Triage complete; formal approvals pending.
Is Agent		DERIVED — current web triage	Step 5	Yes if it can act, including when a human approves each action, or its capability is Agentic AI.
Agentic Consequence		AUTO — current Agentic Triage	Step 5	0–5.
Agentic Autonomy		AUTO — current Agentic Triage	Step 5	0–5.
Agentic Authority		AUTO — current Agentic Triage	Step 5	0–5.
Agentic Reach		AUTO — current Agentic Triage	Step 5	0–5.
Agentic Controllability		AUTO — current Agentic Triage	Step 5	0–5 reversed.
Autonomy Level		DERIVED — current Agentic Triage	Step 5	A0–A5 label.
Agency Tier		DERIVED — current Agentic Triage	Step 5	T0–T5 label.
Agentic Pathway		DERIVED — current Agentic Triage	Step 5	Governance pathway.
Kill-switch Demonstrated		AUTO — current Agentic Triage	Step 5	Yes/No from agentic controls.
Rollback Capability		AUTO — current Agentic Triage	Step 5	Yes/No from agentic controls.
Boundaries Tested		AUTO — current Agentic Triage	Step 5	Yes/No from agentic controls.
Agentic Flags		DERIVED — current Agentic Triage	Step 5	Containment/control flags.
Agentic Escalations		DERIVED — current Agentic Triage	Step 5	Escalation reasons.
Agentic Deployment Control		DERIVED — current Agentic Triage	Step 5 / final control	Deployment constraint from agentic logic.
Agent Record (ASBOM) Ref		AUTO — current Agentic Triage	Step 5	Reference entered by user.
UC-ID (blank only for explicit system baseline)		Scope key	Enter stable UC-ID when this triage / risk assessment is use-specific.	
Triage / assessment scope		ASSESSOR INPUT	Scope key	Select UC-ID specific for a use assessment or Shared system baseline for shared controls. A shared baseline never approves a use.

PROPOSED INTEGRATION

NOT APPROVED — additive integration annex only; existing workbook content and
Native evidence index: AIG-INV-04 — Evidence index. Evidence IDs locate native
Provenance rule: every reused fact/result must carry its source record/sheet and row

Integration relationship	Native source / artefact	Native record locator	Join key(s)	Proposed integration rule / use	Required provenance: row, version, as-of	Blank / zero handling	Reporting / audit reconciliation
Key/evidence joins	AIG-INV-04 (AI Register; Evidence index)	AI Register: AIR-ID; Evidence index: Evidence ID + AIR-ID	AIR-ID	Use AIR-ID for all system-level joins; use Evidence ID to point to an indexed evidence record. Do not join on system name.	Native source row (sheet + row), artefact/record ID, source version, evidence date and source as-of/snapshot date; location/link where permitted.	Blank means unknown/not supplied/not applicable only when explicitly marked; never coerce blank to 0 or infer an evidence record.	Reconcile unique AIR-ID and the evidence index reference against the native AIG-INV-04 workbook before relying on it.
Risk assessment	AIG-ASS-02 Risk Assessment Worksheet	Risk Assessment + Document Control	AIR-ID	Link the current assessment to the system record; retain assessment details and scoring rationale in AIG-ASS-02, not duplicated here.	AIG-ASS-02 version; worksheet row/section or assessment record identifier; assessment date; source evidence IDs; as-of date for inputs.	Unanswered risk or score is not zero and must not be treated as a completed assessment.	Confirm risk inputs and calculated result against the native AIG-ASS-02 record and indexed evidence.
Decision / minutes	AIG-DEC-03 Governance Decision Record and the native forum minutes	Decision record ID; meeting/minute reference	AIR-ID + Decision Record ID; relate to AIG-DEC-04 Event ID where present	AIG-DEC-03 owns the reasoned decision; minutes remain native records; cross-reference, do not reproduce the decision narrative.	Decision-record version/ID, meeting/minute reference, record row/section, decision date and as-of date.	No decision, approver or date is inferred from a paper, plan or empty field.	Reconcile the decision record and minute reference with delegated authority and corresponding AIG-DEC-04 event.
Gate plan / event / condition	AIG-DEC-04 AI Governance Gate Log	Gate Log record; native Event ID, AIR-ID, conditions and due/status fields	AIR-ID + Event ID; Condition ID if assigned by the Council	Distinguish proposed/planned gate from dated event; conditions are attached to an event. Do not treat a plan as an approval.	Native sheet + row, Event ID, Condition reference, AIG-DEC-04 version and as-of/snapshot date.	Missing date/status remains missing; open, overdue, waived and not applicable are distinct states, not numeric zero.	Match event, condition, evidence reference and latest recorded decision; investigate inconsistencies.
Live monitoring / review	AIG-OPS-02 AI Post-Deployment Monitoring and Review Log	Monitoring Log; Sampling Method; record row	AIR-ID + monitoring period + metric/review record; Event ID/Condition ref when relevant	Link observed result and reproducible sample to AIG-OPS-02; threshold breaches trigger documented consideration and, where applicable, AIG-DEC-04 escalation.	AIG-OPS-02 version, Monitoring Log row, monitoring period, review date, sample source/population and as-of date.	Blank result/sample/threshold is not zero, compliance or no breach.	Reproduce sample and compare actual result with the approved threshold; trace breach response to AIG-DEC-03/AIG-DEC-04/AIG-OPS-03/AIG-AIMS-08 as appropriate.
Reporting population	AIG-INV-04 AI Register and Assessment summary; AIG-DEC-03 and native minutes; AIG-DEC-04 plan/event/condition; AIG-OPS-02	Source records for each reporting period; native evidence index for evidence pointers	AIR-ID, Evidence ID, Decision Record ID, Event ID, Condition ref, monitoring period	Report at the declared snapshot date; show numerator, denominator, exclusions, missing/unknown and not-applicable separately. Report plans versus completed events separately.	Freeze reporting as-of date; retain the source workbook/document version and source row identifiers for each sampled/aggregated record.	Do not count blanks as zero or complete; distinguish zero observed from no data and from not applicable.	Reconcile totals to source populations and document filters, period, exclusions and unresolved links.
Audit sampling	AIG-AIMS-07 Internal Audit Programme and Procedure; sample sources AIG-INV-04 AI Register/Assessment summary, AIG-DEC-03/minutes, AIG-DEC-04 plan/event/condition, AIG-OPS-02 log	Auditor-selected native records; evidence index is a locator, not a substitute for evidence	AIR-ID + each native record key above	Record sampling frame, population size, inclusion/exclusion criteria, selection method and seed/date where random; inspect source records rather than only summary views.	Record each sampled native sheet/document and row/record ID, version, source as-of date, retrieval date, criterion tested, and evidence index reference.	An absent record is a sample finding/gap, not a zero; unknown is not pass.	Auditor records independent selection, trace-back and reproducibility in the AIG-AIMS-07 audit working papers/findings.
Native evidence index	AIG-INV-04 Evidence index (native evidence index)	Evidence ID, AIR-ID, artefact/record ID, version, evidence/decision date, status, location/link, gate/condition reference as present	Evidence ID + AIR-ID; optionally Event ID / Condition ref	Use as a pointer to the authoritative artefact, not as the decision itself or a copied evidence store. Preserve its native metadata.	Capture source row, source workbook version and as-of date alongside index metadata when reporting/auditing.	Empty index fields signal missing provenance; do not supply invented versions, dates, links or approval.	Check that linked artefact exists, version matches, is appropriate to the question and has not been superseded.

PROPOSED QA INDEX — NOT APPROVED. A source reference does not establish applicability or compliance. See AIG-AIMS-05 and AIG-AIMS-13; owners must validate the current source, case-specific scope, control evidence and adopted status.

Requirement ID	Instrument / edition	Conditional scope / relevance	Source URL	Owner validation status
REQ-001	UK General Data Protection Regulation (UK GDPR), as amended	Where personal data is processed; test each UK GDPR provision separately.	https://www.legislation.gov.uk/eur/2016/679/contents	Specialist validation required
REQ-005	Equality Act 2010, including Public Sector Equality Duty section 149	Public authority due regard under s.149; case-level equality screening is not risk-tier gated.	https://www.legislation.gov.uk/ukpga/2010/15/section/149	Specialist validation required
REQ-006	Human Rights Act 1998	Public-authority compatibility under s.6; assess Convention rights engaged by the case.	https://www.legislation.gov.uk/ukpga/1998/42/contents	Specialist validation required
REQ-014	Local Government Act 1999 (Best Value Duty) and 2024 statutory guidance	Screen the legislation and statutory guidance requirement against this artefact's actual use and record evidence/version in the AIG-AIMS-05 entry for this requirement.	https://www.gov.uk/government/publications/best-value-standards-and-intervention-a-statutory-guide-for-best-value-authorities	Specialist validation required
REQ-033	ICO Guidance on AI and Data Protection and AI Risk Toolkit	Screen the regulatory guidance requirement against this artefact's actual use and record evidence/version in the AIG-AIMS-05 entry for this requirement.	https://ico.org.uk/for-organisations/uk-gdpr-guidance-and-resources/artificial-intelligence/guidance-on-ai-and-data-protection/	Specialist validation required
REQ-035	EHRC Artificial Intelligence in Public Services and PSED guidance	Screen the regulatory guidance requirement against this artefact's actual use and record evidence/version in the AIG-AIMS-05 entry for this requirement.	https://www.equalityhumanrights.com/guidance/artificial-intelligence-public-services	Specialist validation required
REQ-041	ISO/IEC 23894:2023 AI — Guidance on risk management	Voluntary risk-management guidance; proposed alignment, not statutory conformity.	https://www.iso.org/standard/77304.html	Specialist validation required
NIST-AI-100-1	NIST AI Risk Management Framework 1.0 (NIST AI 100-1, January 2023)	Voluntary alignment reference; not certification or statutory conformity	https://www.nist.gov/publications/artificial-intelligence-risk-management-framework-ai-rmf-10	Voluntary alignment reference; not certification or statutory conformity

AIG-ASS-02 / PROPOSED THREE-ARTEFACT SOURCE CONTRACT

Status	PROPOSED INTEGRATION DESIGN ONLY. This sheet does not amend the artefact's native assessment, decision authority, data or formulas.
Role of this file	Risk assessment: AIG-ASS-02 owns inherent/control/residual assessment; AIG-INV-04 Assessment summary holds only a pointer. A map edge never proves a risk control operates.
AIG-INV-04 source	Separate AIG-INV-04 AI Register: official AIR-ID, current position, in-file Assessment summary/Evidence index. Reconcile against authoritative AIG-INV-04 before using a copied value.
AIG-DEC-04 source	Separate AIG-DEC-04 Gate Log: prospective Gate plan, dated Gate events, event-linked Conditions. A planned gate is not a decision. A decision requires AIG-DEC-03 or approved minutes and proper delegation.
Map source	Proposed standalone Capabilities and System Map (candidate catalogue ID AIG-INV-05): UC/CAP and component relationship pointers. Edge ID is not an approval or permission; AIG-AGT-04/AIG-AGT-05 remain sources of agent scope/authority.
Data exchange	Use controlled AIR-ID across files. Where applicable reference exact Event ID, Condition ID, Evidence ID, AG-ID and Edge ID. Record source file/version/as-at with imported or quoted evidence; no live cross-workbook formula is assumed.
Change trigger	New or expanded system/tool access, or a material model, data, interface, purpose or agent change: log the map change, obtain owner reassessment and escalate to the proper AIG-DEC-04 gate/AIG-DEC-03 decision when required.
Validation before use	The INTEGRATION INV-04 DEC-04 tab in this workbook is current supporting design guidance (not historical) and holds the detailed join notes. Controlled owners must reconcile real records, validate values and formulas in Excel, and approve migration/cutover; existing Council records remain unchanged until then.