

The Council · AI GOVERNANCE

AIMS Clause-Level Crosswalk

ISO/IEC 42001:2023 and NIST AI Risk Management Framework (AI RMF 1.0; NIST AI 100-1, January 2023)
— voluntary alignment with The Council toolkit

AIG-AIMS-12 · v1.4 draft · Draft for Council review · OFFICIAL

Document control

Field	Controlled value
Document ID	AIG-AIMS-12
Title	AIMS Clause-Level Crosswalk (ISO/IEC 42001, NIST AI RMF and the Council toolkit)
Version	1.4 draft
Status	Draft for Council review
Document owner	AI Governance Lead
Approving body	Pending — competent Council authority under confirmed Constitution / Scheme of Delegation; AI Assurance Board provides assurance and is not presumed to hold approval authority.
Approval date	Not yet approved
Effective date	Not yet effective
Next review date	To be set on approval
Classification	OFFICIAL
Companion to	Appendix D (Framework Alignment Mapping); AIG-AIMS-06 (Clause Conformity Register)
Change history	1.1 draft, 29 September 2026: QA remediation — applied findings QA-075, QA-083, QA-086, QA-158 (see QA change log). Legacy numbering references removed. 1.2 draft, 30 September 2026: v3.9.1: standards cross-reference note updated to the 54-entry requirement inventory (AIG-AIMS-05 REQ-054, Civil Contingencies Act 2004, added). 1.3 draft, 1 October 2026: v3.9.3: standards cross-reference note cites the 55-entry requirement inventory (AIG-AIMS-05 REQ-055, NIST AI 600-1 Generative AI Profile, added). 1.4 draft, 2 October 2026: v3.9.5: standards cross-reference note cites the 56-entry requirement inventory (AIG-AIMS-05 REQ-056, SI 2026/425 ICO statutory code of practice on AI and automated decision-making, added). Proposed — for Council confirmation.

[PROPOSED EDIT — OWNER VALIDATION REQUIRED] A line-by-line design mapping of the AIMS Clause Conformity Register (AIG-AIMS-06). Each ISO/IEC 42001 clause is mapped to a corresponding NIST AI RMF 1.0 function and Council artefact for review; the mapping supports alignment only and does not demonstrate ISO conformity or NIST conformity. NIST AI RMF 1.0 (NIST AI 100-1, January 2023) is voluntary. Appendix D of the Playbook carries the clause-group summary and points here for sub-clause detail.

Clause crosswalk

Applicability key — retain AIR-ID for the system and identify UC-ID(s) for each materially distinct applicable use. Crosswalk shared clauses and evidence by reference, but record use-specific applicability, gap/risk and decision evidence separately. Clause coverage or an AIMS status is not a UC-ID approval.

ISO/IEC 42001 clause	What the clause requires (working summary)	NIST AI RMF correspondence	the Council toolkit evidence
4.1 Understanding the organization	Determine internal and external issues relevant to the AIMS and its outcomes.	MAP — establish and understand context	AIG-AIMS-01

ISO/IEC 42001 clause	What the clause requires (working summary)	NIST AI RMF correspondence	the Council toolkit evidence
and its context			
4.2 Understanding the needs and expectations of interested parties	Identify interested parties and their relevant requirements, including legal and other obligations.	MAP — context; GOVERN — stakeholder engagement	AIG-AIMS-01; AIG-AIMS-05
4.3 Determining the scope of the AI management system	Determine and document the boundaries and applicability of the AIMS.	MAP — mission, context and scope	AIG-AIMS-01
4.4 AI management system	Establish, implement, maintain and continually improve the AIMS.	GOVERN — governance structures and processes in place	AIG-GOV-02; all 52 artefacts listed in AIG-GOV-03
5.1 Leadership and commitment	Top management demonstrates leadership and commitment to the AIMS.	GOVERN — leadership and accountability	AIG-GOV-04; AIG-GOV-06; PB Ch.5
5.2 AI policy	Establish a documented AI policy appropriate to purpose, framing objectives and commitments.	GOVERN — policies and principles	AIG-GOV-05; PB Ch.5
5.3 Roles, responsibilities and authorities	Assign and communicate AIMS roles, responsibilities and authorities.	GOVERN — roles, responsibilities and accountability	AIG-AIMS-04; AIG-GOV-06
6.1.1 Actions to address risks and opportunities — general	Plan actions to address AIMS risks and opportunities.	GOVERN / MAP — risk and opportunity framing	AIG-AIMS-03
6.1.2 AI risk assessment	Define and apply a repeatable AI risk assessment process and criteria.	MAP — risk identification; MEASURE — analysis	PB §4.4; AIG-ASS-02, AIG-ASS-01
6.1.3 AI risk treatment	Determine risk treatment and produce a Statement of Applicability.	MANAGE — risks prioritised, treated and tracked	AIG-AIMS-03; AIG-AIMS-02
6.1.4 AI system impact assessment	Assess impacts of AI systems on individuals, groups and society.	MAP — impacts to individuals, groups and society characterised	AIG-AIMS-11; AIG-ASS-05, AIG-ASS-06, AIG-ASS-07, AIG-ASS-04
6.2 AI objectives and planning to achieve them	Establish measurable AI objectives and plans to achieve them.	GOVERN — objectives aligned to principles	AIG-AIMS-03
6.3 Planning of changes	Carry out changes to the AIMS in a planned manner.	GOVERN — policies, processes and change management	AIG-AIMS-01 §10; AIG-AIMS-05 (Change Register); AIG-AIMS-03
7.1 Resources	Determine and provide the resources needed for the AIMS.	GOVERN — resourcing of the AI function	AIG-AIMS-04; AIG-AIMS-03
7.2 Competence	Determine and ensure the necessary competence.	GOVERN — workforce competence	AIG-AIMS-04
7.3 Awareness	Ensure persons are aware of the policy and their contribution.	GOVERN — culture and awareness	AIG-AIMS-04; AIG-INV-01
7.4 Communication	Determine internal and external communications relevant to the	GOVERN — communication and	AIG-AIMS-04

ISO/IEC 42001 clause	What the clause requires (working summary)	NIST AI RMF correspondence	the Council toolkit evidence
	AIMS.	engagement	
7.5 Documented information	Create, update and control documented information.	GOVERN — documentation and record-keeping	AIG-GOV-01, AIG-GOV-03, AIG-INV-04/AIG-DEC-04 Evidence Index, AIG-DEC-03/approved minutes, AIG-AIMS-05 and AIG-AIMS-13; verify versions, retention and completed records (proposed design mapping only)
8.1 Operational planning and control	Plan, implement and control the processes needed for AI.	MANAGE — operational planning and control	PB Ch.3–6; AIG-ASS-03, AIG-OPS-01
8.2 AI risk assessment	Perform AI risk assessments at planned intervals and on change.	MAP / MEASURE — operational risk assessment	AIG-ASS-02, AIG-INV-04
8.3 AI risk treatment	Implement risk treatment and record the decisions.	MANAGE — operational risk treatment	AIG-AIMS-02, AIG-DEC-03
8.4 AI system impact assessment	Perform impact assessments at planned intervals and on change.	MAP / MEASURE — operational impact assessment	AIG-ASS-05, AIG-ASS-06, AIG-ASS-07, AIG-ASS-04
9.1 Monitoring, measurement, analysis and evaluation	Determine what, how and when to monitor, and evaluate results.	MEASURE — monitoring, measurement and evaluation	AIG-AIMS-10; PB §6.4, §6.6; AIG-OPS-06, AIG-OPS-05
9.2 Internal audit	Run a planned internal audit programme and report results.	MEASURE / GOVERN — independent assurance	AIG-AIMS-07; PB §6.7
9.3 Management review	Top management reviews the AIMS at planned intervals.	GOVERN / MANAGE — management review and oversight	AIG-AIMS-09
10.1 Continual improvement	Continually improve the suitability and effectiveness of the AIMS.	MANAGE — continual improvement	AIG-AIMS-03
10.2 Nonconformity and corrective action	React to nonconformity, correct it and prevent recurrence.	MANAGE — respond to and correct nonconformity / incidents	AIG-AIMS-08; PB §6.8

Notes

Clause summaries and evidence references are taken from the Council's own Clause Conformity Register (AIG-AIMS-06); ISO/IEC 42001 clause text is not reproduced; clause titles follow the published standard (which uses “-ize” spelling) and must be validated against the Council's licensed copy, while explanatory text uses UK spelling. The NIST AI RMF column is a voluntary function-level alignment (Govern, Map, Measure, Manage), not a claim of NIST conformity, and is to be validated against the NIST AI RMF-to-ISO/IEC 42001 crosswalk. NIST AI Risk Management Framework (AI RMF 1.0; NIST AI 100-1, January 2023) is voluntary. This artefact is a draft design mapping and is not evidence of clause operation or verified conformity.

PROPOSED INTEGRATION ADDITIONS — REVIEW REQUIRED

Proposed map boundary in clause crosswalk
AIG-INV-05 may be cited as a descriptive source pointer when explaining a system or capability relationship; it is not a conformity assessment, control implementation record, or source of evidence for any ISO/IEC 42001 clause. Any claim of conformity must be supported by the relevant controlled records, documented sources, owner review and audit evidence.

NOT APPROVED. Additive review annex only; original paragraphs and tables above are retained. These proposals do not record live facts, completed actions, delegated authority, Council adoption or approval. Until an approved migration, the current Register and Gate Log practice remains authoritative; the AIG-INV-04/AIG-DEC-04 joins below are proposed design only.

Crosswalk status

This artefact remains a design crosswalk derived from AIG-AIMS-06. Preserve its clause-to-NIST function and Council artefact mapping as a working proposal; it neither reproduces licensed ISO text nor evidences Council conformity, adoption, implementation or NIST conformity. NIST AI RMF 1.0 alignment is voluntary and requires owner validation.

Clause-level record ownership

Keep ISO clause and NIST AI RMF 1.0 function mapping at AIMS level in this crosswalk and AIG-AIMS-06. The NIST framework is voluntary; describe the mapping as alignment, not conformity. Use cited artefacts as design references; do not duplicate decisions, register rows, assessments or evidence. Validate terminology and external-framework correspondence against authoritative/licensed sources and document proposed changes through controlled review.

Proposed AIG-INV-04 system join

Where clause evidence concerns a system instance, use its permanent AIR-ID in proposed AIG-INV-04 AI Register worksheet and point to relevant Assessment summary worksheet/Evidence Index entries and authoritative source records. The clause crosswalk remains the index, not the evidence itself. Distinguish system evidence from AIMS-level scope, policy, roles, audit, review and resource records that may have no AIR-ID.

Proposed AIG-DEC-04 lifecycle join

For actual decisions, record AIR-ID and the expressly covered UC-ID(s), with a distinct outcome and scope per use. Use AIG-DEC-04 Gate Plan only as planned work, Gate Events as dated event history, and Gate Conditions as individual obligations.

Clauses 4–10 evidence route

Use AIG-AIMS-01/AIG-AIMS-05 for validated scope/context/requirements; AIG-GOV-04/AIG-GOV-05 for leadership/policy adoption evidence; AIG-AIMS-02/AIG-AIMS-03 for SoA, objectives, risk and treatment; AIG-AIMS-04 for appointments/competence/communications; AIG-AIMS-07–AIG-AIMS-10 for actual audit, corrective action, review and monitoring. Link system application through AIR-ID and real event/evidence references as applicable. Crosswalk citations and generic source templates are not implemented controls.

Reconciliation / open checks

Reconcile clause evidence references with the current suite, including monitoring, audit, AIG-INV-04/AIG-DEC-04 proposed joins, and AIG-OPS-02 where applicable; this avoids stale catalogue boundaries from earlier numbering schemes. Verify the licensed clause mappings and NIST function-level correspondence, identify missing/obsolete evidence and retain owner/review dates. No clause becomes implemented/evidenced/effective without operational records and competent verification.

Standards and legal applicability — proposed QA cross-reference
PROPOSED QA INDEX — NOT APPROVED LEGAL ADVICE OR EVIDENCE OF COMPLIANCE. The listed instruments may be relevant to this artefact, but applicability depends on the case, service and Council delegation. Legislation, official guidance, Council policy and voluntary standards are different authority classes. The full 56-entry requirement inventory, authoritative URLs, validation owners and current versions are in AIG-AIMS-05; source checks are in AIG-AIMS-13. Do not treat a template, plan or cross-reference as completed assessment, adopted policy, ISO conformity or legal sign-off.

Requirement / instrument	Why check it here	Source
REQ-040 — ISO/IEC 42001:2023 Artificial intelligence management system	Proposed management-system design mapping; licensed clause review and adoption needed.	https://www.iso.org/standard/42001

REQ-041 — ISO/IEC 23894:2023 AI — Guidance on risk management NIST-AI-100-1 — NIST AI Risk Management Framework 1.0 (NIST AI 100-1, January 2023)	Voluntary risk-management guidance; proposed alignment, not statutory conformity. Voluntary alignment reference; not certification or statutory conformity	https://www.iso.org/standard/ 77304.html https://www.nist.gov/ publications/artificial-intelligence- risk-management-framework-ai- rmf-10
--	---	--