

SMB2


Contenido

- SMB2..... 1
- Ejercicio 1..... 1
- Ejercicio 2..... 1
- Ejercicio 3..... 1
- Ejercicio 4..... 1
- Ejercicio 5..... 2
- Ejercicio 6..... 3
- Ejercicio 7..... 3
- Ejercicio 8..... 3
- Ejercicio 9..... 3
- Ejercicio 10..... 4

Ejercicio 1

```
nmblookup -A 10.0.6.24
```

Consulta el nombre NetBIOS y los servicios activos de la máquina objetivo. Se obtiene que el equipo se llama WINSERV, pertenece al grupo WORKGROUP y tiene activo el servicio de servidor de archivos



Ejercicio 2


```
nmap --script smb-os-discovery -p 445 10.0.6.24
```

Detección del sistema operativo mediante script NSE. Se identifica la máquina como Windows Server 2003 R2 Service Pack 2.

```
(kali@kali)-[~]
└─$ nmap --script smb-os-discovery -p 445 10.0.6.24
Starting Nmap 7.95 ( https://nmap.org ) at 2026-05-07 06:58 EDT
Nmap scan report for 10.0.6.24
Host is up (0.00046s latency).

PORT      STATE SERVICE
445/tcp   open  microsoft-ds
MAC Address: 08:00:27:67:72:79 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)

Host script results:
| smb-os-discovery:
|_ OS: Windows Server 2003 R2 3790 Service Pack 2 (Windows Server 2003 R2 5.2)
|_ OS CPE: cpe:/o:microsoft:windows_server_2003::sp2
|_ Computer name: winserv
|_ NetBIOS computer name: WINSERV\x00
|_ Workgroup: WORKGROUP\x00
|_ System time: 2026-05-07T12:58:06+02:00
|_
Nmap done: 1 IP address (1 host up) scanned in 0.23 seconds
```



Ejercicio 3


nmap --script smb-protocols -p 445 10.0.6.24

Identificación de los dialectos SMB soportados. Solo se detecta NT LM 0.12, lo que indica que el servidor utiliza SMBv1.

```
(kali@kali)-[~]
└─$ nmap --script smb-protocols -p 445 10.0.6.24
Starting Nmap 7.95 ( https://nmap.org ) at 2026-05-07 07:08 EDT
Nmap scan report for 10.0.6.24
Host is up (0.00044s latency).

PORT      STATE SERVICE
445/tcp   open  microsoft-ds
MAC Address: 08:00:27:67:72:79 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)

Host script results:
| smb-protocols:
|_ dialects:
|_ NT LM 0.12 (SMBv1) [dangerous, but default]
|_
Nmap done: 1 IP address (1 host up) scanned in 10.24 seconds
```



Ejercicio 4

enum4linux -u 10.0.6.24

Enumeración de usuarios del sistema mediante null session. Se listan 10 usuarios locales incluyendo adama, apollo, starbuck, hetfield, ulrich, entre otros.


```
(kali@kali)-[~]
└─$ enum4linux -u 10.0.6.24
Starting enum4linux v0.9.1 ( http://labs.portcullis.co.uk/application/enum4linux/ ) on Thu May 7 07:09:46 2026

( Target Information )
-----
Target ..... 10.0.6.24
RID Range ..... 500-550,1000-1050
Username ..... 
Password ..... 
Known Usernames .. administrator, guest, krbtgt, domain admins, root, bin, none

( Enumerating Workgroup/Domain on 10.0.6.24 )
-----
[+] Got domain/workgroup name: WORKGROUP


( Session Check on 10.0.6.24 )
-----
[+] Server 10.0.6.24 allows sessions using username '', password ''

( Getting domain SID for 10.0.6.24 )
-----
result was NT_STATUS_ACCESS_DENIED
[+] Can't determine if host is part of domain or part of a workgroup
```



```
( Users on 10.0.6.24 )
-----
index: 0x1 RID: 0x3f2 acb: 0x00000210 Account: adama Name: William Adama Desc: (null)
index: 0x2 RID: 0x1fa acb: 0x00000210 Account: Administrator Name: (null) Desc: Cuenta para la administración del equipo o dominio
index: 0x3 RID: 0x3f1 acb: 0x00000210 Account: apollo Name: Lee Adama Desc: (null)
index: 0x4 RID: 0x3ed acb: 0x00000210 Account: hammett Name: Kirk Hammett Desc: (null)
index: 0x5 RID: 0x3ec acb: 0x00000210 Account: hetfield Name: James Hetfield Desc: (null)
index: 0x6 RID: 0x1f5 acb: 0x00000210 Account: Invitado Name: (null) Desc: Cuenta para acceso como invitado al equipo o dominio
index: 0x7 RID: 0x3f0 acb: 0x00000210 Account: starbuck Name: Kara Thrace Desc: (null)
index: 0x8 RID: 0x3e9 acb: 0x00000210 Account: SUPPORT_3899a5a0 Name: Qualicross Corporation, L=Redmond, S=Washington, C=US Desc: Esta es una cuenta de proveedor de Servicios de ayuda y soporte técnico
index: 0x9 RID: 0x3ee acb: 0x00000210 Account: trujillo Name: Robert Trujillo Desc: (null)
index: 0xa RID: 0x3eb acb: 0x00000210 Account: ulrich Name: Lars Ulrich Desc: (null)



user:[adama] rid:[0x3f2]
user:[administrator] rid:[0x1fa]
user:[apollo] rid:[0x3f1]
user:[hammett] rid:[0x3ed]
user:[hetfield] rid:[0x3ec]
user:[invitado] rid:[0x1f5]
user:[starbuck] rid:[0x3f0]
user:[SUPPORT_3899a5a0] rid:[0x3e9]
user:[trujillo] rid:[0x3ee]
user:[ulrich] rid:[0x3eb]
enum4linux complete on Thu May 7 07:09:46 2026
```



Ejercicio 5

enum4linux -G 10.0.6.24


Enumeración de grupos locales del sistema. Se encuentran grupos como Administradores, Usuarios avanzados, Usuarios de escritorio remoto, etc., aunque no se pueden listar sus miembros por denegación de acceso.



Ejercicio 6

smbclient -L //10.0.6.24 -N

Listado de recursos compartidos disponibles en el servidor SMB sin necesidad de credenciales. Se descubren las carpetas folder1, folder2, folder3, recursos administrativos (C\$, ADMIN\$) y una impresora AGFA-Acc.



Ejercicio 7

smbclient //10.0.6.24/folder1 -N

smb: \> ls

smb: \> get doc1.log

Accedemos a la carpeta folder1, listado de su contenido y descarga del archivo doc1.log.

```
(kali@kali)-[~]
└─$ smbclient //10.0.6.24/folder1 -N
Try "help" to get a list of possible commands.
smb: \> ls
.                D          0   Mon Feb 15 06:42:55 2021
..               D          0   Mon Feb 15 06:42:55 2021
doc1.log          A       11034 Mon Feb 15 06:42:47 2021
doc2.log          A        2798 Mon Feb 15 06:43:14 2021

5239190 blocks of size 4096. 4246463 blocks available
smb: \> get doc1.log
getting file \doc1.log of size 11034 as doc1.log (1346.9 KiB/sec) (average 1346.9 KiB/sec)
```

Ejercicio 8

`smbclient //10.0.6.24/folder2 -N -c "put Paula.txt"`

`smbclient //10.0.6.24/folder2 -N -c "ls"`

Subida del archivo Paula.txt a la carpeta folder2 y verificación del listado.

```
(kali@kali)-[~]
└─$ smbclient //10.0.6.24/folder2 -N -c "put Paula.txt"
putting file Paula.txt as \Paula.txt (160000.0 kB/s) (average inf kB/s)

(kali@kali)-[~]
└─$ smbclient //10.0.6.24/folder2 -N -c "ls"
.                D          0   Thu May  7 07:20:46 2026
..               D          0   Thu May  7 07:20:46 2026
hash.txt          A       1713 Mon Feb 15 06:43:53 2021
Paula.txt          A         16 Thu May  7 07:20:46 2026

5239190 blocks of size 4096. 4246463 blocks available
```

Ejercicio 9

`enum4linux -P 10.0.6.24`

Obtención de la política de contraseñas del sistema. Se descubre que la longitud mínima es 6 caracteres, la complejidad está deshabilitada y el bloqueo por intentos fallidos es de 5 intentos con 30 minutos de duración.

```
(kali@kali)-[~]
└─$ enum4linux -P 10.0.6.24
Starting enum4linux v0.9.1 ( http://labs.portcullis.co.uk/application/enum4linux/ ) on Thu May  7 07:25:25 2026

----- ( Target Information ) -----
Target ..... 10.0.6.24
RID Range ..... 500-550,1000-1050
Username ..... 
Password ..... 
Known Usernames .. administrator, guest, krbtgt, domain admins, root, bin, none

----- ( Enumerating Workgroup/Domain on 10.0.6.24 ) -----
```

```
[+] Built-in
[+] Password Info for Domain: WINSERV

[+] Minimum password length: 6
[+] Password history length: None
[+] Maximum password age: 100 days 23 hours 56 minutes
[+] Password Complexity Flags: 000000

[+] Domain Refuse Password Change: 0
[+] Domain Password Store Cleartext: 0
[+] Domain Password Lockout Admins: 0
[+] Domain Password No Clear Change: 0
[+] Domain Password No Anon Change: 0
[+] Domain Password Complex: 0

[+] Minimum password age: None
[+] Reset Account Lockout Counter: 30 minutes
[+] Locked Account Duration: 30 minutes
[+] Account Lockout Threshold: 5
[+] Forced Log off Time: Not Set

[+] Retrieved partial password policy with rpcclient:

Password Complexity: Disabled
Minimum Password Length: 6

enum4linux complete on Thu May  7 07:25:25 2026
```

Ejercicio 10

`nmap --script smb-vuln-* -p 445 10.0.6.24`

Escaneo de vulnerabilidades SMB. Se detectan dos vulnerabilidades críticas explotables: MS08-067 (CVE-2008-4250) y MS17-010 (EternalBlue, CVE-2017-0143).

```

kali@kali:~$ nmap --script smb-vuln -p 445 10.0.6.24
Starting Nmap 7.95 ( https://nmap.org ) at 2026-05-07 07:26 EDT
Nmap scan report for 10.0.6.24
Host is up (0.00043s latency).

PORT      STATE SERVICE
445/tcp   open  microsoft-ds
MAC Address: 08:00:27:67:72:79 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)

Host script results:
|_smb-vuln-ms10-061: false
|_smb-vuln-ms08-067:
|_  VULNERABLE:
|_    Microsoft Windows system vulnerable to remote code execution (MS08-067)
|_    State: VULNERABLE
|_    IDs: CVE:CVE-2008-4250
|_    The Server service in Microsoft Windows 2000 SP4, XP SP2 and SP3, Server 2003 SP1 and SP2, Vista Gold and SP1, Server 2008, and 7 Pre-Beta allows remote attackers to execute arbitrary code via a crafted RPC request that triggers the overflow during path canonicalization.
|_    Disclosure date: 2008-10-23
|_    References:
|_      https://technet.microsoft.com/en-us/library/security/ms08-067.aspx
|_      https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2008-4250
|_smb-vuln-ms10-054: false
|_smb-vuln-ms17-010:
|_  VULNERABLE:
|_    Remote Code Execution vulnerability in Microsoft SMBv1 servers (ms17-010)
|_    State: VULNERABLE
|_    IDs: CVE:CVE-2017-0143
|_    Risk factor: HIGH
|_    A critical remote code execution vulnerability exists in Microsoft SMBv1 servers (ms17-010).
|_    Disclosure date: 2017-03-14
|_    References:
|_      https://technet.microsoft.com/en-us/library/security/ms17-010.aspx
|_      https://blogs.technet.microsoft.com/msrc/2017/03/14/customer-guidance-for-wannacrypt-attacks/
|_      https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2017-0143
|_

Nmap done: 1 IP address (1 host up) scanned in 5.23 seconds
```

