

STEERING

06

SECTION

OUTLINE 06-00

POWER STEERING 06-14

06-00 OUTLINE

STEERING ABBREVIATION..... 06-00-1
STEERING FEATURES..... 06-00-1

STEERING SPECIFICATIONS..... 06-00-1

STEERING ABBREVIATION

dcf060000000101

ATF	Automatic Transmission Fluid
-----	------------------------------

STEERING FEATURES

dcf060000000102

Improved handling stability	• Engine speed sensing power steering adopted
Improved operability	• Steering shaft with a tilt mechanism adopted (Some models)
Improved safety	• Collapsible steering shaft adopted

STEERING SPECIFICATIONS

dcf060000000103

Item			Specification
Steering wheel	Outer diameter (mm {in})		380 {15.0} [with air bag], 390 {15.4} [without air bag]
	Lock-to-lock (turns)		3.7
Steering column and shaft	Shaft type		Collapsible
	Joint type (mm {in})		Rubber coupling
	Amount of tilt (mm {in})		30 {1.2}
Steering gear and linkage	Type		Ball nut
Power steering system	Power assist type		Engine speed sensing
	Power steering fluid	Type	ATF M-III or equivalent (e.g. Dexron®II)
		Fluid capacity*1 (approx quantity) (L {US qt, Imp qt})	

*1 : When fluid reservoir is at maximum volume.

06

06-14 POWER STEERING

POWER STEERING OUTLINE	06-14-1
POWER STEERING STRUCTURAL VIEW	06-14-2

STEERING GEAR AND LINKAGE CONSTRUCTION	06-14-3
POWER STEERING OIL PUMP CONSTRUCTION	06-14-4
STEERING SHAFT CONSTRUCTION...	06-14-5

POWER STEERING OUTLINE


dcf061400000t01

- With the adoption of an engine speed sensing power steering mechanism, handling stability has been improved.
- With the adoption of a steering column with a tilt mechanism, operability has been improved. (some models)
- With the adoption of a steering shaft with an energy absorbing mechanism, safety has been improved.

POWER STEERING

POWER STEERING STRUCTURAL VIEW

dcf061400000102




DBR614ZTB801

POWER STEERING

STEERING GEAR AND LINKAGE CONSTRUCTION

dcf061432960101

- A ball nut type steering gear has been adopted.
- The hydraulic pressure from the oil pump is transmitted to the cylinder part by the control valve according to the operation of the steering wheel.
- The ball nut rotation resistance is reduced in proportion to the amount of the hydraulic pressure transmitted to the cylinder part.




DBR614ZTB002

POWER STEERING

POWER STEERING OIL PUMP CONSTRUCTION

dcf061432650t01

- The oil pump is driven through the crankshaft (timing gear), idle gear, and vacuum pump gear. As a result, a lowering of performance due to belt slippage or breakage has been eliminated.
- A flow control valve which adjusts the amount of oil sent to the steering gear has been designed in the oil pump to control hydraulic pressure fluctuation according to engine speed.




DBR614ZTB003

POWER STEERING

STEERING SHAFT CONSTRUCTION

dcf061432010101

- Tilt steering has been optionally equipped to adjust the position of the steering wheel to suit the driver's particular body shape and driving posture.
- The tilt system is adjustable by 30mm {1.2 in} in the up/down direction.
- A collapsible steering shaft has been adopted to minimize driver injury in the event of a frontal collision.



DBR614ZTB004

()

()

()