

GSE319536_BC01 | frozen v3.4 / Epi MP10 and literature programs


H&E / observed outer boundary




Mixed-spot MP10 AUCell / P95




Puram p-EMT Top30 / active front




Flores positive 10




Hallmark EMT (mixed spot)




Strict v3.4 signed distance



Nearest MP10-P95 distance




SAMPLE R12 LEIDEN 0–8




R12 0 R12 1 R12 2 R12 3 R12 4 R12 5 R12 6 R12 7 R12 8 P95 / pEMT-high front

GSE319536_BC02 | frozen v3.4 / Epi MP10 and literature programs


H&E / observed outer boundary




Mixed-spot MP10 AUCell / P95




Puram p-EMT Top30 / active front




Flores positive 10




Hallmark EMT (mixed spot)




Strict v3.4 signed distance




Nearest MP10-P95 distance




SAMPLE R12 LEIDEN 0–8



R12 0 R12 1 R12 2 R12 3 R12 4 R12 5 R12 6 R12 7 R12 8 P95 / pEMT-high front


GSE319536_BC04 | frozen v3.4 / Epi MP10 and literature programs
H&E / observed outer boundary
Mixed-spot MP10 AUCell / P95
AUCell
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Puram p-EMT Top30 / active front
UCell
0.4
0.3
0.2
0.1
0.0
Flores positive 10
UCell
0.150
0.125
0.100
0.075
0.050
0.025
0.000
Hallmark EMT (mixed spot)
UCell
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Strict v3.4 signed distance
µm
1000
750
500
250
0
−250
−500
−750
−1000
Nearest MP10-P95 distance
µm
1000
800
600
400
200
0
SAMPLE R12 LEIDEN 0–8
R12 0
R12 1
R12 2
R12 3
R12 4
R12 5
R12 6
R12 7
R12 8
P95 / pEMT-high front

GSE319536_BC05 | frozen v3.4 / Epi MP10 and literature programs




GSE319536_BC08 | frozen v3.4 / Epi MP10 and literature programs


H&E / observed outer boundary




Mixed-spot MP10 AUCell / P95




Puram p-EMT Top30 / active front




Flores positive 10




Hallmark EMT (mixed spot)




Strict v3.4 signed distance



Nearest MP10-P95 distance




SAMPLE R12 LEIDEN 0–8




R12 0 R12 1 R12 2 R12 3 R12 4 R12 5 R12 6 R12 7 R12 8 P95 / pEMT-high front

GSE319536_BC10 | frozen v3.4 / Epi MP10 and literature programs


H&E / observed outer boundary




Mixed-spot MP10 AUCell / P95




Puram p-EMT Top30 / active front




Flores positive 10




Hallmark EMT (mixed spot)



Strict v3.4 signed distance



Nearest MP10-P95 distance




SAMPLE R12 LEIDEN 0–8




R12 0 R12 1 R12 2 R12 3 R12 4 R12 5 R12 6 R12 7 R12 8 P95 / pEMT-high front

GSE319536_BC11 | frozen v3.4 / Epi MP10 and literature programs


H&E / observed outer boundary




Mixed-spot MP10 AUCell / P95




Puram p-EMT Top30 / active front




Flores positive 10




Hallmark EMT (mixed spot)




Strict v3.4 signed distance



Nearest MP10-P95 distance




SAMPLE R12 LEIDEN 0–8




R12 0 R12 1 R12 2 R12 3 R12 4 R12 5 R12 6 R12 7 R12 8 P95 / pEMT-high front

GSE319536_BC12 | frozen v3.4 / Epi MP10 and literature programs




GSE319536_BC13 | frozen v3.4 / Epi MP10 and literature programs


H&E / observed outer boundary




Mixed-spot MP10 AUCell / P95




Puram p-EMT Top30 / active front




Flores positive 10




Hallmark EMT (mixed spot)




Strict v3.4 signed distance



Nearest MP10-P95 distance




SAMPLE R12 LEIDEN 0–8




R12 0 R12 1 R12 2 R12 3 R12 4 R12 5 R12 6 R12 7 R12 8 P95 / pEMT-high front

GSE319536_BC14 | frozen v3.4 / Epi MP10 and literature programs




GSE319536_BC15 | frozen v3.4 / Epi MP10 and literature programs


H&E / observed outer boundary




Mixed-spot MP10 AUCell / P95




Puram p-EMT Top30 / active front




Flores positive 10




Hallmark EMT (mixed spot)



Strict v3.4 signed distance




Nearest MP10-P95 distance



SAMPLE R12 LEIDEN 0–8




R12 0 R12 1 R12 2 R12 3 R12 4 R12 5 R12 6 R12 7 R12 8 P95 / pEMT-high front



GSE319536_BC16 | frozen v3.4 / Epi MP10 and literature programs
H&E / observed outer boundary
Mixed-spot MP10 AUCell / P95
AUCell
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Puram p-EMT Top30 / active front
UCell
0.4
0.3
0.2
0.1
0.0
Flores positive 10
UCell
0.150
0.125
0.100
0.075
0.050
0.025
0.000
Hallmark EMT (mixed spot)
UCell
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Strict v3.4 signed distance
µm
1000
750
500
250
0
−250
−500
−750
−1000
Nearest MP10-P95 distance
µm
1000
800
600
400
200
0
SAMPLE R12 LEIDEN 0–8
R12 0
R12 1
R12 2
R12 3
R12 4
R12 5
R12 6
R12 7
R12 8
P95 / pEMT-high front

GSE319536_BC17 | frozen v3.4 / Epi MP10 and literature programs


H&E / observed outer boundary




Mixed-spot MP10 AUCell / P95




Puram p-EMT Top30 / active front




Flores positive 10




Hallmark EMT (mixed spot)




Strict v3.4 signed distance



Nearest MP10-P95 distance




SAMPLE R12 LEIDEN 0–8




R12 0 R12 1 R12 2 R12 3 R12 4 R12 5 R12 6 R12 7 R12 8 P95 / pEMT-high front

GSE319536_BC18 | frozen v3.4 / Epi MP10 and literature programs


H&E / observed outer boundary




Mixed-spot MP10 AUCell / P95




Puram p-EMT Top30 / active front




Flores positive 10




Hallmark EMT (mixed spot)




Strict v3.4 signed distance



Nearest MP10-P95 distance




SAMPLE R12 LEIDEN 0–8




R12 0 R12 1 R12 2 R12 3 R12 4 R12 5 R12 6 R12 7 R12 8 P95 / pEMT-high front

GSE319536_BC19 | frozen v3.4 / Epi MP10 and literature programs




GSE319536_BC21 | frozen v3.4 / Epi MP10 and literature programs


H&E / observed outer boundary




Mixed-spot MP10 AUCell / P95




Puram p-EMT Top30 / active front




Flores positive 10




Hallmark EMT (mixed spot)




Strict v3.4 signed distance



Nearest MP10-P95 distance



SAMPLE R12 LEIDEN 0–8



R12 0 R12 1 R12 2 R12 3 R12 4 R12 5 R12 6 R12 7 R12 8 P95 / pEMT-high front